

한반도 자생식물 영어이름 목록집



한반도 자생식물 영어이름 목록집

English Names for Korean Native Plants



머리말

우리는 누구나 좋은 이름을 갖기를 원하고, 또 불리기를 원합니다. 아이가 태어나면 제일 먼저 뜻과 소리를 염두에 두고 이름을 짓습니다. 또한 나쁜 이름은 법적인 절차를 거쳐 바꾸기도 합니다. 이름이 가지는 힘을 믿기 때문입니다. 이름을 불러줌으로서 의미있는 존재가 된다는 시인의 식구처럼, 이름은 단순히 정보를 제공하는데 그치지 않고, 그 이름을 가진 존재의 의미와 가치를 결정짓게 됩니다. 식물의 이름도 마찬가지입니다. 단순히 식물이 가지고 있는 특징을 나타내는 것을 넘어서, 그 식물의 생태적 가치, 자라는 지역의 역사적 의미와 민족의 문화를 모두 내포하고 있습니다. 이것이 산림청과 국립수목원이 광복 70주년을 맞이하여 ‘우리 소나무의 진정한 광복’을 준비하게 된 까닭입니다.

2014년 10월 『나고야 의정서(Nagoya Protocol)』가 발표되면서, 식물의 원산지 주권은 한층 강화되었습니다. 이런 상황에서 우리나라의 식물주권은 그 어느 때보다 중요해졌으며, 다양한 방법을 통해 우리 식물 주권을 확보 할 필요가 있게 되었습니다.

우리 식물의 이름은 한반도의 아픈 역사를 그대로 반영하고 있습니다. 한반도의 식물이 일본이나 중국에 비해 100년 이상 늦게 알려진 것도 있지만, 일제 강점기를 통해 많은 식물들이 일본인 학자들에 의해 연구되고, 학계에 보고되면서, 뜻하지 않게 일본식 이름을 그대로 가져가게 되었습니다. 뒤늦게 이런 이름들을 고쳐보고자 하나, 학명이 가진 특수성 때문에 변경이 쉽지 않습니다. 그러나 누구나 흔히 부를 수 있는 이름, 즉, 일반명은 그렇지 않습니다.

이에, 국립수목원에서는 한반도를 대표하는 식물을 ‘코리아(Korea)의 식물’로 세계에 적극적으로 알릴 필요가 있다고 여겨, 한국식물분류학회

전문가들과 함께 『국가표준식물목록』 작성 사업에 이어, 우리 식물에 영어 이름을 지어주는 작업을 시작하게 되었습니다. 자생식물 4,173종의 영어이름을 검토하여, 2,500종에 대해 새롭게 이름을 붙이고, 특산식물은 한국이 원산지임을 알 수 있도록 하였습니다. 또한 우리 문화와 밀접한 관계가 있는 식물과 특산 속에 대해서는 한글이름이 그대로 영어이름이 되도록 하였습니다.

『한반도 자생식물 영어이름 목록집』 발간으로, 그 동안 일본 또는 다른 나라의 식물로만 인식되었던 우리 식물들의 제대로 된 이름을 찾아주고, 이름이 없었던 식물들은 새로운 영어이름을 가지게 됨으로서, 국제사회에 우리 식물임을 소개하는 계기가 될 것입니다. 이 이름들이 확산되기 위해서는 모두 합심하여, 학술논문, 자료집, 표찰, SNS 등을 통해 많이 사용해 주는 것이 필요하며, 이를 통해 우리 식물은 합당한 이름을 가지게 되고, 우리가 진정한 이름의 주인이 될 수 있을 것입니다.

본 목록집이 나오기 까지 애써주신 국가수목유전자원목록심의회와 한국 식물분류학회 전문가분들에게 감사드리고, 국립수목원 관계자들의 노고를 치하하는 바입니다.

아무쪼록 본 목록집이 우리 식물의 주권 확보에 기여할 수 있기를 바라며, 국립수목원은 앞으로도 우리 자생식물에 대한 지속적인 연구와 지원을 아끼지 않을 것을 약속드립니다.

국립수목원장
이유미

FOREWORD

We all want to have a good name, and to be called by a good name. When a baby is born, the first thing we do is, give a name to the baby considering the meaning and the sound. This is because we believe in the power of the name. As a phrase of a poem of a poet, call out the name, we become a meaningful existence. The name does not only provide simple meaning, but also determine the significance and the value of the existing being with the name. It is likewise with the plant's name. Plant's name shows not only the characteristics of the plant, but also the ecological value, and contains the historical meaning and the national culture of their habitat. This is why and National Arboretum have prepared 'True Independence of our pine' commemorating the Independence Day 70th Anniversary.

At the announcement of the『Nagoya protocol』in Oct. 2014, the sovereignty of the plants was strengthened. In this circumstance, our plants' sovereignty became more important than ever, and we realized the necessity to secure our plants' sovereignty through various methods. The names of our plants reflect the painful history of Korean peninsula. The plants of Korean peninsula were known more than 100 years later than those of Japanese and Chinese, but through the Japanese Colonial Period, plants were researched and reported by Japanese scientists, unintendedly, the names were given in Japanese style. We have tried to modify the names, but it is not easy because of the peculiarity of the scientific names. But the names we call out, the common names, they are different.

Hence, Korea National Arboretum have recognized that, it is needed to inform actively Korean peninsula typical plants as 'The plants of Korea' to the world, we have started to give English names to our plants, following to the『Korean Plant Names Index』preparation business with the experts of The Korean Society of

Plant Taxonomists. We have reviewed 4,173 species of native plants, and gave new names to 2,500 species, indigenous plants' names showing that the plants origin is Korea. Moreover the names of the indigenous plants and indigenous species that are closely related to our culture, we have decided to give English names literally same as the Korean names.

The publication of 『English Names for Korean native plants』, will be the opportunity to introduce these plants as our plants globally, giving proper names to our plants those were perceived as Japanese or other countries' plants, and giving names to those, which did not have any names at all. To widespread these names, we will have to work together in using these names, in treatise, materials, labels, SNS. Through these activities, our plants will have the reasonable names, and we will be the real host of the names.

Thank you to the experts of 'Korea National Plant List Committee' and 'The Korean Society of Plant Taxonomists' who have made efforts for this book to be published, and I also want to appreciate to the persons concerned of Korea National Arboretum.

I hope this book will contribute in securing the sovereignty of our plants, and the Korea National Arboretum will provide continuous research and support on our native plants in the future.

YOU MI LEE
Director General
Korea National Arboretum

목 차 Contents

일러두기

Introduction

국명_1

Korean name

학명_331

Scientific name

찾아보기_687

Index

참고문헌_759

Reference

일러두기

우리 민족과 함께해 온 소나무의 영어이름으로 재페니즈 레드 파인(Japanese red pine)이 사용되고 있습니다. ‘줄기가 붉은 일본의 소나무’라는 뜻입니다. 세계적으로 한반도가 소나무 분포의 중심이지만 일본의 소나무가 서양인들에게 먼저 알려진 탓입니다. 이제 소나무가 한반도 중심의 나무임을 알려야 합니다.

우리 식물이 다른 나라의 식물로 알려진 경우 외에도 영어이름이 없는 식물도 있습니다. 식물주권의 확보는 한반도를 대표하는 식물을 ‘코리아(Korea) 식물’로 부르도록 세계에 알리는 일에서 출발합니다.

산림청 국립수목원은 우리 식물의 정체성을 확립하고 그 가치를 세계에 알리기 위해 아래와 같이 한반도 자생식물의 영어이름을 새롭게 정리했습니다.

- 한반도가 식물분포의 중심지이나 다른 국가명이 들어간 식물
- 우리 문화·생활과 밀접한 관계가 있는 식물
- 한반도에만 살고 있는 특산식물
- 세계적으로 넓게 분포함에도 불구하고 특정 국가명이 들어간 식물

- ❶ 우리나라에 자생하는 관속식물 4,173 종류를 대상으로 하였으며, 목록의 배열은 국명의 한글 및 학명의 알파벳 순으로 각각 표기하였다.
- ❷ 분류군에 대한 학명과 국명은 국가표준식물목록(KPNI, The Korean Plant Names Index)을 기준으로 하였으며, 일부 분류군의 계급의 변화나 이명 처리 등에 대해서는 Tropicos, The Plant List 와 기타 문헌을 이용하여 보완 및 수정하였다.
- ❸ 국명의 로마자는 국립국어원의 ‘국어의 로마자 표기법’에 따라 표기하였으며, 각 음절은 불임표(–) 부호를 사용하여 구분하였다.

한라감자난초

(Han-ra-gam-ja-nan-cho)

광릉골무꽃

(Gwang-reung-gol-mu-kkot)

- ❹ 영문이름은 가능한 한자어나 일본어의 영향을 받은 용어를 배제하고, 학명, 국명, 식물의 형태, 생태적 특성 및 분포 등을 반영하여 작성함을 기본으로 하였으나, 이미 전 세계적으로 널리 통용되고 있을 경우 미국 농무부 자연 자원보전 서비스의 식물 데이터 베이스 (USDA, United States Department of Agriculture, Natural Resources Conservation Services, Plants Database), 위키페디아(Wikipedia), 영국왕립원예 학회의 가드닝 사전 (The New RHS Dictionary of Gardening) 등을 참고하여 반영하였다. 다만, 여러 종에서 영문이름이 혼용되는 경우에는 일부 수정하여 사용하였다.

일러두기

- ❸ 지명이 포함된 식물의 영문이름은 지명을 나타내는 단어의 첫 글자를 대문자로 표기하되, 국명에서 사용된 지명을 그대로 반영함을 원칙으로 하였다. 국명에는 지명이 표시되지 않았으나, 분포지역을 근거로 작성한 영문명의 경우, 지명 전체(~도, ~산)를 포함하여 영문이름에 표기하였다.

거문도닥나무 (Geo-mun-do-dak-na-mu)	Geomundo false ohelo
거문천남성 (Geo-mun-cheon-nam-seong)	Geomun jack-in-the-pulpit
한라산참꽃나무 (Han-ra-san-cham-kkot-na-mu)	Hallasan azalea
한라고들빼기 (Han-ra-go-deul-ppae-gi)	Halla lettuce
섬시호 (Seom-si-ho)	Ulleungdo hare's ear
섬매발톱나무 (Seom-mae-bal-top-na-mu)	Jejudo barberry

- ❹ 영문이름 내에서 인명의 표기는 가급적 배제하였으나, 부득이한 경우 및 의미가 있는 경우에는 인명 뒤에 「s」를 붙여 표기하였다.

가는갯는쟁이 (Ga-neun-gaet-neun-jaeng-i)	Gmelin's saltbush
겨이삭여뀌 (Gyeo-i-sak-yeo-kkwi)	Taquet's smartweed
줄댕강나무 (Jul-daeng-gang-na-mu)	Taihyun's abelia
장대냉이 (Jang-dae-naeng-i)	Maximowicz's berteroella

- ❺ 국내에서 일반인들에게 널리 알려져 있고 사용되는 분류군에 대한 영문이름의 경우, 이해를 돋기 위해 국명의 로마자 표기를 그대로 영문이름으로 사용하였으며, 일반 영어이름이 있는 경우 함께 표기하였다.

갈참나무 (Gal-cham-na-mu)

Galcham oak (Oriental white oak)

개나리 (Gae-na-ri)

Gaenari (Korean goldenbell tree)

고려엉겅퀴 (Go-ryeo-eong-geong-kwi)

Gondre (Korean thistle)

- ❸ 영문이름의 첫글자만 대문자로 표기하되, 인물명이나 지명에 대한 용어의 첫 글자는 항상 대문자로 표기하였다.

팽나무 (Paeng-na-mu)

East Asian hackberry

좀께묵 (Jom-kke-muk)

Small Maximowicz's hololeion

세모산부추 (Se-mo-san-bu-chu)

Triangular-leaf Thunberg's chive

- ❹ 국제명명규약 (ICN, International Code of Nomenclature for Algae, Fungi, and Plants)에 따른 비합법적으로 발표된 이름과 비정 당명에 대해서는 학명 앞에 별표(*)로 표시하였다.

INTRODUCTION

The pine tree that have shared the fate with Korean people is called a Japanese red pine in English. It means 'Japanese pine tree with red trunk'. Internationally, it is known that the Korean peninsula is the center of pine tree habitat, but the Japanese pine tree was reported to the world before. Now is the time to inform the world that the pine trees are the main tree of Korean peninsula.

Besides Korean plants known as other country's plants, there are plants without any English common names at all. To secure the plants' sovereignty, we have to start make the world understand that our plants 'Korean plants'.

The Korea National Arboretum have classified English names of Korean peninsula to establish the identity of our plants and to inform the world their value.

- The name of plants which their habitat is Korean peninsula, but have other country's name
- The name of plants closely related to our culture and our life
- The name of plants indigenous of Korean peninsula
- The name of plants widespread worldwide but have specific country's name

- ❶ It is targeted on the 4,173 species of vascular plants that inhabit in Korea, and the arrangement of the index is in Korean name order and alphabetic order of the scientific names.
- ❷ The scientific names and Korean names of the taxon are based on the Korean Plants Names Index, and in case of the change of class and giving a synonym to a part of taxon, we used the Tropicos, The Plant List and other documentary records for the complementation and revision.
- ❸ In case of romanization of Korean names, we have inscribed following the 'Romanization of Korean' and we used hyphen between syllables.

한라감자난초

(Han-ra-gam-ja-nan-cho)

광릉골무꽃

(Gwang-reung-gol-mu-kkot)

- ❹ In case of English names, we have excluded the Chinese and Japanese terms as possible, and we have worked based on the scientific names, Korean Names, morphological and, ecological characteristics and distribution, but if the names were already common around the world, we have referred to the USDA (United States Department of Agriculture, Natural Resources Conservation Services, Plants Database), Wikipedia, The New RHS Dictionary of Gardening. But in case of English names used in several species, we have partly modified the names.

INTRODUCTION

- ❸ In case of English names with geographical names, we have used the capital letter for the first letter of the geographical name, and we used the Korean geographical name literally same in English. In case of the English names based on the habitat but no geographical names within the Korean name, we have used full geographical names (~do, ~san) in English names.

Geo-mun-do-dak-na-mu (거문도닥나무)	Geomundo false ohelo
Geo-mun-cheon-nam-seong (거문천남성)	Geomun jack-in-the-pulpit
Han-ra-san-cham-kkot-na-mu (한라산참꽃나무)	Hallasan azalea
Han-ra-go-deul-ppae-gi (한라고들빼기)	Halla lettuce
Seom-si-ho (섬시호)	Ulleungdo hare's ear
Seom-mae-bal-top-na-mu (섬매발톱나무)	Jejudo barberry

- ❹ We have excluded a person's name as possible in the English names, but if necessary and if needed in the meaning, we have put 「s」 after the person's name.

Ga-neun-gaet-neun-jaeng-i (가는겟는쟁이)	Gmelin's saltbush
Gyeo-i-sak-yeo-kkwi (겨이삭여뀌)	Taquet's smartweed
Jul-daeng-gang-na-mu (줄댕강나무)	Taihyun's abelia
Jang-dae-naeng-i (장대방이)	Maximowicz's berteroella

- ❺ In case of English names of the taxon used and known widely to domestic people, we used romanization of the Korean names literally same in English names in order to facilitate understanding, and specified common English names.

Gal-cham-na-mu (갈참나무)

Gae-na-ri (개나리)

Go-ryeo-eong-geong-kwi (고려엉겅퀴)

Galcham oak (Oriental white oak)

Gaenari (Korean goldenbell tree)

Gondre (Korean thistle)

- ❸ We have used the capital letter in the first letter of English names, and always capital letter for a person's names or geographical names.

Geom-eun-gu-sang (검은구상)

Paeng-na-mu (팽나무)

Jom-kke-muk (좀께묵)

Se-mo-san-bu-chu (세모산부추)

Black-cone Korean fir

East Asian hackberry

Small Maximowicz's hololeion

Triangular-leaf Thunberg's chive

- ❹ In case of the invalidly published and illegitimate names according to the ICN, International Code of Nomenclature for Algae, Fungi, and Plants, we have marked (*) in front of the scientific name.

2 가는가래

Korean name (Romanization)	English name Scientific name
G	
가는가래 (Ga-neun-ga-rae)	Little-leaf pondweed <i>Potamogeton cristatus</i> Regel & Maack
가는갈퀴 (Ga-neun-gal-kwi)	Lesser narrow-leaf vetch <i>Vicia angustifolia</i> var. <i>minor</i> (Bertol.) Ohwi
가는갈퀴나물 (Ga-neun-gal-kwi-na-mul)	Narrowly pinnate vetch <i>Vicia anguste-pinnata</i> Nakai
가는개밀 (Ga-neun-gae-mil)	Slender wheatgrass <i>Elymus ciliaris</i> var. <i>hackelianus</i> (Honda) G.Zhu & S.L.Chen
가는개수염 (Ga-neun-gae-su-yeom)	Slender pipewort <i>Eriocaulon tenuissimum</i> Nakai
가는개여뀌 (Ga-neun-gae-yeo-kkwi)	East Asian slender smartweed <i>Persicaria trigonocarpa</i> (Makino) Nakai
가는갯는쟁이 (Ga-neun-gaet-neun-jaeng-i)	Gmelin's saltbush <i>Atriplex gmelinii</i> C.A.Mey.
가는골무꽃 (Ga-neun-gol-mu-kkot)	Slender-leaf skullcap <i>Scutellaria regeliana</i> Nakai
가는고불주머니 (Ga-neun-goe-bul-ju-meo-ni)	Dissected-leaf yellow corydalis <i>Corydalis raddeana</i> Regel
가는금강아지풀 (Ga-neun-geum-gang-a-ji-pul)	Cattail bristlegrass <i>Setaria pumila</i> subsp. <i>pallide-fusca</i> (Schumach.) B.K.Simon
가는금불초 (Ga-neun-geum-bul-cho)	Linear-leaf British yellowhead <i>Inula britannica</i> var. <i>linariifolia</i> (Turcz.) Regel
가는기름나물 (Ga-neun-gi-reum-na-mul)	Elegant hogfennel <i>Peucedanum elegans</i> Kom.
가는기린초 (Ga-neun-gi-rin-cho)	Aizoon stonecrop <i>Sedum aizoon</i> L.
가는나래새 (Ga-neun-na-rae-sae)	Needlegrass <i>Stipa sibirica</i> (L.) Lam.

Korean name (Romanization)	English name Scientific name
가는네잎갈퀴 (Ga-neun-ne-ip-gal-kwi)	Three-petal bedstraw <i>Galium trifidum</i> L.
가는다리장구채 (Ga-neun-da-ri-jang-gu-chae)	Slender catchfly <i>Silene jenisseensis</i> Willd.
가는데나풀 (Ga-neun-dae-na-mul)	Pink baby's-breath <i>Gypsophila pacifica</i> Kom.
가는돌찌귀 (Ga-neun-dol-jjeo-gwi)	Dissected-leaf monk'shood <i>Aconitum macrorhynchum</i> Turcz. ex Ledeb.
가는동자꽃 (Ga-neun-dong-ja-kkot)	Narrow-leaf campion <i>Lychnis kiusiana</i> Makino
가는등갈퀴 (Ga-neun-deung-gal-kwi)	Fine-leaf vetch <i>Vicia tenuifolia</i> Roth
가는마디꽃 (Ga-neun-ma-di-kkot)	Diminutive rotala <i>Rotala mexicana</i> Cham. & Schlechl.
가는명아주 (Ga-neun-myeong-a-ju)	Narrow-leaf goosefoot <i>Chenopodium album</i> var. <i>stenophyllum</i> Makino
가는물부추 (Ga-neun-mul-bu-chu)	Narrow quillwort <i>Isoetes sinensis</i> Palmer
가는바디 (Ga-neun-ba-di)	Maximowicz's ostericum <i>Ostericum maximowiczii</i> (F.Schmidt) Kitag.
가는범꼬리 (Ga-neun-beom-kko-ri)	Slender bistort <i>Bistorta alopecuroides</i> (Turcz. ex Besser) Kom.
가는비늘사초 (Ga-neun-bi-neul-sa-cho)	Narrow-scale sedge <i>Carex suifunensis</i> Kom.
가는사초 (Ga-neun-sa-cho)	Two-seed sedge <i>Carex disperma</i> Dewey
가는산부추 (Ga-neun-san-bu-chu)	Glittering chive <i>Allium splendens</i> Willd. ex Schult. & Schult.f.
가는살갈퀴 (Ga-neun-sal-gal-kwi)	Narrow-leaf vetch <i>Vicia angustifolia</i> L. ex Reichard
가는쇠고사리 (Ga-neun-soe-go-sa-ri)	East Indian hollyfern <i>Arachniodes aristata</i> (G.Forst.) Tindale

Korean name (Romanization)	English name Scientific name
가는쑥부쟁이 (Ga-neun-ssuk-bu-jaeng-i)	Thick-stem aster <i>Aster integrifolius</i> (Turcz. ex DC.) Franch.
가는여뀌 (Ga-neun-yeo-kkwi)	Fastigiate-wetland smartweed <i>Persicaria hydropiper</i> var. <i>fastigiatum</i> Nakai
가는오이풀 (Ga-neun-o-i-pul)	Asian burnet <i>Sanguisorba × tenuifolia</i> Fisch. ex Link
가는잎감국 (Ga-neun-ip-gam-guk)	Acute-leaf Indian dendranthema <i>Dendranthema indicum</i> var. <i>acuta</i> (Uyeki) Kitam.
가는잎개고사리 (Ga-neun-ip-gae-go-sa-ri)	Narrow-leaf ladyfern <i>Athyrium iseanum</i> Rosenst.
가는잎개별꽃 (Ga-neun-ip-gae-byeol-kkot)	Narrow-leaf false-starwort <i>Pseudostellaria sylvatica</i> (Maxim.) Pax
가는잎그늘사초 (Ga-neun-ip-geu-neul-sa-cho)	Low sedge <i>Carex humilis</i> var. <i>nana</i> (H.Lév. & Vaniot) Ohwi
가는잎꽃버들 (Ga-neun-ip-kkot-beo-deul)	Narrow-leaf willow <i>Salix viminalis</i> var. <i>angustifolia</i> Turcz.
가는잎독미나리 (Ga-neun-ip-dok-mi-na-ri)	Upright water hemlock <i>Cicuta virosa</i> var. <i>stricta</i> K.F.Schultz
가는잎모새달 (Ga-neun-ip-mo-sae-dal)	Slender-leaf phacelurus <i>Phacelurus latifolius</i> var. <i>angustifolius</i> (Debeaux) Kitag.
가는잎물억새 (Ga-neun-ip-mul-eok-sae)	Narrow-leaf Amur silvergrass <i>Miscanthus sacchariflorus</i> var. <i>gracilis</i> Y.N.Lee
가는잎물질경이 (Ga-neun-ip-mul-jil-gyeong-i)	Slender-leaf duck lettuce <i>Ottelia alismoides</i> f. <i>oryzetorum</i> Kom.
가는잎방풍 (Ga-neun-ip-bang-pung)	Sesellike libanotis <i>Libanotis seseloides</i> (Fisch. & C.A.Mey. ex Turcz.) Turcz.
가는잎산들깨 (Ga-neun-ip-san-deul-kkae)	East Asian dwarf mosla <i>Mosla chinensis</i> Maxim.
가는잎소리쟁이 (Ga-neun-ip-so-ri-jaeng-i)	Narrow-leaf dock <i>Rumex stenophyllus</i> Ledeb.
가는잎쐐기풀 (Ga-neun-ip-sswae-gi-pul)	Narrow-leaf nettle <i>Urtica angustifolia</i> Fisch. ex Hornem.

Korean name (Romanization)	English name Scientific name
가는잎쑥 (Ga-neun-ip-ssuk)	Slender-leaf wormwood <i>Artemisia integrifolia</i> f. <i>subulata</i> (Nakai) Kitag.
가는잎억새 (Ga-neun-ip-eok-sae)	Delicate maiden silvergrass <i>Misanthus sinensis</i> f. <i>gracillimumus</i> Hitchc.
가는잎왕고들빼기 (Ga-neun-ip-wang-go-deul-ppae-gi)	Slender-leaf Indian lettuce <i>Lactuca indica</i> var. <i>laciniata</i> (Houtt.) H.Hara
가는잎음나무 (Ga-neun-ip-eum-na-mu)	Narrow-leaf prickly castor oil tree <i>Kalopanax septemlobus</i> var. <i>maximowiczii</i> (Van Houtte) Hand.-Mazz
가는잎잔대 (Ga-neun-ip-jan-dae)	Linear three-leaf ladybell <i>Adenophora triphylla</i> f. <i>linearis</i> (Hayata) Kitam.
가는잎족제비고사리 (Ga-neun-ip-jok-je-bi-go-sa-ri)	Narrow-leaf buckler fern <i>Dryopteris chinensis</i> (Baker) Koidz.
가는잎처녀고사리 (Ga-neun-ip-cheo-nyeo-go-sa-ri)	Slender-leaf marsh fern <i>Parathelypteris beddomei</i> (Baker) Ching
가는잎활미꽃 (Ga-neun-ip-hal-mi-kkot)	Narrow-leaf pasque-flower <i>Pulsatilla cernua</i> (Thunb.) Bercht. & J.Presl
가는잎향유 (Ga-neun-ip-hyang-yu)	Narrow-leaf mint <i>Elsholtzia angustifolia</i> (Loes.) Kitag.
가는장구채 (Ga-neun-jang-gu-chae)	Seoul catchfly <i>Silene seoulensis</i> Nakai
가는장대 (Ga-neun-jang-dae)	Dentate dontostemon <i>Dontostemon dentatus</i> (Bunge) C.A.Mey. ex Ledeb.
가는장대속 [십자화과] (Ga-neun-jang-dae-sok)	Dontostemon <i>Dontostemon</i> Andrz. ex Ledeb. [Brassicaceae]
가는정영엉겅퀴 (Ga-neun-jeong-yeong-eong-geng-kwi)	Sword-leaf Jeongyeong thistle <i>Cirsium chanroenicum</i> var. <i>lanceolata</i> Kitam.
가는줄돌쩌귀 (Ga-neun-jul-dol-jjeo-gwi)	Twining monk's hood <i>Aconitum volubile</i> Pall.
가는참나물 (Ga-neun-cham-na-mul)	Korean pimpinella <i>Pimpinella koreana</i> (Y.Yabe) Nakai

Korean name (Romanization)	English name Scientific name
가는총총잔대 (Ga-neun-cheung-cheung-jan-dae)	Narrow whorled-leaf ladybell <i>Adenophora verticillata</i> var. <i>angustifolia</i> Regel
가는털백미 (Ga-neun-teol-baek-mi)	Hairy swallow-wort <i>Cynanchum chinense</i> R.Brown
가는포아풀 (Ga-neun-po-a-pul)	Slender kentucky bluegrass <i>Poa matsumurae</i> Hack.
가는하늘자기 (Ga-neun-ha-neul-ji-gi)	Slender two-leaf fimbristylis <i>Fimbristylis dichotoma</i> f. <i>depauperata</i> (R.Br.) Ohwi
가는홍지네고사리 (Ga-neun-hong-ji-ne-go-sa-ri)	Caudate autumn fern <i>Dryopteris caudipinna</i> Nakai
가락지나물 (Ga-rak-ji-na-mul)	Anemone cinquefoil <i>Potentilla anemonifolia</i> Lehm.
가래 (Ga-rae)	Pondweed <i>Potamogeton distinctus</i> A.Benn.
가래고사리 (Ga-rae-go-sa-ri)	Long beech fern <i>Phegopteris connectilis</i> (Michx.) Watt.
가래과 (Ga-rae-gwa)	Pondweed family <i>Potamogetonaceae</i> Bercht. & J.Presl
가래나무 (Ga-rae-na-mu)	Manchurian walnut <i>Juglans mandshurica</i> Maxim.
가래나무과 (Ga-rae-na-mu-gwa)	Walnut family <i>Juglandaceae</i> DC. ex Perleb
가래나무속 [가래나무과] (Ga-rae-na-mu-sok)	Walnut, Walnut tree <i>Juglans</i> L. [Juglandaceae]
가래바람꽃 (Ga-rae-ba-ram-kkot)	Dichotomous anemone <i>Anemone dichotoma</i> L.
가래속 [가래과] (Ga-rae-sok)	Pondweed <i>Potamogeton</i> L. [Potamogetonaceae]
가막사리 (Ga-mak-sa-ri)	Three-lobe beggartick <i>Bidens tripartita</i> L.
가막살나무 (Ga-mak-sal-na-mu)	Linden viburnum <i>Viburnum dilatatum</i> Thunb.

Korean name (Romanization)	English name Scientific name
가문비나무 (Ga-mun-bi-na-mu)	Dark-bark spruce <i>Picea jezoensis</i> (Siebold & Zucc.) Carrière
가문비나무속 [소나무과] (Ga-mun-bi-na-mu-sok)	Spruce <i>Picea</i> A.D Dietr. [Pinaceae]
가새덜꿩나무 (Ga-sae-deol-kkwong-na-mu)	Dissected-leaf viburnum <i>Viburnum erosum</i> var. <i>taquetii</i> (H.Lév.) Rehder
가새뽕나무 (Ga-sae-ppong-na-mu)	Dissected mulberry <i>Morus bombycina</i> f. <i>dissecta</i> Nakai
가새수리취 (Ga-sae-su-ri-chwi)	Deeply-lobe deltoid synurus <i>Synurus deltoides</i> var. <i>incisolobata</i> (DC.) Kitam.
가새쑥부쟁이 (Ga-sae-ssuk-bu-jaeng-i)	Incised-leaf aster <i>Aster incisus</i> Fisch.
가새씀바귀 (Ga-sae-sseum-ba-gwi)	Changing-color ixeris <i>Ixeris chinensis</i> subsp. <i>versicolor</i> (Fisch.) Kitam.
가새잎가며루 (Ga-sae-ip-gae-meo-ru)	Dissected-leaf porcelainberry <i>Ampelopsis brevipedunculata</i> f. <i>citrulloides</i> (Lebas) Rehder
가새잎산사 (Ga-sae-ip-san-sa)	Dissected-leaf mountain hawthorn * <i>Crataegus pinnatifida</i> var. <i>partita</i> Nakai ex T.H.Chung
가새함경딸기 (Ga-sae-ham-gyeong-ttal-gi)	Denticulate-petal arctic raspberry <i>Rubus arcticus</i> f. <i>dentipetala</i> Uyeki & Sakata
가솔송 (Ga-sol-song)	Blue mountain-heath <i>Phyllodoce caerulea</i> (L.) Bab.
가솔송속 [진달래과] (Ga-sol-song-sok)	Mountain-heaths, Mountain heathers <i>Phyllodoce</i> Salisb. [Ericaceae]
가시개관중 (Ga-si-gae-gwan-jung)	Stiff holly fern <i>Polystichum rigens</i> Tagawa
가시까치밥나무 (Ga-si-kka-chi-bap-na-mu)	Siberian currant <i>Ribes diacanthum</i> Pall.
가시꽈리 (Ga-si-kkwa-ri)	East Asian physaliastrum <i>Physaliastrum japonicum</i> (Franch. & Sav.) Honda
가시꽈리속 [가지과] (Ga-si-kkwa-ri-sok)	Physaliastrum <i>Physaliastrum</i> Makino [Solanaceae]

Korean name (Romanization)	English name Scientific name
가시나무 (Ga-si-na-mu)	Bamboo-leaf oak <i>Quercus myrsinifolia</i> Blume
가시딸기 (Ga-si-ttal-gi)	Hongno orange raspberry <i>Rubus hongnoensis</i> Nakai
가시복분자딸기 (Ga-si-bok-bun-ja-ttal-gi)	Creeping bokbunja <i>Rubus schizostylus</i> H.Lév.
가시엉겅퀴 (Ga-si-eong-geong-kwi)	Spined Japanese thistle <i>Cirsium japonicum</i> var. <i>spinossimum</i> Kitam.
가시여뀌 (Ga-si-yeo-kkwi)	Hastate-leaf smartweed <i>Persicaria dissitiflora</i> (Hemsl.) H.Gross ex T.Mori
가시연 (Ga-si-yeon)	Prickly waterlily <i>Euryale ferox</i> Salisb.
가시연속 [수련과] (Ga-si-yeon-sok)	Euryale <i>Euryale</i> Salisb. [Nymphaeaceae]
가시오갈피 (Ga-si-o-gal-pi)	Devil's bush <i>Eleutherococcus senticosus</i> (Rupr. & Maxim.) Maxim.
가야단풍취 (Ga-ya-dan-pung-chwi)	Shallow maple-leaf ainsliaea <i>Ainsliaea acerifolia</i> var. <i>subapoda</i> Nakai
가야물봉선 (Ga-ya-mul-bong-seon)	Gaya touch-me-not <i>Impatiens atrosanguinea</i> (Nakai) B.U.Oh & Y.P.Hong
가야산은분취 (Ga-ya-san-eun-bun-chwi)	Gayasan silvery-hair saussurea <i>Saussurea pseudogracilis</i> Kitam.
가야산잔대 (Ga-ya-san-jan-dae)	Gayasan ladybell <i>Adenophora kayasanensis</i> Kitam.
가지고비고사리 (Ga-ji-go-bi-go-sa-ri)	Bamboo fern <i>Coniogramme japonica</i> (Thunb.) Diels
가지곡정초 (Ga-ji-gok-jeong-cho)	Setaceous-leaf pipewort <i>Eriocaulon setaceum</i> L.
가지과 (Ga-ji-gwa)	Nightshade family <i>Solanaceae</i> Juss.
가지괭이눈 (Ga-ji-gwaeng-i-nun)	Many-branch golden saxifrage <i>Chrysosplenium ramosum</i> Maxim.

Korean name (Romanization)	English name Scientific name
가지금불초 (Ga-ji-geum-bul-cho)	Branching British yellowhead <i>Inula britannica</i> var. <i>ramosa</i> Kom.
가지기린초 (Ga-ji-gi-rin-cho)	Branching aizoon stonecrop <i>Sedum aizoon</i> var. <i>ramosum</i> Uyeki & Sakata
가지꼭두서니 (Ga-ji-kkok-du-seo-ni)	Six-leaf madder <i>Rubia hexaphylla</i> (Makino) Makino
가지꽃고비 (Ga-ji-kkot-go-bi)	Loosely-flower Jacob's ladder <i>Polemonium racemosum</i> var. <i>laxiflorum</i> (Kitam.) Nakai
가지더부살이 (Ga-ji-deo-bu-sal-i)	Tubiflorous phacellanthus <i>Phacellanthus tubiflorus</i> Siebold & Zucc.
가지더부살이속 [열당과] (Ga-ji-deo-bu-sal-i-sok)	Phacellanthus <i>Phacellanthus</i> Siebold & Zucc. [Orobanchaceae]
가지돌꽃 (Ga-ji-dol-kkot)	Branching rhodiola <i>Rhodiola ramosa</i> Nakai
가지민박쥐 (Ga-ji-min-bak-jwi)	Branched Indian plantain <i>Parasenecio hastata</i> var. <i>ramosa</i> (Maxim.) Kizmura
가지바위솔 (Ga-ji-ba-wi-sol)	Branching rock pine <i>Orostachys ramosa</i> Y.N.Lee
가지복수초 (Ga-ji-bok-su-cho)	Forked-stem adonis <i>Adonis ramosa</i> Franch.
가지속 [가지과] (Ga-ji-sok)	Nightshade <i>Solanum</i> L. [Solanaceae]
가지주름조개풀 (Ga-ji-ju-reum-jo-gae-pul)	Running mountain basketgrass <i>Oplismenus compositus</i> (L.) P.Beauv.
가지청사초 (Ga-ji-cheong-sa-cho)	Sakhalin mitra sedge <i>Carex polyschoena</i> H.Lév. & Vaniot
가침박달 (Ga-chim-bak-dal)	Korean pearl bush <i>Exochorda serratifolia</i> S.Moore
가침박달속 [장미과] (Ga-chim-bak-dal-sok)	Pearl bush <i>Exochorda</i> Lindl. [Rosaceae]
가회톱 (Ga-hoe-top)	East Asian peppervine <i>Ampelopsis japonica</i> (Thunb.) Makino

Korean name (Romanization)	English name Scientific name
각시고사리 (Gak-si-go-sa-ri)	Few-vein marsh fern <i>Macrothelypteris oligophlebia</i> var. <i>elegans</i> (Koidz.) Ching
각시고사리속 [면마과] (Gak-si-go-sa-ri-sok)	Macrothelypteris <i>Macrothelypteris</i> (H.Ito) Ching [Dryopteridaceae]
각시고불나무 (Gak-si-goe-bul-na-mu)	Chrysantha honeysuckle <i>Lonicera chrysantha</i> Turcz. ex Ledeb.
각시그령 (Gak-si-geu-ryeong)	Pond lovegrass <i>Eragrostis japonica</i> (Thunb.) Trin.
각시둥굴레 (Gak-si-dung-gul-re)	Dwarf solomon's seal <i>Polygonatum humile</i> Fisch. ex Maxim.
각시마 (Gak-si-ma)	Sweet mountain yam <i>Dioscorea tenuipes</i> Franch. & Sav.
각시미꾸리광이 (Gak-si-mi-kku-ri-gwang-i)	Chinampo alkaligrass <i>Puccinellia chinampoensis</i> Ohwi
각시미꾸리광이속 [벼과] (Gak-si-mi-kku-ri-gwang-i-sok)	Alkaligrass, Salt grass <i>Puccinellia</i> Parl. [Poaceae]
각시붓꽃 (Gak-si-but-kkot)	Long-tail iris <i>Iris rossii</i> Baker
각시서덜취 (Gak-si-seo-deol-chwi)	Serrate-leaf saussurea <i>Saussurea macrolepis</i> (Nakai) Kitam.
각시수련 (Gak-si-su-ryeon)	Pretty pigmy water-lily <i>Nymphaea tetragona</i> var. <i>minima</i> (Nakai) W.T.Lee
각시원추리 (Gak-si-won-chu-ri)	Dumortier's daylily <i>Hemerocallis dumortieri</i> C.Morren
각시제비꽃 (Gak-si-je-bi-kkot)	Delicate violet <i>Viola boissieuana</i> Makino
각시족도리풀 (Gak-si-jok-do-ri-pul)	Glabrate wildginger <i>Asarum glabratum</i> (C.S.Yook & J.G.Kim) B.U.Oh
각시취 (Gak-si-chwi)	Maiden sawwort <i>Saussurea pulchella</i> (Fisch.) Fisch.
각시통점나도나물 (Gak-si-tong-jeom-na-do-na-mul)	Amur mouse-ear chickweed <i>Cerastium pauciflorum</i> var. <i>amurense</i> (Regel) Mizush.

Korean name (Romanization)	English name Scientific name
각시투구꽃 (Gak-si-tu-gu-kkot)	Alpine monk'shood <i>Aconitum monanthum</i> Nakai
각시현호색 (Gak-si-hyeon-ho-saek)	Bride corydalis <i>Corydalis misandra</i> B.U.Oh
간도주오줌풀 (Gan-do-jwi-o-jum-pul)	Kando valerian <i>Valeriana pulchra</i> Nakai
간장풀 (Gan-jang-pul)	Stewart's catnip <i>Nepeta stewartiana</i> Diels
갈고리네잎갈퀴 (Gal-go-ri-ne-ip-gal-kwi)	Four-leaf bedstraw <i>Galium pseudoasprellum</i> Makino
갈기조팝나무 (Gal-gi-jo-pap-na-mu)	Korean meadow spirea <i>Spiraea trichocarpa</i> Nakai
갈대 (Gal-dae)	Common reed <i>Phragmites australis</i> (Cav.) Trin ex Steud.
갈대속 [벼과] (Gal-dae-sok)	Common reed, Reed <i>Phragmites</i> Adans. [Poaceae]
갈래두메양귀비 (Gal-rae-du-me-yang-gwi-bi)	Dissected-petal montane poppy <i>Papaver radicatum</i> var. <i>dissectipetalum</i> Y.N.Lee
갈래등골나물 (Gal-lae-deung-gol-na-mul)	Dissected eupatorium <i>Eupatorium chinense</i> var. <i>dissectum</i> (Makino) H.Hara
갈매기난초 (Gal-mae-gi-nan-cho)	East Asian platanthera <i>Platanthera japonica</i> (Thunb.) Lindl.
갈매나무 (Gal-mae-na-mu)	Dahurian buckthorn <i>Rhamnus davurica</i> Pall.
갈매나무과 (Gal-mae-na-mu-gwa)	Buckthorn family Rhamnaceae Juss.
갈매나무속 [갈매나무과] (Gal-mae-na-mu-sok)	Buckthorn <i>Rhamnus</i> L. [Rhamnaceae]
갈미바위솔 (Gal-mi-ba-wi-sol)	Gwanmo rock pine <i>Orostachys kanboensis</i> Ohwi
갈미사초 (Gal-mi-sa-cho)	Gwanmo sedge <i>Carex bigelowii</i> Torr. ex Schwein.

Korean name (Romanization)	English name Scientific name
갈미쥐손이 (Gal-mi-jwi-son-i)	Woolly-stem cranesbill <i>Geranium lasiocaulon</i> Nakai
갈사초 (Gal-sa-cho)	Ligulate sedge <i>Carex hebecarpa</i> subsp. <i>ligulata</i> (Nees) T.Koyama
갈색사초 (Gal-saek-sa-cho)	Short-hair spring sedge <i>Carex caryophyllea</i> var. <i>microtricha</i> (Franch.) Kük.
갈졸참나무 (Gal-jol-cham-na-mu)	Galjolcham oak (Aliena × serrata oak) <i>Quercus × urticifolia</i> Blume
갈참나무 (Gal-cham-na-mu)	Galcham oak (Oriental white oak) <i>Quercus aliena</i> Blume
갈퀴꼭두서니 (Gal-kwi-kkot-du-seo-ni)	Heart-leaf Indian madder <i>Rubia cordifolia</i> var. <i>pratensis</i> Maxim.
갈퀴나물 (Gal-kwi-na-mul)	Cheder vetch <i>Vicia amoena</i> Fisch. ex DC.
갈퀴덩굴 (Gal-kwi-deong-gul)	Stickwilly <i>Galium spurium</i> var. <i>echinospermon</i> (Wallr.) Hayek
갈퀴덩굴속 [꼭두서니과] (Gal-kwi-deong-gul-sok)	Bedstraw <i>Galium</i> L. [Rubiaceae]
갈퀴아재비 (Gal-kwi-a-jae-bi)	Korean woodruff <i>Asperula lasiantha</i> Nakai
갈퀴현호색 (Gal-kwi-hyeon-ho-saek)	Large-sepal corydalis <i>Corydalis grandicalyx</i> B.U.Oh & Y.S.Kim
갈풀 (Gal-pul)	Reed canary grass <i>Phalaris arundinacea</i> L.
갈풀속 [벼과] (Gal-pul-sok)	Canary grass <i>Phalaris</i> L. [Poaceae]
감국 (Gam-guk)	Indian dendranthema <i>Dendranthema indicum</i> (L.) Des Moul.
감나무 (Gam-na-mu)	Oriental persimmon <i>Diospyros kaki</i> Thunb.
감나무과 (Gam-na-mu-gwa)	Ebony family Ebenaceae Gürke

Korean name (Romanization)	English name Scientific name
감나무속 [감나무과] (Gam-na-mu-sok)	Diospyros, Ebony, Persimmon trees <i>Diospyros</i> L. [Ebenaceae]
감동사초 (Gam-dung-sa-cho)	Black-spike sedge <i>Carex atrata</i> L.
감자개발나물 (Gam-ja-gae-bal-na-mul)	Tuberous water parsnip <i>Sium ninsi</i> L.
감자난초 (Gam-ja-nan-cho)	Common oreorchis <i>Oreorchis patens</i> (Lindl.) Lindl.
감자난초속 [난초과] (Gam-ja-nan-cho-sok)	Oreorchis <i>Oreorchis</i> Lindl. [Orchidaceae]
감절대 (Gam-jeol-dae)	Forbes' knotweed <i>Fallopia forbesii</i> (Hance) K.Yonekura & Ohashi
감탕나무 (Gam-tang-na-mu)	Elegance female holly <i>Ilex integra</i> Thunb.
감탕나무과 (Gam-tang-na-mu-gwa)	Holly family Aquifoliaceae Bercht. & J.Presl
감탕나무속 [감탕나무과] (Gam-tang-na-mu-sok)	Holly <i>Ilex</i> L. [Aquifoliaceae]
감태나무 (Gam-tae-na-mu)	Greyblue spicebush <i>Lindera glauca</i> (Siebold & Zucc.) Blume
갑산제비꽃 (Gap-san-je-bi-kkot)	Gapsan violet <i>Viola kapsanensis</i> Nakai
갑산포아풀 (Gap-san-po-a-pul)	Ussuri bluegrass <i>Poa ussuriensis</i> Roshev.
갓대 (Gat-dae)	Jirisan bamboo <i>Sasa chiisanensis</i> (Nakai) Y.N.Lee
강계벼들 (Gang-gye-beo-deul)	Ganggye willow <i>Salix kangensis</i> Nakai
강계큰물통이 (Gang-gye-keun-mul-tong-i)	Ganggye clearweed <i>Pilea oligantha</i> Nakai
강부추 (Gang-bu-chu)	Riverside chive <i>Allium longistylum</i> Baker

Korean name (Romanization)	English name Scientific name
강아지풀속 [벼과] (Gang-a-ji-pul-sok)	Bristlegrass, Foxtail <i>Setaria</i> P.Beauv. [Poaceae]
강원고사리 (Gang-won-go-sa-ri)	Gangwon ladyfern <i>Athyrium nakaii</i> Tagawa
강활 (Gang-hwal)	By-gone ostericum <i>Ostericum praeteritum</i> Kitag.
개가시나무 (Gae-ga-si-na-mu)	Red-bark oak <i>Quercus gilva</i> Blume
개가지고비고사리 (Gae-ga-ji-go-bi-go-sa-ri)	Faurie's bamboo fern <i>Coniogramme × fauriei</i> Hieron
개갈퀴 (Gae-gal-kwi)	Maximowicz's woodruff <i>Asperula maximowiczii</i> Kom.
개갈퀴속 [꼭두서니과] (Gae-gal-kwi-sok)	Woodruff <i>Asperula</i> L. [Rubiaceae]
개감수 (Gae-gam-su)	Siebold's spurge <i>Euphorbia sieboldiana</i> Morren & Decne.
개감채 (Gae-gam-chae)	Snowdon alplily <i>Lloydia serotina</i> (L.) Rchb.
개감채속 [백합과] (Gae-gam-chae-sok)	Alplily <i>Lloydia</i> Salisb. ex Rchb. [Liliaceae]
개갓냉이 (Gae-gat-naeng-i)	Variable-leaf yellowcress <i>Rorippa indica</i> (L.) Hiern
개갓냉이속 [십자화과] (Gae-gat-naeng-i-sok)	Yellowcress <i>Rorippa</i> Scop. [Brassicaceae]
개고사리 (Gae-go-sa-ri)	Oriental ladyfern <i>Athyrium niponicum</i> (Mett.) Hance
개고사리속 [면마과] (Gae-go-sa-ri-sok)	Ladyfern <i>Athyrium</i> Roth [Dryopteridaceae]
개곽향 (Gae-gwak-hyang)	Spike-flower germander <i>Teucrium japonicum</i> Houtt.
개구리갓 (Gae-gu-ri-gat)	Catclaw buttercup <i>Ranunculus ternatus</i> Thunb.

Korean name (Romanization)	English name Scientific name
개구리미나리 (Gae-gu-ri-mi-na-ri)	Long-beak buttercup <i>Ranunculus tachiroei</i> Franch. & Sav.
개구리발톱 (Gae-gu-ri-bal-top)	Muskroot-like semiaquilegia <i>Semiaquilegia adoxoides</i> (DC.) Makino
개구리발톱속 [미나리아재비과] (Gae-gu-ri-bal-top-sok)	Semiaquilegia <i>Semiaquilegia</i> Makino [Ranunculaceae]
개구리밥 (Gae-gu-ri-bap)	Great duckmeat <i>Spirodela polyrhiza</i> (L.) Schleid.
개구리밥과 (Gae-gu-ri-bap-gwa)	Duckweed family Lemnaceae Martinov
개구리밥속 [개구리밥과] (Gae-gu-ri-bap-sok)	Duckmeat <i>Spirodela</i> Schleid. [Lemnaceae]
개구리자리 (Gae-gu-ri-ja-ri)	Celery-leaf buttercup <i>Ranunculus sceleratus</i> L.
개구릿대 (Gae-gu-rit-dae)	Eumenol angelica <i>Angelica anomala</i> Avé-Lall.
개기장 (Gae-gi-jang)	Chaff panicgrass <i>Panicum bisulcatum</i> Thunb.
개꽃마리 (Gae-kkot-ma-ri)	Small-flower forget-me-not <i>Myosotis laxa</i> Lehm.
개꽃마리속 [지치과] (Gae-kkot-ma-ri-sok)	Forget-me-not <i>Myosotis</i> L. [Boraginaceae]
개나리 (Gae-na-ri)	Gaenari (Korean goldenbell tree) <i>Forsythia koreana</i> (Rehder) Nakai
개나리속 [물푸레나무과] (Gae-na-ri-sok)	Forsythia <i>Forsythia</i> Vahl [Oleaceae]
개노박덩굴 (Gae-no-bak-deong-gul)	Bristle oriental bittersweet <i>Celastrus orbiculatus</i> var. <i>strigillosus</i> (Nakai) Makino
개느삼 (Gae-neu-sam)	Korean necklace pod <i>Echinosophora koreensis</i> (Nakai) Nakai
개느삼속 [콩과] (Gae-neu-sam-sok)	Echinosophora <i>Echinosophora</i> Nakai [Fabaceae]

Korean name (Romanization)	English name Scientific name
개다래 (Gae-da-rae)	Silver vine <i>Actinidia polygama</i> (Siebold & Zucc.) Planch. ex Maxim.
개담배 (Gae-dam-bae)	Schmidt's ragwort <i>Ligularia schmidtii</i> (Maxim.) Makino
개당주나무 (Gae-dang-ju-na-mu)	Winter-berry currant <i>Ribes fasciculatum</i> Siebold & Zucc.
개대황 (Gae-dae-hwang)	Dooryard dock <i>Rumex longifolius</i> DC.
개덜꿩나무 (Gae-deol-kkhwong-na-mu)	Large-leaf viburnum <i>Viburnum erosum</i> var. <i>vegetum</i> Nakai
개도둑놈의갈고리 (Gae-do-duk-nom-ui-gal-go-ri)	Common tick clover <i>Desmodium podocarpum</i> DC.
개들쭉나무 (Gae-deul-jjuk-na-mu)	Leaf-like-calyx deepblue honeysuckle <i>Lonicera caerulea</i> var. <i>emphyloocalyx</i> (Maxim.) Nakai
개똥쑥 (Gae-ttong-ssuk)	Sweet wormwood <i>Artemisia annua</i> L.
개마디풀 (Gae-ma-di-pul)	Horse-tail knotweed <i>Polygonum equisetiforme</i> Sibth. & Sm.
개마쇠서나물 (Gae-ma-soe-seo-na-mul)	Kaema hawkweed oxtongue <i>Picris hieracioides</i> subsp. <i>kaimensis</i> (Kitam.) Kitam.
개망초속 [국화과] (Gae-mang-cho-sok)	Fleabane <i>Erigeron</i> L. [Asteraceae]
개맥문동 (Gae-maeck-mun-dong)	Creeping lilyturf <i>Liriope spicata</i> (Thunb.) Lour.
개머루 (Gae-meo-ru)	Porcelainberry <i>Ampelopsis heterophylla</i> (Thunb.) Siebold & Zucc.
개머루속 [포도과] (Gae-meo-ru-sok)	Peppervine, Porcelainberry <i>Ampelopsis</i> Michx. [Vitaceae]
개머위 (Gae-meo-wi)	Reddish butterbur <i>Petasites rubellus</i> (J.F.Gmel.) M.Toman
개면마 (Gae-myeon-ma)	Oriental ostrich fern <i>Matteuccia orientalis</i> (Hook.) Trev.

Korean name (Romanization)	English name Scientific name
개모시풀 (Gae-mo-si-pul)	Sycamore-leaf false-nettle <i>Boehmeria platanifolia</i> (Franch. & Sav.) C.H.Wright
개목새 (Gae-muk-sae)	Smooth Asian fescue <i>Festuca takedana</i> Ohwi
개물통이 (Gae-mul-tong-i)	Small-flower pellitory <i>Parietaria micrantha</i> Ledeb.
개물통이속 [쐐기풀과] (Gae-mul-tong-i-sok)	Pellitory <i>Parietaria</i> L. [Urticaceae]
개풀푸레나무 (Gae-mul-pu-re-na-mu)	Buerger's maackia <i>Maackia amurensis</i> var. <i>buergeri</i> (Maxim.) C.K.Schneid
개미나리 (Gae-mi-na-ri)	False java water-dropwort <i>Oenanthe javanica</i> var. <i>japonica</i> (Miq.) Honda
개미난초 (Gae-mi-nan-cho)	Japanese myrmecis <i>Myrmecis japonica</i> (Rchb.f.) Rolfe
개미난초속 [난초과] (Gae-mi-nan-cho-sok)	Myrmecis <i>Myrmecis</i> (Lindl.) Blume [Orchidaceae]
개미자리 (Gae-mi-ja-ri)	Asian pearlwort <i>Sagina japonica</i> (Sw.) Ohwi
개미자리속 [석죽과] (Gae-mi-ja-ri-sok)	Pearlwort <i>Sagina</i> L. [Caryophyllaceae]
개미취 (Gae-mi-chwi)	Tartarian aster <i>Aster tataricus</i> L. f.
개미탑 (Gae-mi-tap)	Small-flower seaberry <i>Haloragis micrantha</i> (Thunb.) R.Br. ex Siebold & Zucc.
개미탑과 (Gae-mi-tap-gwa)	Watermilfoil family <i>Haloragaceae</i> R.Br.
개미탑속 [개미탑과] (Gae-mi-tap-sok)	Seaberry <i>Haloragis</i> J.R. Forst. & G. Forst. [Haloragaceae]
개밀 (Gae-mil)	Wheatgrass <i>Elymus tsukushiensis</i> var. <i>transiens</i> (Hack.) Osada
개밀아재비 (Gae-mil-a-jae-bi)	False wheatgrass <i>Leymus chinensis</i> (Trin.) Tzvelev

Korean name (Romanization)	English name Scientific name
개밀아재비속 [벼과] (Gae-mil-a-jae-bi-sok)	Wheatgrass, Wild rye <i>Koeleria Pers.</i> [Poaceae]
개바늘사초 (Gae-ba-neul-sa-cho)	Uda needle sedge <i>Carex uda</i> Maxim.
개박달나무 (Gae-bak-dal-na-mu)	Dwarf small-leaf birch <i>Betula chinensis</i> Maxim.
개박하 (Gae-bak-ha)	Catnip <i>Nepeta cataria</i> L.
개박하속 [꿀풀과] (Gae-bak-ha-sok)	Catmints, Catnip <i>Nepeta L.</i> [Lamiaceae]
개발나물 (Gae-bal-na-mul)	Hemlock water parsnip <i>Sium suave</i> Walter
개발나물속 [산형과] (Gae-bal-na-mul-sok)	Water parsnip <i>Sium L.</i> [Apiaceae]
개버무리 (Gae-beo-mu-ri)	Hermitgold clematis <i>Clematis serratifolia</i> Rehder
개벗지나무 (Gae-beot-ji-na-mu)	Amur choke cherry <i>Prunus maackii</i> Rupr.
개벼룩 (Gae-byeo-ruk)	Blunt-leaf sandwort <i>Moehringia lateriflora</i> (L.) Fenzl
개벼룩속 [석죽과] (Gae-byeo-ruk-sok)	Moehringia <i>Moehringia L.</i> [Caryophyllaceae]
개별꽃 (Gae-byeol-kkot)	Heterophylly false-starwort <i>Pseudostellaria heterophylla</i> (Miq.) Pax
개별꽃속 [석죽과] (Gae-byeol-kkot-sok)	False-starwort, Pseudostellaria <i>Pseudostellaria Pax</i> [Caryophyllaceae]
개병풍 (Gae-byeong-pung)	Common astilboides <i>Astilboides tabularis</i> (Hemsl.) Engl.
개병풍속 [범의귀과] (Gae-byeong-pung-sok)	Astilboides <i>Astilboides Engl.</i> [Saxifragaceae]
개보리 (Gae-bo-ri)	Siberian wheatgrass <i>Elymus sibiricus</i> L.

Korean name (Romanization)	English name Scientific name
개보리뻥이 (Gae-bo-ri-ppaeng-i)	Common nipplewort <i>Lapsanastrum apogonoides</i> (Maxim.) J.H.Pak & K.Bremer
개보리뻥이속 [국화과] (Gae-bo-ri-ppaeng-i-sok)	Nipplewort <i>Lapsanastrum</i> Pak & K. Bremer [Asteraceae]
개부싯깃고사리 (Gae-bu-sit-git-go-sa-ri)	Ford's clockfern <i>Cheilanthes fordii</i> Baker
개부싯깃고사리속 [고사리과] (Gae-bu-sit-git-go-sa-ri-sok)	Lip ferns, Lipfern <i>Cheilanthes</i> Sw. [Pteridaceae]
개부처손 (Gae-bu-cheo-son)	Red-stem spikemoss <i>Selaginella stauntoniana</i> Spring
개불알풀 (Gae-bul-al-pul)	Wayside speedwell <i>Veronica didyma</i> var. <i>lilacina</i> (H.Hara) T.Yamaz.
개불알풀속 [현삼과] (Gae-bul-al-pul-sok)	Speedwell <i>Veronica</i> L. [Scrophulariaceae]
개布鲁시나무 (Gae-buk-ga-si-na-mu)	Wando evergreen oak <i>Quercus acuta</i> f. <i>subserra</i> (Uyeki) T.B.Lee
개비자나무 (Gae-bi-ja-na-mu)	Plum yew <i>Cephalotaxus koreana</i> Nakai
개비자나무과 (Gae-bi-ja-na-mu-gwa)	Plum yew family <i>Cephalotaxaceae</i> Neger
개비자나무속 [개비자나무과] (Gae-bi-ja-na-mu-sok)	Cephalotaxus, Cowtail pine, Plum yew <i>Cephalotaxus</i> Siebold & Zucc. ex Endl. [Cephalotaxaceae]
개빔새구리 (Gae-bip-sae-gwi-ri)	Richardson's brome <i>Bromus richardsonii</i> Link
개사상자 (Gae-sa-sang-ja)	Rough hedgeparsley <i>Torilis scabra</i> (Thunb.) DC.
개사철쑥 (Gae-sa-cheol-ssuk)	Celery-sand wormwood <i>Artemisia apiacea</i> Hance ex Walp.
개사탕수수 (Gae-sa-tang-su-su)	Wild sugarcane <i>Saccharum spontaneum</i> L.
개사탕수수속 [벼과] (Gae-sa-tang-su-su-sok)	Sugarcane <i>Saccharum</i> L. [Poaceae]

Korean name (Romanization)	English name Scientific name
개산초 (Gae-san-cho)	Winged prickly-ash <i>Zanthoxylum planispinum</i> Siebold & Zucc.
개살구나무 (Gae-sal-gu-na-mu)	Manchurian cherry <i>Prunus mandshurica</i> (Maxim.) Koehne
개새비나무 (Gae-sae-bi-na-mu)	Hybrid beautyberry <i>Callicarpa × shirasawana</i> Makino
개서어나무 (Gae-seo-eo-na-mu)	Asian hornbeam <i>Carpinus tschonoskii</i> Maxim.
개석송 (Gae-seok-song)	Stiff clubmoss <i>Lycopodium annotinum</i> L.
개석잠풀 (Gae-seok-jam-pul)	Rough woundwort * <i>Stachys japonica</i> var. <i>hispidula</i> (H.Hara) Y.M.Lee & H.J.Choi
개선갈퀴 (Gae-seon-gal-kwi)	Three-flower bedstraw <i>Galium trifloriforme</i> Kom.
개속새 (Gae-sok-sae)	Branched horsetail <i>Equisetum ramosissimum</i> Desf.
개솔나물 (Gae-sol-na-mul)	Medium hairy-fruit lady's bedstraw <i>Galium verum</i> var. <i>trachycarpum</i> f. <i>intermedium</i> Nakai
개솔새 (Gae-sol-sae)	Georing's lemon grass <i>Cymbopogon georingii</i> (Steud.) A.Camus
개솔새속 [벼과] (Gae-sol-sae-sok)	Lemon grass <i>Cymbopogon</i> Spreng. [Poaceae]
개소뜨기 (Gae-soe-tteu-gi)	Marsh horsetail <i>Equisetum palustre</i> L.
개수양버들 (Gae-su-yang-beo-deul)	Weeping willow <i>Salix dependens</i> Nakai
개수염 (Gae-su-yeom)	Miquel's pipewort <i>Eriocaulon miquelianum</i> Korn.
개쉽싸리 (Gae-swip-ssa-ri)	Korean bugleweed <i>Lycopus ramosissimus</i> (Makino) Makino
개승마 (Gae-seung-ma)	Southern bugbane <i>Cimicifuga biternata</i> (Siebold & Zucc.) Miq.

Korean name (Romanization)	English name Scientific name
개승마속 [장미과] (Gae-seung-ma-sok)	Aruncus, Goatsbeard <i>Aruncus</i> L. [Rosaceae]
개시호 (Gae-si-ho)	Big-leaf hare's ear <i>Bupleurum longiradiatum</i> Turcz.
개실사리 (Gae-sil-sa-ri)	Dense-leaf sellarginella <i>Selaginella shakotensis</i> (Franch. & Sav.) Miyabe & Kudo
개싱아 (Gae-sing-a)	Small-flower knotweed * <i>Aconogonon micranthum</i> Nakai ex T.Mori
개싸리 (Gae-ssa-ri)	Woolly lespedeza <i>Lespedeza tomentosa</i> (Thunb.) Siebold ex Maxim.
개쑥부쟁이 (Gae-ssuk-bu-jaeng-i)	Meyendorf's aster <i>Aster meyendorfii</i> (Regel & Maack) Voss
개쓴풀 (Gae-sseun-pul)	Diluted swertia <i>Swertia diluta</i> var. <i>tosaensis</i> (Makino) H.Hara
개씀배 (Gae-sseum-bae)	Tatarinow's rattlesnake-root <i>Prenanthes tatarinowii</i> Maxim.
개아그배나무 (Gae-a-geu-bae-na-mu)	Midget crabapple <i>Malus micromalus</i> Makino
개아마 (Gae-a-ma)	Asian wild flax <i>Linum stellatum</i> Planch.
개암나무 (Gae-am-na-mu)	Asian hazel <i>Corylus heterophylla</i> Fisch. ex Trautv.
개암나무속 [자작나무과] (Gae-am-na-mu-sok)	Hazelnut <i>Corylus</i> L. [Betulaceae]
개앵도나무 (Gae-aeng-do-na-mu)	Hairy Manchurian currant <i>Ribes mandshuricum</i> f. <i>subglabrum</i> (Kom.) Kitag.
개억새 (Gae-eok-sae)	Beautiful eulalia <i>Eulalia speciosa</i> (Debeaux) Kuntze
개억새속 [벼과] (Gae-eok-sae-sok)	Eulalia <i>Eulalia</i> Kunth [Poaceae]
개엉겅퀴 (Gae-eong-geong-kwi)	Japanese thistle <i>Cirsium japonicum</i> (Thunb.) Fisch. ex DC.

Korean name (Romanization)	English name Scientific name
개여뀌 (Gae-yeo-kkwi)	Oriental smartweed <i>Persicaria longiseta</i> (Brujin) Kitag.
개연꽃 (Gae-yeon-kkot)	East Asian yellow water-lily <i>Nuphar japonica</i> DC.
개연속 [수련과] (Gae-yeon-sok)	Pond-lily, Water-lily <i>Nuphar</i> Sibth. & Sm. [Nymphaeaceae]
개염주나무 (Gae-yeom-ju-na-mu)	Bibaldo seashore linden <i>Tilia semicostata</i> Nakai
개옻나무 (Gae-ot-na-mu)	Bristly fruit lacquer tree <i>Toxicodendron trichocarpum</i> (Miq.) Kuntze
개위봉배나무 (Gae-wi-bong-bae-na-mu)	False Uibong wild pear <i>Pyrus pseudouipongensis</i> Uyeki
개잠자리난초 (Gae-jam-ja-ri-nan-cho)	Cruciform habenaria <i>Habenaria cruciformis</i> Ohwi
개정향풀 (Gae-jeong-hyang-pul)	Sword-leaf dogbane <i>Apocynum lancifolium</i> Russanov
개제비난 (Gae-je-be-nan)	Frog orchid <i>Dactylorhiza viridis</i> (L.) R.M.Bateman, Pridgeon & M.W.Chase
개제비난속 [난초과] (Gae-je-be-nan-sok)	Coeloglossum viride, Dactylorhiza viridis, The frog orchid <i>Dactylorhiza</i> Neck. ex Nevskii [Orchidaceae]
개족도리풀 (Gae-jok-do-ri-pul)	Spotted wildginger <i>Asarum maculatum</i> Nakai
개좀진고사리 (Gae-jom-jin-go-sa-ri)	Hybrid false spleenwort <i>Deparia × angustata</i> (Nakai) Nakaike
개종용 (Gae-jong-yong)	Mountain toothwort <i>Lathraea japonica</i> Miq.
개종용속 [현삼과] (Gae-jong-yong-sok)	Toothwort <i>Lathraea</i> L. [Scrophulariaceae]
개중대가리 (Gae-jung-dae-ga-ri)	Common symphyllocarpus <i>Symphyllocarpus exilis</i> Maxim.
개중대가리속 [국화과] (Gae-jung-dae-ga-ri-sok)	Symphyllocarpus <i>Symphyllocarpus</i> Maxim. [Asteraceae]

Korean name (Romanization)	English name Scientific name
개지치 (Gae-ji-chi)	Corn gromwell <i>Lithospermum arvense</i> L.
개질경이 (Gae-jil-gyeong-i)	Kamchatka plantain <i>Plantago camtschatica</i> Cham. ex Link
개찌버리사초 (Gae-ji-beo-ri-sa-cho)	East Asian sedge <i>Carex japonica</i> Thunb.
개차고사리 (Gae-cha-go-sa-ri)	Big-ear spleenwort <i>Asplenium oligophlebium</i> Baker
개차꼬리고사리 (Gae-cha-kko-ri-go-sa-ri)	Tri-wing maidenhair spleenwort <i>Asplenium tripteropus</i> Nakai
개차즈기 (Gae-cha-jeu-gi)	Blue amethystea <i>Amethystea caerulea</i> L.
개차즈기속 [꿀풀과] (Gae-cha-jeu-gi-sok)	Amethystea <i>Amethystea</i> L. [Lamiaceae]
개키벼들 (Gae-ki-beo-deul)	False winnow willow <i>Salix koriyanagi</i> Kimura ex Goerz
개털이슬 (Gae-teol-i-seul)	Pilose enchanter's nightshade <i>Circaeae alpina</i> subsp. <i>caulescens</i> (Kom.) Tatew.
개톱고사리 (Gae-top-go-sa-ri)	East Asian twinsorus fern <i>Diplazium okudairai</i> Makino
개톱날고사리 (Gae-top-nal-go-sa-ri)	Shallow-tooth ladyfern <i>Athyrium sheareri</i> (Baker) Ching
개통발 (Gae-tong-bal)	Flatleaf bladderwort <i>Utricularia intermedia</i> Hayne
개파리채 (Gae-pa-ri-chae)	Silky juncea lespedeza <i>Lespedeza juncea</i> var. <i>subsericea</i> Kom.
개피 (Gae-pi)	American sloughgrass <i>Beckmannia syzigachne</i> (Steud.) Fernald
개피속 [벼과] (Gae-pi-sok)	Sloughgrass <i>Beckmannia</i> Host [Poaceae]
개해당화 (Gae-hae-dang-hwa)	Small-fruit rugose rose <i>Rosa rugosa</i> var. <i>kamtschatica</i> (Vent.) Regel

Korean name (Romanization)	English name Scientific name
개현삼 (Gae-hyeon-sam)	Gray's figwort <i>Scrophularia grayana</i> Maxim. ex Kom.
개형개 (Gae-hyeong-gae)	Multifidous-leaf catnip <i>Schizonepeta multifida</i> (L.) Briq.
개황기 (Gae-hwang-gi)	Fen milkvetch <i>Astragalus uliginosus</i> L.
개호나무 (Gae-hoe-na-mu)	Manchurian lilac <i>Syringa reticulata</i> (Blume) H.Hara
개회향 (Gae-hoe-hyang)	Rocky licorice-root <i>Ligusticum tachiroei</i> (Franch. & Sav.) M.Hiroe & Constance
개회향속 [산형과] (Gae-hoe-hyang-sok)	Tilingia <i>Tilingia</i> Regel & Tiling [Apiaceae]
갯강아지풀 (Gaet-gang-a-ji-pul)	Coastal green bristlegrass <i>Setaria viridis</i> var. <i>pachystachys</i> (Franch. & Sav.) Makino & Nemoto
갯강활 (Gaet-gang-hwal)	Japanese angelica <i>Angelica japonica</i> A.Gray
갯개미자리 (Gaet-gae-mi-ja-ri)	Salt sandspurry <i>Spergularia marina</i> (L.) Besser
갯개미자리속 [석죽과] (Gaet-gae-mi-ja-ri-sok)	Sandspurrys, Sea-spurreys <i>Spergularia</i> (Pers.) J.Presl & C.Presl [Caryophyllaceae]
갯개미취 (Gaet-gae-mi-chwi)	Seashore aster <i>Aster tripolium</i> L.
갯겨이삭 (Gaet-gyeo-i-sak)	Korean alkaligrass <i>Puccinellia coreensis</i> Honda
갯고들빼기 (Gaet-go-deul-ppae-gi)	Sword-leaf crepidiastrum <i>Crepidiastrum lanceolatum</i> (Houtt.) Nakai
갯골풀 (Gaet-gol-pul)	Haenke's rush <i>Juncus haenkei</i> E.Mey.
갯괴불주머니 (Gaet-goe-bul-ju-meo-ni)	Seashore yellow corydalis <i>Corydalis platycarpa</i> (Maxim. ex Palib.) Makino
갯그령 (Gaet-geu-ryeong)	Sea wheatgrass <i>Leymus mollis</i> (Trin.) Pilg.

Korean name (Romanization)	English name Scientific name
갯금불초 (Gaet-geum-bul-cho)	Beach prostrating wedelia <i>Wedelia prostrata</i> Hemsl.
갯금불초속 [국화과] (Gaet-geum-gul-cho-sok)	Creepingoxeye, Wedelia <i>Wedelia</i> Jacq. [Asteraceae]
갯기름나물 (Gaet-gi-reum-na-mul)	Coastal hogfennel <i>Peucedanum japonicum</i> Thunb.
갯까치수염 (Gaet-kka-chi-su-yeom)	Spoon-leaf yellow loosestrife <i>Lysimachia mauritiana</i> Lam.
갯꾸러미풀 (Gaet-kku-reo-mi-pul)	Seashore alkaligrass <i>Puccinellia nipponica</i> Ohwi
갯는쟁이 (Gaet-neun-jaeng-i)	Asian seashore saltbush <i>Atriplex subcordata</i> Kitag.
갯는쟁이속 [명아주과] (Gaet-neun-jaeng-i-sok)	Orach, Orache, Saltbush <i>Atriplex</i> L. [Chenopodiaceae]
갯당근 (Gaet-dang-geun)	Sea-shore carrot <i>Daucus littoralis</i> Sm.
갯대추나무 (Gaet-dae-chu-na-mu)	Maritime jujuba <i>Paliurus ramosissimus</i> (Lour.) Poir.
갯대추나무속 [갈매나무과] (Gaet-dae-chu-na-mu-sok)	Jerusalem thorn <i>Paliurus</i> Mill. [Rhamnaceae]
갯댑싸리 (Gaet-daep-ssa-ri)	Coastal mock-cypress <i>Kochia scoparia</i> var. <i>littorea</i> Makino
갯돌나물 (Gaet-dol-na-mul)	Coastal-stringy stonecrop <i>Sedum lepidopodium</i> Nakai
갯마디풀 (Gaet-ma-di-pul)	Oval-leaf knotweed <i>Polygonum arenastrum</i> Boreau
갯메꽃 (Gaet-me-kkot)	Beach morning glory <i>Calystegia soldanella</i> (L.) R.Br.
갯무 (Gaet-mu)	Seashore wild radish <i>Raphanus sativus</i> f. <i>rapanistroides</i> Makino
갯바랭이 (Gaet-ba-raeng-i)	Coastal dimeria <i>Dimeria ornithopoda</i> var. <i>subrobusta</i> Hack.
갯바위고사리 (Gaet-ba-wi-go-sa-ri)	Biflorate wedgelet fern <i>Sphenomeris biflora</i> (Kaulf.) Tagawa

Korean name (Romanization)	English name Scientific name
갯방동사니 (Gaet-bang-dong-sa-ni)	Many-spike flatsedge <i>Cyperus polystachyos</i> Rottb.
갯방풍 (Gaet-bang-pung)	Beach silvertop <i>Glehnia littoralis</i> F.Schmidt ex Miq.
갯방풍속 [산형과] (Gaet-bang-pung-sok)	American silvertop, Beach silvertop, Silvertop <i>Glehnia</i> F.Schmidt ex Miq. [Apiaceae]
갯버들 (Gaet-beo-deul)	Rose-gold pussy willow <i>Salix gracilistyla</i> Miq.
갯별꽃 (Gaet-byeo-lkkot)	Seabeach sandwort <i>Honckenya peploides</i> var. <i>major</i> (Hook.) Abrams
갯별꽃속 [석죽과] (Gaet-byeo-lkkot-sok)	Sea sandwort, Seaside sandplant <i>Honkenya</i> Willd. ex Cothen. [Caryophyllaceae]
갯보리 (Gaet-bo-ri)	Dahurian wheatgrass <i>Elymus dahuricus</i> Turcz. ex Griseb.
갯보리사초 (Gaet-bo-ri-sa-cho)	Bent-beak sedge <i>Carex laticeps</i> C.B.Clarke ex Franch.
갯보리속 [벼과] (Gaet-bo-ri-sok)	Wildrye, Wheatgrass <i>Elymus</i> L. [Poaceae]
갯봄맞이 (Gaet-bom-mat-i)	Blunt-leaf sea milkwort <i>Glaux maritima</i> var. <i>obtusifolia</i> Fernald
갯봄맞이꽃속 [앵초과] (Gaet-bom-mat-i-kkot-sok)	Milkwort <i>Glaux</i> L. [Primulaceae]
갯부추 (Gaet-bu-chu)	Coastal chive <i>Allium pseudojaponicum</i> Makino
갯사상자 (Gaet-sa-sang-ja)	Seashore snowparsley <i>Cnidium japonicum</i> Miq.
갯쇠돌피 (Gaet-soe-dol-pi)	Annual rabbit's-foot grass <i>Polygonum monspeliacum</i> (L.) Desf.
갯쇠보리 (Gaet-soe-bo-ri)	Asian murainagrass <i>Ischaemum anthephoroides</i> (Steud.) Miq.
갯실새삼 (Gaet-sil-sae-sam)	Chinese dodder <i>Cuscuta chinensis</i> Lam.

Korean name (Romanization)	English name Scientific name
갯쑥부쟁이 (Gaet-ssuk-bu-jaeng-i)	Bristle-hair aster <i>Aster hispidus</i> Thunb.
갯씀바귀 (Gaet-sseum-ba-gwi)	Creeping beach ikeris <i>Ikeris repens</i> (L.) A.Gray
갯완두 (Gaet-wan-du)	Beach vetchling <i>Lathyrus japonicus</i> Willd.
갯율무 (Gaet-yul-mu)	Common prickleglass <i>Crypsis aculeata</i> (L.) Aiton
갯율무속 [벼과] (Gaet-yul-mu-sok)	Prickleglass <i>Crypsis</i> Aiton [Poaceae]
갯잔디 (Gaet-jan-di)	Seaside lawngrass <i>Zoysia sinica</i> Hance
갯잠자리피 (Gaet-jam-ja-ri-pi)	Asian fiveminute grass <i>Tripogon chinensis</i> (Franch.) Hack.
갯잠자리피속 [벼과] (Gaet-jam-ja-ri-pi-sok)	Fiveminute grass <i>Tripogon</i> Roem. & Schult. [Poaceae]
갯장구채 (Gaet-jang-gu-chae)	Seashore catchfly <i>Silene aprica</i> var. <i>oldhamiana</i> (Miq.) C.Y.Wu
갯장대 (Gaet-jang-dae)	Coastal rockcress <i>Arabis stelleri</i> DC.
갯제비쑥 (Gaet-je-bi-ssuk)	Seashore oriental wormwood <i>Artemisia japonica</i> subsp. <i>littoricola</i> (Kitam.) Kitam.
갯조풀 (Gaet-jo-pul)	Coastal small reedgrass <i>Calamagrostis pseudophragmites</i> (Haller f.) Koeler
갯지치 (Gaet-ji-chi)	Beach bluebell <i>Mertensia asiatica</i> (Takeda) J.F.Macbr.
갯지치속 [지치과] (Gaet-ji-chi-sok)	Bluebells <i>Mertensia</i> Roth [Boraginaceae]
갯질경 (Gaet-jil-gyeong)	Square-stem statice <i>Limonium tetragonum</i> (Thunb.) Bullock
갯질경과 (Gaet-jil-gyeong-gwa)	Leadwort family Plumbaginaceae Juss.

Korean name (Romanization)	English name Scientific name
갯질경속 [갯질경과] (Gaet-jil-gyeong-sok)	Marsh-rosemary, Sea-lavender, Statice <i>Limonium</i> Mill. [Plumbaginaceae]
갯질경이 (Gaet-jil-gyeong-i)	Coastal glossy plantain <i>Plantago major</i> f. <i>yezomaritima</i> (Koidz.) Ohwi
갯천문동 (Gaet-cheon-mun-dong)	Short-leaf asparagus <i>Asparagus brachyphyllus</i> Turcz.
갯청사초 (Gaet-cheong-sa-cho)	Fibrillose short-stem sedge <i>Carex breviculmis</i> var. <i>fibrillosa</i> (Franch. & Sav.) Matsum. & Hayata
갯취 (Gaet-chwi)	Jejudo ragwort <i>Ligularia taquetii</i> (H.Lév. & Vaniot) Nakai
갯패랭이꽃 (Gaet-pae-raeng-i-kkot)	Seashore pink <i>Dianthus japonicus</i> Thunb.
갯하늘지기 (Gaet-ha-neul-ji-gi)	Rusty fimbriestyle <i>Fimbristylis ferruginea</i> var. <i>sieboldii</i> (Miq. ex Franch. & Sav.) Ohwi
갯활량나물 (Gaet-hwal-ryang-na-mul)	Northeastern goldenbanner <i>Thermopsis lupinoides</i> (L.) Link
갯활량나물속 [콩과] (Gaet-hwal-ryang-na-mul-sok)	Goldenbanner <i>Thermopsis</i> R.Br. [Fabaceae]
갯황기 (Gaet-hwang-gi)	Seashore milkvetch <i>Astragalus sikokianus</i> Nakai
거꾸리개고사리 (Geo-kku-ri-gae-go-sa-ri)	Downward-leaf ladyfern <i>Athyrium reflexipinnnum</i> Hayata
거머리말 (Geo-meo-ri-mal)	Common eelgrass <i>Zostera marina</i> L.
거머리말과 (Geo-meo-ri-mal-gwa)	Eelgrass family, Seagrass family Zosteraceae Dumort.
거머리말속 [거머리말과] (Geo-meo-ri-mal-sok)	Eelgrass, Marine eelgrass, Simply eelgrass <i>Zostera</i> L. [Zosteraceae]
거문누리장나무 (Geo-mun-nu-ri-jang-na-mu)	Glabrous harlequin glorybower <i>Clerodendrum trichotomum</i> var. <i>esculentum</i> Makino

Korean name (Romanization)	English name Scientific name
거문도개미자리 (Geo-mun-do-gae-mi-ja-ri)	Alpine pearlwort <i>Sagina saginoides</i> (L.) H.Karst.
거문도닭나무 (Geo-mun-do-dak-na-mu)	Geomundo false ohelo <i>Wikstroemia ganpi</i> (Siebold & Zucc.) Maxim.
거문억새 (Geo-mun-eok-sae)	Geomun maiden silvergrass <i>Misanthus sinensis</i> var. <i>keumunensis</i> Y.N.Lee
거문천남성 (Geo-mun-cheon-nam-seong)	Geomun jack-in-the-pulpit <i>Arisaema thunbergii</i> subsp. <i>geomundoense</i> S.C.Ko
거미고사리 (Geo-mi-go-sa-ri)	Asian walking fern <i>Camptosorus sibiricus</i> Rupr.
거미고사리속 [꼬리고사리과] (Geo-mi-go-sa-ri-sok)	Camptosorus <i>Camptosorus</i> Link [Aspleniaceae]
거미꼬리고사리 (Geo-mi-kko-ri-go-sa-ri)	Hybrid spleenwort <i>Asplenium × castaneoviride</i> Baker
거미난초속 [난초과] (Geo-mi-nan-cho-sok)	Taeniophyllum <i>Taeniophyllum</i> Blume [Orchidaceae]
거미란 (Geo-mi-ran)	Glandular taeniophyllum <i>Taeniophyllum glandulosum</i> Blume
거북꼬리 (Geo-buk-kko-ri)	Tricuspidate false-nettle <i>Boehmeria tricuspis</i> (Hance) Makino
거센털꽃마리 (Geo-sen-teol-kkot-ma-ri)	Rooting trigonotis <i>Trigonotis radicans</i> (Turcz.) Steven
거제딸기 (Geo-je-ttal-gi)	Geoje raspberry * <i>Rubus longisepalus</i> var. <i>tozawae</i> (Nakai ex Kawamoto) T.B.Lee
거제수나무 (Geo-je-su-na-mu)	Korean birch <i>Betula costata</i> Trautv.
거지덩굴 (Geo-ji-deong-gul)	Bushkiller <i>Cayratia japonica</i> (Thunb.) Gagnep.
거지덩굴속 [포도과] (Geo-ji-deong-gul-sok)	Cayratia <i>Cayratia</i> Juss. [Vitaceae]
거지딸기 (Geo-ji-ttal-gi)	Sorbus-leaf yellow raspberry <i>Rubus sorbifolius</i> Maxim.

Korean name (Romanization)	English name Scientific name
검나무싸리 (Geom-na-mussa-ri)	Black-flower lespedeza <i>Lespedeza melanantha</i> Nakai
검노린재나무 (Geom-no-rin-jae-na-mu)	Black sweetleaf <i>Symplocos tanakana</i> Nakai
검산초롱꽃 (Geom-san-cho-rong-kkot)	Wide-sepal Geumgang bluebell <i>Hanabusaya latisepala</i> Nakai
검양옻나무 (Geom-yang-ot-na-mu)	Wax lacquer tree <i>Toxicodendron succedaneum</i> (L.) Kuntze
검은개선갈퀴 (Geom-eun-gae-seon-gal-kwi)	Black bedstraw <i>Galium japonicum</i> Makino
검은개수염 (Geom-eun-gae-su-yeom)	Black pipewort <i>Eriocaulon parvum</i> Körn.
검은거이삭 (Geom-eun-gyeo-i-sak)	Velvet bentgrass <i>Agrostis canina</i> L.
검은곡정초 (Geom-eun-gok-jeong-cho)	Dark-flower pipewort <i>Eriocaulon atrum</i> Nakai
검은구상 (Geom-eun-gu-sang)	Black-cone Korean fir <i>Abies koreana</i> f. <i>nigrocarpa</i> Hatus.
검은꽃장포 (Geom-eun-kkot-jang-po)	Black northern asphodel <i>Tofieldia coccinea</i> var. <i>fusca</i> (Miyabe & Kudô) H.Hara
검은낭아초 (Geom-eun-nang-a-cho)	Purple marshlocks <i>Potentilla palustris</i> (L.) Scop.
검은도루박이 (Geom-eun-do-ru-bak-i)	Oriental woodland bulrush <i>Scirpus orientalis</i> Ohwi
검은딸기 (Geom-eun-ttal-gi)	Hooked-thorn raspberry <i>Rubus croceacanthus</i> H.Lév.
검은별고사리 (Geom-eun-byeol-go-sa-ri)	Swamp shield-fern <i>Cyclosorus interruptus</i> (Willd.) H.Ito
검은삿갓나물 (Geom-eun-sat-gat-na-mul)	Black verticillate paris * <i>Paris verticillata</i> var. <i>nigra</i> Y.N.Lee
검은솜아마존 (Geom-eun-som-a-ma-jon)	Black amplexicaul swallow-wort <i>Cynanchum amplexicaule</i> f. <i>castaneum</i> (Makino) C.Y.Li

Korean name (Romanization)	English name Scientific name
검은재나무 (Geom-eun-jae-na-mu)	Cherry-leaf sweetleaf <i>Symplocos prunifolia</i> Siebold & Zucc.
검은종덩굴 (Geom-eun-jong-deong-gul)	Stanavoi clematis <i>Clematis fusca</i> Turcz.
검정개관중 (Geom-jeong-gae-gwan-jung)	Korean rock fern <i>Polystichum tsus-simense</i> (Hook.) J.Sm.
검정겨이삭 (Geom-jeong-gyeo-i-sak)	Trin's bentgrass <i>Agrostis flaccida</i> Hack.
검정말 (Geom-jeong-mal)	Perfect aquatic weed <i>Hydrilla verticillata</i> (L.f.) Royle
검정말속 [자라풀과] (Geom-jeong-mal-sok)	Esthwaite waterweed, Hydrilla, Waterthyme <i>Hydrilla</i> Rich. [Hydrocharitaceae]
검정방동사니 (Geom-jeong-bang-dong-sa-ni)	Ciliate fiirena <i>Fuirena ciliaris</i> (L.) Roxb.
검정방동사니속 [사초과] (Geom-jeong-bang-dong-sa-ni-sok)	Umbrella-sedge <i>Fuirena</i> Rottb. [Cyperaceae]
검정비늘고사리 (Geom-jeong-bi-neul-go-sa-ri)	Green twinsorus fern <i>Diplazium virescens</i> Kunze
검정진들피 (Geom-jeong-jin-deul-pi)	Waxy mannagrass <i>Glyceria debilior</i> (Trin.) Kudo
검정타래사초 (Geom-jeong-ta-rae-sa-cho)	Norway sedge <i>Carex norvegica</i> Retz.
검정하늘지기 (Geom-jeong-ha-neul-ji-gi)	Setaceous-bract fimbrystis <i>Fimbristylis diphyloides</i> Makino
검팽나무 (Geom-paeng-na-mu)	Black-fruit hackberry <i>Celtis choseniana</i> Nakai
게바다말 (Ge-ba-da-mal)	Asian surfgrass <i>Phyllospadix japonicus</i> Makino
게박쥐나물 (Ge-bak-jwi-na-mul)	Glandular-style Indian plantain <i>Parasenecio adenostyloides</i> (Franch. & Sav. ex Maxim.) H.Koyama
거락겨사초 (Gyeo-rak-gyeo-sa-cho)	Aristate mitra sedge <i>Carex mitrata</i> var. <i>aristata</i> Ohwi

Korean name (Romanization)	English name Scientific name
겨사초 (Gyeo-sa-cho)	Mitra sedge <i>Carex mitrata</i> Franch.
겨우살이 (Gyeo-u-sal-i)	Korean mistletoe <i>Viscum album</i> var. <i>coloratum</i> (Kom.) Ohwi
겨우살이과 (Gyeo-u-sal-i-gwa)	Showy mistletoe family <i>Loranthaceae</i> Juss.
겨우살이속 [겨우살이과] (Gyeo-u-sal-i-sok)	Mistletoe <i>Viscum L.</i> [Loranthaceae]
겨울딸기 (Gyeo-ul-ttal-gi)	Winter raspberry <i>Rubus buergeri</i> Miq.
겨이삭 (Gyeo-i-sak)	Asian bentgrass <i>Agrostis clavata</i> var. <i>nukabo</i> Ohwi
겨이삭속 [벼과] (Gyeo-i-sak-sok)	Bent, Bentgrass <i>Agrostis L.</i> [Poaceae]
겨이삭여뀌 (Gyeo-i-sak-yeo-kkwi)	Taquet's smartweed <i>Persicaria taquetii</i> (H.Lév.) Koidz.
겨자복주머니란 (Gyeo-ja-bok-ju-meo-ni-ran)	Mustard-color lady's slipper <i>Cypripedium sinapoides</i> Y.N.Lee
겨풀 (Gyeo-pul)	Gyeopul (Asian cutgrass) <i>Leersia sayanuka</i> Ohwi
겨풀속 [벼과] (Gyeo-pul-sok)	Cutgrass <i>Leersia Sw.</i> [Poaceae]
겹도라지 (Gyeop-do-ra-ji)	Double balloon-flower <i>Platycodon grandiflorus</i> var. <i>duplex</i> Makino
겹돌잔고사리 (Gyeop-dol-jan-go-sa-ri)	False scraggy lace fern <i>Microlepia pseudostrigosa</i> Makino
겹왜미나리아재비 (Gyeop-wae-mi-na-ri-a-jae-bi)	Double-petal Franchet's buttercup * <i>Ranunculus franchetii</i> f. <i>duplopetalus</i> Y.N.Lee
겹함박꽃나무 (Gyeop-ham-bak-kkot-na-mu)	Double Siebold's magnolia * <i>Magnolia sieboldii</i> f. <i>semiplena</i> T.B.Lee
경성사초 (Gyeong-seong-sa-cho)	Seoul sedge <i>Carex accrescens</i> Ohwi

Korean name (Romanization)	English name Scientific name
경성서덜취 (Gyeong-seong-seo-deol-chwi)	Gyeongseong saussurea <i>Saussurea koidzumiana</i> Kitam.
경성제비꽃 (Gyeong-seong-je-bi-kkot)	Kyeongseong violet <i>Viola yamatsutae</i> Ishid. ex Kitag.
계곡고사리 (Gye-gok-go-sa-ri)	Valley wood fern <i>Dryopteris subexaltata</i> (Christ) C.Chr.
계룡쇠물풀레 (Gye-ryong-soe-mul-pu-re)	Three-some flowering ash <i>Fraxinus sieboldiana</i> var. <i>trijuga</i> Nakai
계방나비나물 (Gye-bang-na-bi-na-mul)	Gyebang vetch <i>Vicia linearifolia</i> Y.N.Lee
계요등 (Gye-yo-deung)	Skunk vine <i>Paederia scandens</i> (Lour.) Merr.
계요등속 [꼭두서니과] (Gye-yo-deung-sok)	Sewer vine <i>Paederia</i> L. [Rubiaceae]
고광나무 (Go-gwang-na-mu)	Korean mock orange <i>Philadelphus schrenkii</i> Rupr.
고광나무속 [범의귀과] (Go-gwang-na-mu-sok)	Mock orange <i>Philadelphus</i> L. [Saxifragaceae]
고깔제비꽃 (Go-kkal-je-bi-kkot)	Conical-leaf violet <i>Viola rossii</i> Hemsl.
고들빼기 (Go-deul-ppae-gi)	Sonchus-leaf crepidastrum <i>Crepidastrum sonchifolium</i> (Maxim.) Pak & Kawano
고들빼기속 [국화과] (Go-deul-ppae-gi-sok)	Crepidastrum <i>Crepidastrum</i> Nakai [Asteraceae]
고란초 (Go-ran-cho)	Spear-leaf selliquea fern <i>Crypsinus hastatus</i> (Thunb.) Copel.
고란초과 (Go-ran-cho-gwa)	Polypody family <i>Polypodiaceae</i> J.Presl & C.Presl
고란초속 [고란초과] (Go-ran-cho-sok)	Crypsinus <i>Crypsinus</i> C.Presl [Polypodiaceae]
고랭이속 [사초과] (Go-raeng-i-sok)	Bulrush, Club-rush, Deergrass, Grassweed <i>Scirpus</i> L. [Cyperaceae]

Korean name (Romanization)	English name Scientific name
고려개보리 (Go-ryeo-gae-bo-ri)	Korean wheatgrass <i>Elymus coreanus</i> Honda
고려공작고사리 (Go-ryeo-gong-jak-go-sa-ri)	Korean maidenhair fern <i>Adiantum coreanum</i> Tagawa
고려엉겅퀴 (Go-ryeo-eong-geong-kwi)	Gondre (Korean thistle) <i>Cirsium setidens</i> (Dunn) Nakai
고로쇠나무 (Go-ro-soe-na-mu)	Mono maple <i>Acer pictum</i> var. <i>mono</i> (Maxim.) Maxim. ex Franch.
고마리 (Go-ma-ri)	Thunberg's smartweed <i>Persicaria thunbergii</i> (Siebold & Zucc.) H.Gross
고본 (Go-bon)	Korean go-bon (Slender angelica) <i>Angelica tenuissima</i> Nakai
고비 (Go-bi)	Asian royal fern <i>Osmunda japonica</i> Thunb.
고비고사리 (Go-bi-go-sa-ri)	Oriental bamboo fern <i>Coniogramme intermedia</i> Hieron
고비고사리속 [고사리과] (Go-bi-go-sa-ri-sok)	Coniogramme <i>Coniogramme</i> Fée [Pteridaceae]
고비과 (Go-bi-gwa)	Royal fern family Osmundaceae Martinov
고비속 [고비과] (Go-bi-sok)	Osmunda <i>Osmunda</i> L. [Osmundaceae]
고사리 (Go-sa-ri)	Eastern brakenfern <i>Pteridium aquilinum</i> var. <i>latiusculum</i> (Desv.) Underw. ex A.Heller
고사리고 (Go-sa-ri-gwa)	Maidenhair fern family Pteridaceae E.D.M. Kirchn.
고사리삼 (Go-sa-ri-sam)	Glabrous-ternate grapefern <i>Sceptridium ternatum</i> (Thunb.) Lyon
고사리삼과 (Go-sa-ri-sam-gwa)	Adder's tongue family Ophioglossaceae Martinov
고사리삼속 [고사리삼과] (Go-sa-ri-sam-sok)	Sceptridium <i>Sceptridium</i> Lyon [Ophioglossaceae]

Korean name (Romanization)	English name Scientific name
고사리속 [고사리과] (Go-sa-ri-sok)	Brakenfern <i>Pteridium</i> Gled. ex Scop. [Pteridaceae]
고산구슬봉이 (Go-san-gu-seul-bung-i)	Korean alpine gentian <i>Gentiana wootchuliana</i> W.K.Paik
고산바다 (Go-san-ba-di)	High-mountain angelica <i>Coelopleurum saxatile</i> (Turcz. ex Ledeb.) Drude
고산봄맞이 (Go-san-bom-mat-i)	Dry rockjasmine <i>Androsace lehmanniana</i> Spreng.
고산잔대 (Go-san-jan-dae)	Alpine three-leaf ladybell <i>Adenophora triphylla</i> var. <i>hakusanensis</i> (Nakai) Kitam.
고삼 (Go-sam)	Shrubby sophra <i>Sophora flavescens</i> Solander ex Aiton
고삼속 [콩과] (Go-sam-sok)	Necklacepod <i>Sophora</i> L. [Fabaceae]
고성골 (Go-seong-gol)	Goseong hybrid bulrush <i>Scirpus juncoides</i> Roxb. × <i>S. wallichii</i> Nees
고슴도치풀 (Go-seum-do-chi-pul)	Japanese burbark <i>Triumfetta japonica</i> Makino
고슴도치풀속 [피나무과] (Go-seum-do-chi-pul-sok)	Burbark <i>Triumfetta</i> L. [Tiliaceae]
고양싸리 (Go-yangssa-ri)	Goyang lespedeza <i>Lespedeza</i> × <i>robusta</i> Nakai
고양이수염 (Go-yang-i-su-yeom)	Spiked beaksedge <i>Rhynchospora chinensis</i> Nees & Mey ex Nees
고욤나무 (Go-yom-na-mu)	Date-plum <i>Diospyros lotus</i> L.
고추나무 (Go-chu-na-mu)	Bumald's bladdernut <i>Staphylea bumalda</i> DC.
고추나무과 (Go-chu-na-mu-gwa)	Bladdernut family <i>Staphyleaceae</i> Martinov
고추나무속 [고추나무과] (Go-chu-na-mu-sok)	Bladdernut <i>Staphylea</i> L. [Staphyleaceae]

Korean name (Romanization)	English name Scientific name
고추나물 (Go-chu-na-mul)	Erect St. Johnswort <i>Hypericum erectum</i> Thunb.
고추냉이 (Go-chu-naeng-i)	Wild wasabi <i>Eutrema japonicum</i> (Miq.) Koidz.
고추냉이속 [십자화과] (Go-chu-naeng-i-sok)	Eutrema <i>Eutrema</i> R.Br. [Brassicaceae]
곡정초 (Gok-jeong-cho)	Ashy pipewort <i>Eriocaulon cinereum</i> R.Br.
곡정초과 (Gok-jeong-cho-gwa)	Pipewort family Eriocaulaceae Martinov
곡정초속 [곡정초과] (Gok-jeong-cho-sok)	Pipewort <i>Eriocaulon</i> L. [Eriocaulaceae]
곤달비 (Gon-dal-bi)	Narrow-head ragwort <i>Ligularia stenocephala</i> (Maxim.) Matsum. & Koidz.
골개고사리 (Gol-gae-go-sa-ri)	Eared ladyfern <i>Athyrium otophorum</i> (Miq.) Koidz.
골고사리 (Gol-go-sa-ri)	Hart's-tongue fern <i>Phyllitis scolopendrium</i> (L.) Newman
골고사리속 [꼬리고사리과] (Gol-go-sa-ri-sok)	Phyllitis <i>Phyllitis</i> Hill [Aspleniaceae]
골담초 (Gol-dam-cho)	Chinese peashrub <i>Caragana sinica</i> (Buc'hoz) Rehder
골담초속 [콩과] (Gol-dam-cho-sok)	Peashrub <i>Caragana</i> Fabr. [Fabaceae]
골등골나물 (Gol-deung-gol-na-mul)	Lindley eupatorium <i>Eupatorium lindleyanum</i> DC.
골무꽃 (Gol-mu-kkot)	Indian skullcap <i>Scutellaria indica</i> L.
골무꽃속 [꿀풀과] (Gol-mu-kkot-sok)	Skullcap <i>Scutellaria</i> L. [Lamiaceae]
골병꽃나무 (Gol-byeong-kkot-na-mu)	Garden weigela <i>Weigela hortensis</i> C.A.Mey.
골사초 (Gol-sa-cho)	Nerved-scale sedge <i>Carex aphanolepis</i> Franch. & Sav.

Korean name (Romanization)	English name Scientific name
골잎원추리 (Gol-ip-won-chu-ri)	Citron daylily <i>Hemerocallis citrina</i> Baroni
골풀 (Gol-pul)	Golpul (Common rush) <i>Juncus decipiens</i> (Buchenau) Nakai
골풀과 (Gol-pul-gwa)	Rush family <i>Juncaceae</i> Durande
골풀속 [골풀과] (Gol-pul-sok)	Rush <i>Juncus</i> L. [Juncaceae]
골풀아재비 (Gol-pul-a-jae-bi)	Bulrush-like beaksedge <i>Rhynchospora faberi</i> C.B.Clarke
골풀아재비속 [사초과] (Gol-pul-a-jae-bi-sok)	Beakrush, Beaksedge <i>Rhynchospora</i> Vahl [Cyperaceae]
곰딸기 (Gom-ttal-gi)	Wine raspberry <i>Rubus phoenicolasius</i> Maxim.
곰반송 (Gom-ban-song)	Many-stem black pine <i>Pinus thunbergii</i> f. <i>multicaulis</i> Uyeki
곰비늘고사리 (Gom-bi-neul-go-sa-ri)	Uniform wood fern <i>Dryopteris uniformis</i> (Makino) Makino
곰솔 (Gom-sol)	Black pine <i>Pinus thunbergii</i> Parl.
곰의말채나무 (Gom-ui-mal-chae-na-mu)	Large-leaf dogwood <i>Cornus macrophylla</i> Wall.
곰취 (Gom-chwi)	Fischer's ragwort <i>Ligularia fischeri</i> (Ledeb.) Turcz.
곰취속 [국화과] (Gom-chwi-sok)	Leopard plant, Ragwort <i>Ligularia</i> Cass. [Asteraceae]
곱새고사리 (Gop-sae-go-sa-ri)	Korean tapping glade fern <i>Deparia coreana</i> (Christ) M.Kato
곱슬사초 (Gop-seul-sa-cho)	Glabrate sedge <i>Carex glabrescens</i> (Kük.) Ohwi
곱향나무 (Gop-hyang-na-mu)	Alpine juniper <i>Juniperus communis</i> subsp. <i>alpina</i> (Suter) Celak.

Korean name (Romanization)	English name Scientific name
공작고사리 (Gong-jak-go-sa-ri)	Northern maidenhair fern <i>Adiantum pedatum</i> L.
공작고사리속 [고사리과] (Gong-jak-go-sa-ri-sok)	Maidenhair fern <i>Adiantum</i> L. [Pteridaceae]
과남풀 (Gwa-nam-pul)	East Asian clustered gentian <i>Gentiana triflora</i> var. <i>japonica</i> (Kusn.) H.Hara
곽향 (Gwak-hyang)	Mountain germander <i>Teucrium veronicoides</i> Maxim.
곽향속 [꿀풀과] (Gwak-hyang-sok)	Germander <i>Teucrium</i> L. [Lamiaceae]
관모개미자리 (Gwan-mo-gae-mi-ja-ri)	Slender mountain sandwort <i>Arenaria capillaris</i> Poir.
관모두메자운 (Gwan-mo-du-me-ja-un)	Blue locoweed <i>Oxytropis caerulea</i> (Pall.) DC.
관모박새 (Gwan-mo-bak-sae)	Dahurian false-hellebore <i>Veratrum dahuricum</i> (Turcz.) Loes.
관모포아풀 (Gwan-mo-po-a-pul)	Gwanmo bluegrass <i>Poa kanboensis</i> Ohwi
관중 (Gwan-jung)	Shield fern <i>Dryopteris crassirhizoma</i> Nakai
관중속 [면마과] (Gwan-jung-sok)	Buckler fern, Male fern, Wood fern <i>Dryopteris</i> Adans. [Dryopteridaceae]
광나무 (Gwang-na-mu)	Wax-leaf privet <i>Ligustrum japonicum</i> Thunb.
광능골 (Gwang-neung-gol)	Komarov's bulrush <i>Scirpus komarovii</i> Roshev.
광대나물 (Gwang-dae-na-mul)	Henbit deadnettle <i>Lamium amplexicaule</i> L.
광대나물속 [꿀풀과] (Gwang-dae-na-mul-sok)	Deadnettle <i>Lamium</i> L. [Lamiaceae]
광대수염 (Gwang-dae-su-yeom)	Beard white deadnettle <i>Lamium album</i> var. <i>barbatum</i> (Siebold & Zucc.) Franch. & Sav.

Korean name (Romanization)	English name Scientific name
광대싸리 (Gwang-daessa-ri)	Suffrutescent securinega <i>Securinega suffruticosa</i> (Pall.) Rehder
광대싸리속 [대극과] (Gwang-dae-ssa-ri-sok)	Securinega <i>Securinega</i> Comm. ex Juss. [Euphorbiaceae]
광릉갈퀴 (Gwang-reung-gal-kwi)	Gwangneung vetch <i>Vicia venosa</i> var. <i>cuspidata</i> Maxim.
광릉개고사리 (Gwang-reung-gae-go-sa-ri)	Elegant ladyfern <i>Athyrium concinnum</i> Nakai
광릉개밀 (Gwang-reung-gae-mil)	Gwangneung wheatgrass <i>Elymus yezoensis</i> var. <i>koryoensis</i> (Honda) Osada
광릉골무꽃 (Gwang-reung-gol-mu-kkot)	Gwangneung skullcap <i>Scutellaria insignis</i> Nakai
광릉물푸레 (Gwang-reung-mul-pu-re)	Gwangneung ash * <i>Fraxinus rhynchophylla</i> var. <i>densata</i> (Nakai) Y.N.Lee
광릉요강꽃 (Gwang-reung-yo-gang-kkot)	Korean lady's slipper <i>Cypripedium japonicum</i> Thunb.
광릉용수염 (Gwang-reung-yong-su-yeom)	Gwangneung beakgrain <i>Diarrhena fauriei</i> (Hack.) Ohwi
광릉족제비고사리 (Gwang-reung-jok-je-bi-go-sa-ri)	Gwangneung buckler fern <i>Dryopteris saxifragi-varia</i> Nakai
광릉쥐오줌풀 (Gwang-reung-jwi-o-jum-pul)	Dense-fruit valerian <i>Valeriana fauriei</i> var. <i>dasyarpa</i> H.Hara
광릉털중나리 (Gwang-reung-teol-jung-na-ri)	Gwangneung friendly lily * <i>Lilium amabile</i> var. <i>kwangnungensis</i> Y.S.Kim & W.B.Lee
광양나비나물 (Gwang-yang-na-bi-na-mul)	Sweet two-leaf vetch <i>Vicia unijuga</i> var. <i>venusta</i> Nakai
괭이눈 (Gwaeng-i-nun)	Gray's golden saxifrage <i>Chrysosplenium grayanum</i> Maxim.
괭이눈속 [범의귀과] (Gwaeng-i-nun-sok)	Golden saxifrage, Golden-saxifrage <i>Chrysosplenium</i> L. [Saxifragaceae]
괭이밥 (Gwaeng-i-bap)	Creeping wood sorrel <i>Oxalis corniculata</i> L.

Korean name (Romanization)	English name Scientific name
괭이밥과 (Gwaeng-i-bap-gwa)	Wood sorrel family Oxalidaceae R.Br.
괭이밥속 [괭이밥과] (Gwaeng-i-bap-sok)	Wood sorrel <i>Oxalis L.</i> [Oxalidaceae]
괭이사초 (Gwaeng-i-sa-cho)	Nerved-fruit sedge <i>Carex neurocarpa</i> Maxim.
괭이싸리 (Gwaeng-issa-ri)	Pilose lespezea <i>Lespedeza pilosa</i> (Thunb.) Siebold & Zucc.
괴불나무 (Goe-bul-na-mu)	Amur honeysuckle <i>Lonicera maackii</i> (Rupr.) Maxim.
괴불이끼 (Goe-bul-i-kki)	Insignificant bristle fern <i>Crepidomanes latealatum</i> (Bosch) Copel.
괴불이끼속 [처녀이끼과] (Goe-bul-i-kki-sok)	Crepidomanes <i>Crepidomanes</i> C.Presl [Hymenophyllaceae]
괴불주머니 (Goe-bul-ju-meo-ni)	Pale yellow corydalis <i>Corydalis pallida</i> (Thunb.) Pers.
교래잠자리피 (Gyo-rae-jam-ja-ri-pi)	Gyrae fiveminute grass <i>Tripogon longearistatus</i> Hack. ex Honda
구내풀 (Gu-nae-pul)	Ditch bluegrass <i>Poa hisauchii</i> Honda
구례종덩굴 (Gu-rye-jong-deong-gul)	Mankyu's clematis * <i>Clematis mankuensis</i> Y.N.Lee
구름골풀 (Gu-reum-gol-pul)	Three-hull rush <i>Juncus triglumis</i> L.
구름국화 (Gu-reum-guk-hwa)	Korean alpine fleabane <i>Erigeron thunbergii</i> subsp. <i>glabratius</i> (A.Gray) H.Hara
구름꽃다지 (Gu-reum-kkot-da-ji)	Many-branch whitlow-grass <i>Draba daurica</i> var. <i>ramosa</i> Pohl & Bush
구름평의밥 (Gu-reum-kkwong-ui-bap)	High-mountain woodrush <i>Luzula oligantha</i> Sam.
구름떡쑥 (Gu-reum-tteok-ssuk)	Alpine pearly everlasting <i>Anaphalis sinica</i> var. <i>mori</i> (Nakai) Ohwi

Korean name (Romanization)	English name Scientific name
구름범의귀 (Gu-reum-beom-ui-gwi)	Laciniate rockfoil <i>Saxifraga laciniata</i> Nakai & Takeda
구름병아리난초 (Gu-reum-byeong-a-ri-nan-cho)	Cucullate Neottianthe orchid <i>Neottianthe cucullata</i> (L.) Schltr.
구름병아리난초속 [난초과] (Gu-reum-byeong-a-ri-nan-cho-sok)	Neottianthe orchid <i>Neottianthe</i> (Rchb.) Schltr. [Orchidaceae]
구름사초 (Gu-reum-sa-cho)	Subumbellate sedge <i>Carex subumbellata</i> Meinsh.
구름송이풀 (Gu-reum-song-i-pul)	Whorled-leaf lousewort <i>Pedicularis verticillata</i> L.
구름오이풀 (Gu-reum-o-i-pul)	High-mountain burnet <i>Sanguisorba argutidens</i> Nakai
구름제비꽃 (Gu-reum-je-bi-kkot)	Alpine violet <i>Viola crassa</i> Makino
구름제비란 (Gu-reum-je-bi-ran)	Cloud Asian platanthera <i>Platanthera ophrydioides</i> F.Schmidt
구름체꽃 (Gu-reum-che-kkot)	Alpine scabious <i>Scabiosa tschiliensis</i> f. <i>alpina</i> (Nakai) W.T.Lee
구름패랭이꽃 (Gu-reum-pae-raeng-i-kkot)	Alpine pink <i>Dianthus superbus</i> var. <i>alpestris</i> Kablik. ex Celak.
구릿대 (Gu-rit-dae)	Dahurian angelica <i>Angelica dahurica</i> (Fisch. ex Hoffm.) Benth. & Hook.f. ex Franch. & Sav.
구상나무 (Gu-sang-na-mu)	Korean fir <i>Abies koreana</i> E.H.Wilson
구상난풀 (Gu-sang-nan-pul)	Yellow indian pipe <i>Monotropa hypopithys</i> L.
구슬갓냉이 (Gu-seul-gat-naeng-i)	Globe yellowcress <i>Rorippa globosa</i> (Turcz. ex Fisch. & C.A.Mey.) Hayek
구슬개고사리 (Gu-seul-gae-go-sa-ri)	Triangular-leaf ladyfern <i>Athyrium deltoidofrons</i> Makino
구슬골무꽃 (Gu-seul-gol-mu-kkot)	Moniliform skullcap <i>Scutellaria moniliorrhiza</i> Kom.

Korean name (Romanization)	English name Scientific name
구슬꽃나무 (Gu-seul-kkot-na-mu)	Glossy adina <i>Adina rubella</i> Hance
구슬꽃나무속 [꼭두서니과] (Gu-seul-kkot-na-mu-sok)	Adina <i>Adina</i> Salisb. [Rubiaceae]
구슬댕댕이 (Gu-seul-daeng-daeng-i)	Wavy-leaf honeysuckle <i>Lonicera vesicaria</i> Kom.
구슬봉이 (Gu-seul-bung-i)	Squarrose-leaf gentian <i>Gentiana squarrosa</i> Ledeb.
구슬사초 (Gu-seul-sa-cho)	Orcibular sedge <i>Carex tegulata</i> H.Lév. et Vaniot
구슬오이풀 (Gu-seul-o-i-pul)	Globular great burnet <i>Sanguisorba officinalis</i> var. <i>globularis</i> (Nakai) W.T.Lee
구실바위취 (Gu-sil-ba-wi-chwi)	Round rockfoil <i>Saxifraga octopetala</i> Nakai
구실사리 (Gu-sil-sa-ri)	Bead selaginella <i>Selaginella rossii</i> (Baker) Warb.
구실잣밤나무 (Gu-sil-jat-bam-na-mu)	Siebold's chinquapin <i>Castanopsis sieboldii</i> (Makino) Hatus.
구와가막사리 (Gu-wa-ga-mak-sa-ri)	Pinnatifid-radiate beggartick <i>Bidens radiata</i> var. <i>pinnatifida</i> (Turcz. ex DC.) Kitam.
구와꼬리풀 (Gu-wa-kko-ri-pul)	Daurian spike speedwell <i>Veronica dahurica</i> Steven
구와말 (Gu-wa-mal)	Asian marshweed <i>Limnophila sessiliflora</i> (Vahl) Blume
구와말속 [현삼과] (Gu-wa-mal-sok)	Marshweed <i>Limnophila</i> R.Br. [Scrophulariaceae]
구와쑥 (Gu-wa-ssuk)	Siberian wormwood <i>Artemisia laciniata</i> Will.
구와취 (Gu-wa-chwi)	Ussuri saussurea <i>Saussurea ussuriensis</i> Maxim.
구절초 (Gu-jeol-cho)	White-lobe Korean dendranthema <i>Dendranthema zawadskii</i> var. <i>latilobum</i> (Maxim.) Kitam.

Korean name (Romanization)	English name Scientific name
국경찔레 (Guk-gyeong-jjil-re)	Northern baby rose <i>Rosa jaluana</i> Kom.
국수나무 (Guk-su-na-mu)	Laceshrub <i>Stephanandra incisa</i> (Thunb.) Zabel
국수나무속 [장미과] (Guk-su-na-mu-sok)	Stephanandra <i>Stephanandra</i> Siebold & Zucc. [Rosaceae]
국화갈퀴 (Guk-hwa-gal-kwi)	Chrysanthemum bedstraw <i>Galium kikumugura</i> Ohwi
국화과 (Guk-hwa-gwa)	Sunflower family Asteraceae Bercht. & J.Presl (= Compositae Giseke)
국화마 (Guk-hwa-ma)	Chrysanthemum-leaf mountain yam <i>Dioscorea septemloba</i> Thunb.
국화바람꽃 (Guk-hwa-ba-ram-kkot)	Chrysanthemum anemone <i>Anemone pseudoaltaica</i> H.Hara
국화방망이 (Guk-hwa-bang-mang-i)	Korean butterweed <i>Sinosenecio koreanus</i> (Kom.) B.Nord.
국화방망이속 [국화과] (Guk-hwa-bang-mang-i-sok)	Butterweed <i>Sinosenecio</i> B. Nord. [Asteraceae]
국화수리취 (Guk-hwa-su-ri-chwi)	Chrysanthemum-leaf synurus <i>Synurus palmatopinnatifidus</i> (Makino) Kitam.
국화잎쑥 (Guk-hwa-ip-ssuk)	Dissected-leaf wormwood <i>Artemisia stolonifera</i> f. <i>dissecta</i> (Pamp.) Kitam.
국화쥐손이 (Guk-hwa-jwi-son-i)	Stephen's stork's bill <i>Erodium stephannianum</i> Willd.
국화쥐손이속 [쥐손이풀과] (Guk-hwa-jwi-son-i-sok)	Filarees, Heron's bill, Stork's bill <i>Erodium</i> L'Hér. ex Aiton [Geraniaceae]
굴거리나무 (Gul-geo-ri-na-mu)	Macropodous daphniphyllum <i>Daphniphyllum macropodium</i> Miq.
굴거리나무과 (Gul-geo-ri-na-mu-gwa)	Daphniphyllum family Daphniphyllaceae Müll. Arg.
굴거리나무속 [굴거리나무과] (Gul-geo-ri-na-mu-sok)	Daphniphyllum <i>Daphniphyllum</i> Blume [Daphniphyllaceae]

Korean name (Romanization)	English name Scientific name
굴참나무 (Gul-cham-na-mu)	Oriental cork oak <i>Quercus variabilis</i> Blume
굴피나무 (Gul-pi-na-mu)	Cone-fruit platycarya <i>Platycarya strobilacea</i> Siebold & Zucc.
굴피나무속 [가래나무과] (Gul-pi-na-mu-sok)	Platycarya <i>Platycarya</i> Siebold & Zucc. [Juglandaceae]
굵은들쭉나무 (Gul-geun-deul-jjuk-na-mu)	Flat-bush bog blueberry <i>Vaccinium uliginosum</i> f. <i>depressum</i> Nakai ex Uyeki
굽은노란장대 (Gup-eun-no-ran-jang-dae)	Drooping-fruit hedge mustard <i>Sisymbrium heteromallum</i> C.A.Mey.
궁궁이 (Gung-gung-i)	Polymorphic angelica <i>Angelica polymorpha</i> Maxim.
귀룽나무 (Gwi-rung-na-mu)	Bird cherry <i>Prunus padus</i> L.
귀박쥐나풀 (Gwi-bak-jwi-na-mul)	Eared Indian plantain <i>Parasenecio auriculatus</i> (DC.) J.R.Grant
그늘개고사리 (Geu-neul-gae-go-sa-ri)	Gwangneung ladyfern <i>Athyrium koryoense</i> Tagawa
그늘골무꽃 (Geu-neul-gol-mu-kkot)	Understory skullcap <i>Scutellaria fauriei</i> H.Lév. & Vaniot
그늘꿩의다리 (Geu-neul-kkwong-ui-da-ri)	Shady meadow-rue <i>Thalictrum osmorhizoides</i> Nakai
그늘보리뱅이 (Geu-neul-bo-ri-ppaeng-i)	Shady nipplewort <i>Lapsanastrum humile</i> (Thunb.) J.H.Pak & K.Bremer
그늘사초 (Geu-neul-sa-cho)	Lanceolate sedge <i>Carex lanceolata</i> Boott
그늘송이풀 (Geu-neul-song-i-pul)	Umbrella lousewort <i>Pedicularis resupinata</i> var. <i>umbrosa</i> Kom. ex Nakai
그늘실사초 (Geu-neul-sil-sa-cho)	Slender shadow sedge <i>Carex tenuiformis</i> var. <i>neofilipes</i> (Nakai) Ohwi ex Hatus.
그늘쑥 (Geu-neul-ssuk)	Woodland wormwood <i>Artemisia sylvatica</i> Maxim.

Korean name (Romanization)	English name Scientific name
그늘참나물 (Geu-neul-cham-na-mul)	Shady short-fruit pimpinella <i>Pimpinella brachycarpa</i> var. <i>uchiyamana</i> (Y.Yabe) W.T.Lee & C.G.Jang
그늘취 (Geu-neul-chwi)	Shady saussurea <i>Saussurea uchiyamana</i> Nakai
그늘흰사초 (Geu-neul-huin-sa-cho)	Shady mucronate sedge <i>Carex planiculmis</i> Kom.
그령 (Geu-ryeong)	Korean lovegrass <i>Eragrostis ferruginea</i> (Thunb.) P.Beauv.
금강가물고사리 (Geum-gang-ga-mul-go-sa-ri)	Geumgang woodsia <i>Woodsia microsora</i> Kodama
금강봄맞이 (Geum-gang-bom-mat-i)	Geumgang rockjasmine <i>Androsace cortusifolia</i> Nakai
금강분취 (Geum-gang-bun-chwi)	Geumgang saussurea <i>Saussurea diamantica</i> Nakai
금강산돌배 (Geum-gang-san-dol-bae)	Geumgangsan wild pear <i>Pyrus ussuriensis</i> var. <i>diamantica</i> Uyeki
금강산뚝사초 (Geum-gang-san-ttuk-sa-cho)	Scabrous scissors-like sedge <i>Carex forficula</i> var. <i>scabrida</i> Kük.
금강소나무 (Geum-gang-so-na-mu)	Upright Korean red pine <i>Pinus densiflora</i> f. <i>erecta</i> Uyeki
금강솜방망이 (Geum-gang-som-bang-mang-i)	Geumgang groundsel <i>Senecio birubonensis</i> Kitam.
금강쑥 (Geum-gang-ssuk)	Short-leaf wormwood <i>Artemisia brachyphylla</i> Kitam.
금강아지풀 (Geum-gang-a-ji-pul)	Yellow bristlegrass <i>Setaria pumila</i> (Poir.) Roem. & Schult.
금강애기나리 (Geum-gang-ae-gi-na-ri)	Geumgang twisted-stalk <i>Streptopus ovalis</i> (Ohwi) F.T.Wang & Y.C.Tang
금강인가목 (Geum-gang-in-ga-mok)	Korean pentactina <i>Pentactina rupicola</i> Nakai

Korean name (Romanization)	English name Scientific name
금강인가목속 [장미과] (Geum-gang-in-ga-mok-sok)	Pentactina <i>Pentactina</i> Nakai [Rosaceae]
금강잔대 (Geum-gang-jan-dae)	Beautiful ladybell <i>Adenophora pulchra</i> Kitam.
금강제비꽃 (Geum-gang-je-bi-kkot)	Geumgang violet <i>Viola diamantiaca</i> Nakai
금강처녀이끼 (Geum-gang-cheo-nyeo-i-kki)	Long-hair filmy fern <i>Mecodium oligosorum</i> (Makino) H.Ito
금강초롱꽃 (Geum-gang-cho-rong-kkot)	Geumgangchoronkkot (Geumgang bluebell) <i>Hanabusaya asiatica</i> (Nakai) Nakai
금강초롱꽃속 [초롱꽃과] (Geum-gang-cho-rong-kkot-sok)	Diamond bluebell <i>Hanabusaya</i> Nakai [Campanulaceae]
금강포아풀 (Geum-gang-po-a-pul)	Geumgang bluegrass <i>Poa kumgangsanii</i> Ohwi
금弢이눈 (Geum-gwaeng-i-nun)	Global-fruit golden saxifrage <i>Chrysosplenium pilosum</i> var. <i>sphaerospermum</i> (A.Terrac.) H.Hara
금꿩의다리 (Geum-kkwong-ui-da-ri)	Yellow-filamentous meadow-rue <i>Thalictrum rochebrunnianum</i> var. <i>grandisepalum</i> (H.Lév.) Nakai
금나리 (Geum-na-ri)	Golden-flower lily <i>Lilium tenuifolium</i> var. <i>chrysanthum</i> (Nakai & F.Maek.) Nakai
금난초 (Geum-nan-cho)	Golden cephalanthera <i>Cephalanthera falcata</i> (Thunb.) Blume
금낭화 (Geum-nang-hwa)	Bleeding heart <i>Dicentra spectabilis</i> (L.) Lem.
금낭화속 [현호색과] (Geum-nang-hwa-sok)	Bleeding heart <i>Dicentra</i> Bernh. [Fumariaceae]
금떡쑥 (Geum-tteok-ssuk)	Autumn cudweed <i>Pseudognaphalium hypoleucum</i> (DC.) Hilliard & B.L.Burtt
금마타리 (Geum-ma-ta-ri)	Sanicula-leaf golden lace <i>Patrinia saniculifolia</i> Hemsl.

Korean name (Romanization)	English name Scientific name
금매화 (Geum-mae-hwa)	Short-petal globe-flower <i>Trollius ledebourii</i> Rchb.
금매화속 [미나리아재비과] (Geum-mae-hwa-sok)	Globe-flower <i>Trollius</i> L. [Ranunculaceae]
금방동사니 (Geum-bang-dong-sa-ni)	Awned rice flatsedge <i>Cyperus microiria</i> Steud.
금방망이 (Geum-bang-mang-i)	Shady groundsel <i>Senecio nemorensis</i> L.
금방망이속 [국화과] (Geum-bang-mang-i-sok)	Ragworts, Groundsels <i>Senecio</i> L. [Asteraceae]
금불초 (Geum-bul-cho)	Oriental yellowhead <i>Inula britannica</i> var. <i>japonica</i> (Thunb.) Franch. & Sav.
금불초속 [국화과] (Geum-bul-cho-sok)	Yellowhead <i>Inula</i> L. [Asteraceae]
금붓꽃 (Geum-but-kkot)	Grassy-leaf yellow iris <i>Iris minutiaurea</i> Makino
금새우난초 (Geum-sae-u-nan-cho)	Island golden calanthe <i>Calanthe sieboldii</i> Decne. ex Regel
금소리쟁이 (Geum-so-ri-jaeng-i)	Golden dock <i>Rumex maritimus</i> L.
금쑥 (Geum-ssuk)	Golden-yellow wormwood <i>Artemisia aurata</i> Kom.
금역사 (Geum-eok-sae)	Jejudo maiden silvergrass <i>Miscanthus sinensis</i> var. <i>chejuensis</i> (Y.N.Lee) Y.N.Lee
금오족도리풀 (Geum-o-jok-do-ri-pul)	Spreading wildginger <i>Asarum patens</i> (K.Yamaki) B.U.Oh
금자란 (Geum-ja-ran)	Geumsan purple spotted gastrochilus <i>Gastrochilus matsuran</i> (Makino) Schltr.
금자란속 [난초과] (Geum-ja-ran-sok)	Gastrochilus <i>Gastrochilus</i> D.Don [Orchidaceae]

Korean name (Romanization)	English name Scientific name
금족제비고사리 (Geum-jok-je-bi-go-sa-ri)	Golden buckler fern <i>Dryopteris gymnophylla</i> (Baker) C.Chr.
금창초 (Geum-chang-cho)	Decumbent bugle <i>Ajuga decumbens</i> Thunb.
금털고사리 (Geum-teol-go-sa-ri)	Golden hair fern <i>Hypodematum glandulos-pilosum</i> (Tagawa) Ohwi
금털고사리속 [면마과] (Geum-teol-go-sa-ri-sok)	Hypodematum <i>Hypodematum</i> Kunze [Dryopteridaceae]
금흔초 (Geum-hon-cho)	Ciliate cat's ear <i>Hypochaeris ciliata</i> (Thunb.) Makino
금흔초속 [국화과] (Geum-hon-cho-sok)	Cat's ear <i>Hypochaeris</i> L. [Asteraceae]
기는미나리아재비 (Gi-neun-mi-na-ri-a-jae-bi)	Creeping buttercup <i>Ranunculus repens</i> L.
기름나물 (Gi-reum-na-mul)	Terebinthaceous hogfennel <i>Peucedanum terebinthaceum</i> (Fisch. ex Trevir.) Fisch. ex Turcz.
기름나물속 [산형과] (Gi-reum-na-mul-sok)	Hogfennel, Peucedanum <i>Peucedanum</i> L. [Apiaceae]
기름당귀 (Gi-reum-dang-gwi)	Hulten's licorice-root <i>Ligusticum hultenii</i> Fernald
기름당귀속 [산형과] (Gi-reum-dang-gwi-sok)	Licorice-root <i>Ligusticum</i> L. [Apiaceae]
기름새 (Gi-reum-sae)	Articulation-bearing spodiopogon <i>Spodiopogon cotulifer</i> (Thunb.) Hack.
기름새속 [벼과] (Gi-reum-sae-sok)	Spodiopogon <i>Spodiopogon</i> Trin. [Poaceae]
기린초 (Gi-rin-cho)	Orange stonecrop <i>Sedum kamtschaticum</i> Fisch. & Mey.
기생꽃 (Gi-saeng-kkot)	Arctic starflower <i>Trientalis europaea</i> var. <i>arctica</i> (Fisch. ex Hook.) Ledeb.
기생꽃속 [앵초과] (Gi-saeng-kkot-sok)	Starflower, Wintergreens <i>Trientalis</i> L. [Primulaceae]

Korean name (Romanization)	English name Scientific name
기생여뀌 (Gi-saeng-yeo-kkwi)	Reddish marsh smartweed <i>Persicaria viscosa</i> (Buch.-Ham. ex D.Don) H.Gross ex T.Mori
기수초 (Gi-su-cho)	Brackish zone seepweed <i>Suaeda malacosperma</i> H.Hara
기장대풀 (Gi-jang-dae-pul)	Swamp bloodgrass <i>Isachne globosa</i> (Thunb.) Kuntze
기장대풀속 [벼과] (Gi-jang-dae-pul-sok)	Bloodgrass <i>Isachne</i> R.Br. [Poaceae]
기장속 [벼과] (Gi-jang-sok)	Panicgrass <i>Panicum</i> L. [Poaceae]
기장풀속 [벼과] (Gi-jang-pul-sok)	Phaenosperma <i>Phaenosperma</i> Renvoize & Clayton [Poaceae]
긴가래나무 (Gin-ga-rae-na-mu)	Long-leaflet Manchurian walnut <i>Juglans mandshurica</i> f. <i>stenocarpa</i> Uyeki
긴개관중 (Gin-gae-gwan-jung)	Lusterless holly fern <i>Polystichum tagawanum</i> Sa Kurata
긴개별꽃 (Gin-gae-byeol-kkot)	East Asian false-starwort <i>Pseudostellaria japonica</i> (Korsh.) Pax
긴개싱아 (Gin-gae-sing-a)	Long-leaf knotweed <i>Aconogonon ajanense</i> (Regel & Tiling) H.Hara
긴갓금불초 (Gin-gaet-geum-bul-cho)	Chinese wedelia <i>Wedelia chinensis</i> (Osbeck) Merr.
긴겨이삭 (Gin-gyeo-i-sak)	Rough bentgrass <i>Agrostis scabra</i> Willd.
긴고로쇠 (Gin-go-ro-soe)	Dissected-leaf barved-vein maple <i>Acer mono</i> f. <i>dissectum</i> (Wesm.) Rehder
긴괭이싸리 (Gin-gwaeng-i-ssa-ri)	Long-peduncle pilose lespedeza <i>Lespedeza pilosa</i> var. <i>pedunculata</i> T.B.Lee
긴꼬리쐐기풀 (Gin-kko-ri-sswae-gi-pul)	Long narrow-leaf nettle <i>Urtica angustifolia</i> var. <i>sikokiana</i> (Makino) Ohwi
긴꽃고사리삼 (Gin-kkot-go-sa-ri-sam)	Straight fern <i>Botrychium strictum</i> Underw.

Korean name (Romanization)	English name Scientific name
긴꽃대황기 (Gin-kkot-dae-hwang-gi)	Long-pedicel milkvetch <i>Astragalus schelichowii</i> Turez.
긴꽃며느리밥풀 (Gin-kkot-myeo-neu-ri-bap-pul)	Korean cow-wheat <i>Melampyrum koreanum</i> K.J.Kim & S.M.Yun
긴꽃쁘리뱅이 (Gin-kkot-ppo-ri-baeng-i)	Long-head oriental false hawksbeard <i>Youngia japonica</i> subsp. <i>longiflora</i> Babc. & Stebbins
긴다람쥐꼬리 (Gin-da-ram-jwi-kko-ri)	Jeju clubmoss <i>Huperzia jejuensis</i> B. Y. Sun & J. Lim
긴담배풀 (Gin-dam-bae-pul)	Divaricate carpesium <i>Carpesium divaricatum</i> Siebold & Zucc.
긴당잔대 (Gin-dang-jan-dae)	Sword-leaf upright ladybell <i>Adenophora stricta</i> var. <i>lancifolia</i> Honda
긴도둑놈의갈고리 (Gin-do-duk-nom-ui-gal-go-ri)	Long-fruit tick clover <i>Desmodium podocarpum</i> subsp. <i>fallax</i> (Schindl.) H.Ohashi
긴돌가시나무 (Gin-dol-ga-si-na-mu)	Elliptic-fruit Wichura's rose <i>Rosa wichuraiana</i> f. <i>ellipsoidea</i> Nakai
긴동강할미꽃 (Gin-dong-gang-hal-mi-kkot)	Long-sepal Donggang pasque-flower <i>Pulsatilla tongkangensis</i> f. <i>longisepala</i> Y.N.Lee
긴두잎갈퀴 (Gin-du-ip-gal-kwi)	Long-pedicel snake tongue starviolet <i>Hedyotis diffusa</i> var. <i>longipes</i> Nakai
긴들쭉나무 (Gin-deul-ijjuk-na-mu)	Elliptic-fruit bog blueberry <i>Vaccinium uliginosum</i> f. <i>ellipticum</i> Nakai ex Uyeki
긴매자잎버들 (Gin-mae-ja-ip-beo-deul)	Long-leaf alpine willow <i>Salix berberifolia</i> var. <i>brayi</i> (Ledeb.) Trautv. ex Herder
긴목포사초 (Gin-mok-po-sa-cho)	Long Mokpo sedge <i>Carex formosensis</i> H.Lév. & Vaniot
긴미꾸리낚시 (Gin-mi-kku-ri-nak-si)	Long arrow-head smartweed <i>Persicaria hastatosagittata</i> (Makino) Nakai ex T. Mori
긴병꽃풀 (Gin-byeong-kkot-pul)	Ground ivy <i>Glechoma grandis</i> (A.Gray) Kuprian.
긴병꽃풀속 [꿀풀과] (Gin-byeong-kkot-pul-sok)	Glechoma <i>Glechoma</i> L. [Lamiaceae]

Korean name (Romanization)	English name Scientific name
긴보리수나무 (Gin-bo-ri-su-na-mu)	Long-fruit autumn olive <i>Elaeagnus umbellata</i> var. <i>longicarpa</i> (Uyeki) T.B.Lee
긴분취 (Gin-bun-chwi)	Recurved-leaf saussurea <i>Saussurea recurvata</i> (Maxim.) Lipsch.
긴사상자 (Gin-sa-sang-ja)	Aristate sweetroot <i>Osmorrhiza aristata</i> (Thunb.) Rydb.
긴사상자속 [산형과] (Gin-sa-sang-ja-sok)	Sweet cicely, Sweetroot <i>Osmorrhiza Raf.</i> [Apiaceae]
긴산개나리 (Gin-san-gae-na-ri)	Lanceolate rocky forsythia <i>Forsythia saxatilis</i> var. <i>lanceolata</i> S.T.Lee
긴산꼬리풀 (Gin-san-kko-ri-pul)	Long-leaf spike speedwell <i>Veronica longifolia</i> L.
긴산취 (Gin-san-chwi)	Long-mountain maiden saussurea <i>Saussurea umbrosa</i> var. <i>herbicolor</i> Nakai
긴생열귀 (Gin-saeng-yeol-gwi)	Ellipsoid amur rose * <i>Rosa davurica</i> var. <i>ellipsoidea</i> Nakai ex Kawamoto
긴서어나무 (Gin-seo-eo-na-mu)	Long loose-flower hornbeam <i>Carpinus laxiflora</i> var. <i>longispica</i> Uyeki
긴오이풀 (Gin-o-i-pul)	Long-leaf burnet <i>Sanguisorba longifolia</i> Bertol.
긴잎갈퀴 (Gin-ip-gal-kwi)	Northern bedstraw <i>Galium boreale</i> L.
긴잎곰취 (Gin-ip-gom-chwi)	Jalu ragwort <i>Ligularia jaluensis</i> Kom.
긴잎꿩의다리 (Gin-ip-kkhwong-ui-da-ri)	Short-stalk slimtop meadow-rue <i>Thalictrum simlex</i> var. <i>brevipes</i> H.Hara
긴잎끈끈이주걱 (Gin-ip-kkeun-kkeun-i-ju-geok)	English sundew <i>Drosera anglica</i> Huds.
긴잎나비나물 (Gin-ip-na-bi-na-mul)	Narrow two-leaf vetch <i>Vicia unijuga</i> f. <i>angustifolia</i> Makino ex Ohwi

Korean name (Romanization)	English name Scientific name
긴잎다정큼 (Gin-ip-da-jeong-keum)	Long-leaf Indian hawthorn <i>Rhaphiolepis indica</i> var. <i>liukiuensis</i> (Koidz.) Kitam.
긴잎도깨비쇠고비 (Gin-ip-do-kkae-bi-soe-go-bi)	Long-leaf Asian hollyfern <i>Cyrtomium devexiscapulae</i> (Koidz.) Koidz. & Ching
긴잎떡버들 (Gin-ip-tteok-beo-deul)	Long-leaf Hallasan willow <i>Salix hallaisanensis</i> var. <i>longifolia</i> Nakai
긴잎모시풀 (Gin-ip-mo-si-pul)	Siebold's false-nettle <i>Boehmeria sieboldiana</i> Blume
긴잎별꽃 (Gin-ip-byeoil-kkot)	Long-leaf chickweed <i>Stellaria longifolia</i> Muhl. ex Willd.
긴잎사시나무 (Gin-ip-sa-si-na-mu)	Long-leaf Korean aspen <i>Populus davidiana</i> f. <i>laticuneata</i> Nakai
긴잎산박하 (Gin-ip-san-bak-ha)	Long-leaf mountain isodon <i>Isodon inflexus</i> var. <i>transiticus</i> Matsum. & Kudo
긴잎산조팝나무 (Gin-ip-san-jo-pap-na-mu)	Long-leaf mountain spirea <i>Spiraea pseudocrenata</i> Nakai
긴잎여로 (Gin-ip-yeo-ro)	Korean meadow false-hellebore <i>Veratrum maackii</i> var. <i>japonicum</i> (Baker) Shimizu
긴잎여우비들 (Gin-ip-yeo-u-beo-deul)	Long-leaf beak willow <i>Salix xerophila</i> f. <i>mansurica</i> (Siuzew) Kitag.
긴잎이팝나무 (Gin-ip-i-pap-na-mu)	Long-leaf fringetree <i>Chionanthus retusus</i> var. <i>coreana</i> (H.Lév.) Nakai
긴잎장다리풀 (Gin-ip-jang-da-ri-pul)	Elongate-leaf bugseed <i>Corispermum elongatum</i> Bunge ex Maxim.
긴잎제비꽃 (Gin-ip-je-bi-kkot)	Long-leaf violet <i>Viola ovato-oblonga</i> (Miq.) Makino
긴잎조팝나무 (Gin-ip-jo-pap-na-mu)	Oriental spirea <i>Spiraea media</i> Schmidt
긴잎쥐오줌풀 (Gin-ip-jwi-o-jum-pul)	Long-leaf valerian <i>Valeriana dageletiana</i> var. <i>integra</i> (Nakai) Nakai ex F.Mack.
긴잎참싸리 (Gin-ip-cham-ssa-ri)	Long-leaf lespedeza <i>Lespedeza cyrtobotrya</i> var. <i>longifolia</i> Nakai

Korean name (Romanization)	English name Scientific name
긴잎큰개미자리 (Gin-ip-keun-gae-mi-ja-ri)	Long-leaf sticky-stem pearlwort <i>*Sagina maxima f. longifolia</i> (T.H.Chung) W.T.Lee
긴잎팥배나무 (Gin-ip-pat-bae-na-mu)	Oblong-leaf Korean mountain ash <i>Sorbus alnifolia f. oblongifolia</i> (Nakai) W.T.Lee
긴잎회양목 (Gin-ip-hoe-yang-mok)	Long-leaf Korean boxwood <i>Buxus koreana f. elongata</i> (Nakai) Y.S.Kim & J.H.Kim
긴제비꼴 (Gin-je-bi-kkul)	Long-leaf thesium <i>Thesium refractum</i> C.A.Mey.
긴진들피 (Gin-jin-deul-pi)	Spreading managrass <i>Glyceria effusa</i> Kitag.
긴콩짜개덩굴 (Gin-kong-ffa-gae-deong-gul)	Elongate bean fern <i>Lemmaphyllum microphyllum</i> var. <i>ovovatum</i> (Harr.) Christ
긴팥배나무 (Gin-pat-bae-na-mu)	Long-fruit Korean mountain ash <i>Sorbus alnifolia</i> var. <i>lasiocarpa</i> T.B.Lee
긴호모초 (Gin-ho-mo-cho)	Declinate bugseed <i>Corispermum declinatum</i> Steph. ex Iljin
긴화살여뀌 (Gin-hwa-sal-yeo-kkwi)	Narrow arrow-head smartweed <i>Persicaria breviochreata</i> (Makino) Ohki
긴흑삼릉 (Gin-heuk-sam-reung)	Long-stem bur-reed <i>Sparganium japonicum</i> Rorthert
길골풀 (Gil-gol-pul)	Field rush <i>Juncus tenuis</i> Willd.
길뚝사초 (Gil-ttuk-sa-cho)	Curled-stigma sedge <i>Carex bostrychostigma</i> Maxim.
길마가지나무 (Gil-ma-ga-ji-na-mu)	Early-blooming ivy honeysuckle <i>Lonicera harrae</i> Makino
김의털 (Gim-ui-teol)	Sheep's fescue <i>Festuca ovina</i> L.
김의털속 [벼과] (Gim-ui-teol-sok)	Fescue <i>Festuca</i> L. [Poaceae]
김의털아재비 (Gim-ui-teol-a-jae-bi)	Small-glum fescue <i>Festuca parvigluma</i> Steud.

Korean name (Romanization)	English name Scientific name
깃고사리 (Git-go-sa-ri)	Rainforest spleenwort <i>Asplenium normale</i> D.Don
깃덤불취 (Git-deom-bul-chwi)	Dissected-leaf Manchurian saussurea <i>Saussurea manshurica</i> var. <i>pinnatifida</i> Nakai
깃돌잔고사리 (Git-dol-jan-go-sa-ri)	Bipinnate lace fern <i>Microlepia × bipinnata</i> (Makino) Y.Shimura
깃떡갈나무 (Git-tteok-gal-na-mu)	Cut-leaf emperor oak <i>Quercus dentata</i> var. <i>pinnatifida</i> Matsum.
깃반쪽고사리 (Git-ban-jjok-go-sa-ri)	Feather unequal-lobe brake fern <i>Pteris excelsa</i> Gaudich.
깃참나무 (Git-cham-na-mu)	East-Liaoning oak <i>Quercus mongolica</i> var. <i>liaotungensis</i> (Koidz.) Nakai
까락골 (Kka-rak-gol)	Horsetail-like spikerush <i>Eleocharis equisetiformis</i> (Meinsh.) B.Fedtsch.
까락향기풀 (Kka-rak-hyang-gi-pul)	Awned vernalgrass <i>Anthoxanthum aristatum</i> Boiss.
까마귀머루 (Kka-ma-gwi-meo-ru)	Sinuate mulberry-leaf grapevine <i>Vitis ficifolia</i> var. <i>sinuata</i> (Regel) H.Hara
까마귀밥나무 (Kka-ma-gwi-bap-na-mu)	Chinese winterberry currant <i>Ribes fasciculatum</i> var. <i>chinense</i> Maxim.
까마귀베개 (Kka-ma-gwi-be-gae)	Crow's pillow <i>Rhamnella franguloides</i> (Maxim.) Weberb.
까마귀베개속 [갈매나무과] (Kka-ma-gwi-be-gae-sok)	Rhamnella <i>Rhamnella</i> Miq. [Rhamnaceae]
까마귀쪽나무 (Kka-ma-gwi-jjok-na-mu)	Yellowish velvety-leaf litsea <i>Litsea japonica</i> (Thunb.) Juss.
까마귀쪽나무속 [녹나무과] (Kka-ma-gwi-jjok-na-mu-sok)	Litsea <i>Litsea</i> Lam. [Lauraceae]
까막까치밥나무 (Kka-mak-kka-chi-bap-na-mu)	Korean black currant <i>Ribes ussuriense</i> Jancz.
까막바늘까치밥나무 (Kka-mak-ba-neul-kka-chi-bap-na-mu)	Thorny currant <i>Ribes horridum</i> Rupr. ex Maxim.

Korean name (Romanization)	English name Scientific name
까실쑥부쟁이 (Kka-sil-ssuk-bu-jaeng-i)	Rough surface aster <i>Aster ageratoides</i> Turcz.
까치고들빼기 (Kka-chi-go-deul-ppae-gi)	Pinnate-compound crepidiastrum <i>Crepidiastrum chelidonifolium</i> (Makino) Pak & Kawano
까치깨 (Kka-chi-kkae)	Glabrous-fruit corchoropsis <i>Corchoropsis psilocarpa</i> Harms & Loes.
까치깨속 [벽오동과] (Kka-chi-kkae-sok)	Corchoropsis <i>Corchoropsis</i> Siebold & Zucc. [Sterculiaceae]
까치박달 (Kka-chi-bak-dal)	Heart-leaf hornbeam <i>Carpinus cordata</i> Blume
까치발 (Kka-chi-bal)	Small-flower beggartick <i>Bidens parviflora</i> Willd.
까치밥나무 (Kka-chi-bap-na-mu)	Manchurian currant <i>Ribes mandshuricum</i> (Maxim.) Kom.
까치밥나무속 [범의귀과] (Kka-chi-bap-na-mu-sok)	Currant <i>Ribes</i> L. [Saxifragaceae]
까치수염 (Kka-chi-su-yeom)	Manchurian yellow loosestrife <i>Lysimachia barystachys</i> Bunge
깔끔좁쌀풀 (Kkal-kkueum-jop-ssal-pul)	Korean eyebright <i>Euphrasia coreana</i> W.Becker
깨나물 (Kkae-na-mul)	Large-leaf mountain isodon <i>Isodon inflexus</i> var. <i>macrophyllus</i> (Maxim.) Kitag.
깨풀 (Kkae-pul)	Asian copperleaf <i>Acalypha australis</i> L.
깨풀속 [대극과] (Kkae-pul-sok)	Copperleaf <i>Acalypha</i> L. [Euphorbiaceae]
깽깽이풀 (Kkaeng-kkaeng-i-pul)	Asian twinleaf <i>Jeffersonia dubia</i> (Maxim.) Benth. & Hook.f. ex Baker & S.Moore
깽깽이풀속 [매자나무과] (Kkaeng-kkaeng-i-pul-sok)	Jeffersonia, Rheumatism root, Twinleaf <i>Jeffersonia</i> Barton [Berberidaceae]
껄껄이풀 (Kkeol-kkeol-i-pul)	Korean hawkweed <i>Hieracium coreanum</i> Nakai

Korean name (Romanization)	English name Scientific name
꽈끔방동사니 (Kkeol-kkeum-bang-dong-sa-ni)	Diaphanous flatsedge <i>Cyperus diaphanus</i> Schrad. ex Roem. & Schult.
껍질용수염 (Kkeop-jil-yong-su-yeom)	Manchurian breakgrain <i>Diarrhena mandshurica</i> Maxim.
께묵 (Kke-muk)	Maximowicz's hololeion <i>Hololeion maximowiczii</i> Kitam.
께묵속 [국화과] (Kke-muk-sok)	Hololeion <i>Hololeion</i> Kitam. [Asteraceae]
꼬랑사초 (Kko-rang-sa-cho)	Remarkable sedge <i>Carex mira</i> Kük.
꼬리겨우살이 (Kko-ri-gyeo-u-sal-i)	Spike mulberry mistletoe <i>Loranthus tanakae</i> Franch. & Sav.
꼬리겨우살이속 [겨우살이과] (Kko-ri-gyeo-u-sal-i-sok)	Mulberry mistletoe <i>Loranthus</i> Jacq. [Loranthaceae]
꼬리고사리 (Kko-ri-go-sa-ri)	Long-tail spleenwort <i>Asplenium incisum</i> Thunb.
꼬리고사리과 (Kko-ri-go-sa-ri-gwa)	Spleenwort family Aspleniaceae Newman
꼬리고사리속 [꼬리고사리과] (Kko-ri-go-sa-ri-sok)	Spleenwort <i>Asplenium</i> L. [Aspleniaceae]
꼬리까치밥나무 (Kko-ri-kka-chi-bap-na-mu)	Komarov's currant <i>Ribes komarovii</i> Pojark.
꼬리말발도리 (Kko-ri-mal-bal-do-ri)	Panicled Korean deutzia <i>Deutzia paniculata</i> Nakai
꼬리뽕나무 (Kko-ri-ppong-na-mu)	Caudate-leaf mulberry <i>Morus bombycina</i> var. <i>caudatifolia</i> (Koidz.) Koidz.
꼬리새 (Kko-ri-sae)	Few-flower brome <i>Bromus remotiflorus</i> (Steud.) Ohwi
꼬리서덜취 (Kko-ri-seo-deol-chwi)	Tailed calyx-lobe saussurea <i>Saussurea subtriangulata</i> Kom.
꼬리쇠고사리 (Kko-ri-soe-go-sa-ri)	Caudate hollyfern <i>Arachniodes simplicior</i> (Makino) Ohwi

Korean name (Romanization)	English name Scientific name
꼬리조팝나무 (Kko-ri-jo-pap-na-mu)	Willow-leaf spirea <i>Spiraea salicifolia</i> L.
꼬리죽제비고사리 (Kko-ri-jok-je-bi-go-sa-ri)	Limelight wood fern <i>Dryopteris formosana</i> (Christ) C.Chr.
꼬리진달래 (Kko-ri-jin-dal-rae)	Spike rosebay <i>Rhododendron micranthum</i> Turcz.
꼬리풀 (Kko-ri-pul)	Linear-leaf spike speedwell <i>Veronica linariifolia</i> Pall. ex Link
꼬리호모초 (Kko-ri-ho-mo-cho)	Broad-wing bugseed <i>Corispermum platypteron</i> Kitag.
꼬마냉이 (Kko-ma-naeng-i)	Dwarf bittercress <i>Cardamine tanakae</i> Franch. & Sav.
꼬마부들 (Kko-ma-bu-deul)	Slender cattail <i>Typha laxmannii</i> Lepech.
꼬마은난초 (Kko-ma-eun-nan-cho)	Short erect cephalanthera <i>Cephalanthera erecta</i> var. <i>subaphylla</i> (Miyabe & Kudô) Ohwi
꼬인용담 (Kko-in-yong-dam)	Contorted fringe gentian <i>Gentianopsis contorta</i> (Royle) Ma
꼭두서니 (Kkok-du-seo-ni)	Asian madder <i>Rubia akane</i> Nakai
꼭두서니과 (Kkok-du-seo-ni-gwa)	Madder family Rubiaceae Juss.
꼭두서니속 [꼭두서니과] (Kkok-du-seo-ni-sok)	Madder, Rubia <i>Rubia</i> L. [Rubiaceae]
꼭지고광나무 (Kkok-ji-go-gwang-na-mu)	Asian mock orange <i>Philadelphus schrenkii</i> var. <i>mandshuricus</i> (Maxim.) Kitag.
꼭지연잎꿩의다리 (Kkok-ji-yeon-ip-kkwong-ui-da-ri)	Pallid lotus-leaf meadow-rue <i>Thalictrum ichangense</i> Lecoy. ex Oliv.
꼴하늘지기 (Kkol-ha-neul-ji-gi)	Two-spikelet fimbriostylis <i>Fimbriostylis tristachya</i> var. <i>subbispicata</i> (Nees & Meyen) T.Koyama
꽃개화나무 (Kkot-gae-hoe-na-mu)	Beautiful Wolf's lilac <i>Syringa wolfii</i> C.K.Schneid.

Korean name (Romanization)	English name Scientific name
꽃고비 (Kkot-go-bi)	Racemous Jacob's ladder <i>Polemonium caeruleum</i> subsp. <i>kiushianum</i> (Kitam.) H.Hara
꽃고비과 (Kkot-go-bi-gwa)	Phlox family Polemoniaceae Juss.
꽃고비속 [꽃고비과] (Kkot-go-bi-sok)	Jacob's ladder <i>Polemonium L.</i> [Polemoniaceae]
꽃꿩의다리 (Kkot-kkwong-ui-da-ri)	Petaloid meadow-rue <i>Thalictrum petaloideum</i> L.
꽃나비나물 (Kkot-na-bi-na-mul)	Beautiful two-leaf vetch <i>Vicia unijuga</i> var. <i>apoda</i> Nakai
꽃다지 (Kkot-da-ji)	Wood whitlow-grass <i>Draba nemorosa</i> L.
꽃다지속 [십자화과] (Kkot-da-ji-sok)	Draba, Whitlow-grasses <i>Draba L.</i> [Brassicaceae]
꽃대 (Kkot-dae)	Serrate-leaf chloranthus <i>Chloranthus serratus</i> (Thunb.) Roem. & Schult.
꽃마리 (Kkot-ma-ri)	Common Asian trigonotis <i>Trigonotis peduncularis</i> (Trevis.) Benth. ex Baker & S.Moore
꽃마리속 [자치과] (Kkot-ma-ri-sok)	Trigonotis <i>Trigonotis Steven</i> [Boraginaceae]
꽃며느리밥풀 (Kkot-myeo-neu-ri-bap-pul)	Rosy cow-wheat <i>Melampyrum roseum</i> Maxim.
꽃며느리밥풀속 [현삼과] (Kkot-myeo-neu-ri-bap-pul-sok)	Cow-wheat <i>Melampyrum L.</i> [Scrophulariaceae]
꽃밭이 (Kkot-bat-i)	Leaf between flower <i>Bothriospermum tenellum</i> (Hornem.) Fisch. & C.A.Mey.
꽃밭이속 [자치과] (Kkot-bat-i-sok)	Bothriospermum <i>Bothriospermum Bunge</i> [Boraginaceae]
꽃벼들 (Kkot-beo-deul)	Stipulate willow <i>Salix stipularis</i> Sm.
꽃산수국 (Kkot-san-su-guk)	Serrate-petal hydrangea <i>Hydrangea serrata</i> f. <i>buergeri</i> Nakai

Korean name (Romanization)	English name Scientific name
꽃싸리 (Kkotssa-ri)	False bush-clover <i>Campylotropis macrocarpa</i> (Bunge) Rehder
꽃싸리속 [콩과] (Kkotssa-ri-sok)	Campylotropis <i>Campylotropis</i> Bunge [Fabaceae]
꽃여뀌 (Kkot-yeo-kkwi)	Conspicuous smartweed <i>Persicaria conspicua</i> (Nakai) Nakai ex T.Mori
꽃잔대 (Kkot-jan-dae)	Korean ladybell <i>Adenophora koreana</i> Kitam.
꽃장포 (Kkot-jang-po)	Nude asphodel <i>Tofieldia nuda</i> Maxim.
꽃참싸리 (Kkot-chamssa-ri)	Long-peduncle lespedeza <i>Lespedeza x nakaii</i> T.B.Lee
꽃창포 (Kkot-chang-po)	Beautiful-flower water iris <i>Iris ensata</i> Thunb.
꽃총총이꽃 (Kkot-cheung-cheung-i-kkot)	Large-flower Asian calamint <i>Clinopodium chinense</i> var. <i>grandiflorum</i> (Maxim.) Kitag.
꽃파대가리 (Kkot-pa-dae-ga-ri)	Pasture spikesedge <i>Kyllinga gracillima</i> Miq.
꽃패랭이꽃 (Kkot-pae-raeng-i-kkot)	Intermediate fringed pink * <i>Dianthus superbus-chinensis</i> Y.N.Lee
꽃하늘지기 (Kkot-ha-neul-ji-gi)	Dense watergrass <i>Bulbostylis densa</i> (Wall.) Hand.-Mazz.
꽃향유 (Kkot-hyang-yu)	Shiny mint <i>Elsholtzia splendens</i> Nakai
꽃황새냉이 (Kkot-hwang-sae-naeng-i)	Beautiful-woodland bittercress <i>Cardamine amaraeformis</i> Nakai
꽝꽝나무 (Kkwang-kkwang-na-mu)	Box-leaf holly <i>Ilex crenata</i> Thunb.
꾸지나무 (Kku-ji-na-mu)	Paper mulberry <i>Broussonetia papyrifera</i> (L.) L'Hér. ex Vent.
꾸지뽕나무 (Kku-ji-ppong-na-mu)	Silkworm thorn <i>Cudrania tricuspidata</i> (Carrière) Bureau ex Lavallée

Korean name (Romanization)	English name Scientific name
꾸지뽕나무속 [뽕나무과] (Kku-ji-ppong-na-mu-sok)	Cudrania <i>Cudrania Trécul</i> [Moraceae]
꿀풀 (Kkul-pul)	Lilac self-heal <i>Prunella vulgaris</i> subsp. <i>asiatica</i> (Nakai) H.Hara
꿀풀과 (Kkul-pul-gwa)	Mint family Lamiaceae Martinov (= Labiateae Juss.)
꿀풀속 [꿀풀과] (Kkul-pul-sok)	Self-heals, Heal-all, Allheal <i>Prunella L.</i> [Lamiaceae]
꿩고비 (Kkwong-go-bi)	Cinnamon fern <i>Osmunda cinnamomea</i> var. <i>fokienense</i> Copel.
꿩고사리 (Kkwong-go-sa-ri)	Pheasant tail fern <i>Plagiogyria euphlebia</i> (Kunze) Mett.
꿩고사리과 (Kkwong-go-sa-ri-gwa)	Plagiogyria family Plagiogyriaceae Bower
꿩고사리속 [꿩고사리과] (Kkwong-go-sa-ri-sok)	Plagiogyria <i>Plagiogyria</i> (Kunze) Mett. [Plagiogyriaceae]
꿩의다리 (Kkwong-ui-da-ri)	Siberian columbine meadow-rue <i>Thalictrum aquilegifolium</i> var. <i>sibiricum</i> Regel & Tiling
꿩의다리속 [미나리아재비과] (Kkwong-ui-da-ri-sok)	Meadow-rue <i>Thalictrum L.</i> [Ranunculaceae]
꿩의다리아재비 (Kkwong-ui-da-ri-a-jae-bi)	Asian blue cohosh <i>Caulophyllum robustum</i> Maxim.
꿩의다리아재비속 [매자나무과] (Kkwong-ui-da-ri-a-jae-bi-sok)	Blue cohosh, Cohosh, Papoose root, Squaw root <i>Caulophyllum</i> Michx. [Berberidaceae]
꿩의바람꽃 (Kkwong-ui-ba-ram-kkot)	Many-sepal anemone <i>Anemone raddeana</i> Regel
꿩의밥 (Kkwong-ui-bap)	Sweep's woodrush <i>Luzula capitata</i> (Miq. ex Franch. & Sav.) Kom.
꿩의밥속 [꼴풀과] (Kkwong-ui-bap-sok)	Wood rush, Wood-rush, Woodrush <i>Luzula DC.</i> [Juncaceae]
꿩의비름 (Kkwong-ui-bi-reum)	Garden stoncrop <i>Hylotelephium erythrostictum</i> (Miq.) H.Ohba

Korean name (Romanization)	English name Scientific name
꿩의비름속 [돌나물과] (Kkwong-ui-bi-reum-sok)	Live-for-ever, Orpine, Stonecrop <i>Hylotelephium</i> H.Ohba [Crassulaceae]
끈끈이귀개 (Kkeun-kkeun-i-gwi-gae)	East Asian shield sundew <i>Drosera peltata</i> var. <i>nipponica</i> (Masam.) Ohwi ex E.Walker
끈끈이귀개과 (Kkeun-kkeun-i-gwi-gae-gwa)	Sundew family Droseraceae Salisb.
끈끈이귀개속 [끈끈이귀개과] (Kkeun-kkeun-i-gwi-gae-sok)	Sundew <i>Drosera</i> L. [Droseraceae]
끈끈이딱지 (Kkeun-kkeun-i-ttak-ji)	Viscous cinquefoil <i>Potentilla viscosa</i> J.Don
끈끈이여뀌 (Kkeun-kkeun-i-yeo-kkwi)	Sticky smartweed <i>Persicaria viscosa</i> (Makino) H.Gross
끈끈이장구채 (Kkeun-kkeun-i-jang-gu-chae)	Sticky catchfly <i>Silene koreana</i> Kom.
끈끈이장구채속 [석죽과] (Kkeun-kkeun-i-jang-gu-chae-sok)	Campion, Catchfly <i>Silene</i> L. [Caryophyllaceae]
끈끈이주걱 (Kkeun-kkeun-i-ju-geok)	Round-leaf sundew <i>Drosera rotundifolia</i> L.
끈적쥐꼬리풀 (Kkeun-jeok-jwi-kko-ri-pul)	Stiky colicroot <i>Aletris foliata</i> (Maxim.) Makino & Nemoto

L

나나벌이난초 (Na-na-beol-i-nan-cho)	Kramer's widelip orchid <i>Liparis krameri</i> Franch. & Sav.
나도강아지풀 (Na-do-gang-a-ji-pul)	Uruguay fountaingrass <i>Pennisetum latifolium</i> Spreng.
나도개감채 (Na-do-gae-gam-chae)	Striation-flower alplily <i>Lloydia triflora</i> (Ledeb.) Baker
나도개관중 (Na-do-gae-gwan-jung)	Two-color-scale holly fern <i>Polystichum pseudomakinoi</i> Tagawa
나도개미자리 (Na-do-gae-mi-ja-ri)	Arctic stitchwort <i>Minuartia arctica</i> (Steven ex Seringe) Graebn.

Korean name (Romanization)	English name Scientific name
나도개미자리속 [석죽과] (Na-do-gae-mi-ja-ri-sok)	Sandworts, Stitchwort <i>Minuartia</i> L. [Caryophyllaceae]
나도개피 [벼과] (Na-do-gae-pi)	Hairy cupgrass <i>Eriochloa villosa</i> (Thunb.) Kunth
나도개피속 [벼과] (Na-do-gae-pi-sok)	Cupgrass <i>Eriochloa</i> Kunth [Poaceae]
나도거이삭 [벼과] (Na-do-gyeo-i-sak)	Wood milletgrass <i>Milium effusum</i> L.
나도거이삭속 [벼과] (Na-do-gyeo-i-sak-sok)	Milletgrass <i>Milium</i> L. [Poaceae]
나도거풀 [벼과] (Na-do-gyeo-pul)	East Asian cutgrass <i>Leersia japonica</i> (Makino ex Honda) Honda
나도고사리삼 [고사리삼과] (Na-do-go-sa-ri-sam)	Southern adder's tongue <i>Ophioglossum vulgatum</i> L.
나도고사리삼속 [고사리삼과] (Na-do-go-sa-ri-sam-sok)	Adderstongue, Adder's-tongue ferns <i>Ophioglossum</i> L. [Ophioglossaceae]
나도국수나무 [장미과] (Na-do-guk-su-na-mu)	Northeast Asian neillia <i>Neillia uekii</i> Nakai
나도국수나무속 [장미과] (Na-do-guk-su-na-mu-sok)	Neillia <i>Neillia</i> D.Don [Rosaceae]
나도그늘사초 [풀과] (Na-do-geu-neul-sa-cho)	Shadow sedge <i>Carex tenuiformis</i> H.Lév. & Vaniot
나도기름새 [벼과] (Na-do-gi-reum-sae)	Small-flower scented-tops <i>Capillipedium parviflorum</i> (R.Br.) Stapf
나도기름새속 [벼과] (Na-do-gi-reum-sae-sok)	Scented-tops <i>Capillipedium</i> Stapf [Poaceae]
나도냉이 [냉이과] (Na-do-naeng-i)	American yellowrocket <i>Barbarea orthoceras</i> Ledeb.
나도냉이속 [십자화과] (Na-do-naeng-i-sok)	Winter cress, Yellow rocket <i>Barbarea</i> W.T.Aiton [Brassicaceae]
나도덥싸리 [풀과] (Na-do-daep-ssa-ri)	Russian pigweed <i>Axyris amaranthoides</i> L.

Korean name (Romanization)	English name Scientific name
나도댑싸리속 [명아주과] (Na-do-daepssa-ri-sok)	Russian pigweed <i>Axyris L.</i> [Chenopodiaceae]
나도딸기광이 [벼과] (Na-do-ttal-gi-gwang-i)	Drooping woodreed <i>Cinna latifolia</i> (Trevir. ex Göpp.) Griseb.
나도딸기광이속 [벼과] (Na-do-ttal-gi-gwang-i-sok)	Woodreed <i>Cinna L.</i> [Poaceae]
나도마름아재비 (Na-do-ma-reum-a-jae-bi)	Stolon water crowfoot <i>Ranunculus sarmentosus</i> Adams
나도물통이 (Na-do-mul-tong-i)	Serrate nanocnide <i>Nanocnide japonica</i> Blume
나도물통이속 [쐐기풀과] (Na-do-mul-tong-i-sok)	Nanocnide <i>Nanocnide</i> Blume [Urticaceae]
나도미꾸리낚시 (Na-do-mi-kku-ri-nak-si)	Maack's arrow-head smartweed <i>Persicaria maackiana</i> (Regel) Nakai ex T.Mori
나도바람꽃 (Na-do-ba-ram-kkot)	East Asian false rue anemone <i>Enemion raddeanum</i> Regel
나도바람꽃속 [미나리아재비과] (Na-do-ba-ram-kkot-sok)	False rue anemone <i>Enemion</i> Raf. [Ranunculaceae]
나도바랭이새 (Na-do-ba-raeng-i-sae)	Nepalese browntop <i>Microstegium vimineum</i> (Trin.) A.Camus
나도바랭이속 [벼과] (Na-do-ba-raeng-i-sok)	Browntop <i>Microstegium</i> Nees [Poaceae]
나도밤나무 (Na-do-bam-na-mu)	Abundant-flower meliosma <i>Meliosma myriantha</i> Siebold & Zucc.
나도밤나무과 (Na-do-bam-na-mu-gwa)	Sabia family <i>Sabiaceae</i> Blume
나도밤나무속 [나도밤나무과] (Na-do-bam-na-mu-sok)	Meliosma <i>Meliosma</i> Blume [Sabiaceae]
나도별의귀 (Na-do-beom-ui-gwi)	Naked miterwort <i>Mitella nuda</i> L.
나도별의귀속 [별의귀과] (Na-do-beom-ui-gwi-sok)	Miterworts, Bishop's caps <i>Mitella</i> L. [Saxifragaceae]

Korean name (Romanization)	English name Scientific name
나도별사초 (Na-do-byeol-sa-cho)	Gibbous sedge <i>Carex gibba</i> Wahlenb.
나도새양버들 (Na-do-sae-yang-beo-deul)	False Chosen-willow <i>Chosenia arbutifolia</i> f. <i>adenantha</i> (Kimura) Kimura
나도생강 (Na-do-saeng-gang)	East Asian pollia <i>Pollia japonica</i> Thunb.
나도생강속 [닭의장풀과] (Na-do-saeng-gang-sok)	Pollia <i>Pollia</i> Thunb. [Commelinaceae]
나도송이풀 (Na-do-song-i-pul)	Sticky phtheirospermum <i>Phtheirospermum japonicum</i> (Thunb.) Kanitz
나도송이풀속 [현삼과] (Na-do-song-i-pul-sok)	Phtheirospermum <i>Phtheirospermum</i> Bunge ex Fisch. & C.A.Mey. [Scrophulariaceae]
나도수영 (Na-do-su-yeong)	Mountain sorrel <i>Oxyria digyna</i> (L.) Hill
나도수영속 [마디풀과] (Na-do-su-yeong-sok)	Mountain sorrel <i>Oxyria</i> Hill [Polygonaceae]
나도수정초 (Na-do-su-jeong-cho)	Ghost plant <i>Monotropastrum humile</i> (D.Don) H.Hara
나도수정초속 [수정난풀과] (Na-do-su-jeong-cho-sok)	Monotropastrum <i>Monotropastrum</i> Andres [Monotropaceae]
나도승마 (Na-do-seung-ma)	Korean kirengeshoma <i>Kirengeshoma koreana</i> Nakai
나도승마속 [범의귀과] (Na-do-seung-ma-sok)	Kirengeshoma <i>Kirengeshoma</i> Yatabe [Saxifragaceae]
나도씨눈란 (Na-do-ssi-nun-ran)	Musk orchid <i>Herminium monorchis</i> (L.) R.Br.
나도양지꽃 (Na-do-yang-ji-kkot)	Siberian barren strawberry <i>Waldsteinia ternata</i> (Stephan) Fritsch
나도양지꽃속 [장미과] (Na-do-yang-ji-kkot-sok)	Barren strawberry <i>Waldsteinia</i> Willd. [Rosaceae]

Korean name (Romanization)	English name Scientific name
나도여로 (Na-do-yeo-ro)	Siberian death camas <i>Zygadenus sibiricus</i> (L.) A.Gray
나도여로속 [백합과] (Na-do-yeo-ro-sok)	Zygadenus <i>Zygadenus</i> Endl. [Liliaceae]
나도옥잠화 (Na-do-ok-jam-hwa)	Common bluebead lily <i>Clintonia udensis</i> Trautv. & C.A.Mey.
나도옥잠화속 [백합과] (Na-do-ok-jam-hwa-sok)	Bluebead <i>Clintonia</i> Raf. [Liliaceae]
나도은조롱 (Na-do-eun-jo-rong)	Tomentose condor-vine <i>Marsdenia tomentosa</i> Morren & Decne.
나도은조롱속 [박주가리과] (Na-do-eun-jo-rong-sok)	Marsdenia <i>Marsdenia</i> R.Br. [Asclepiadaceae]
나도잔디 (Na-do-jan-di)	Barundi sacaton grass <i>Sporobolus piliferus</i> (Trin.) Kuntze
나도잠자리란 (Na-do-jam-ja-ri-ran)	Ussuri river platanthera <i>Platanthera ussuriensis</i> (Regel & Maack) Maxim.
나도제비란 (Na-do-je-bi-ran)	Circular lip galearis <i>Galearis cyclochila</i> (Franch. & Sav.) Soó
나도제비란속 [난초과] (Na-do-je-bi-ran-sok)	Galearis <i>Galearis</i> Raf. [Orchidaceae]
나도좀진고사리 (Na-do-jom-jin-go-sa-ri)	Long false spleentwort <i>Deparia pseudo-coniliifera</i> (Seriz.) Seriz.
나도진퍼리고사리 (Na-do-jin-peo-ri-go-sa-ri)	Leveille's swamp fern <i>Cyclogramma leveillei</i> (Christ) Ching
나도진퍼리고사리속 [면마과] (Na-do-jin-peo-ri-go-sa-ri-sok)	Cyclogramma <i>Cyclogramma</i> Tagawa [Dryopteridaceae]
나도풍란 (Na-do-pung-ran)	Nadopungran (East Asian aerides) <i>Sedirea japonica</i> (Rchb.f.) Garay & H.R.Sweet
나도풍란속 [난초과] (Na-do-pung-ran-sok)	Sedirea <i>Sedirea</i> Garay & H.R.Sweet [Orchidaceae]
나도하수오 (Na-do-ha-su-o)	Hairy-vein knotweed <i>Fallopia cilinervis</i> (Nakai) K.Hammer

Korean name (Romanization)	English name Scientific name
나도황기 (Na-do-hwang-gi)	Asian vetch-like sweetvetch <i>Hedysarum vicioides</i> var. <i>japonicum</i> (Fedtsch.) B.H.Chi & Ohashi
나도히초미 (Na-do-hi-cho-mi)	Multiciliate holly fern <i>Polystichum polyblepharum</i> (Roem. ex Kunze) C.Presl
나도히초미속 [면마과] (Na-do-hi-cho-mi-sok)	Holly fern, Polystichum <i>Polystichum</i> Roth [Dryopteridaceae]
나래미역취 (Na-rae-mi-yeok-chwi)	Korean goldenrod <i>Solidago virgaurea</i> var. <i>coreana</i> Nakai
나래박주나물 (Na-rae-bak-jwi-na-mul)	Kamchatka Indian plantain <i>Parasenecio auriculatus</i> var. <i>kamtschatica</i> (Maxim.) H.Koyama
나래새 (Na-rae-sae)	Chinese needlegrass <i>Stipa pekinensis</i> Hance
나래새속 [벼과] (Na-rae-sae-sok)	Feather grass, Needle grass, Spear grass <i>Stipa</i> L. [Poaceae]
나래수송나물 (Na-rae-su-song-na-mul)	Winged-fruit Russian thistle <i>Salsola ruthenica</i> Iljin
나래완두 (Na-rae-wan-du)	Korean bird vetch <i>Vicia hirticalycina</i> Nakai
나래회나무 (Na-rae-hoe-na-mu)	Ussuri splindletree <i>Euonymus macropterus</i> Rupr.
나리난초 (Na-ri-nan-cho)	Miniature widelip orchid <i>Liparis makinoana</i> Schlech.
나리난초속 [난초과] (Na-ri-nan-cho-sok)	False twayblade, Widelip orchid <i>Liparis</i> Rich. [Orchidaceae]
나리잔대 (Na-ri-jan-dae)	Lilyleaf ladybell <i>Adenophora liliifolia</i> (L.) Besser
나무딸기 (Na-mu-ttal-gi)	Glabrous-red raspberry <i>Rubus matsumuranus</i> var. <i>concolor</i> (Kom.) Kitag.
나문재 (Na-mun-jae)	Asian common seepweed <i>Suaeda glauca</i> (Bunge) Bunge

Korean name (Romanization)	English name Scientific name
나문재속 [명아주과] (Na-mun-jae-sok)	Seepweed, Seablites <i>Suaeda</i> Forssk. ex Scop. [Chenopodiaceae]
나비국수나무 (Na-bi-guk-su-na-mu)	Quadrifid-leaf laceshrub <i>Stephanandra incisa</i> var. <i>quadrifissa</i> (Nakai) T.B.Lee
나비나물 (Na-bi-na-mul)	Two-leaf vetch <i>Vicia unijuga</i> A.Braun
나비나물속 [콩과] (Na-bi-na-mul-sok)	Vetch <i>Vicia</i> L. [Fabaceae]
나비난조 (Na-bi-nan-cho)	Grass-like leaf ponerorchis <i>Ponerorchis graminifolia</i> Rchb.f.
나비난초속 [난초과] (Na-bi-nan-cho-sok)	Ponerorchis <i>Ponerorchis</i> Rchb.f. [Orchidaceae]
나사말 (Na-sa-mal)	Asian tape grass <i>Vallisneria natans</i> (Lour.) H.Hara
나사말속 [자라풀과] (Na-sa-mal-sok)	Eelgrass, Tape grass, Vallis <i>Vallisneria</i> L. [Hydrocharitaceae]
나사미역고사리 (Na-sa-mi-yeok-go-sa-ri)	Spiral polypody <i>Polypodium fauriei</i> Christ
나사줄말 (Na-sa-jul-mal)	Spiral widgeon grass <i>Ruppia cirrhosa</i> (Petagna) Grande
나자스말 (Na-ja-seu-mal)	Ricefield water-nymph <i>Najas graminea</i> Delile
나자스말과 (Na-ja-seu-mal-gwa)	Water-nymph family Najadaceae Juss.
나자스말속 [나자스말과] (Na-ja-seu-mal-sok)	Water-nymph <i>Najas</i> L. [Najadaceae]
낙동나사말 (Nak-dong-na-sa-mal)	Spinulose tape grass <i>Vallisneria spinulosa</i> S.Z.Yan
낙지다리 (Nak-ji-da-ri)	Oriental penthorum <i>Penthorum chinense</i> Pursh
낙지다리속 [돌나물과] (Nak-ji-da-ri-sok)	Penthorum <i>Penthorum</i> L. [Crassulaceae]

Korean name (Romanization)	English name Scientific name
낚시고사리 (Nak-si-go-sa-ri)	Jumping holly fern <i>Polystichum craspedosorum</i> (Maxim.) Diels
낚시돌풀 (Nak-si-dol-pul)	Seashore rock starviolet <i>Hedyotis biflora</i> var. <i>parvifolia</i> Hook. & Arn.
낚시사초 (Nak-si-sa-cho)	Fishing-rod-like sedge <i>Carex filipes</i> Franch. & Sav.
낚시제비꽃 (Nak-si-je-be-kkot)	Creeping Korean violet <i>Viola grypoceras</i> A.Gray
난사초 (Nan-sa-cho)	Woolly-scale sedge <i>Carex holotricha</i> Ohwi
난장이고사리삼 (Nan-jang-i-go-sa-ri-sam)	Tiny moonwort <i>Botrychium ramosum</i> (Roth) Asch.
난장이버들 (Nan-jang-i-beo-deul)	Dwarf willow <i>Salix divaricata</i> var. <i>orthostemma</i> (Nakai) Kitag.
난장이붓꽃 (Nan-jang-i-but-kkot)	Single-flower iris <i>Iris uniflora</i> Pall. ex Link
난장이이끼 (Nan-jang-i-i-kki)	Pinnate-lobe bristle fern <i>Lacosteopsis orientalis</i> var. <i>abbreviata</i> (C.Chr.) Nakaike
난쟁이바위솔 (Nan-jaeng-i-ba-wi-sol)	Dwarf rock pine <i>Meterostachys sikokianus</i> (Makino) Nakai
난쟁이바위솔속 [돌나물과] (Nan-jaeng-i-ba-wi-sol-sok)	Meterostachys <i>Meterostachys</i> Nakai [Crassulaceae]
난쟁이사초 (Nan-jaeng-i-sa-cho)	Sedakov's sedge <i>Carex sedakovii</i> C.A.Mey. ex Meinsh.
난쟁이페랭이꽃 (Nan-jaeng-i-pae-raeng-i-kkot)	Dwarf rainbow pink <i>Dianthus chinensis</i> var. <i>morii</i> (Nakai) Y.C.Chu
난쟁이현호색 (Nan-jaeng-i-hyeon-ho-saek)	Dwarf corydalis <i>Corydalis humilis</i> B.U.Oh & Y.S.Kim
난초과 (Nan-cho-gwa)	Orchid family <i>Orchidaceae</i> Juss.
난티나무 (Nan-ti-na-mu)	Manchurian elm <i>Ulmus laciniata</i> (Trautv.) Mayr

Korean name (Romanization)	English name Scientific name
날개골풀 (Nal-gae-gol-pul)	Wingstem rush <i>Juncus alatus</i> Franch. & Sav.
날개진범 (Nal-gae-jin-beom)	Wing monk'shood <i>Aconitum pteropus</i> Nakai
날개하늘나리 (Nal-gae-ha-neul-na-ri)	Siberian lily <i>Lilium dauricum</i> Ker Gawl.
날개현호색 (Nal-gae-hyeon-ho-saek)	Winged corydalis <i>Corydalis alata</i> B.U.Oh & W.R.Lee
남가새 (Nam-ga-sae)	Puncturevine <i>Tribulus terrestris</i> L.
남가새과 (Nam-ga-sae-gwa)	Caltrop family <i>Zygophyllaceae</i> R.Br.
남가새속 [남가새과] (Nam-ga-sae-sok)	Puncturevine <i>Tribulus</i> L. [Zygophyllaceae]
남개연 (Nam-gae-yeon)	Red least water-lily <i>Nuphar pumila</i> var. <i>ozeense</i> (Miki) H.Hara
남구절초 (Nam-gu-jeol-cho)	Bluish dendranthema * <i>Dendranthema zawadskii</i> var. <i>yezoense</i> (Maek.) Y.M.Lee & H.J.Choi
남도톱지네고사리 (Nam-do-top-ji-ne-go-sa-ri)	Southern shaggy shield fern <i>Dryopteris lunanensis</i> (H.Christ) C.Chr.
남도현호색 (Nam-do-hyeon-ho-saek)	Namdo corydalis <i>Corydalis namdoensis</i> B.U.Oh & J.G.Kim
남방개 (Nam-bang-gae)	Water chestnut <i>Eleocharis dulcis</i> (Burm.f.) Trin. ex Hensch.
남방고사리 (Nam-bang-go-sa-ri)	Southern lacefern <i>Ctenitis sinii</i> (Ching) Ohwi
남방고사리속 [면마과] (Nam-bang-go-sa-ri-sok)	Lacefern <i>Ctenitis</i> (C.Chr.) C.Chr. [Dryopteridaceae]
남복송 (Nam-bok-song)	Aggregate Korean red pine <i>Pinus densiflora</i> f. <i>aggregata</i> Nakai
남산제비꽃 (Nam-san-je-be-kkot)	Namsan violet <i>Viola albida</i> var. <i>chaerophylloides</i> (Regel) F.Maek. ex H.Hara

Korean name (Romanization)	English name Scientific name
남오미자 (Nam-o-mi-ja)	Kadsura vine <i>Kadsura japonica</i> (L.) Dunal
남오미자속 [오미자과] (Nam-o-mi-ja-sok)	Kadsura <i>Kadsura</i> Juss. [Schisandraceae]
남포분취 (Nam-po-bun-chwi)	Chinnampo saussurea <i>Saussurea chinnampoensis</i> H.Lév. & Vaniot
남하늘지기 (Nam-ha-neul-ji-gi)	Flower two-leaf fimbriostylis <i>Fimbriostylis dichotoma</i> f. <i>floribunda</i> (Miq.) Ohwi
남해배나무 (Nam-hae-bae-na-mu)	Namhae wild pear * <i>Pyrus ussuriensis</i> var. <i>nankaiensis</i> (Nakai) T.B.Lee
남해조팝나무 (Nam-hae-jo-pap-na-mu)	Namhae spirea <i>Spiraea nankaiensis</i> Nakai
남흑삼릉 (Nam-heuk-sam-reung)	Twisted bur-reed <i>Sparganium fallax</i> Graebn.
낭독 (Nang-dok)	Pallas' spurge <i>Euphorbia fischeriana</i> Steud.
낭립새풀 (Nang-rim-sae-pul)	Nangrim reedgrass <i>Calamagrostis subacrochaeta</i> Nakai
낭아초 (Nang-a-cho)	Dwarf false indigo <i>Indigofera pseudotinctoria</i> Matsum.
내버들 (Nae-beo-deul)	Willow <i>Salix gilgiana</i> Seem.
내장고사리 (Nae-jang-go-sa-ri)	Naejang twinsorus fern <i>Diplazium squamigerum</i> (Mett.) Matsum.
내장금란초 (Nae-jang-geum-ran-cho)	Pink-flower bugle <i>Ajuga decumbens</i> var. <i>rosa</i> Y.N.Lee
냇씀바귀 (Naet-sseum-ba-gwi)	Stream-bank ikeris <i>Ikeris tamagawaensis</i> (Makino) Kitam.
냉이 (Naeng-i)	Naeng-i (Shepherd's purse) <i>Capsella bursa-pastoris</i> (L.) Medik.
냉이속 [십자화과] (Naeng-i-sok)	Capsella <i>Capsella</i> Medik. [Brassicaceae]

Korean name (Romanization)	English name Scientific name
냉초 (Naeng-cho)	Siberian veronicastrum <i>Veronicastrum sibiricum</i> (L.) Pennell
냉초속 [현삼과] (Naeng-cho-sok)	Veronicastrum <i>Veronicastrum</i> Heist. ex Fabr. [Scrophulariaceae]
너도개미자리 (Neo-do-gae-mi-ja-ri)	Larchlike stitchwort <i>Minuartia laricina</i> (L.) Mattf.
너도고랭이 (Neo-do-go-raeng-i)	Small nutrush <i>Scleria parvula</i> Steud.
너도고랭이속 [사초과] (Neo-do-go-raeng-i-sok)	Nutrush, Nutrushes <i>Scleria</i> P.J.Bergius [Cyperaceae]
너도꼭두서니 (Neo-do-kkok-du-seo-ni)	Four-leaf madder <i>Rubia jesoinensis</i> (Miq.) Miyabe & Miyake
너도바람꽃 (Neo-do-ba-ram-kkot)	White snowdrop <i>Eranthis stellata</i> Maxim.
너도바람꽃속 [미나리아재비과] (Neo-do-ba-ram-kkot-sok)	Eranthis, Winter aconite <i>Eranthis</i> Salisb. [Ranunculaceae]
너도밤나무 (Neo-do-bam-na-mu)	Engler's beech <i>Fagus engleriana</i> Seemen ex Diels
너도밤나무속 [참나무과] (Neo-do-bam-na-mu-sok)	Beech <i>Fagus</i> L. [Fagaceae]
너도방동사나 (Neo-do-bang-dong-sa-ni)	Tidal-marsh flatsedge <i>Cyperus serotinus</i> Rottb.
너도수정초 (Neo-do-su-jeong-cho)	Glabrous Indian pipe <i>Monotropa hypopithys</i> var. <i>glaberrima</i> H.Hara
너도양지꽃 (Neo-do-yang-ji-kkot)	Creeping sibbaldia <i>Sibbaldia procumbens</i> L.
너도양지꽃속 [장미과] (Neo-do-yang-ji-kkot-sok)	Sibbaldia <i>Sibbaldia</i> L. [Rosaceae]
너도제비란 (Neo-do-je-be-ran)	Baeduson ponerochis <i>Ponerorchis joo-iokiana</i> (Makino) Nakai
너을취 (Neo-ul-chwi)	Hogusan saussurea <i>Saussurea nomurae</i> Kitam.

Korean name (Romanization)	English name Scientific name
넉줄고사리 (Neok-jul-go-sa-ri)	Squirrel's-foot fern <i>Davallia mariesii</i> T.Moore ex Baker
넉줄고사리과 (Neok-jul-go-sa-ri-gwa)	Rabbit's foot ferns Davalliaceae M.R.Schomb. ex A.B.Frank
넉줄고사리속 [넉줄고사리과] (Neok-jul-go-sa-ri-sok)	Deersfoot fern, Hare's foot fern <i>Davallia</i> Sm. [Davalliaceae]
년출비수리 (Neon-chul-bi-su-ri)	Neonchul lespedeza <i>Lespedeza intermixta</i> Makino
년출월귤 (Neon-chul-wol-gyul)	Swamp blueberry <i>Vaccinium oxycoccus</i> L.
넓은고로실나무 (Neol-beun-go-ro-sil-na-mu)	Wide Korean maple <i>Acer pseudosieboldianum</i> var. <i>ambiguum</i> Nakai
넓은긴잎갈퀴 (Neol-beun-gin-ip-gal-kwi)	Amur Northern bedstraw <i>Galium boreale</i> var. <i>amurense</i> (Pobed.) Kitag.
넓은꽃잎개수염 (Neol-beun-kkot-ip-gae-su-yeom)	Wide-petal pipewort <i>Eriocaulon latipetalum</i> Y.C.Oh & C.S.Heo
넓은벗황기 (Neol-beun-moet-hwang-gi)	Alpine sainfoin sweetvetch <i>Hedysarum hedsaroides</i> Schinz & Thell.
넓은산꼬리풀 (Neol-beun-san-kko-ri-pul)	Jejudo spike speedwell <i>Veronica ovata</i> Nakai
넓은옥잠화 (Neol-beun-ok-jam-hwa)	Wide-leaf hosta <i>Hosta japonica</i> var. <i>latifolia</i> Nakai
넓은잎각시붓꽃 (Neol-beun-ip-gak-si-but-kkot)	Broad-leaf long-tail iris <i>Iris rossii</i> var. <i>latifolia</i> J.K.Sim & Y.S.Kim
넓은잎갈퀴 (Neol-beun-ip-gal-kwi)	Wide-leaf Asian vetch <i>Vicia japonica</i> A.Gray
넓은잎개갈퀴 (Neol-beun-ip-gae-gal-kwi)	Wide-leaf Maximowicz's woodruff <i>Asperula maximowizii</i> f. <i>latifolia</i> (Nakai) W.T.Lee
넓은잎개고사리 (Neol-beun-ip-gae-go-sa-ri)	Wide-leaf ladyfern <i>Athyrium wardii</i> (Hook.) Makino
넓은잎개수염 (Neol-beun-ip-gae-su-yeom)	Robust pipewort <i>Eriocaulon alpestre</i> Hook.f. & Thomson ex Körn.

Korean name (Romanization)	English name Scientific name
넓은잎그늘사초 (Neol-beun-ip-geu-neul-sa-cho)	Wide-leaf low sedge <i>Carex pediformis</i> C.A.Mey.
넓은잎까치밥나무 (Neol-beun-ip-kka-chi-bap-na-mu)	Broad-leaf currant <i>Ribes latifolium</i> Jancz.
넓은잎꼬리풀 (Neol-beun-ip-kko-ri-pul)	Long-hairy spike speedwell <i>Veronica kiusiana</i> Furumi
넓은잎당마가목 (Neol-beun-ip-dang-ma-ga-mok)	Wide-leaf Amur mountain ash <i>Sorbus amurensis</i> f. <i>latifoliolata</i> (Nakai) W.T.Lee
넓은잎댕댕이 (Neol-beun-ip-daeng-daeng-i)	Wide-leaf deepblue honeysuckle <i>Lonicera caerulea</i> var. <i>longibracteata</i> f. <i>ovata</i> H.Hara
넓은잎딱총나무 (Neol-beun-ip-ttak-chong-na-mu)	Korean red elder <i>Sambucus latipinna</i> Nakai
넓은잎말 (Neol-beun-ip-mal)	Perfoliate pondweed <i>Potamogeton perfoliatus</i> L.
넓은잎물억새 (Neol-beun-ip-mul-eok-sae)	Wide-leaf Amur silvergrass <i>Miscanthus sacchariflorus</i> f. <i>latifolius</i> Adati
넓은잎미꾸리낚시 (Neol-beun-ip-mi-kku-ri-nak-si)	Broad arrow-head smartweed <i>Persicaria muricata</i> (Meisn.) Nemoto
넓은잎바늘꽃 (Neol-beun-ip-ba-neul-kkot)	Broad-leaf willowherb <i>Epilobium cephalostigma</i> var. <i>nudicarpum</i> (Kom.) H.Hara
넓은잎산괴불 (Neol-beun-ip-san-goe-bul)	Wide-leaf chrysanthia honeysuckle * <i>Lonicera chrysanthia</i> var. <i>latifolia</i> Korsh. ex Uyeki
넓은잎산사 (Neol-beun-ip-san-sa)	Wide-leaf mountain hawthorn <i>Crataegus pinnatifida</i> var. <i>major</i> N.E.Br.
넓은잎쑥 (Neol-beun-ip-ssuk)	Wide-leaf wormwood <i>Artemisia latifolia</i> Ledeb.
넓은잎외잎쑥 (Neol-beun-ip-oe-ip-ssuk)	Stolon-bearing wormwood <i>Artemisia stolonifera</i> (Maxim.) Kom.
넓은잎잠자리란 (Neol-beun-ip-jam-ja-ri-ran)	Asian platanthera <i>Platanthera fuscescens</i> (L.) Kraenzl.
넓은잎제비꽃 (Neol-beun-ip-je-bi-kkot)	Wonder violet <i>Viola mirabilis</i> L.

Korean name (Romanization)	English name Scientific name
넓은잎조록나무 (Neol-beun-ip-jo-rok-na-mu)	Broad evergreen witch hazel <i>*Distylium racemosum f. latifolia</i> Nakai
넓은잎쥐오줌풀 (Neol-eun-ip-jwi-o-jum-pul)	Wide-leaf valerian <i>Valeriana dageletiana</i> Nakai ex F.Maek.
넓은잎참가시나무 (Neol-beun-ip-cham-ga-si-na-mu)	Wide willow-leaf evergreen oak <i>Quercus salicina f. latifolia</i> (Nakai) H.Ohba
넓은잎초오 (Neol-beun-ip-cho-o)	Wide-leaf monk'shood <i>Aconitum sczukinii</i> Turcz.
넓은잎피사초 (Neol-beun-ip-pi-sa-cho)	Sword-like sedge <i>Carex xiphium</i> Kom.
넓은잔대 (Neol-beun-jan-dae)	Spreading-branch ladybell <i>Adenophora divaricata</i> Franch. & Sav.
네가래 (Ne-ga-rae)	Four-leaf clover <i>Marsilea quadrifolia</i> L.
네가래과 (Ne-ga-rae-gwa)	Water clover family <i>Marsileaceae</i> Mirb.
네가래속 [네가래과] (Ne-ga-rae-sok)	Four-leaf clover, Water clover <i>Marsilea</i> L. [Marsileaceae]
네귀쓴풀 (Ne-gwi-sseun-pul)	Lesser tetrapetal swertia <i>Swertia tetrapetala</i> Pall.
네마름 (Ne-ma-reum)	Common water-chestnut <i>Trapa natans</i> L.
네모골 (Ne-mo-gol)	Square-stem spikerush <i>Eleocharis tetraquetra</i> Nees
네잎갈퀴 (Ne-ip-gal-kwi)	Rough-seed bedstraw <i>Galium trachyspermum</i> A.Gray
네잎갈퀴나물 (Ne-ip-gal-kwi-na-mul)	Four-leaf vetch <i>Vicia nipponica</i> Matsum.
네잎삿갓나물 (Ne-ip-sat-gat-na-mul)	Four-leaf paris <i>Paris tetraphylla</i> A.Gray
노각나무 (No-gak-na-mu)	Korean stewartia <i>Stewartia pseudocamellia</i> Maxim.

Korean name (Romanization)	English name Scientific name
노각나무속 [차나무과] (No-gak-na-mu-sok)	Stewartia <i>Stewartia</i> L. [Theaceae]
노간주나무 (No-gan-ju-na-mu)	Needle juniper <i>Juniperus rigida</i> Siebold & Zucc.
노끈사초 (No-kkeun-sa-cho)	Sakhalin tiny sedge <i>Carex capillacea</i> var. <i>sachalinensis</i> (F.Schmidt) Ohwi
노란장대 (No-ran-jang-dae)	Yellow-flower hedgemustard <i>Sisymbrium luteum</i> (Maxim.) O.E.Schulz
노란장대속 [십자화과] (No-ran-jang-dae-sok)	Hedgemustard <i>Sisymbrium</i> L. [Brassicaceae]
노란장딸기 (No-ran-jang-ttal-gi)	Yellow-fruit hirsute raspberry <i>Rubus hirsutus</i> var. <i>xanthocarpus</i> Nakai
노랑갈퀴 (No-rang-gal-kwi)	Yellow-flower vetch <i>Vicia chosenensis</i> Ohwi
노랑땅나리 (No-rang-ttang-na-ri)	Yellow slim-stem lily <i>Lilium callosum</i> var. <i>flavum</i> Y.N.Lee
노랑만병초 (No-rang-man-byeong-cho)	Yellow-flower rosebay <i>Rhododendron aureum</i> Georgi
노랑매발톱 (No-rang-mae-bal-top)	Yellow oriental columbine * <i>Aquilegia buergeriana</i> var. <i>oxysepala</i> f. <i>pallidiflora</i> (Nakai) M.K.Park
노랑무늬붓꽃 (No-rang-mu-nui-but-kkot)	Odaesan iris <i>Iris odaesanensis</i> Y.N.Lee
노랑물봉선 (No-rang-mul-bong-seon)	Western touch-me-not <i>Impatiens noli-tangere</i> L.
노랑미치광이풀 (No-rang-mi-chi-gwang-i-pul)	Yellow scopolia <i>Scopolia lutescens</i> Y.N.Lee
노랑복주머니란 (No-rang-bok-ju-meo-ni-ran)	Lady's slipper orchid <i>Cypripedium calceolus</i> L.
노랑부추 (No-rang-bu-ch1lu)	Oriental yellow chive <i>Allium condensatum</i> Turcz.

Korean name (Romanization)	English name Scientific name
노랑붓꽃 (No-rang-but-kkot)	Dwarf woodland Korean iris <i>Iris koreana</i> Nakai
노랑선씀바귀 (No-rang-seon-sseum-ba-gwi)	Yellow birstle-hair ixeris <i>Ixeris chinensis</i> (Thunb.) Nakai
노랑어리연꽃 (No-rang-eo-ri-yeon-kkot)	Yellow floatingheart <i>Nymphoides peltata</i> (S.G.Gmel.) Kuntze
노랑원추리 (No-rang-won-chu-ri)	Thunberg's daylily <i>Hemerocallis thunbergii</i> Baker
노랑제비꽃 (No-rang-je-bi-kkot)	Oriental yellow violet <i>Viola orientalis</i> (Maxim.) W.Becker
노랑털중나리 (No-rang-teol-jung-na-ri)	Yellow friendly lily <i>Lilium amabile</i> var. <i>flavum</i> Y.N.Lee
노랑투구꽃 (No-rang-tu-gu-kkot)	Siberian monk'shood <i>Aconitum barbatum</i> var. <i>hispidum</i> (DC.) Ser.
노랑팽나무 (No-rang-paeng-na-mu)	Yellow-fruit hackberry <i>Celtis edulis</i> Nakai
노랑하늘타리 (No-rang-ha-neul-ta-ri)	Yellow Mongolian snakegourd <i>Trichosanthes kirilowii</i> var. <i>japonica</i> (Miq.) Kitam.
노랑할미꽃 (No-rang-hal-mi-kkot)	Yellow Korean pasque-flower <i>Pulsatilla koreana</i> f. <i>flava</i> (Y.N.Lee) W.T.Lee
노루귀 (No-ru-gwi)	Asian liverleaf <i>Hepatica asiatica</i> Nakai
노루귀속 [미나리아재비과] (No-ru-gwi-sok)	Hepatica, Liverleaf, Liverwort <i>Hepatica</i> Mill. [Ranunculaceae]
노루발 (No-ru-bal)	East Asian wintergreen <i>Pyrola japonica</i> Klenze ex Alef.
노루발과 (No-ru-bal-gwa)	Shinleaf family Pyrolaceae Lindl.
노루발속 [노루발과] (No-ru-bal-sok)	Wintergreen <i>Pyrola</i> L. [Pyrolaceae]

Korean name (Romanization)	English name Scientific name
노루삼 (No-ru-sam)	Asian baneberry <i>Actaea asiatica</i> Hara
노루삼속 [미나리아재비과] (No-ru-sam-sok)	Baneberry, Bugbane <i>Actaea</i> L. [Ranunculaceae]
노루오줌 (No-ru-o-jum)	False goat's beard <i>Astilbe chinensis</i> (Maxim.) Franch. & Sav.
노루오줌속 [범의귀과] (No-ru-o-jum-sok)	False goat's beard, False spirea <i>Astilbe</i> Buch.-Ham. ex D.Don [Saxifragaceae]
노루참나물 (No-ru-cham-na-mul)	Roe-buck pimpinella <i>Pimpinella gustavohegiana</i> Koidz.
노린재나무 (No-rin-jae-na-mu)	Asian sweetleaf <i>Symplocos sawafutagi</i> Nagam.
노린재나무과 (No-rin-jae-na-mu-gwa)	Sweetleaf family Symplocaceae Desf.
노린재나무속 [노린재나무과] (No-rin-jae-na-mu-sok)	Sweetleaf <i>Symplocos</i> Jacq. [Symplocaceae]
노박덩굴 (No-bak-deong-gul)	Oriental bittersweet <i>Celastrus orbiculatus</i> Thunb.
노박덩굴과 (No-bak-deong-gul-gwa)	Staff vine family, Bittersweet family Celastraceae R.Br.
노박덩굴속 [노박덩굴과] (No-bak-deong-gul-sok)	Bittersweet, Staff tree, Staff vine <i>Celastrus</i> L. [Celastraceae]
노봉백산차 (No-bong-baek-san-cha)	Wide-leaf labrador tea <i>Ledum palustre</i> var. <i>latifolium</i> Michaux.
녹나무 (Nok-na-mu)	Camphor tree <i>Cinnamomum camphora</i> (L.) J.Presl
녹나무과 (Nok-na-mu-gwa)	Laurel family Lauraceae Juss.
녹나무속 [녹나무과] (Nok-na-mu-sok)	Cinnamon <i>Cinnamomum</i> Schaeff. [Lauraceae]
녹다래 (Nok-da-rae)	Red-nerve hardy kiwi <i>Actinidia arguta</i> var. <i>rufinervis</i> Nakai

Korean name (Romanization)	English name Scientific name
녹마가목 (Nok-ma-ga-mok)	Red-brown mountain ash <i>Sorbus commixta</i> var. <i>rufso-ferruginea</i> C.K.Schneid.
녹보리똥나무 (Nok-bo-ri-ttong-na-mu)	Coastal olive <i>Elaeagnus × maritima</i> Koidz.
녹빛사초 (Nok-bit-sa-cho)	Four-flower sedge <i>Carex quadriflora</i> (Kük.) Ohwi
녹빛실사초 (Nok-bit-sil-sa-cho)	Green thread sedge <i>Carex sachalinensis</i> var. <i>sikokiana</i> (Franch. & Sav.) Ohwi
녹화죽백란 (Nok-hwa-juk-baek-ran)	Green-flower bamboo-leaf orchid <i>Cymbidium lancifolium</i> var. <i>aspidistrifolium</i> (Fukuy.) S.S.Ying
논냉이 (Non-naeng-i)	Paddy bittercress <i>Cardamine lyrata</i> Bunge
논두렁사초 (Non-du-reong-sa-cho)	Autumnal-sand sedge <i>Carex autumnalis</i> Ohwi
논뚝외풀 (Non-ttuk-oe-pul)	Small-flower false pimpernel <i>Lindernia micrantha</i> D.Don
논피 (Non-pi)	Early barnyard grass <i>Echinochloa oryzoides</i> (Ard.) Fritsch
놋젓가락나물 (Not-jeot-ga-rak-na-mul)	Hairy monk'shood <i>Aconitum ciliare</i> DC.
노성목 (Noe-seong-mok)	Willow-leaf spicebush <i>Lindera angustifolia</i> W.C.Cheng
누룩치속 [산형과] (Nu-ruk-chi-sok)	Pleurospermum <i>Pleurospermum</i> Hoffm. [Apiaceae]
누른괭이눈 (Nu-reun-gwaeng-i-nun)	Yellow golden saxifrage <i>Chrysosplenium flaviflorum</i> Ohwi
누리장나무 (Nu-ri-jang-na-mu)	Harlequin glorybower <i>Clerodendrum trichotomum</i> Thunb.
누리장나무속 [마편초과] (Nu-ri-jang-na-mu-sok)	Bagflower, Bleeding-heart, Glorybower <i>Clerodendrum</i> L. [Verbenaceae]
누린내풀 (Nu-rin-nae-pul)	Odor bluebeard <i>Tripora divaricata</i> (Maxim.) P.D.Cantino

Korean name (Romanization)	English name Scientific name
누린내풀속 [꿀풀과] (Nu-rin-nae-pul-sok)	Odor bluebeard <i>Tripora P.D.Cantino</i> [Lamiaceae]
누운괴불이끼 (Nu-un-goe-bul-i-kki)	Burman bristle fern <i>Lacosteopsis orientalis</i> (C.Chr.) Nakaike
누운괴불이끼속 [처녀이끼과] (Nu-un-goe-bul-i-kki-sok)	Lacosteopsis <i>Lacosteopsis</i> (Prantl) Nakaike [Hymenophyllaceae]
누운기장대풀 (Nu-un-gi-jang-dae-pul)	Spreading swamp bloodgrass <i>Isachne nippensis</i> Ohwi
누운제비꽃 (Nu-un-je-bi-kkot)	Dwarf-marsh violet <i>Viola epipsila</i> Ledeb.
누운주름잎 (Nu-un-ju-reum-ip)	Miquel's mazus <i>Mazus miquelianus</i> Makino
눈가막사리 (Nun-ga-mak-sa-ri)	Creeping three-lobe beggartick <i>Bidens tripartita</i> var. <i>repens</i> (D.Don) Sherff
눈개비자나무 (Nun-gae-bi-ja-na-mu)	Dwarf Korean plum yew <i>Cephalotaxus harringtonia</i> var. <i>nana</i> (Nakai) Rehder
눈개승마 (Nun-gae-seung-ma)	Kamchatka goatsbeard <i>Aruncus dioicus</i> var. <i>kamtschaticus</i> (Maxim.) H.Hara
눈가쑥부쟁이 (Nun-gae-ssuk-bu-jaeng-i)	Korean montane aster <i>Aster hayatae</i> H.Lév. & Vaniot
눈갓벼들 (Nun-gaet-beo-deul)	Creeping rose-gold pussy willow <i>Salix gracilislans</i> Nakai
눈괴불주머니 (Nun-goe-bul-ju-meo-ni)	Prostrate corydalis <i>Corydalis ochotensis</i> Turcz.
눈까치밥나무 (Nun-kka-chi-bap-na-mu)	Swamp red currant <i>Ribes triste</i> Pall.
눈범꼬리 (Nun-beom-kko-ri)	Ovate-leaf bistort <i>Bistorta suffulta</i> (Maxim.) Greene ex H.Gross
눈비녀골풀 (Nun-bi-nyeo-gol-pul)	Wallichian's rush <i>Juncus wallichianus</i> J.Gay ex Laharpe
눈비름 (Nun-bi-reum)	Large-fruit amaranth <i>Amaranthus deflexus</i> L.

Korean name (Romanization)	English name Scientific name
눈빛송마 (Nun-bit-seung-ma)	Dahurian bugbane <i>Cimicifuga dahurica</i> (Turcz. ex Fisch. & C.A.Mey.) Maxim.
눈사초 (Nun-sa-cho)	Curly sedge <i>Carex rupestris</i> All.
눈산버들 (Nun-san-beo-deul)	Spreading willow <i>Salix divaricata</i> var. <i>metaformosa</i> (Nakai) Kitag.
눈썹고사리 (Nun-sseop-go-sa-ri)	Asymmetric spleenwort <i>Asplenium wrightii</i> D.C.Eaton ex Hook.
눈양지꽃 (Nun-yang-ji-kkot)	Greenland cinquefoil <i>Potentilla egedii</i> var. <i>groenlandica</i> (Tratt.) Polunin
눈여뀌비늘 (Nun-yeo-kkwi-ba-neul)	Oval ludwigia <i>Ludwigia ovalis</i> Miq.
눈잣나무 (Nun-jat-na-mu)	Dwarf Siberian pine <i>Pinus pumila</i> (Pall.) Regel
눈측백 (Nun-cheuk-baek)	Korean arborvitae <i>Thuja koraiensis</i> Nakai
눈측백속 [측백나무과] (Nun-cheuk-baek-sok)	Arborvitae, Thujas <i>Thuja</i> L. [Cupressaceae]
눈포아풀 (Nun-po-a-pul)	Fowl bluegrass <i>Poa palustris</i> L.
눈해변싸리 (Nun-hae-byeonssa-ri)	Large wand lespedeza <i>Lespedeza macrovirgata</i> Kitag.
눈향나무 (Nun-hyang-na-mu)	Dwarf juniper <i>Juniperus chinensis</i> var. <i>sargentii</i> A.Henry
놀맥이천남성 (Nul-maek-i-cheon-nam-seong)	Spiral-leaf jack-in-the-pulpit <i>Arisaema peninsulae</i> f. <i>convolutum</i> (Nakai) Y.S.Kim & S.C.Ko
느러진장대 (Neu-reo-jin-jang-dae)	Pendulous rockcress <i>Arabis pendula</i> L.
느릅나무 (Neu-reup-na-mu)	Wilson's elm <i>Ulmus davidiana</i> var. <i>japonica</i> (Rehder) Nakai
느릅나무과 (Neu-reup-na-mu-gwa)	Elm family <i>Ulmaceae</i> Mirb.

Korean name (Romanization)	English name Scientific name
느릅나무속 [느릅나무과] (Neu-reup-na-mu-sok)	Elm <i>Ulmus</i> L. [Ulmaceae]
느리미고사리 (Neu-ri-mi-go-sa-ri)	Sword-leaf wood fern <i>Dryopteris tokyoensis</i> (Matsum. ex Makino) C.Chr.
느티나무 (Neu-ti-na-mu)	Sawleaf zelkova <i>Zelkova serrata</i> (Thunb.) Makino
느티나무속 [느릅나무과] (Neu-ti-na-mu-sok)	Zelkova <i>Zelkova Spach</i> [Ulmaceae]
는쟁이냉이 (Neun-jaeng-i-naeng-i)	Asian bittercress <i>Cardamine komarovii</i> Nakai
능수쇠뜨기 (Neung-su-soe-tteu-gi)	Woodland horsetail <i>Equisetum sylvaticum</i> L.
늦고사리삼 (Neut-go-sa-ri-sam)	Rattlesnake fern <i>Botrychium virginianum</i> (L.) Sw.
늦고사리삼속 [고사리삼과] (Neut-go-sa-ri-sam-sok)	Botrypus <i>Botrypus</i> Michx. [Ophioglossaceae]
늦둥굴레 (Neut-dung-gul-re)	Late-blooming solomon's seal <i>Polygonatum infundiflorum</i> Y.S.Kim, B.U.Oh & C.G.Jang
늦싸리 (Neut-ssa-ri)	Elongate Korean lespedeza * <i>Lespedeza maximowiczii</i> var. <i>elongata</i> Nakai
늪사초 (Neup-sa-cho)	Marsh sedge <i>Carex buxbaumii</i> Wahlenb.
C	
다닥냉이속 [십자화과] (Da-dak-naeng-i-sok)	Peppercress, Peppergrass, Pepperwort <i>Lepidium</i> L. [Brassicaceae]
다도해비비추 (Da-do-hae-bi-bi-chu)	Dadohae hosta <i>Hosta jonesii</i> M.G.Chung
다람쥐꼬리 (Da-ram-jwi-kko-ri)	Pacific firmoss <i>Huperzia miyoshiana</i> (Makino) Ching
다람쥐꼬리속 [석송과] (Da-ram-jwi-kko-ri-sok)	Clubmoss, Firmosses, Fir clubmosses <i>Huperzia</i> Bernh. [Lycopodiaceae]

Korean name (Romanization)	English name Scientific name
다래 (Da-rae)	Hardy kiwi <i>Actinidia arguta</i> (Siebold & Zucc.) Planch. ex Miq.
다래나무과 (Da-rae-na-mu-gwa)	Chinese gooseberry family, Kiwi family Actinidiaceae Gilg & Werderm.
다래나무속 [다래나무과] (Da-rae-na-mu-sok)	Actinidia , Kiwi <i>Actinidia</i> Lindl. [Actinidiaceae]
다릅나무 (Da-reup-na-mu)	Amur maackia <i>Maackia amurensis</i> Rupr.
다릅나무속 [콩과] (Da-reup-na-mu-sok)	Maackia <i>Maackia</i> Rupr. [Fabaceae]
다발꽃무꽃 (Da-bal-gol-mu-kkot)	Scattered-flower skullcap <i>Scutellaria asperiflora</i> Nakai
다북고추나물 (Da-buk-go-chu-na-mul)	Tuft St. Johnswort <i>Hypericum erectum</i> var. <i>caespitosum</i> Makino
다북떡쑥 (Da-buk-tteok-ssuk)	Asian pearly everlasting <i>Anaphalis sinica</i> Hance
다북떡쑥속 [국화과] (Da-buk-tteok-ssuk-sok)	Pearly everlasting <i>Anaphalis</i> DC. [Asteraceae]
다북바위솔 (Da-buk-ba-wi-sol)	Many-head rock pine <i>Orostachys japonica</i> f. <i>polycephala</i> (Makino) H.Ohba
다시마고사리삼 (Da-si-ma-go-sa-ri-sam)	Old world adder's tongue <i>Ophioglossum pendulum</i> L.
다시마일엽초 (Da-si-ma-il-yeop-cho)	Kelp-leaf weeping fern <i>Lepisorus annuifrons</i> (Makino) Ching
다정큼나무 (Da-jeong-keum-na-mu)	Whole-leaf Indian hawthorn <i>Rhaphiolepis indica</i> var. <i>umbellata</i> (Thunb.) H.Ohashi
다정큼나무속 [장미과] (Da-jeong-keum-na-mu-sok)	Hawthorn, Rhodotypos <i>Rhaphiolepis</i> Lindl. [Rosaceae]
닥나무속 [뽕나무과] (Dak-na-mu-sok)	Broussonetia <i>Broussonetia</i> L'Hér. ex Vent. [Moraceae]
닥장버들 (Dak-jang-beo-deul)	Swamp-silky willow <i>Salix brachypoda</i> (Trautv. & C.A.Mey.) Kom.

Korean name (Romanization)	English name Scientific name
단양쑥부쟁이 (Dan-yang-ssuk-bu-jaeng-i)	Danyang aster <i>Aster altaicus</i> var. <i>uchiyamae</i> Kitam.
단주대극 (Dan-ju-dae-geuk)	Short-style spurge <i>Euphorbia hyalina</i> Hand.-Mazz.
단천향나무 (Dan-cheon-hyang-na-mu)	Dahurian juniper <i>Juniperus davuricus</i> Pall.
단풍고사리삼 (Dan-pung-go-sa-ri-sam)	Mountain-leathery grapefern <i>Sceptridium nipponicum</i> (Makino) Holub
단풍나무 (Dan-pung-na-mu)	Palmate maple <i>Acer palmatum</i> Thunb.
단풍나무과 (Dan-pung-na-mu-gwa)	Maple family Aceraceae Juss.
단풍나무속 [단풍나무과] (Dan-pung-na-mu-sok)	Maple <i>Acer</i> L. [Aceraceae]
단풍딸기 (Dan-pung-ttal-gi)	Palmate-leaf raspberry <i>Rubus palmatus</i> Thunb.
단풍마 (Dan-pung-ma)	Maple-leaf mountain yam <i>Dioscorea quinqueloba</i> Thunb.
단풍박쥐나무 (Dan-pung-bak-jwi-na-mu)	Palmate-leaf alangium <i>Alangium platanifolium</i> (Siebold & Zucc.) Harms
단풍잎석위 (Dan-pung-ip-seok-wi)	Five-finger tongue fern <i>Pyrrosia polydactyla</i> (Hance) Ching
단풍제비꽃 (Dan-pung-je-bi-kkot)	Maple-leaf violet <i>Viola albida</i> f. <i>takahashii</i> (Makino) W.T.Lee
단풍취 (Dan-pung-chwi)	Maple-leaf ainsliaea <i>Ainsliaea acerifolia</i> Sch.Bip.
단풍취속 [국화과] (Dan-pung-chwi-sok)	Ainsliaea <i>Ainsliaea</i> DC. [Asteraceae]
단풍터리풀 (Dan-pung-teo-ri-pul)	Siberian meadowsweet <i>Filipendula palmata</i> (Pall.) Maxim.
단향과 (Dan-hyang-gwa)	Sandalwood family Santalaceae R.Br.

Korean name (Romanization)	English name Scientific name
달구지풀 (Dal-gu-ji-pul)	Lupine clover <i>Trifolium lupinaster</i> L.
달래 (Dal-rae)	Korean wild chive <i>Allium monanthum</i> Maxim.
달뿌리풀 (Dal-ppu-ri-pul)	Runner reed <i>Phragmites japonica</i> Steud.
닭의난초 (Dak-ui-nan-cho)	Thunberg's helleborine <i>Epipactis thunbergii</i> A.Gray
닭의난초속 [난초과] (Dak-ui-nan-cho-sok)	Helleborine <i>Epipactis</i> Zinn [Orchidaceae]
닭의덩굴속 [마디풀과] (Dak-ui-deong-gul-sok)	Fallopia <i>Fallopia</i> Adams. [Polygonaceae]
닭의장풀 (Dak-ui-jang-pul)	Asian dayflower <i>Commelina communis</i> L.
닭의장풀과 (Dak-ui-jang-pul-gwa)	Dayflower family, Spiderwort family Commelinaceae Mirb.
닭의장풀속 [닭의장풀과] (Dak-ui-jang-pul-sok)	Dayflowers, Widow's tears <i>Commelina</i> L. [Commelinaceae]
담배취 (Dam-bae-chwi)	Tobacco-leaf saussurea <i>Saussurea conandrifolia</i> Nakai
담배풀 (Dam-bae-pul)	Common carpesium <i>Carpesium abrotanoides</i> L.
담배풀속 [국화과] (Dam-bae-pul-sok)	Carpesium <i>Carpesium</i> L. [Asteraceae]
담상이식풀 (Dam-sang-i-sak-pul)	East Asian shorthusk <i>Brachyelytrum japonicum</i> (Hack.) Matsum. ex Honda
담상이식풀속 [벼과] (Dam-sang-i-sak-pul-sok)	Shorthusk <i>Brachyelytrum</i> P.Beauv. [Poaceae]
담자리꽃나무 (Dam-ja-ri-kkot-na-mu)	Asian eightpetal dryas <i>Dryas octopetala</i> var. <i>asiatica</i> (Nakai) Nakai
담자리꽃나무속 [장미과] (Dam-ja-ri-kkot-na-mu-sok)	Mountain-avens <i>Dryas</i> L. [Rosaceae]

Korean name (Romanization)	English name Scientific name
담자리참꽃 (Dam-ja-ri-cham-kkot)	Alpine lapland rosebay <i>Rhododendron lapponicum</i> subsp. <i>parvifolium</i> var. <i>alpinum</i> (Glehn) T.Yamaz.
담쟁이덩굴 (Dam-jaeng-i-deong-gul)	Boston ivy <i>Parthenocissus tricuspidata</i> (Siebold & Zucc.) Planch.
담쟁이덩굴속 [포도과] (Dam-jaeng-i-deong-gul-sok)	Creeper, Virginia creeper <i>Parthenocissus</i> Planch. [Vitaceae]
담팔수 (Dam-pal-su)	Wild dampalsu trees <i>Elaeocarpus sylvestris</i> var. <i>ellipticus</i> (Thunb.) H.Hara
담팔수과 (Dam-pal-su-gwa)	Elaeocarpus family Elaeocarpaceae Juss.
담팔수속 [담팔수과] (Dam-pal-su-sok)	Elaeocarpus <i>Elaeocarpus</i> L. [Elaeocarpaceae]
당개서어나무 (Dang-gae-seo-eo-na-mu)	Short-calyx Asian hornbeam * <i>Carpinus tschonoskii</i> var. <i>brevicalycina</i> Nakai ex Kawamoto
당개지치 (Dang-gae-ji-chi)	Dropping bell flower <i>Brachybotrys paridiformis</i> Maxim. ex Oliv.
당개지치속 [지치과] (Dang-gae-ji-chi-sok)	Brachybotrys <i>Brachybotrys</i> Maxim. ex Oliv. [Boraginaceae]
당광나무 (Dang-gwang-na-mu)	Glossy privet <i>Ligustrum lucidum</i> W.T.Aiton
당귀속 [산형과] (Dang-gwi-sok)	Angelica <i>Angelica</i> L. [Apiaceae]
당근속 [산형과] (Dang-geun-sok)	Wild carrot <i>Daucus</i> L. [Apiaceae]
당느릅나무 (Dang-neu-reup-na-mu)	David elm <i>Ulmus davidiana</i> Planch. ex DC.
당단풍나무 (Dang-dan-pung-na-mu)	Korean maple <i>Acer pseudosieboldianum</i> (Pax) Kom.
당마가목 (Dang-ma-ga-mok)	Amur mountain ash <i>Sorbus amurensis</i> Koehne
당매자나무 (Dang-mae-ja-na-mu)	Chinese barberry <i>Berberis poirettii</i> C.K.Schneid.

Korean name (Romanization)	English name Scientific name
당버들 (Dang-beo-deul)	Simon's poplar <i>Populus simonii</i> Carrière
당분취 (Dang-bun-chwi)	Tall-woolly saussurea <i>Saussurea tanakae</i> Franch. & Sav. ex Maxim.
당삽주 (Dang-sap-ju)	Korean atractylodes <i>Atractylodes koreana</i> (Nakai) Kitam.
당양지꽃 (Dang-yang-ji-kkot)	Wrinkled cinquefoil <i>Potentilla rugulosa</i> Kitag.
당잔대 (Dang-jan-dae)	Upright ladybell <i>Adenophora stricta</i> Miq.
당조팝나무 (Dang-jo-pap-na-mu)	Chinese spirea <i>Spiraea chinensis</i> Maxim.
당키버들 (Dang-ki-beo-deul)	Smith's purple willow <i>Salix purpurea</i> var. <i>smithiana</i> Trautv.
당회잎나무 (Danghoe-ip-na-mu)	Cork spindletree <i>Euonymus alatus</i> f. <i>apterus</i> (Regel) Rehder
닻꽃 (Dat-kkot)	Corniculate spurred gentian <i>Halenia corniculata</i> (L.) Cornaz
닻꽃속 [용담과] (Dat-kkot-sok)	Spurred gentian <i>Halenia</i> Borkh. [Gentianaceae]
대가래 (Dae-ga-rae)	Bamboo-leaf pondweed <i>Potamogeton malaianus</i> Miq.
대구돌나물 (Dae-gu-dol-na-mul)	Water pygmyweed <i>Tillaea aquatica</i> L.
대구돌나물속 [돌나물과] (Dae-gu-dol-na-mul-sok)	Pygmyweed <i>Tillaea</i> L. [Crassulaceae]
대구사초 (Dae-gu-sa-cho)	Pax's sedge <i>Carex paxii</i> Kük.
대구으아리 (Dae-gu-eu-a-ri)	Daegu clematis <i>Clematis taeguensis</i> Y.N.Lee
대극 (Dae-geuk)	Common spurge <i>Euphorbia pekinensis</i> Rupr.

Korean name (Romanization)	English name Scientific name
대극과 (Dae-geuk-gwa)	Spurge family <i>Euphorbiaceae</i> Juss.
대극속 [대극과] (Dae-geuk-sok)	Spurge <i>Euphorbia</i> L. [Euphorbiaceae]
대나물 (Dae-na-mul)	Manchurian baby's-breath <i>Gypsophila oldhamiana</i> Miq.
대나물속 [석죽과] (Dae-na-mul-sok)	Baby's-breath <i>Gypsophila</i> L. [Caryophyllaceae]
대동여뀌 (Dae-dong-yeo-kkwi)	Dwarf smartweed <i>Persicaria erectominor</i> var. <i>koreensis</i> (Nakai) H.Ito
대마참나물 (Dae-ma-cham-na-mul)	South tilingia <i>Tilingia tsusimensis</i> (Y.Yabe) Kitag.
대만피 (Dae-man-pi)	Hairless barnyard grass <i>Echinochloa glabrescens</i> Munro ex Hook.f.
대반하 (Dae-ban-ha)	Green dragon <i>Pinellia tripartita</i> (Blume) Schott
대사초 (Dae-sa-cho)	Creeping broad-leaf sedge <i>Carex siderosticta</i> Hance
대새풀 (Dae-sae-pul)	Hackel's cleistogenes <i>Cleistogenes hackelii</i> (Honda) Honda
대새풀속 [벼과] (Dae-sae-pul-sok)	Cleistogenes <i>Cleistogenes</i> Keng [Poaceae]
대성쓴풀 (Dae-seong-sseun-pul)	Dichotomous swertia <i>Anagallidium dichotomum</i> (L.) Griseb.
대성쓴풀속 [용담과] (Dae-seong-sseun-pul-sok)	Anagallidium <i>Anagallidium</i> Griseb. [Gentianaceae]
대송이풀 (Dae-song-i-pul)	Moor-king lousewort <i>Pedicularis sceptrum-carolinum</i> L.
대암개발나물 (Dae-am-gae-bal-na-mul)	Heterophylloous water parsnip <i>Sium heterophyllum</i> Y.N.Lee
대암사초 (Dae-am-sa-cho)	Creeping sedge <i>Carex chordorrhiza</i> L.f.

Korean name (Romanization)	English name Scientific name
대청 (Dae-cheong)	Dyer's woad <i>Isatis tinctoria</i> L.
대청가시나무 (Dae-cheong-ga-si-na-mu)	Daechung rose <i>Rosa taisensis</i> Nakai
대청부채 (Dae-cheong-bu-chae)	Vesper iris <i>Iris dichotoma</i> Pall.
대청속 [십자화과] (Dae-cheong-sok)	Bloodgrasses, Woad <i>Isatis</i> L. [Brassicaceae]
대청지치 (Dae-cheong-ji-chi)	Curved-tooth thyrocarpus <i>Thyrocarpus glochidiatus</i> Maxim.
대청지치속 [지치과] (Dae-cheong-ji-chi-sok)	Thyrocarpus <i>Thyrocarpus</i> Hance [Boraginaceae]
대추나무속 [갈매나무과] (Dae-chu-na-mu-sok)	Zizyphus <i>Zizyphus</i> Adans. [Rhamnaceae]
대택광이 (Dae-taek-gwang-i)	Fine-point mannagrass <i>Glyceria spiculosa</i> (F.Schmidt) Roshev.
대택비녀골풀 (Dae-taek-bi-nyeo-gol-pul)	Moor rush <i>Juncus stygius</i> L.
대택사초 (Dae-taek-sa-cho)	Mud sedge <i>Carex limosa</i> L.
대택소귀나물 (Dae-taek-so-gwi-na-mul)	Floating arrowhead <i>Sagittaria natans</i> Pall.
대팻집나무 (Dae-paet-jip-na-mu)	Macropoda holly <i>Ilex macropoda</i> Miq.
대황속 [마디풀과] (Dae-hwang-sok)	Rhubarb <i>Rheum</i> L. [Polygonaceae]
대홍란 (Dae-heung-ran)	Big-root cymbidium <i>Cymbidium macrorhizon</i> Lindl.
댑싸리속 [명아주과] (Daep-ssa-ri-sok)	Smotherweed <i>Kochia</i> Roth [Chenopodiaceae]
댕강나무 (Daeng-gang-na-mu)	Maengsan abelia <i>Abelia mosanensis</i> T.H.Chung ex Nakai

Korean name (Romanization)	English name Scientific name
댕강나무속 [인동과] (Daeng-gang-na-mu-sok)	Abelia <i>Abelia</i> R.Br. [Caprifoliaceae]
댕댕이나무 (Daeng-daeng-i-na-mu)	Edible deepblue honeysuckle <i>Lonicera caerulea</i> var. <i>edulis</i> Turcz. ex Herder
댕댕이덩굴 (Daeng-daeng-i-deong-gul)	Queen coralbead <i>Cocculus orbiculatus</i> (L.) DC.
댕댕이덩굴속 [새모래덩굴과] (Daeng-daeng-i-deong-gul-sok)	Coralbead <i>Cocculus</i> DC. [Menispermaceae]
더덕 (Deo-deok)	Deodeok (Lance Asiabell, Bonnet bellflower) <i>Codonopsis lanceolata</i> (Siebold & Zucc.) Benth. & Hook.f. ex Trautv.
더덕속 [초롱꽃과] (Deo-deok-sok)	Codonopsis <i>Codonopsis</i> Wall. [Campanulaceae]
더부살이고사리 (Deo-bu-sal-i-go-sa-ri)	Whipcord eyelash Fern <i>Polystichum lepidocaulon</i> (Hook.) J.Sm.
더위지기 (Deo-wi-ji-gi)	Gmelin's wormwood <i>Artemisia gmelinii</i> Weber ex Stechm.
덕우기름나물 (Deok-u-gi-reum-na-mul)	Deokwoo hogfennel <i>Peucedanum insolens</i> Kitag.
덕진사초 (Deok-jin-sa-cho)	Gmelin's sedge <i>Carex gmelinii</i> Hook. & Arn.
덜꿩나무 (Deol-kkwong-na-mu)	Leather-leaf viburnum <i>Viburnum erosum</i> Thunb.
덤불꼭두서니 (Deom-bul-kkok-du-seo-ni)	Shrubby Indian madder <i>Rubia cordifolia</i> var. <i>sylvatica</i> Maxim.
덤불노박덩굴 (Deom-bul-no-bak-deong-gul)	Bush oriental bittersweet <i>Celastrus orbiculatus</i> var. <i>sylvestris</i> (Siebold) Nakai ex T.Mori
덤불쑥 (Deom-bul-ssuk)	Red-foot wormwood <i>Artemisia rubripes</i> Nakai
덤불오리나무 (Deom-bul-o-ri-na-mu)	Northeast Asian alder <i>Alnus mandshurica</i> (Callier) Hand.-Mazz.
덤불조팝나무 (Deom-bul-jo-pap-na-mu)	Thin-leaf spirea <i>Spiraea miyabei</i> Koidz.

Korean name (Romanization)	English name Scientific name
덤불취 (Deom-bul-chwi)	Manchurian saussurea <i>Saussurea manshurica</i> Kom.
덧나무 (Deot-na-mu)	Siebold's red elder <i>Sambucus racemosa</i> subsp. <i>sieboldiana</i> (Blume ex Miq.) H.Hara
덧잎가막살나무 (Deot-ip-ga-mak-sal-na-mu)	Stipulate Wright's viburnum <i>Viburnum wrightii</i> var. <i>stipitatum</i> Nakai
덩굴개별꽃 (Deong-gul-gae-byeol-kkot)	Dwarf false-starwort <i>Pseudostellaria davidii</i> (Franch.) Pax ex Pax & Hoffm.
덩굴곽향 (Deong-gul-gwak-hyang)	Procumbent sticky germander <i>Teucrium viscidum</i> var. <i>miquelianum</i> (Maxim.) H.Hara
덩굴꽃마리 (Deong-gul-kkot-ma-ri)	Stoloniferous trigonotis <i>Trigonotis icumae</i> (Maxim.) Makino
덩굴닭의장풀 (Deong-gul-dak-ui-jang-pul)	Twining streptolirion <i>Streptolirion volubile</i> Edgew.
덩굴닭의장풀속 [닭의장풀과] (Deong-gul-dak-ui-jang-pul-sok)	Streptolirion <i>Streptolirion</i> Edgew. [Commelinaceae]
덩굴모밀 (Deong-gul-mo-mil)	Creeping smartweed <i>Persicaria chinensis</i> (L.) H.Gross
덩굴민백미꽃 (Deong-gul-min-back-mi-kkot)	Japanese swallow-wort <i>Cynanchum japonicum</i> (C.Morren & Decne.) Hemsl.
덩굴박주가리 (Deong-gul-bak-ju-ga-ri)	Climbing swallow-wort <i>Cynanchum nipponicum</i> Matsum.
덩굴뱀딸기 (Deong-gul-baem-ttal-gi)	Flagellar cinquefoil <i>Potentilla flagellaris</i> Willd. ex Schltdl.
덩굴별꽃 (Deong-gul-byeol-kkot)	Berry catchfly <i>Silene baccifera</i> (L.) Roth
덩굴별꽃속 [석죽과] (Deong-gul-byeol-kkot-sok)	Cucubalus <i>Cucubalus</i> L. [Caryophyllaceae]
덩굴사초 (Deong-gul-sa-cho)	Creeper-like sedge <i>Carex pseudocuraica</i> F.Schmidt
덩굴옻나무 (Deong-gul-ot-na-mu)	Asian lacquer tree <i>Toxicodendron orientale</i> Greene

Korean name (Romanization)	English name Scientific name
덩굴용담 (Deong-gul-yong-dam)	Climbing gentian <i>Tripterospermum japonicum</i> (Siebold & Zucc.) Maxim.
덩굴용담속 [용담과] (Deong-gul-yong-dam-sok)	Tripterospermum <i>Tripterospermum</i> Blume [Gentianaceae]
덩이뿌리개별꽃 (Deong-i-ppu-ri-gae-byeol-kkot)	Tuberous false-starwort <i>Pseudostellaria bulbosa</i> (Nakai) Ohwi
도깨비바늘 (Do-kkae-bi-ba-neul)	Spanish needle <i>Bidens bipinnata</i> L.
도깨비바늘속 [국화과] (Do-kkae-bi-ba-neul-sok)	Beggarticks, Black jack, Burr marigolds, Cobbler's pegs, Spanish needles, Stickseeds, Tickseeds, Tickseed sunflowers <i>Bidens</i> L. [Asteraceae]
도깨비부채 (Do-kkae-bi-bu-chae)	Rodger's bronze leaf <i>Rodgersia podophylla</i> A.Gray
도깨비부채속 [범의귀과] (Do-kkae-bi-bu-chae-sok)	Rodgersia <i>Rodgersia</i> A.Gray [Saxifragaceae]
도깨비사초 (Do-kkae-bi-sa-cho)	Dickin's sedge <i>Carex dickinsii</i> Franch. & Sav.
도깨비소고비 (Do-kkae-bi-soe-go-bi)	Hollyfern <i>Cyrtomium falcatum</i> (L.f.) C.Presl
도깨비엉겅퀴 (Do-kkae-bi-eong-geong-kwi)	Woodland thistle <i>Cirsium schantarense</i> Trautv. & C.A.Mey.
도꼬로마 (Do-kko-ro-ma)	Tokoro mountain yam <i>Dioscorea tokoro</i> Makino ex Miyabe
도둑놈의갈고리 (Do-duk-nom-ui-gal-go-ri)	Big-leaf tick clover <i>Desmodium podocarpum</i> var. <i>oxyphyllum</i> (DC.) H.Ohashi
도둑놈의갈고리속 [콩과] (Do-duk-nom-ui-gal-go-ri-sok)	Beggar lice, Hitch hikers, Tick clover, Tick-trefoil <i>Desmodium</i> Desv. [Fabaceae]
도라지 (Do-ra-ji)	Balloon-flower <i>Platycodon grandiflorus</i> (Jacq.) A.DC.
도라지모시대 (Do-ra-ji-mo-si-dae)	Big-flower ladybell <i>Adenophora grandiflora</i> Nakai

Korean name (Romanization)	English name Scientific name
도라지속 [초롱꽃과] (Do-ra-ji-sok)	Platycodon <i>Platycodon</i> A.DC. [Campanulaceae]
도랭이피속 [벼과] (Do-raeng-i-pi-sok)	Junegrass <i>Koeleria</i> Pers. [Poaceae]
도랭이사초 (Do-raeng-i-sa-cho)	Ditch sedge <i>Carex albata</i> Boott ex Franch. & Sav.
도랭이피 (Do-raeng-i-pi)	Prairie Junegrass <i>Koeleria macrantha</i> (Ledeb.) Schult.
도루박이 (Do-ru-bak-i)	Rooting bulrush <i>Scirpus radicans</i> Schkuhr
독미나리 (Dok-mi-na-ri)	Northern water hemlock <i>Cicuta virosa</i> L.
독미나리속 [산형과] (Dok-mi-na-ri-sok)	Cowbane, Poison parsnip, Water hemlock <i>Cicuta</i> L. [Apiaceae]
독활 (Dok-hwal)	Manchurian angelica <i>Aralia cordata</i> var. <i>continentalis</i> (Kitag.) Y.C.Chu
돈나무 (Don-na-mu)	Australian laurel <i>Pittosporum tobira</i> (Thunb.) W.T.Aiton
돈나무과 (Don-na-mu-gwa)	Pittosporum family <i>Pittosporaceae</i> R.Br.
돈나무속 [돈나무과] (Don-na-mu-sok)	Cheesewood, Pittosporums <i>Pittosporum</i> Banks ex Gaertn. [Pittosporaceae]
돌가시나무 (Dol-ga-si-na-mu)	Wichura's rose <i>Rosa wichuraiana</i> Crep. ex Franch. & Sav.
돌갈매나무 (Dol-gal-mae-na-mu)	Littleleaf buckthorn <i>Rhamnus parvifolia</i> Bunge
돌기네모꼴 (Dol-gi-ne-mo-gol)	Changchaen spikerush * <i>Eleocharis changchaensis</i> Y.C.Oh & G.Y.Lee
돌꽃 (Dol-kkot)	Elongate-leaf rhodiola <i>Rhodiola elongata</i> (Ledeb.) Fisch. & Mey.
돌꽃속 [돌나물과] (Dol-kkot-sok)	Rhodiola <i>Rhodiola</i> L. [Crassulaceae]

Korean name (Romanization)	English name Scientific name
돌나물 (Dol-na-mul)	Stringy stonecrop <i>Sedum sarmentosum</i> Bunge
돌나물과 (Dol-na-mul-gwa)	Stonecrop family Crassulaceae J.St.-Hil.
돌나물속 [돌나물과] (Dol-na-mul-sok)	Stonecrop <i>Sedum</i> L. [Crassulaceae]
돌단풍 (Dol-dan-pung)	Maple-leaf mukdenia <i>Mukdenia rossii</i> (Oliv.) Koidz.
돌단풍속 [범의귀과] (Dol-dan-pung-sok)	Mukdenia <i>Mukdenia</i> Koidz. [Saxifragaceae]
돌담고사리 (Dol-dam-go-sa-ri)	Stone-wall spleenwort <i>Asplenium sarelii</i> Hook.
돌동부 (Dol-dong-bu)	Seashore black-eye cowpea <i>Vigna vexillata</i> var. <i>tsusimensis</i> Matsum.
돌마타리 (Dol-ma-ta-ri)	Rocky golden lace <i>Patrinia rupestris</i> (Pall.) Juss.
돌방풍 (Dol-bang-pung)	Rock carlesia <i>Carlesia sinensis</i> Dunn
돌방풍속 [산형과] (Dol-bang-pung-sok)	Carlesia <i>Carlesia</i> Dunn [Apiaceae]
돌배나무 (Dol-bae-na-mu)	Sand pear <i>Pyrus pyrifolia</i> (Burm.f.) Nakai
돌부채 (Dol-bu-chae)	Korean elephant-ear <i>Bergenia coreana</i> Nakai
돌부채속 [범의귀과] (Dol-bu-chae-sok)	Elephant-ear, Elephant-eared saxifrage, Elephant's ears <i>Bergenia</i> Moench [Saxifragaceae]
돌부채손 (Dol-bu-chae-son)	Round-leaf mukdenia <i>Mukdenia acanthifolia</i> Nakai
돌부추 (Dol-bu-chu)	Korean rocky chive <i>Allium koreanum</i> H.J.Choi & B.U.Oh
돌봉나무 (Dol-ppong-na-mu)	Chinese mulberry <i>Morus cathayana</i> Hemsl.

Korean name (Romanization)	English name Scientific name
돌앵초 (Dol-aeng-cho)	Rock primrose <i>Primula saxatilis</i> Kom.
돌양지꽃 (Dol-yang-ji-kkot)	Korean cinquefoil <i>Potentilla dickinsii</i> Franch. & Sav.
돌외 (Dol-oe)	Five-leaf gynostemma <i>Gynostemma pentaphyllum</i> (Thunb.) Makino
돌외속 [박과] (Dol-oe-sok)	Gynostemma <i>Gynostemma</i> Blume [Cucurbitaceae]
돌잔고사리 (Dol-jan-go-sa-ri)	Rock lace fern <i>Microlepia marginata</i> (Panzer) C.Chr.
돌잔고사리속 [고사리과] (Dol-jan-go-sa-ri-sok)	Palapalai <i>Microlepia</i> C.Presl [Pteridaceae]
돌좀고사리 (Dol-jomn-go-sa-ri)	Wall-rue <i>Asplenium ruta-muraria</i> L.
돌지치 (Dol-ji-chi)	Spiny stickseed <i>Lappula heteracantha</i> (Ledeb.) Guerke
돌채송화 (Dol-chae-song-hwa)	Rocky moss-rose stonecrop <i>Sedum japonicum</i> Siebold ex Miq.
돌콩 (Dol-kong)	Wild soybean <i>Glycine soja</i> Siebold & Zucc.
돌토끼고사리 (Dol-to-kki-go-sa-ri)	Rigid lace fern <i>Microlepia strigosa</i> (Thunb.) C.Presl
돌피 (Dol-pi)	Barnyard grass <i>Echinochloa crus-galli</i> (L.) P.Beauv.
동강할미꽃 (Dong-gang-hal-mi-kkot)	Donggang pasque-flower <i>Pulsatilla tongkangensis</i> Y.N.Lee & T.C.Lee
동래엉겅퀴 (Dong-rae-eong-geong-kwi)	Dongrae thistle <i>Cirsium toraiense</i> Nakai ex Kitam.
동백나무 (Dong-baek-na-mu)	Common camellia <i>Camellia japonica</i> L.
동백나무겨우살이 (Dong-baek-na-mu-gyeo-u-sal-i)	Oriental korthal mistletoe <i>Korthalsella japonica</i> (Thunb.) Engl.

Korean name (Romanization)	English name Scientific name
동백나무겨우살이속 [겨우살이과] (Dong-baek-na-mu-gyeo-u-sal-i-sok)	Korthal mistletoe <i>Korthalsella</i> Tiegh. [Loranthaceae]
동백나무속 [차나무과] (Dong-baek-na-mu-sok)	Camellia <i>Camellia</i> L. [Theaceae]
동백사초 (Dong-baek-sa-cho)	Livid sedge <i>Carex livida</i> (Wahlenb.) Willd.
동부속 [콩과] (Dong-bu-sok)	Cowpea <i>Vigna</i> Savi [Fabaceae]
동아나자스말 (Dong-a-na-ja-seu-mal)	Asian water-nymph <i>Najas chinensis</i> N.Z.Wang
동의나풀 (Dong-ui-na-mul)	Marsh marigold <i>Caltha palustris</i> L.
동의나물속 [미나리아재비과] (Dong-ui-na-mul-sok)	Marsh marigold <i>Caltha</i> L. [Ranunculaceae]
동자꽃 (Dong-ja-kkot)	Orange campion <i>Lychnis cognata</i> Maxim.
동자꽃속 [석죽과] (Dong-ja-kkot-sok)	Campion <i>Lychnis</i> L. [Caryophyllaceae]
된장풀 (Doen-jang-pul)	Caudate tick clover <i>Desmodium caudatum</i> (Thunb.) DC.
두루미꽃 (Du-ru-mi-kkot)	Two leaf beadrbuby <i>Maianthemum bifolium</i> (L.) F.W.Schmidt
두루미꽃속 [백합과] (Du-ru-mi-kkot-sok)	False lily of the valley, Mayflower <i>Maianthemum</i> F.H.Wigg. [Liliaceae]
두루미천남성 (Du-ru-mi-cheon-nam-seong)	Diversileaf jack-in-the-pulpit <i>Arisaema heterophyllum</i> Blume
두릅나무 (Du-reup-na-mu)	Korean angelica tree <i>Aralia elata</i> (Miq.) Seem.
두릅나무과 (Du-reup-na-mu-gwa)	Aralia family Araliaceae Juss.
두릅나무속 [두릅나무과] (Du-reup-na-mu-sok)	Spikenard <i>Aralia</i> L. [Araliaceae]

Korean name (Romanization)	English name Scientific name
두메갈퀴 (Du-me-gal-kwi)	Montane bedstraw <i>Galium paradoxum</i> Maxim.
두메개고사리 (Du-me-gae-go-sa-ri)	High-mountain ladyfern <i>Athyrium spinulosum</i> (Maxim.) Milde
두메고들빼기 (Du-me-go-deul-ppae-gi)	Triangular lettuce <i>Lactuca triangulata</i> Maxim.
두메고사리 (Du-me-go-sa-ri)	Mountain twinsorus fern <i>Diplazium sibiricum</i> (Turcz. ex Kunze) Sa.Kurata
두메기름나물 (Du-me-gi-reum-na-mul)	Korean hogfennel <i>Peucedanum coreanum</i> Nakai
두메김의털 (Du-me-gim-ui-teol)	Alpine sheep's fescue <i>Festuca ovina</i> var. <i>koreanoalpina</i> Ohwi
두메꿀풀 (Du-me-kkul-pul)	Alpine self-heal <i>Prunella vulgaris</i> var. <i>aleutica</i> Fernald
두메꿩의밥 (Du-me-kkwong-ui-bap)	Montane woodrush <i>Luzula sudetica</i> var. <i>pauciflora</i> Nakai
두메냉이 (Du-me-naeng-i)	Baekdusan bittercress <i>Cardamine changbaiana</i> Al-Shehbaz
두메닥나무 (Du-me-dak-na-mu)	Mountain daphne <i>Daphne pseudomezereum</i> var. <i>koreana</i> (Nakai) Hamaya
두메담배풀 (Du-me-dam-bae-pul)	Alpine carpesium <i>Carpesium triste</i> Maxim.
두메당근 (Du-me-dang-geun)	Montane angelica <i>Angelica florenti</i> Franch. & Sav. ex Maxim.
두메대극 (Du-me-dae-geuk)	Korean mountain spurge <i>Euphorbia fauriei</i> H.Lév. & Vaniot ex H.Lév.
두메미꾸리광이 (Du-me-mi-kku-ri-gwang-i)	Aleutian mannagrass <i>Glyceria alnasteretum</i> Kom.
두메바늘꽃 (Du-me-ba-neul-kkot)	Angular willowherb <i>Epilobium angulatum</i> Kom.
두메부추 (Du-me-bu-chu)	Aging chive <i>Allium senescens</i> L.

Korean name (Romanization)	English name Scientific name
두메분취 (Du-me-bun-chwi)	Montane-woolly saussurea <i>Saussurea tomentosa</i> Kom.
두메애기풀 (Du-me-ae-gi-pul)	Asian milkwort <i>Polygala sibirica</i> L.
두메양귀비 (Du-me-yang-gwi-bi)	Montane poppy <i>Papaver radicatum</i> var. <i>pseudoradicatum</i> (Kitag.) Kitag.
두메오리나무 (Du-me-o-ri-na-mu)	Montane alder <i>Alnus maximowiczii</i> Callier
두메오이풀 (Du-me-o-i-pul)	Alpine burnet <i>Sanguisorba obtusa</i> Maxim.
두메우드풀 (Du-me-u-deu-pul)	Rusty woodsia <i>Woodsia ilvensis</i> (L.) R.Br.
두메자운 (Du-me-ja-un)	White-flower mountain locoweed <i>Oxytropis anertii</i> Nakai ex Kitag.
두메자운속 [콩과] (Du-me-ja-un-sok)	Locoweed <i>Oxytropis</i> DC. [Fabaceae]
두메잔대 (Du-me-jan-dae)	Lamark's ladybell <i>Adenophora lamarckii</i> Fisch.
두메취 (Du-me-chwi)	Highland saussurea <i>Saussurea triangulata</i> Trautv. & Mey.
두메총층이 (Du-me-cheung-cheung-i)	Small-flower mountain calamint <i>Clinopodium micranthum</i> (Regel) H.Hara
두메탑풀 (Du-me-tap-pul)	Alpine calamint <i>Clinopodium sachalinense</i> (F.Schmidt) Koidz.
두메투구꽃 (Du-me-tu-gu-kkot)	High-mountain speedwell <i>Veronica stellieri</i> var. <i>longistyla</i> Kitag.
두메포아풀 (Du-me-po-a-pul)	Mountain bluegrass <i>Poa malacantha</i> var. <i>shinanoana</i> (Ohwi) Ohwi
두메홍고불나무 (Du-me-hong-goe-bul-na-mu)	Montane honeysuckle <i>Lonicera maximowiczii</i> (Rupr.) Regel
두메황새풀 (Du-me-hwang-sae-pul)	Mountain cottonsedge <i>Eriophorum japonicum</i> Maxim.

Korean name (Romanization)	English name Scientific name
두잎감자난초 (Du-ip-gam-ja-nan-cho)	Two-leaf oreorchis <i>Oreorchis coreana</i> Finet
두잎약난초 (Du-ip-yak-nan-cho)	Two-leaf cremastra <i>Cremastra unguiculata</i> (Finet) Finet
등굴레 (Dung-gul-re)	Lesser solomon's seal <i>Polygonatum odoratum</i> var. <i>pluriflorum</i> (Miq.) Ohwi
등굴레속 [백합과] (Dung-gul-re-sok)	King solomon's-seal, Solomon's seal <i>Polygonatum</i> Mill. [Liliaceae]
등근검바늘꼴 (Dung-geun-geom-ba-neul-gol)	Ovate spikerush <i>Eleocharis ovata</i> (Roth) Roem. & Schult.
등근매듭풀 (Dung-geun-mae-deup-pul)	Korean clover <i>Kummerowia stipulacea</i> (Maxim.) Makino
등근미선나무 (Dung-geun-mi-seon-na-mu)	Round-fruit miseonnamu (Round-fruit abeliophyllum) * <i>Abeliophyllum distichum</i> var. <i>rotundicarpum</i> T.B.Lee
등근바위솔 (Dung-geun-ba-wi-sol)	Spatulate rock pine <i>Orostachys malacophylla</i> (Pall.) Fisch.
등근배암차즈기 (Dung-geun-bae-am-cha-jeu-gi)	East Asian sage <i>Salvia japonica</i> Thunb.
등근범꼬리 (Dung-geun-beom-kko-ri)	Global-spike bistort <i>Bistorta globispica</i> Nakai
등근산꼬리풀 (Dung-geun-san-kko-ri-pul)	Round-leaf spike speedwell <i>Veronica rotunda</i> Nakai
등근산부추 (Dung-geun-san-bu-chu)	Terete-leaf Thunberg's chive <i>Allium thunbergii</i> var. <i>teretifolium</i> H.J.Choi & B.U.Oh
등근오리방풀 (Dung-geun-o-ri-bang-pul)	Korean tailed-leaf isodon <i>Isodon excisus</i> var. <i>coreanus</i> T.B.Lee
등근이질풀 (Dung-geun-i-jil-pul)	Korean cranesbill <i>Geranium koreanicum</i> Kom.
등근인가목 (Dung-geun-in-ga-mok)	Burnet rose <i>Rosa pimpinellifolia</i> L.
등근잎개야광 (Dung-geun-ip-gae-ya-gwang)	Common cotoneaster <i>Cotoneaster integerrima</i> Medik.

Korean name (Romanization)	English name Scientific name
둥근잎고추풀 (Dung-geun-ip-go-chu-pul)	Ovate-leaf deinostema <i>Deinostema adenocaulum</i> (Maxim.) T.Yamaz.
둥근잎광나무 (Dung-geun-ip-gwang-na-mu)	Round wax-leaf privet <i>Ligustrum japonicum</i> var. <i>rotundifolium</i> Blume
둥근잎꿩의비름 (Dung-geun-ip-kkwong-ui-bi-reum)	Round-leaf hylotelephium <i>Hylotelephium ussurense</i> (Kom.) H.Ohba
둥근잎녹나무 (Dung-geun-ip-nok-na-mu)	Round-leaf camphor tree <i>Cinnamomum camphora</i> var. <i>cyclophyllum</i> Nakai
둥근잎다정큼 (Dung-geun-ip-da-jeong-keum)	Round-leaf Indian hawthorn <i>Rhaphiolepis indica</i> var. <i>integerrima</i> (Hook. & Arn.) Kitam.
둥근잎댕댕이 (Dung-geun-ip-daeng-daeng-i)	Ovate-leaf deepblue honeysuckle <i>Lonicera caerulea</i> var. <i>venulosa</i> (Maxim.) Rehder
둥근잎명아주 (Dung-geun-ip-myéong-a-ju)	Acuminate goosefoot <i>Chenopodium acuminatum</i> Willd.
둥근잎비름 (Dung-geun-ip-bi-reum)	Round-leaf stonecrop <i>Sedum makinoi</i> Maxim.
둥근잎생강나무 (Dung-geun-ip-saeng-gang-na-mu)	Ovate blunt-lobe spicebush * <i>Lindera obtusiloba</i> f. <i>ovata</i> T.B.Lee
둥근잎섬쥐똥나무 (Dung-geun-ip-seom-jwi-ttong-na-mu)	Oval-leaf Korean privet <i>Ligustrum foliosum</i> f. <i>ovale</i> Nakai
둥근잎염주나무 (Dung-geun-ip-yeom-ju-na-mu)	Round-leaf beads linden <i>Tilia megaphylla</i> f. <i>subintegra</i> Nakai
둥근잎조팝나무 (Dung-geun-ip-jo-pap-na-mu)	White spirea <i>Spiraea betulifolia</i> Pall.
둥근잎참빗살나무 (Dung-geun-ip-cham-bit-sal-na-mu)	Jejudo spindletree <i>Euonymus quelpaertensis</i> Nakai
둥근잎천남성 (Dung-geun-ip-cheon-nam-seong)	Amur jack-in-the-pulpit <i>Arisaema amurense</i> Maxim.
둥근잎택사 (Dung-geun-ip-taek-sa)	Parnassus-leaf caldesia <i>Caldesia parnassifolia</i> (Bassi ex L.) Parl.
둥근잎택사속 [택사과] (Dung-geun-ip-taek-sa-sok)	Caldesia <i>Caldesia</i> Parl. [Alismataceae]

Korean name (Romanization)	English name Scientific name
등근잔대 (Dung-geun-jan-dae)	Round-leaf ladybell <i>Adenophora coronopifolia</i> Fisch.
등근털제비꽃 (Dung-geun-teol-je-bi-kkot)	Hill violet <i>Viola collina</i> Besser
등근하늘지기 (Dung-geun-ha-neul-ji-gi)	Globose fimbriстиlis <i>Fimbristylis umbellaris</i> (Lam.) Vahl
드렁방동사니 (Deu-reong-bang-dong-sa-ni)	Yellow flatsedge <i>Cyperus flavidus</i> (Retz.) T.Koyama
드렁새 (Deu-reong-sae)	Asian sprangletop <i>Leptochloa chinensis</i> (L.) Nees
드렁새속 [벼과] (Deu-reong-sae-sok)	Sprangletop <i>Leptochloa</i> P.Beauv. [Poaceae]
드문고사리 (Deu-mun-go-sa-ri)	Loosely-leaf marsh fern <i>Metathelypteris laxa</i> (Franch. & Sav.) Ching
드문고사리속 [면마과] (Deu-mun-go-sa-ri-sok)	Metathelypteris <i>Metathelypteris</i> (H.Ito) Ching [Dryopteridaceae]
들깨풀 (Deul-kkae-pul)	Purplish field mosla <i>Mosla punctulata</i> (J.F.Gmelin) Nakai
들떡쑥 (Deul-tteok-ssuk)	Northern edelweiss <i>Leontopodium leontopodioides</i> (Willd.) Beauverd
들메나무 (Deul-me-na-mu)	Manchurian ash <i>Fraxinus mandshurica</i> Rupr.
들바람꽃 (Deul-ba-ram-kkot)	Amur anemone <i>Anemone amurensis</i> (Korsh.) Kom.
들배나무 (Deul-bae-na-mu)	Field Ussurian pear <i>Pyrus uyematsuana</i> Makino
들버들 (Deul-beo-deul)	Meadow little willow <i>Salix subopposita</i> Miq.
들사초 (Deul-sa-cho)	Needle-leaf sedge <i>Carex duriuscula</i> C.A.Mey.
들새풀 (Deul-sae-pul)	Heteroglumous reedgrass <i>Calamagrostis heterogluma</i> (Nakai) Honda

Korean name (Romanization)	English name Scientific name
들지치 (Deul-ji-chi)	European stickseed <i>Lappula echinata</i> (L.) Gilib.
들지치속 [지치과] (Deul-ji-chi-sok)	Stickseed <i>Lappula</i> Moench [Boraginaceae]
들쭉나무 (Deul-jjuk-na-mu)	Bog blueberry <i>Vaccinium uliginosum</i> L.
들통발 (Deul-tong-bal)	Asian golden bladderwort <i>Utricularia pilosa</i> (Makino) Makino
들하늘지기 (Deul-ha-neul-ji-gi)	Field-flat fimbriстиlis <i>Fimbristylis pierottii</i> Miq.
들현호색 (Deul-hyeon-ho-saek)	Pink corydalis <i>Corydalis ternata</i> (Nakai) Nakai
등 (Deung)	Japanese wisteria <i>Wisteria floribunda</i> (Willd.) DC.
등갈퀴나물 (Deung-gal-kwi-na-mul)	Turfed vetch <i>Vicia cracca</i> L.
등골나물 (Deung-gol-na-mul)	Fragrant eupatorium <i>Eupatorium japonicum</i> Thunb.
등골나물속 [국화과] (Deung-gol-na-mul-sok)	Boneset, Snakeroot, Thoroughwort <i>Eupatorium</i> L. [Asteraceae]
등대시호 (Deung-dae-si-ho)	Big-bract hare's ear <i>Bupleurum euphorbioides</i> Nakai
등대풀 (Deung-dae-pul)	Madwoman's milk <i>Euphorbia helioscopia</i> L.
등속 [콩과] (Deung-sok)	Wisteria <i>Wisteria</i> Nutt. [Fabaceae]
등수국 (Deung-su-guk)	Climbing hydrangea <i>Hydrangea petiolaris</i> Siebold & Zucc.
등심붓꽃속 [붓꽃과] (Deung-sim-but-kkot-sok)	Blue-eye grass <i>Sisyrinchium</i> L. [Iridaceae]
등에풀 (Deung-e-pul)	Horsefly's eye <i>Dopatrium junceum</i> (Roxb.) Buch.-Ham. ex Benth.

Korean name (Romanization)	English name Scientific name
등에풀속 [현삼과] (Deung-e-pul-sok)	Dopatrium <i>Dopatrium</i> Buch.-Ham. ex Benth. [Scrophulariaceae]
등칡 (Deung-chik)	Manchurian pipevine <i>Aristolochia manshuriensis</i> Kom.
등포잎가래 (Deung-po-ip-ga-rae)	Eight-stamen pondweed <i>Potamogeton octandrus</i> var. <i>mizuhikimo</i> (Makino) H.Hara
등포풀 (Deung-po-pul)	Water mudwort <i>Limosella aquatica</i> L.
등포풀속 [현삼과] (Deung-po-pul-sok)	Mudwort <i>Limosella</i> L. [Scrophulariaceae]
딱지꽃 (Ttak-ji-kkot)	East Asian cinquefoil <i>Potentilla chinensis</i> Ser.
딱총나무 (Ttak-chong-na-mu)	Northeast Asian red elder <i>Sambucus williamsii</i> Hance
딱총나무속 [인동과] (Ttak-chong-na-mu-sok)	Elder, Elderberry <i>Sambucus</i> L. [Caprifoliaceae]
딸기속 [장미과] (Ttal-gi-sok)	Strawberry <i>Fragaria</i> L. [Rosaceae]
땃두릅나무 (Ttat-du-reup-na-mu)	Tall oplopanax <i>Oplopanax elatus</i> (Nakai) Nakai
땃두릅나무속 [두릅나무과] (Ttat-du-reup-na-mu-sok)	Oplopanax <i>Oplopanax</i> (Torr. & A.Gray) Miq. [Araliaceae]
땃딸기 (Ttat-ttal-gi)	Northeast Asian wild strawberry <i>Fragaria yezoensis</i> H.Hara
땅꽝이싸리 (Ttang-gwaeng-i-ssa-ri)	Hair-spreading lespedeza <i>Lespedeza x patentihirta</i> T.B.Lee
땅귀개 (Ttang-gwi-gae)	Bifid bladderwort <i>Utricularia bifida</i> L.
땅나리 (Ttang-na-ri)	Slim-stem lily <i>Lilium callosum</i> Siebold & Zucc.
땅비수리 (Ttang-bi-su-ri)	Juncea lespedeza <i>Lespedeza juncea</i> (L.f.) Pers.

Korean name (Romanization)	English name Scientific name
땅비싸리 (Ttang-bissa-ri)	Kirilow's indigo <i>Indigofera kirilowii</i> Maxim. ex Palib.
땅비싸리속 [콩과] (Ttang-bissa-ri-sok)	Indigo <i>Indigofera</i> L. [Fabaceae]
땅빈대 (Ttang-bin-dae)	Humifuse spurge <i>Euphorbia humifusa</i> Willd. ex Schlechl.
땅채송화 (Ttang-chae-song-hwa)	Coastal mosslike stonecrop <i>Sedum oryzifolium</i> Makino
때죽나무 (Ttae-juk-na-mu)	Snowbell tree <i>Styrax japonicus</i> Siebold & Zucc.
때죽나무과 (Ttae-juk-na-mu-gwa)	Styrax family Styracaceae DC. & Spreng.
때죽나무속 [때죽나무과] (Ttae-juk-na-mu-sok)	Snowbell, Styrax <i>Styrax</i> L. [Styracaceae]
떡갈나무 (Tteok-gal-na-mu)	Korean oak <i>Quercus dentata</i> Thunb.
떡갈줄참나무 (Tteok-gal-jol-cham-na-mu)	Dentata x aliena x serrata hybrid oak * <i>Quercus x mcccormickoserrata</i> T.B.Lee
떡갈참나무 (Tteok-gal-cham-na-mu)	Dentata x aliena hybrid oak <i>Quercus x mcccormickii</i> Carruth.
떡버들 (Tteok-beo-deul)	Hallasan willow <i>Salix hallasanensis</i> H.Lév.
떡사스래피나무 (Tteok-sa-seu-re-pi-na-mu)	Yellow East Asian eurya <i>Eurya japonica</i> var. <i>aurescens</i> Redde & E.H.Wilson
떡속소리나무 (Tteok-sok-so-ri-na-mu)	Fabre's oak <i>Quercus x fabri</i> Hance
떡신갈나무 (Tteok-sin-gal-na-mu)	Dentata x mongolica hybrid oak <i>Quercus x dentatomongolica</i> Nakai
떡신갈참나무 (Tteok-sin-gal-cham-na-mu)	Dentata x mongolica x aliena hybrid oak * <i>Quercus x mcccormickomongolica</i> T.B.Lee
떡신줄참나무 (Tteok-sin-jol-cham-na-mu)	Dentata x mongolica x serrata hybrid oak * <i>Quercus x dentatoserratoides</i> T.B.Lee

Korean name (Romanization)	English name Scientific name
떡쑥 (Tteok-ssuk)	Jersey cudweed <i>Pseudognaphalium affine</i> (D.Don) Anderb.
떡쑥속 (Tteok-ssuk-sok)	Cudweeds <i>Pseudognaphalium</i> Kirp. & Kuprian. [Asteraceae]
떡오리나무 (Tteok-o-ri-na-mu)	Northern alder <i>Alnus borealis</i> Koidz.
떡윤노리나무 (Tteok-yun-no-ri-na-mu)	Brown oriental photinia <i>Pourthiaeja villosa</i> var. <i>brunnea</i> (H.Lév.) Nakai
떡잎골무꽃 (Tteok-ip-gol-mu-kkot)	Thick-leaf Indian skullcap <i>Scutellaria indica</i> var. <i>tsusimensis</i> (H.Hara) Ohwi
떡잎산수국 (Tteok-ip-san-su-guk)	Korean hydrangea <i>Hydrangea serrata</i> f. <i>coreana</i> (Nakai) T.B.Lee
떡조팝나무 (Tteok-jo-pap-na-mu)	Thick-leaf summer spirea <i>Spiraea chartacea</i> Nakai
뚜껑덩굴 (Ttu-kkeong-deong-gul)	Lobed actinostemma <i>Actinostemma lobatum</i> (Maxim.) Maxim.
뚜껑덩굴속 [박과] (Ttu-kkeong-deong-gul-sok)	Actinostemma <i>Actinostemma</i> Griff. [Cucurbitaceae]
뚜껑별꽃 (Ttu-kkeong-byeol-kkot)	Blue-scarlet pimpernel <i>Anagallis arvensis</i> L.
뚜껑별꽃속 [앵초과] (Ttu-kkeong-byeol-kkot-sok)	Pimpernel <i>Anagallis</i> L. [Primulaceae]
뚝갈 (Ttuk-gal)	White-flower golden lace <i>Patrinia villosa</i> (Thunb.) Juss.
뚝사초 (Ttuk-sa-cho)	Appendicular sedge <i>Carex thunbergii</i> var. <i>appendiculata</i> (Trautv. & C.A.Mey.) Ohwi
뚝새풀 (Ttuk-sae-pul)	Short-awn foxtail grass <i>Alopecurus aequalis</i> Sobol.
뚝새풀속 [벼과] (Ttuk-sae-pul-sok)	Foxtail, Foxtail grass <i>Alopecurus</i> L. [Poaceae]
뚝자치 (Ttuk-ji-chi)	Nodding stickseed <i>Hackelia deflexa</i> (Wahlenb.) Opiz

Korean name (Romanization)	English name Scientific name
뚝지치속 [지치과] (Ttuk-ji-chi-sok)	Hackelia <i>Hackelia Opiz</i> [Boraginaceae]
뚝향나무 (Ttuk-hyang-na-mu)	Horizontal Chinese juniper <i>Juniperus chinensis</i> var. <i>horizontalis</i> Nakai ex Uyeki
띠 (Tti)	Blady grass <i>Imperata cylindrica</i> (L.) P.Beauv.
띠속 [벼과] (Tti-sok)	Satintail <i>Imperata Cirillo</i> [Poaceae]

☲

라프랜드새풀 (Ra-peu-raen-deu-sae-pul)	Lapland reedgrass <i>Calamagrostis lapponica</i> (Wahlenb.) Hartm.
레만사초 (Re-man-sa-cho)	Lehman's sedge <i>Carex lehmannii</i> Drejer
레분복주머니란 (Re-bun-bok-ju-meo-ni-ran)	Rebun big-flower lady's slipper <i>Cypripedium macranthos</i> f. <i>rebunense</i> (Kudô) Ohwi
린네풀 (Rin-ne-pul)	Twinflower <i>Linnaea borealis</i> L.
린네풀속 [인동과] (Rin-ne-pul-sok)	Twinflower <i>Linnaea</i> L. [Caprifoliaceae]

ㅁ

마 (Ma)	Chinese yam <i>Dioscorea polystachya</i> Turcz.
마가목 (Ma-ga-mok)	Silvery mountain ash <i>Sorbus commixta</i> Hedl.
마가목속 [장미과] (Ma-ga-mok-sok)	Mountain ash <i>Sorbus</i> L. [Rosaceae]
마과 (Ma-gwa)	Yam family <i>Dioscoreaceae</i> R.Br.
마디꽃 (Ma-di-kkot)	Indian rotala <i>Rotala indica</i> (Willd.) Koehne

근

ㅁ

Korean name (Romanization)	English name Scientific name
마디꽃속 [부처꽃과] (Ma-di-kkot-sok)	Rotala <i>Rotala L.</i> [Lythraceae]
마디포아풀 (Ma-di-po-a-pul)	Swollen-node white-top bluegrass <i>Poa acroleuca</i> var. <i>submoniliformis</i> Makino
마디풀 (Ma-di-pul)	Knotweed <i>Polygonum aviculare</i> L.
마디풀과 (Ma-di-pul-gwa)	Buckwheat family Polygonaceae Juss.
마디풀속 [마디풀과] (Ma-di-pul-sok)	Knotweed, Knotgrass, Bistort, Tearthumb, Mile-a-minute <i>Polygonum L.</i> [Polygonaceae]
마름 (Ma-reum)	East Asian water-chestnut <i>Trapa japonica</i> Flerow
마름과 (Ma-reum-gwa)	Water-chestnut family Trapaceae Dumort.
마름속 [마름과] (Ma-reum-sok)	Water-chestnut <i>Trapa L.</i> [Trapaceae]
마삭줄 (Ma-sak-jul)	Asian jasmine <i>Trachelospermum asiaticum</i> (Siebold & Zucc.) Nakai
마삭줄속 [협죽도과] (Ma-sak-jul-sok)	Trachelospermum <i>Trachelospermum</i> Lem. [Apocynaceae]
마속 [마과] (Ma-sok)	Yam <i>Dioscorea L.</i> [Dioscoreaceae]
마전과 (Ma-jeon-gwa)	Pinkroot family Loganiaceae R.Br. ex Mart.
마주잎꾸지나무 (Ma-ju-ip-kku-ji-na-mu)	Opposite-leaf paper mulberry <i>Broussonetia papyrifera</i> f. <i>oppositifolia</i> Nakai
마타리 (Ma-ta-ri)	Golden lace <i>Patrinia scabiosifolia</i> Fisch. ex Trevir.
마타리고 (Ma-ta-ri-gwa)	Valerian family Valerianaceae Batsch
마타리속 [마타리과] (Ma-ta-ri-sok)	Patrinia <i>Patrinia</i> Juss. [valerianaceae]

Korean name (Romanization)	English name Scientific name
마편초 (Ma-pyeon-cho)	Common verbena <i>Verbena officinalis</i> L.
마편초과 (Ma-pyeon-cho-gwa)	Verbena family Verbenaceae J.St.-Hil.
마편초속 [마편초과] (Ma-pyeon-cho-sok)	Vervain <i>Verbena</i> L. [Verbenaceae]
만년석송 (Man-nyeon-seok-song)	Rare clubmoss <i>Lycopodium obscurum</i> L.
만년콩 (Man-nyeon-kong)	East Asian euchresta <i>Euchresta japonica</i> Hook.f. ex Regel
만년콩속 [콩과] (Man-nyeon-kong-sok)	Euchresta <i>Euchresta Benn.</i> [Fabaceae]
만리화 (Man-ri-hwa)	Early forsythia <i>Forsythia ovata</i> Nakai
만병초 (Man-byeong-cho)	Short-fruit rosebay <i>Rhododendron brachycarpum</i> D.Don ex G.Don
만삼 (Man-sam)	Pilose bellflower <i>Codonopsis pilosula</i> (Franch.) Nannf.
만주거이삭여뀌 (Man-ju-gyeo-i-sak-yeo-kkwi)	Manchurian smartweed <i>Persicaria foliosa</i> (H.Lindb.) Kitag.
만주고로쇠 (Man-ju-go-ro-soe)	Manchurian paint maple <i>Acer pictum</i> var. <i>truncatum</i> (Bunge) C.S.Chang
만주곰솔 (Man-ju-gom-sol)	Manchurian red pine <i>Pinus tabuliformis</i> Carrière
만주논냉이 (Man-ju-non-naeng-i)	Manchurian bittercress <i>Cardamine regeliana</i> var. <i>manshurica</i> (Kom.) Kitag.
만주딱지꽃 (Man-ju-ttak-ji-kkot)	Divided cinquefoil <i>Potentilla multifida</i> L.
만주미나리아재비 (Man-ju-mi-na-ri-a-jae-bi)	Manchurian buttercup <i>Ranunculus grandis</i> Honda
만주바람꽃 (Man-ju-ba-ram-kkot)	Manchurian isopyrum <i>Isopyrum manshuricum</i> (Kom.) Kom.

Korean name (Romanization)	English name Scientific name
만주바람꽃속 [미나리아재비과] (Man-ju-ba-ram-kkot-sok)	Isopyrum <i>Isopyrum L.</i> [Ranunculaceae]
만주붓꽃 (Man-ju-but-kkot)	Manchurian iris <i>Iris mandshurica</i> Maxim.
만주사초 (Man-ju-sa-cho)	Manchurian sedge <i>Carex mandshurica</i> Meisnsh.
만주송이풀 (Man-ju-song-i-pul)	Manchurian lousewort <i>Pedicularis mandshurica</i> Maxim.
만주애기마름 (Man-ju-ae-gi-ma-reum)	Manchurian water-chestnut <i>Trapa maximowicci</i> Korsh.
만주우드풀 (Man-ju-u-deu-pul)	Manchurian woodsia <i>Woodsia manchuriensis</i> Hook.
만주잎갈나무 (Man-ju-ip-gal-na-mu)	Manchurian larch <i>Larix gmelinii</i> var. <i>olgensis</i> (A.Henry) Ostenf. & Syrach
만주잔대 (Man-ju-jan-dae)	Manchurian ladybell <i>Adenophora pereskifolia</i> (Fisch. ex Roem. & Schult.) G.Don
만주족도리풀 (Man-ju-jok-do-ri-pul)	Manchurian wildginger <i>Asarum heterotropoides</i> var. <i>mandshuricum</i> (Maxim.) Kitag.
만첩산철쭉 (Man-cheop-san-cheol-jjuk)	Multipetalous Korean azalea <i>Rhododendron yedoense</i> Maxim.
말 (Mal)	Acuminate-leaf pondweed <i>Potamogeton oxyphyllus</i> Miq.
말나리 (Mal-na-ri)	Manchurian turk's-cap Lily <i>Lilium distichum</i> Nakai ex Kamib.
말냉이장구채 (Mal-naeng-i-jang-gu-chae)	Night-flowering catchfly <i>Silene noctiflora</i> L.
말뚱비름 (Mal-ttong-bi-reum)	Bulbos stonecrop <i>Sedum bulbiferum</i> Makino
말발도리 (Mal-bal-do-ri)	Mongolian deutzia <i>Deutzia parviflora</i> Bunge
말발도리속 [범의귀과] (Mal-bal-do-ri-sok)	Pride-of-rochester <i>Deutzia</i> Thunb. [Saxifragaceae]

Korean name (Romanization)	English name Scientific name
말오줌나무 (Mal-o-jum-na-mu)	Ulleungdo elder <i>Sambucus racemosa</i> subsp. <i>pendula</i> (Nakai) H.I.Lim & Chin S.Chang
말오줌때때 (Mal-o-jum-ttae)	Korean sweetheart tree <i>Euscaphis japonica</i> (Thunb.) Kanitz
말오줌때속 [고추나무과] (Mal-o-jum-ttae-sok)	Euscaphis <i>Euscaphis</i> Siebold & Zucc. [Staphyleaceae]
말증 (Mal-jeum)	Curled pondweed <i>Potamogeton crispus</i> L.
말채나무 (Mal-chae-na-mu)	Walter's dogwood <i>Cornus walteri</i> Wangerin
말털이슬 (Mal-teol-i-seul)	Four-angle enchanter's nightshade <i>Circea quadrangularis</i> (Maxim.) Franch. & Sav.
맑은대쑥 (Mal-geun-dae-ssuk)	False wormwood <i>Artemisia keiskeana</i> Miq.
망개나무 (Mang-gae-na-mu)	Asian supplejack <i>Berchemia berchemiifolia</i> (Makino) Koidz.
망개나무속 [갈매나무과] (Mang-gae-na-mu-sok)	Supplejack <i>Berchemia</i> Neck. ex DC. [Rhamnaceae]
망사초 (Mang-sa-cho)	Northern meadow sedge <i>Carex vanheurckii</i> Müll. Arg.
망적천문동 (Mang-jeok-cheon-mun-dong)	Dahurian asparagus <i>Asparagus dauricus</i> Fisch. ex Link
매듭풀 (Mae-deup-pul)	Japanese clover <i>Kummerowia striata</i> (Thunb.) Schindl.
매듭풀속 [콩과] (Mae-deup-pul-sok)	Kummerowia <i>Kummerowia</i> Schindl. [Fabaceae]
매미꽃 (Mae-mi-kkot)	Korean forest poppy <i>Coreanomecon hylomeconoides</i> Nakai
매미꽃속 [양귀비과] (Mae-mi-kkot-sok)	Coreanomecon <i>Coreanomecon</i> Nakai [Papaveraceae]
매발톱 (Mae-bal-top)	Oriental columbine <i>Aquilegia buergeriana</i> var. <i>oxysepala</i> (Trautv. & Meyer) Kitam.

Korean name (Romanization)	English name Scientific name
매발톱나무 (Mae-bal-top-na-mu)	Amur barberry <i>Berberis amurensis</i> Rupr.
매발톱속 [미나리아재비과] (Mae-bal-top-sok)	Granny's bonnet, Columbine <i>Aquilegia</i> L. [Ranunculaceae]
매자기 (Mae-ja-gi)	Sea club rush <i>Scirpus maritimus</i> L.
매자나무 (Mae-ja-na-mu)	Korean barberry <i>Berberis koreana</i> Palib.
매자나무과 (Mae-ja-na-mu-gwa)	Barberry family Berberidaceae Juss.
매자나무속 [매자나무과] (Mae-ja-na-mu-sok)	Barberry <i>Berberis</i> L. [Berberidaceae]
매자잎버들 (Mae-ja-ip-beo-deul)	Alpine willow <i>Salix berberifolia</i> Pall.
매화노루발 (Mae-hwa-no-ru-bal)	Asian prince's pine <i>Chimaphila japonica</i> Miq.
매화노루발속 [노루발과] (Mae-hwa-no-ru-bal-sok)	Prince's pine, Wintergreen <i>Chimaphila</i> Pursh [Pyrolaceae]
매화마름 (Mae-hwa-ma-reum)	Maehwamareum (Korean water crowfoot) <i>Ranunculus kazusensis</i> Makino
매화말발도리 (Mae-hwa-mal-bal-do-ri)	Korean deutzia <i>Deutzia uniflora</i> Shirai
매화바람꽃 (Mae-hwa-ba-ram-kkot)	Remarkable callianthemum <i>Callianthemum insigne</i> (Nakai) Nakai
매화바람꽃속 [미나리아재비과] (Mae-hwa-ba-ram-kkot-sok)	Callianthemum <i>Callianthemum</i> C.A.Mey. [Ranunculaceae]
매화오리과 (Mae-hwa-o-ri-gwa)	White alder family Clethraceae Klotzsch
매화오리나무 (Mae-hwa-o-ri-na-mu)	Tree clethra <i>Clethra barbinervis</i> Siebold & Zucc.
매화오리속 [매화오리과] (Mae-hwa-o-ri-sok)	Sweetpepperbush <i>Clethra</i> L. [Clethraceae]

Korean name (Romanization)	English name Scientific name
맥도딸기 (Maek-do-ttal-gi)	Maekdo raspberry <i>*Rubus longisepalus</i> Nakai ex Kawamoto
맥문동 (Maek-mun-dong)	Big blue lilyturf <i>Liriope muscari</i> (Decne.) L.H.Bailey
맥문동속 [백합과] (Maek-mun-dong-sok)	Lilyturf <i>Liriope</i> Lour. [Liliaceae]
맥문아재비 (Maek-mun-a-jae-bi)	Wild lilyturf <i>Ophiopogon jaburan</i> (Siebold) Lodd.
맥문아재비속 [백합과] (Maek-mun-a-jae-bi-sok)	Lilyturf, Ophiopogon <i>Ophiopogon</i> Ker Gawl. [Liliaceae]
머귀나무 (Meo-gwi-na-mu)	Alianthus-like prickly-ash <i>Zanthoxylum ailanthoides</i> Siebold & Zucc.
머루 (Meo-ru)	Crimson grapevine <i>Vitis coignetiae</i> Pulliat ex Planch.
머위 (Meo-wi)	Giant butterbur <i>Petasites japonicus</i> (Siebold & Zucc.) Maxim.
머위속 [국화과] (Meo-wi-sok)	Butterbur <i>Petasites</i> Mill. [Asteraceae]
먹년출 (Meok-neon-chul)	Large-leaf paniculous supplejack <i>Berchemia floribunda</i> (Wall.) Brongn.
먼나무 (Meon-na-mu)	Round-leaf holly <i>Ilex rotunda</i> Thunb.
멀꿀 (Meol-kkul)	Stauntonia vine <i>Stauntonia hexaphylla</i> (Thunb.) Decne.
멀꿀속 [으름덩굴과] (Meol-kkul-sok)	Stauntonia <i>Stauntonia</i> DC. [Lardizabalaceae]
멍덕딸기 (Meong-deok-ttal-gi)	Asian red raspberry <i>Rubus idaeus</i> var. <i>microphyllus</i> Turcz.
멍석딸기 (Meong-seok-ttal-gi)	Trailing raspberry <i>Rubus parvifolius</i> L.

Korean name (Romanization)	English name Scientific name
명풀속 [쐐기풀과] (Meong-ul-pul-sok)	Elatostema <i>Elatostema</i> J.R.Forst. & G.Forst. [Urticaceae]
메가물고사리 (Me-ga-mul-go-sa-ri)	False-elba woodsia <i>Woodsia pseudoilvensis</i> Tagawa
메고사리삼 (Me-go-sa-ri-sam)	Northern moonwort <i>Botrychium boreale</i> J.Milde
매꽃 (Me-kkot)	Hairy-false morning glory <i>Calystegia pubescens</i> Lindl.
매꽃과 (Me-kkot-gwa)	Bindweed family, Morning glory family Convolvulaceae Juss.
매꽃속 [매꽃과] (Me-kkot-sok)	Bindweed, False bindweed, Morning glory <i>Calystegia</i> R.Br. [Convolvulaceae]
멧수영 (Met-su-yeong)	Montane dock <i>Rumex montanus</i> Desf.
멧용담 (Met-yong-dam)	Alpine-snowbed gentian <i>Gentiana nipponica</i> Maxim.
며느리밑씻개 (Myeo-neu-ri-mit-ssit-gae)	Prickled vine smartweed <i>Persicaria senticosa</i> (Meisn.) H.Gross ex Nakai
며느리배꼽 (Myeo-neu-ri-bae-kkop)	Asian tearthumb <i>Persicaria persfoliata</i> (L.) H.Gross
멱쇠채 (Myeok-soe-chae)	Single-flower serpentroot <i>Scorzonera austriaca</i> subsp. <i>glabra</i> (Rupr.) Lipsch. & Krasch. ex Lipsch.
면마과 (Myeon-ma-gwa)	Wood fern family Dryopteridaceae Herter
멸가치 (Myeol-ga-chi)	Asian trailplant <i>Adenocaulon himalaicum</i> Edgew.
멸가치속 [국화과] (Myeol-ga-chi-sok)	Trailplant <i>Adenocaulon</i> Hook. [Asteraceae]
명아자여뀌 (Myeong-a-ja-yeo-kkwi)	Node smartweed <i>Persicaria nodosa</i> (Pers.) Opiz
명아주 (Myeong-a-ju)	Red-center goosefoot <i>Chenopodium album</i> var. <i>centrorubrum</i> Makino

Korean name (Romanization)	English name Scientific name
명아주과 (Myeong-a-ju-gwa)	Goosefoot family <i>Chenopodiaceae</i> Vent.
명아주속 [명아주과] (Myeong-a-ju-sok)	Goosefoot <i>Chenopodium</i> L. [Chenopodiaceae]
명자나무속 [장미과] (Myeong-ja-na-mu-sok)	Flowering quince <i>Chaenomeles</i> Lindl. [Rosaceae]
명자순 (Myeong-ja-sun)	Common Korean currant <i>Ribes maximowiczianum</i> Kom.
명천바늘꽃 (Myeong-cheon-ba-neul-kkot)	Cylindrical-stigma willowherb <i>Epilobium cylindrostigma</i> Kom.
명천봄맞이 (Myeong-cheon-bom-mat-i)	Northern rockjasmine <i>Androsace septentrionalis</i> L.
명천쑥 (Myeong-cheon-ssuk)	Myeongcheon wormwood <i>Artemisia leucophylla</i> (Turcz.) Turcz. ex C.B.Clarke
명천장구채 (Myeong-cheon-jang-gu-chae)	Myeongcheon catchfly <i>Silene myongcheonensis</i> S.P.Hong & H.K.Moon
모감주나무 (Mo-gam-ju-na-mu)	Goldenrain tree <i>Koelreuteria paniculata</i> Laxm.
모감주나무속 [무환자나무과] (Mo-gam-ju-na-mu-sok)	Koelreuteria <i>Koelreuteria</i> Laxm. [Sapindaceae]
모기골 (Mo-gi-gol)	Watergrass <i>Bulbostylis barbata</i> (Rottb.) C.B.Clarke
모기골속 [사초과] (Mo-gi-gol-sok)	Hairsedge <i>Bulbostylis</i> Kunth [Cyperaceae]
모기방동사니 (Mo-gi-bang-dong-sa-ni)	Haspan flatsedge <i>Cyperus haspan</i> L.
모데미풀 (Mo-de-mi-pul)	Modemipul (Sanicle-leaf megaleranthis) <i>Megaleranthis saniculifolia</i> Ohwi
모데미풀속 [미나리아재비과] (Mo-de-mi-pul-sok)	Megaleranthis <i>Megaleranthis</i> Ohwi [Ranunculaceae]
모란바위솔 (Mo-ran-ba-wi-sol)	Mountain rock pine <i>Orostachys saxatilis</i> (Nakai) Nakai

Korean name (Romanization)	English name Scientific name
모람 (Mo-ram)	Oriental vining fig <i>Ficus oxyphylla</i> Miq. ex Zoll.
모래사초 (Mo-rae-sa-cho)	Hairy forest-live sedge <i>Carex drymophila</i> var. <i>pilifera</i> Kük.
모래지치 (Mo-rae-ji-chi)	Siberian sea rosemary <i>Argusia sibirica</i> (L.) Dandy
모래지치속 [지치과] (Mo-rae-ji-chi-sok)	Sea rosemary <i>Argusia</i> Boehm. [Boraginaceae]
모밀잣밤나무 (Mo-mil-jat-bam-na-mu)	Japanese chinquapin <i>Castanopsis cuspidata</i> (Thunb.) Schottky
모밀잣밤나무속 [참나무과] (Mo-mil-jat-bam-na-mu-sok)	Chinquapin, Chinkapin <i>Castanopsis</i> (D.Don) Spach [Fagaceae]
모새나무 (Mo-sae-na-mu)	Sea blueberry <i>Vaccinium bracteatum</i> Thunb.
모새달 (Mo-sae-dal)	Broad-leaf phacelurus <i>Phacelurus latifolius</i> (Steud.) Ohwi
모새달속 [벼과] (Mo-sae-dal-sok)	Phacelurus <i>Phacelurus</i> Griseb. [Poaceae]
모시대 (Mo-si-dae)	Scattered ladybell <i>Adenophora remotiflora</i> (Siebold & Zucc.) Miq.
모시물통이 (Mo-si-mul-tong-i)	Mongolian clearweed <i>Pilea mongolica</i> Wedd.
모시풀 (Mo-si-pul)	Ramie <i>Boehmeria nivea</i> (L.) Gaudich.
모시풀속 [쐐기풀과] (Mo-si-pul-sok)	Falsenettle <i>Boehmeria</i> Jacq. [Urticaceae]
목련 (Mok-ryeon)	Mokryeon (Kobus magnolia) <i>Magnolia kobus</i> DC.
목련과 (Mok-ryeon-gwa)	Magnolia family <i>Magnoliaceae</i> Juss.
목련속 [목련과] (Mok-ryeon-sok)	Magnolia <i>Magnolia</i> L. [Magnoliaceae]

Korean name (Romanization)	English name Scientific name
목서속 [물푸레나무과] (Mok-seo-sok)	Devilwood <i>Osmanthus</i> Lour. [Oleaceae]
목포대극 (Mok-po-dae-geuk)	Mokpo spurge * <i>Euphorbia pekinensis</i> var. <i>subulatifolius</i> (Hurus.) T.B.Lee
목포사초 (Mok-po-sa-cho)	Mokpo sedge <i>Carex genkaiensis</i> Ohwi
목포용등굴례 (Mok-po-yong-dung-gul-re)	Mokpo wide-bract solomon's seal <i>Polygonatum cryptanthum</i> H.Lév. & Vaniot
몽고뽕나무 (Mong-go-ppong-na-mu)	Mongolian mulberry <i>Morus mongolica</i> (Bureau) C.K.Schneid.
몽울토현삼 (Mong-ul-to-hyeon-sam)	Headed-flower figwort <i>Scrophularia cephalantha</i> Nakai
몽울풀 (Mong-ul-pul)	Densiflora elatostema <i>Elatostema densiflorum</i> Franch. & Sav.
뫼석송 (Moe-seok-song)	Mountain clubmoss <i>Lycopodium nikoense</i> Franch. & Sav.
뫼제비꽃 (Moe-je-bi-kkot)	Great-spur viola <i>Viola selkirkii</i> Pursh ex Goldie
뫼족제비고사리 (Moe-jok-je-bi-go-sa-ri)	Montane buckler fern <i>Dryopteris sabaei</i> (Franch. & Sav.) C.Chr.
뭣꿩의다리 (Moet-kkwong-ui-da-ri)	Northern-mountain meadow-rue <i>Thalictrum sachalinense</i> Lecoy.
뭣대추나무 (Moet-dae-chu-na-mu)	Jujube <i>Zizyphus jujuba</i> Mill.
뭣미나리 (Moet-mi-na-ri)	East Asian ostericum <i>Ostericum sieboldii</i> (Miq.) Nakai
뭣미나리속 [산형과] (Moet-mi-na-ri-sok)	Ostericum <i>Ostericum Hoffm.</i> [Apiaceae]
뭣억새 (Moet-eok-sae)	Mountain maiden silvergrass <i>Miscanthus sinensis</i> var. <i>ionandros</i> (Nakai) Y.N.Lee
뭣장대 (Moet-jang-dae)	Lyrate-leaf rockcress <i>Arabis lyrata</i> L.

Korean name (Romanization)	English name Scientific name
뭣풀사초 (Moet-pul-sa-cho)	Hair-like sedge <i>Carex capillaris</i> L.
뭐황기 (Moet-hwang-gi)	Alpine sweetvetch <i>Hedysarum alpinum</i> L.
뭐황기속 [콩과] (Moet-hwang-gi-sok)	Sweetvetch <i>Hedysarum</i> L. [Fabaceae]
묘향분취 (Myo-hyang-bun-chwi)	Myohyang saussurea <i>Saussurea myokoensis</i> Kitam.
무궁화 (Mu-gung-hwa)	Mugunghwa (Rose of sharon) <i>Hibiscus syriacus</i> L.
무궁화속 [아욱과] (Mu-gung-hwa-sok)	Rosemallow <i>Hibiscus</i> L. [Malvaceae]
무느둥굴레 (Mu-nui-dung-gul-re)	Variegate lesser solomon's seal <i>Polygonatum odoratum</i> var. <i>pluriflorum</i> f. <i>variegatum</i> Y.N.Lee
무느사초 (Mu-nui-sa-cho)	Maculate sedge <i>Carex maculata</i> Boott
무느족도리풀 (Mu-nui-jok-do-ri-pul)	Coloured wildginger <i>Asarum versicolor</i> (K.Yamaki) Y.N.Lee
무느지리대사초 (Mu-nui-ji-ri-dae-sa-cho)	Variegate creeping narrow-leaf sedge <i>Carex okamotoi</i> f. <i>variegata</i> Y.N.Lee
무느천남성 (Mu-nui-cheon-nam-seong)	Asian jack-in-the-pulpit <i>Arisaema thunbergii</i> Blume
무등취 (Mu-deung-chwi)	Mudeung saussurea <i>Saussurea nipponica</i> subsp. <i>higomontana</i> (Honda) H.T. Im
무등풀 (Mu-deung-pul)	Mudeung nutrush <i>Scleria mutoensis</i> Nakai
무릇 (Mu-reut)	East Asian squill <i>Scilla scilloides</i> (Lindl.) Druce
무릇속 [백합과] (Mu-reut-sok)	Scilla, Squill <i>Scilla</i> L. [Liliaceae]
무산곰취 (Mu-san-gom-chwi)	Musan ragwort <i>Ligularia japonica</i> (Thunb.) Less.

Korean name (Romanization)	English name Scientific name
무산사초 (Mu-san-sa-cho)	Musan sedge <i>Carex arnellii</i> Christ
무산상자 (Mu-san-sang-ja)	Thin sphallerocarpus <i>Sphallerocarpus gracilis</i> (Besser ex Trevir.) Koso-Pol.
무산상자속 [산형과] (Mu-san-sang-ja-sok)	Sphallerocarpus <i>Sphallerocarpus</i> Besser ex DC. [Apiaceae]
무속 [십자화과] (Mu-sok)	Radish <i>Raphanus</i> L. [Brassicaceae]
무엽란 (Mu-yeop-ran)	Leafless lecanorchis <i>Lecanorchis japonica</i> Blume
무엽란속 [난초과] (Mu-yeop-ran-sok)	Lecanorchis <i>Lecanorchis</i> Blume [Orchidaceae]
무주나무 (Mu-ju-na-mu)	Japanese lasianthus <i>Lasianthus japonicus</i> Miq.
무주나무속 [꼭두서니과] (Mu-ju-na-mu-sok)	Lasianthus <i>Lasianthus</i> Jack [Rubiaceae]
무화과나무속 [뽕나무과] (Mu-hwa-gwa-na-mu-sok)	Fig <i>Ficus</i> L. [Moraceae]
무화피올방개아재비 (Mu-hwa-pi-ol-bang-gae-a-jae-bi)	Non-perianth bristleless spikerush <i>Eleocharis kamtschatICA</i> f. <i>reducta</i> (Ohwi) Ohwi
무환자나무과 (Mu-hwan-ja-na-mu-gwa)	Soapberry family Sapindaceae Juss.
뚝밭소리쟁이 (Muk-bat-so-ri-jaeng-i)	Clustered dock <i>Rumex conglomeratus</i> Murray
문모초 (Mun-mo-cho)	Purslane speedwell <i>Veronica peregrina</i> L.
문배 (Mun-bae)	Munbae (Seoul Ussurian pear) * <i>Pyrus ussuriensis</i> var. <i>seoulensis</i> (Nakai) T.B.Lee
문수조릿대 (Mun-su-jo-rit-dae)	Munsu bamboo * <i>Arundinaria munsuensis</i> Y.N.Lee
문주란 (Mun-ju-ran)	Poison-bulb <i>Crinum asiaticum</i> var. <i>japonicum</i> Baker

Korean name (Romanization)	English name Scientific name
문주란속 [수선화과] (Mun-ju-ran-sok)	Swamplily <i>Crinum L.</i> [Amaryllidaceae]
물개구리밥 (Mul-gae-gu-ri-bap)	Mosquitofern <i>Azolla pinnata</i> R.Br.
물개구리밥속 [생이가래과] (Mul-gae-gu-ri-bap-sok)	Duckweed fern, Fairy moss, Mosquito fern, Mosquitofern, Water fern <i>Azolla Lam.</i> [Salviniaceae]
물개암나무 (Mul-gae-am-na-mu)	Manchurian hazel <i>Corylus sieboldiana</i> var. <i>mandshurica</i> (Maxim.) C.K.Schneid.
물고랭이 (Mul-go-raeng-i)	Stalked-spike bulrush <i>Scirpus nipponicus</i> Makino
물고사리 (Mul-go-sa-ri)	Oriental waterfern <i>Ceratopteris thalictroides</i> (L.) Brongn.
물고사리과 (Mul-go-sa-ri-gwa)	Water fern family <i>Parkeriaceae</i> Hook.
물고사리속 [물고사리과] (Mul-go-sa-ri-sok)	Antlerfern <i>Ceratopteris</i> Brongn. [Parkeriaceae]
물고추나물 (Mul-go-chu-na-mul)	Pink-flower marsh St.Johnswort <i>Triadenum japonicum</i> (Blume) Makino
물고추나물속 [물레나물과] (Mul-go-chu-na-mul-sok)	Marsh St. Johnswort <i>Triadenum</i> Raf. [Clusiaceae]
물골취 (Mul-gol-chwi)	Woolly-hair saussurea <i>Saussurea stenolepis</i> Nakai
물골풀 (Mul-gol-pul)	Slender-stem rush <i>Juncus gracillimus</i> (Buchenau) V.I.Krecz. & Gontsch.
물까치수염 (Mul-kka-chi-su-yeom)	Swamp-white loosestrife <i>Lysimachia leucantha</i> Miq.
물꼬리풀 (Mul-kko-ri-pul)	Water star <i>Dysophyllea stellata</i> (Lour.) Benth.
물꼬리풀속 [꼴풀과] (Mul-kko-ri-pul-sok)	Dysophyllea <i>Dysophyllea</i> Blume [Lamiaceae]
물꼬챙이골 (Mul-kko-chaeng-i-gol)	Ussuri spikerush <i>Eleocharis mamillata</i> var. <i>cyclocarpa</i> Kitag.

Korean name (Romanization)	English name Scientific name
물꽈리아재비 (Mul-kkwa-ri-a-jae-bi)	Nepalese monkey-flower <i>Mimulus nepalensis</i> Benth.
물꽈리아재비속 [현삼과] (Mul-kkwa-ri-a-jae-bi-sok)	Monkey-flowers, Musk-flowers <i>Mimulus</i> L. [Scrophulariaceae]
물달개비 (Mul-dal-gae-bi)	Sheathed monochoria <i>Monochoria vaginalis</i> var. <i>plantaginea</i> (Roxb.) Solms
물들메나무 (Mul-deul-me-na-mu)	Jirisan ash <i>Fraxinus chiisanensis</i> Nakai
물뚝새 (Mul-ttuk-sae)	Paddy field glenwoodgrass <i>Sacciolepis indica</i> var. <i>oryzetorum</i> (Makino) Ohwi
물뚝새속 [벼과] (Mul-ttuk-sae-sok)	Cupscale grass <i>Sacciolepis</i> Nash [Poaceae]
물레나물 (Mul-re-na-mul)	Great St. John's-wort <i>Hypericum ascyron</i> L.
물레나물과 (Mul-re-na-mul-gwa)	Mangosteen family <i>Clusiaceae</i> Lindl. (= <i>Guttiferae</i> Juss.)
물레나물속 [물레나물과] (Mul-re-na-mul-sok)	Hypericum, St. Johnswort, Tutsan <i>Hypericum</i> L. [Clusiaceae]
물마름 (Mul-ma-reum)	Small water-chestnut <i>Trapa pseudoincisa</i> Nakai
물매화 (Mul-mae-hwa)	Marsh grass-of-parnassus <i>Parnassia palustris</i> L.
물매화속 [범의귀과] (Mul-mae-hwa-sok)	Grass of parnassus, Bog-stars <i>Parnassia</i> L. [Saxifragaceae]
물머위 (Mul-meo-wi)	Common adenostemma <i>Adenostemma lavenia</i> (L.) Kuntze
물머위속 [국화과] (Mul-meo-wi-sok)	Adenostemma, Medicineplant <i>Adenostemma</i> J.R.Forst. & G.Forst. [Asteraceae]
물미나리아재비 (Mul-mi-na-ri-a-jae-bi)	Gmelin's buttercup <i>Ranunculus gmelinii</i> DC.
물박달나무 (Mul-bak-dal-na-mu)	Asian black birch <i>Betula davurica</i> Pall.

Korean name (Romanization)	English name Scientific name
물방동사니 (Mul-bang-dong-sa-ni)	Glomerate flatsedge <i>Cyperus glomeratus</i> L.
물뱀고사리 (Mul-baem-go-sa-ri)	False ladyfern <i>Athyrium fallaciosum</i> Milde
물벼룩이자리 (Mul-byeo-ruk-i-ja-ri)	Three-stamen waterwort <i>Elatine triandra</i> Schkuhr
물별 (Mul-byeol)	Pedicellate three-stamen waterwort <i>Elatine triandra</i> var. <i>pedicellata</i> Krylov
물별과 (Mul-byeol-gwa)	Waterwort family Elatinaceae Dumort.
물별속 [물별과] (Mul-byeol-sok)	Waterwort <i>Elatine</i> L. [Elatinaceae]
물별이끼 (Mul-byeol-i-kki)	Vernal water-starwort <i>Callitrichia palustris</i> L.
물봉선 (Mul-bong-seon)	Field touch-me-not <i>Impatiens textori</i> Miq.
물봉선속 [봉선화과] (Mul-bong-seon-sok)	Impatiens, Jewelweed, Snapweed, Touch-me-not <i>Impatiens</i> L. [Balsaminaceae]
물부추 (Mul-bu-chu)	Japanese quillwort <i>Isoetes japonica</i> A.Braun
물부추과 (Mul-bu-chu-gwa)	Quillwort family Isoetaceae Dumort.
물부추속 [물부추과] (Mul-bu-chu-sok)	Quillwort <i>Isoetes</i> L. [Isoetaceae]
물사초 (Mul-sa-cho)	Round sedge <i>Carex rotundata</i> Wahlenb.
물삿갓사초 (Mul-sat-gat-sa-cho)	Northern beak sedge <i>Carex rostrata</i> var. <i>borealis</i> (Hartm.) Kük
물석송 (Mul-seok-song)	Staghorn clubmoss <i>Lycopodium cernuum</i> L.
물속새 (Mul-sok-sae)	Water horsetail <i>Equisetum fluviatile</i> L.

Korean name (Romanization)	English name Scientific name
물솜방망이 (Mul-som-bang-mang-i)	Alpine-swamp groundsel <i>Tephroseris pseudosonchus</i> (Vaniot) C.Jeffrey & Y.L.Chen
물쇠뜨기 (Mul-soe-tteu-gi)	Meadow horsetail <i>Equisetum pratense</i> Ehrh.
물수세미 (Mul-su-se-mi)	Whorled water-milfoil <i>Myriophyllum verticillatum</i> L.
물수세미속 [개미탑과] (Mul-su-se-mi-sok)	Water-milfoil <i>Myriophyllum</i> L. [Haloragaceae]
물싸리 (Mulssa-ri)	Stiff shrubby cinquefoil <i>Potentilla fruticosa</i> L.
물싸리풀 (Mulssa-ri-pul)	Glabrous forked-leaf cinquefoil <i>Potentilla bifurca</i> L.
물쑥 (Mul-ssuk)	Riverside wormwood <i>Artemisia selengensis</i> Turcz. ex Besser
물앵도나무 (Mul-aeng-do-na-mu)	Manchurian honeysuckle <i>Lonicera ruprechtiana</i> Regel
물양지꽃 (Mul-yang-ji-kkot)	Marsh cinquefoil <i>Potentilla cryptotaeniae</i> Maxim.
물억새 (Mul-eok-sae)	Amur silvergrass <i>Miscanthus sacchariflorus</i> (Maxim.) Benth. & Hook. f. ex Franch
물엉겅퀴 (Mul-eong-geong-kwi)	Island thistle <i>Cirsium nipponicum</i> (Maxim.) Makino
물여뀌 (Mul-yeo-kkwi)	Water smartweed <i>Persicaria amphibia</i> (L.) Delarbre
물오리나무 (Mul-o-ri-na-mu)	Manchurian alder <i>Alnus hirsuta</i> (Spach) Rupr.
물옥잠 (Mul-ok-jam)	Korsakow's monochoria <i>Monochoria korsakowii</i> Regel & Maack
물옥잠과 (Mul-ok-jam-gwa)	Water-hyacinth family <i>Pontederiaceae</i> Kunth
물옥잠속 [물옥잠과] (Mul-ok-jam-sok)	Monochoria <i>Monochoria</i> C.Presl [Pontederiaceae]

Korean name (Romanization)	English name Scientific name
물잎풀 (Mul-ip-pul)	Erect hygrophila <i>Hygrophila ringens</i> (L.) Steud.
물잎풀속 [쥐꼬리망초과] (Mul-ip-pul-sok)	Swampweed <i>Hygrophila</i> R.Br. [Acanthaceae]
물잔디 (Mul-jan-di)	East Asian mudgrass <i>Pseudoraphis sordida</i> (Thwaites) S.M.Phillips & S.L.Chen
물잔디속 [벼과] (Mul-jan-di-sok)	Mudgrasses <i>Pseudoraphis</i> Griff. [Poaceae]
물지채 (Mul-ji-chae)	Marsh arrowgrass <i>Triglochin palustris</i> L.
물질경이 (Mul-jil-gyeong-i)	Duck lettuce <i>Ottelia alismoides</i> (L.) Pers.
물질경이속 [자라풀과] (Mul-jil-gyeong-i-sok)	Ottelia <i>Ottelia</i> Pers. [Hydrocharitaceae]
물참나무 (Mul-cham-na-mu)	Mulcham oak (Wavy Mongolian oak) <i>Quercus mongolica</i> var. <i>crispula</i> (Blume) H.Ohashi
물참대 (Mul-cham-dae)	Glabrous deutzia <i>Deutzia glabrata</i> Kom.
물칭개나물 (Mul-ching-gae-na-mul)	Undulate speedwell <i>Veronica undulata</i> Wall.
물통이 (Mul-tong-i)	Pacific island clearweed <i>Pilea peploides</i> (Gaudich.) Hook. & Arn.
물통이속 [쐐기풀과] (Mul-tong-i-sok)	Clearweed <i>Pilea</i> Lindl. [Urticaceae]
물푸레나무 (Mul-pu-re-na-mu)	East Asian ash <i>Fraxinus rhynchophylla</i> Hance
물푸레나무과 (Mul-pu-re-na-mu-gwa)	Olive family Oleaceae Hoffmanns. & Link
물푸레나무속 [물푸레나무과] (Mul-pu-re-na-mu-sok)	Ash <i>Fraxinus</i> L. [Oleaceae]
물황철나무 (Mul-hwang-cheol-na-mu)	Korean poplar <i>Populus koreana</i> Rehder

Korean name (Romanization)	English name Scientific name
미꾸리광이속 [벼과] (Mi-kku-ri-gwang-i-sok)	Mannagrass, Sweet-grass <i>Glyceria R.Br.</i> [Poaceae]
미꾸리낚시 (Mi-kku-ri-nak-si)	Arrow-leaf smartweed <i>Persicaria sagittata</i> (L.) H.Gross
미나리 (Mi-na-ri)	Java water-dropwort <i>Oenanthe javanica</i> (Blume) DC.
미나리냉이 (Mi-na-ri-naeng-i)	White-flower bittercress <i>Cardamine leucantha</i> (Tausch) O.E.Schulz
미나리속 [산형과] (Mi-na-ri-sok)	Water-dropwort <i>Oenanthe L.</i> [Apiaceae]
미나리아재비 (Mi-na-ri-a-jae-bi)	East Asian buttercup <i>Ranunculus japonicus</i> Thunb.
미나리아재비과 (Mi-na-ri-a-jae-bi-gwa)	Buttercup family Ranunculaceae Juss.
미나리아재비속 [미나리아재비과] (Mi-na-ri-a-jae-bi-sok)	Buttercups, Spearworts, Water crowfoots <i>Ranunculus L.</i> [Ranunculaceae]
미색물봉선 (Mi-saek-mul-bong-seon)	Pale touch-me-not <i>Impatiens noli-tangere</i> var. <i>pallescens</i> Nakai
미색복주머니란 (Mi-saek-bok-ju-meo-ni-ran)	Ivory lady's slipper <i>Cypripedium neoparviflorum</i> Y.N.Lee
미선나무 (Mi-seon-na-mu)	Miseonnamu (Korean abeliophyllum) <i>Abeliophyllum distichum</i> Nakai
미선나무속 [풀풀레나무과] (Mi-seon-na-mu-sok)	Korean abelialeaf, Miseonnamu, White forsythia <i>Abeliophyllum Nakai</i> [Oleaceae]
미역고사리 (Mi-yeok-go-sa-ri)	Common polypody <i>Polypodium vulgare L.</i>
미역고사리속 [고란초과] (Mi-yeok-go-sa-ri-sok)	Polypody, Rockcap fern <i>Polypodium L.</i> [Polypodiaceae]
미역줄나무 (Mi-yeok-jul-na-mu)	Regel's threewingnut <i>Tripterygium regelii</i> Sprague & Takeda
미역줄나무속 [노박덩굴과] (Mi-yeok-jul-na-mu-sok)	Tripterygium <i>Tripterygium Hook.f.</i> [Celastraceae]

Korean name (Romanization)	English name Scientific name
미역취 (Mi-yeok-chwi)	Asian goldenrod <i>Solidago virgaurea</i> subsp. <i>asiatica</i> Kitam. ex H.Hara
미역취속 [국화과] (Mi-yeok-chwi-sok)	Goldenrod <i>Solidago</i> L. [Asteraceae]
미치광이풀 (Mi-chi-gwang-i-pul)	Korean scopolia <i>Scopolia japonica</i> Maxim.
미치광이풀속 [가지과] (Mi-chi-gwang-i-pul-sok)	Scopolia <i>Scopolia</i> Jacq. [Solanaceae]
민개구리미나리 (Min-gae-gu-ri-mi-na-ri)	Smooth long-beak buttercup <i>Ranunculus tachiroei</i> f. <i>glabrescens</i> (Sakata) W.T.Lee
민구와말 (Min-gu-wa-mal)	Indian marshweed <i>Limnophila indica</i> (L.) Druce
민국화수리취 (Min-guk-hwa-su-ri-chwi)	Undivided chrysanthemum-leaf sunnurus <i>Synurus palmatopinnatifidus</i> var. <i>indivisus</i> (Makino) Kitam.
민금강제비꽃 (Min-geum-gang-je-bi-kkot)	Glabrous Geumgang violet <i>Viola diamantiaca</i> f. <i>glabrior</i> (Kitag.) Kitag.
민긴잎갈퀴 (Min-gin-ip-gal-kwi)	Lance-leaf northern bedstraw <i>Galium boreale</i> var. <i>lanceolatum</i> Nakai
민꼭두서니 (Min-kkok-du-seo-ni)	Glabrous erect Asian madder <i>Rubia chinensis</i> var. <i>glabrescens</i> (Nakai) Kitag.
민꽃다지 (Min-kkot-da-ji)	Smooth wood whitlow-grass <i>Draba nemorosa</i> f. <i>leiocarpa</i> (Lindb.) Kitag.
민꾸지나무 (Min-kku-ji-na-mu)	Shining paper mulberry <i>Broussonetia papyrifera</i> f. <i>lucida</i> (Hatus.) T.B.Lee
민나도국수나무 (Min-na-do-guk-su-na-mu)	Korean neillia <i>Neillia uekii</i> f. <i>papillosa</i> (Nakai) W.T.Lee
민나자스말 (Min-na-ja-seu-mal)	Spiny water-nymph <i>Najas marina</i> L.
민눈양지꽃 (Min-nun-yang-ji-kkot)	Smooth silverweed <i>Potentilla yokusaina</i> Makino
민대팻집나무 (Min-dae-paet-jip-na-mu)	Glabrous macropoda holly <i>Ilex macropoda</i> f. <i>pseudomacropoda</i> (Loes.) H.Hara

Korean name (Romanization)	English name Scientific name
민두메고사리 (Min-du-me-go-sa-ri)	Smooth mountain twinsorus fern <i>Diplazium sibiricum</i> var. <i>glabrum</i> (Tagawa) Sa.Kurata
민둥갈퀴 (Min-dung-gal-kwi)	Smooth bedstraw <i>Galium kinuta</i> Nakai & H.Hara
민둥뫼제비꽃 (Min-dung-moe-je-bi-kkot)	Sunny violet <i>Viola tokubuchiana</i> var. <i>takedana</i> (Makino) F.Maek.
민둥제비꽃 (Min-dung-je-bi-kkot)	Glabrous red-flower violet <i>Viola phalacrocarpa</i> f. <i>glaberrima</i> (W.Becker) F.Maek. ex H.Hara
민둥체꽃 (Min-dung-che-kkot)	Glabrous-leaf scabious <i>Scabiosa tschiliensis</i> f. <i>zuikoensis</i> (Nakai) W.T.Lee
민들레 (Min-deul-re)	Korean dandelion <i>Taraxacum platycarpum</i> Dahlst.
민들레속 [국화과] (Min-deul-re-sok)	Dandelion <i>Taraxacum</i> Zinn [Asteraceae]
민등골나물 (Min-deung-gol-na-mul)	Smooth eupatorium <i>Eupatorium chinense</i> var. <i>angustatum</i> H.Hara
민땅비싸리 (Min-ttang-bissa-ri)	Korean indigo <i>Indigofera koreana</i> Ohwi
민말똥비름 (Min-mal-ttong-bi-reum)	Simple stonecrop <i>Sedum alfredii</i> Hance
민망초 (Min-mang-cho)	Bitter fleabane <i>Erigeron acris</i> L.
민매화마름 (Min-mae-hwa-ma-reum)	Smooth water crowfoots <i>Ranunculus yezoensis</i> Nakai
민메기이삭 (Min-me-gi-i-sak)	Awn-less velvet bentgrass * <i>Agrostis canina</i> var. <i>mutica</i> G.Sinclair
민물오리나무 (Min-mul-o-ri-na-mu)	Glabrous Manchurian alder * <i>Alnus hirsuta</i> f. <i>glabra</i> T.B.Lee
민물푸레나무 (Min-mul-pu-re-na-mu)	Hairless East Asian ash * <i>Fraxinus rhynchophylla</i> var. <i>glabrescens</i> Nakai
민미꾸리낚시 (Min-mi-kku-ri-nak-si)	Glabrous Siebold's smartweed * <i>Persicaria sieboldii</i> var. <i>aestiva</i> Ohki ex T.B.Lee

Korean name (Romanization)	English name Scientific name
민바꽃 (Min-ba-kkot)	Glabrous monk'shood <i>Aconitum ambiguum</i> (Regel) Rchb.
민바랭이 (Min-ba-raeng-i)	Violet crabgrass <i>Digitaria violascens</i> Link
민바랭이새 (Min-ba-raeng-i-sae)	East Asian glabrate browntop <i>Microstegium japonicum</i> (Miq.) Koidz.
민박쥐나물 (Min-bak-jwi-na-mul)	Oriental Indian plantain <i>Parasenecio hastatus</i> subsp. <i>orientalis</i> (Kitam.) H.Koyama
민백미꽃 (Min-baek-mi-kkot)	Asian white swallow-wort <i>Cynanchum ascyrifolium</i> (Franch. & Sav.) Matsum.
민뱀딸기 (Min-baem-ttal-gi)	Mock strawberry <i>Duchesnea indica</i> (Andrews) Focke
민보리수나무 (Min-bo-ri-su-na-mu)	Small-leaf autumn olive <i>Elaeagnus umbellata</i> var. <i>parvifolia</i> (Royle) C.K.Schneid.
민산갈퀴 (Min-san-gal-kwi)	Glabrous-flower mountain bedstraw <i>Galium pogananthum</i> f. <i>nudiflorum</i> (Makino) Ohwi
민산작약 (Min-san-jak-yak)	Smooth woodland peony <i>Paeonia japonica</i> var. <i>glabra</i> Makino
민산초나무 (Min-san-cho-na-mu)	Smooth mastic-leaf prickly ash <i>Zanthoxylum schinifolium</i> var. <i>inermis</i> (Nakai) T.B.Lee
민생열귀 (Min-saeng-yeol-gwi)	Glabrous Dahurian rose * <i>Rosa sileniflora</i> Nakai ex Kawamoto
민섬말나리 (Min-seom-mal-na-ri)	Glabrous turk's-cap lily * <i>Lilium hansonii</i> f. <i>mutatum</i> Y.N.Lee
민송대 (Min-som-dae)	Smooth solomon's seal <i>Smilacina dahurica</i> (Turcz. ex Fisch. & C.A.Mey.) LaFrankie
민송방망이 (Min-som-bang-mang-i)	Smooth-leaf scarlet groundsel <i>Tephroseris flammea</i> var. <i>glabrifolia</i> (Cufod.) K.J.Kim
민숲개밀 (Min-sup-gae-mil)	Smooth wood false brome <i>Brachypodium sylvaticum</i> var. <i>miserum</i> (Thunb.) Koidz.
민숲이삭사초 (Min-sup-i-sak-sa-cho)	Short forest-live sedge <i>Carex drymophila</i> var. <i>abbreviata</i> (Kük.) Ohwi

Korean name (Romanization)	English name Scientific name
민쑥부쟁이 (Min-ssuk-bu-jaeng-i)	Connected aster <i>Aster associatus</i> Kitag.
민야광나무 (Min-ya-gwang-na-mu)	Smooth Siberian crabapple <i>Malus baccata</i> f. <i>jackii</i> Rehder
민윤노리나무 (Min-yun-no-ri-na-mu)	Smooth oriental photinia <i>Pourthiae villosa</i> var. <i>laevis</i> (Thunb.) Stapf
민은난초 (Min-eun-nan-cho)	Oblanceolate erect cephalanthera <i>Cephalanthera erecta</i> var. <i>oblanceolata</i> N.Pearce & P.J.Cribb.
민작살나무 (Min-jak-sal-na-mu)	Glabrous beautyberry <i>Callicarpa japonica</i> var. <i>glabra</i> Nakai
민잠자리난초 (Min-jam-ja-ri-nan-cho)	Smooth linear-leaf habenaria <i>Habenaria linearifolia</i> f. <i>integriloba</i> Ohwi
민졸방제비꽃 (Min-jol-bang-je-bi-kkot)	Glabrous-acuminate violet <i>Viola acuminata</i> f. <i>glaberrima</i> (H.Hara) Kitam.
민종가시나무 (Min-jong-ga-si-na-mu)	Smooth ring-cup oak <i>Quercus glauca</i> var. <i>nudata</i> Blume
민주름조개풀 (Min-ju-reum-jo-gae-pul)	Smooth wavy-leaf basketgrass <i>Oplismenus undulatifolius</i> var. <i>japonicus</i> (Steud.) Koidz.
민주엽나무 (Min-ju-yeop-na-mu)	Spineless Japanese honey locust <i>Gleditsia japonica</i> f. <i>inarmata</i> Nakai
민지네고사리 (Min-ji-ne-go-sa-ri)	Smooth gland fern <i>Parathelypteris formosa</i> Nakaike
민참대극 (Min-cham-dae-geuk)	Glabrous shiny spurge <i>Euphorbia lucorum</i> f. <i>glabrata</i> (Maxim.) Hurus.
민참작약 (Min-cham-jak-yak)	Glabrous white peony <i>Paeonia lactiflora</i> f. <i>nuda</i> Nakai
민청가시덩굴 (Min-cheong-ga-si-deong-gul)	Smooth Siebold's greenbrier <i>Smilax sieboldii</i> f. <i>intermis</i> (Nakai) H.Hara
민탐라풀 (Min-tam-ra-pul)	Glabrous Tam-ra starviolet <i>Hedyotis lindleyana</i> var. <i>glabra</i> H.Hara
민하늘지기 (Min-ha-neul-ji-gi)	Curved-awn fimbriстиlis <i>Fimbristylis squarrosa</i> Vahl

Korean name (Romanization)	English name Scientific name
민해당화 (Min-hae-dang-hwa)	Spineless rugose rose <i>Rosa rugosa</i> var. <i>chamissoniana</i> C.A.Mey.
민흰잎엉겅퀴 (Min-huin-ip-eong-geong-kwi)	Glabrous vlassoviana thistle <i>Cirsium vlassovianum</i> var. <i>album</i> Nakai
밀나물 (Mil-na-mul)	Riparian greenbrier <i>Smilax riparia</i> A.DC.
밀사초 (Mil-sa-cho)	Coastal rock sedge <i>Carex boottiana</i> Hook. & Arn.

ㅂ

바늘골 (Ba-neul-gol)	Dense-flower spikerush <i>Eleocharis congesta</i> D.Don
바늘골속 [사초과] (Ba-neul-gol-sok)	Spikerushes, Spikesedges <i>Eleocharis</i> R.Br. [Cyperaceae]
바늘까치밥나무 (Ba-neul-kka-chi-bap-na-mu)	Stinky black currant <i>Ribes burejense</i> F.Schmidt
바늘꽃 (Ba-neul-kkot)	Long-seed willowherb <i>Epilobium pyrricholophum</i> Franch. & Sav.
바늘꽃과 (Ba-neul-kkot-gwa)	Evening primrose family Onagraceae Juss.
바늘꽃속 [바늘꽃과] (Ba-neul-kkot-sok)	Willowherb <i>Epilobium</i> L. [Onagraceae]
바늘명아주 (Ba-neul-myeong-a-ju)	Aristate goosefoot <i>Chenopodium aristatum</i> L.
바늘사초 (Ba-neul-sa-cho)	Needle sedge <i>Carex onoei</i> Franch. & Sav.
바늘엉겅퀴 (Ba-neul-eong-geong-kwi)	Korean prickly thistle <i>Cirsium rhinoceros</i> (H.Lév. & Vaniot) Nakai
바늘여뀌 (Ba-neul-yeo-kkwi)	Prickly smartweed <i>Persicaria bungeana</i> (Turcz.) Nakai ex T.Mori
바다지기 (Ba-da-ji-gi)	Tropical fimbriostylis <i>Fimbristylis cymosa</i> R.Br.

Korean name (Romanization)	English name Scientific name
바디나물 (Ba-di-na-mul)	Purple-flower angelica <i>Angelica decursiva</i> (Miq.) Franch. & Sav.
바디풀 (Ba-di-pul)	Common leptopyrum <i>Leptopyrum fumariooides</i> (L.) Rchb.
바디풀속 [미나리아재비과] (Ba-di-pul-sok)	Leptopyrum <i>Leptopyrum</i> Rchb. [Ranunculaceae]
바람고사리 (Ba-ram-go-sa-ri)	Bladderfern <i>Cystopteris sudetica</i> A.Braun. & Milde
바람꽃 (Ba-ram-kkot)	Narcissus anemone <i>Anemone narcissiflora</i> L.
바람꽃속 [미나리아재비과] (Ba-ram-kkot-sok)	Anemone <i>Anemone</i> L. [Ranunculaceae]
바람하늘지기 (Ba-ram-ha-neul-ji-gi)	Lesser fimbriostylis <i>Fimbristylis littoralis</i> Gaudich.
바랭이 (Ba-raeng-i)	Southern crabgrass <i>Digitaria ciliaris</i> (Retz.) Koeler
바랭이사초 (Ba-raeng-i-sa-cho)	Digitaria-like sedge <i>Carex incisa</i> Boott
바랭이새 (Ba-raeng-i-sae)	Yellow bluestem <i>Bothriochloa ischaemum</i> (L.) Keng
바랭이새속 [벼과] (Ba-raeng-i-sae-sok)	Beardgrass, Bluestem <i>Bothriochloa</i> Kuntze [Poaceae]
바랭이속 [벼과] (Ba-raeng-i-sok)	Crabgrass, Finger-grass <i>Digitaria</i> Haller [Poaceae]
바보여뀌 (Ba-bo-yeo-kkwi)	Nonspicy smartweed <i>Persicaria pubescens</i> (Blume) H.Hara
바위고사리 (Ba-wi-go-sa-ri)	Pala'a lace fern <i>Sphenomeris chinensis</i> (L.) Maxon
바위고사리속 [고사리과] (Ba-wi-go-sa-ri-sok)	Sphenomeris <i>Sphenomeris</i> Maxon [Pteridaceae]
바위괭이눈 (Ba-wi-gwaeng-i-nun)	Big-leaf golden saxifrage <i>Chrysosplenium macrostemon</i> Maxim. ex Franch. & Sav.

Korean name (Romanization)	English name Scientific name
바위구절초 (Ba-wi-gu-jeol-cho)	Rocky dendranthema <i>Dendranthema sichotense</i> Tzvelev
바위까치밥나무 (Ba-wi-kka-chi-bap-na-mu)	Few-flower currant <i>Ribes pauciflorum</i> Turcz. ex Ledeb.
바위댕강나무 (Ba-wi-daeng-gang-na-mu)	Entire-leaf abelia <i>Abelia integrifolia</i> Koidz.
바위돌꽃 (Ba-wi-dol-kkot)	Rose-root rhodiola <i>Rhodiola rosea</i> L.
바위떡풀 (Ba-wi-tteok-pul)	Serrate-petal rockfoil <i>Saxifraga fortunei</i> var. <i>incisolobata</i> (Engl. & Irmsch.) Nakai
바위말발도리 (Ba-wi-mal-bal-do-ri)	Large-flower deutzia <i>Deutzia grandiflora</i> var. <i>baroniana</i> Diels
바위모시 (Ba-wi-mo-si)	Shrubby oreocnide <i>Oreocnide frutescens</i> (Thunb.) Miq.
바위미나리아재비 (Ba-wi-mi-na-ri-a-jae-bi)	Hallasan buttercup <i>Ranunculus crucilobus</i> H.Lév.
바위사초 (Ba-wi-sa-cho)	Rock-loving sedge <i>Carex lithophila</i> Turcz.
바위손 (Ba-wi-son)	Involute spikemoss <i>Selaginella tamariscina</i> (P.Beauv.) Spring
바위솔 (Ba-wi-sol)	Rock pine <i>Orostachys japonica</i> (Maxim.) A.Berger
바위솔속 [돌나물과] (Ba-wi-sol-sok)	Orostachys, Rock pine <i>Orostachys</i> Fisch. [Crassulaceae]
바위솜나물 (Ba-wi-som-na-mul)	Rocky-alpine groundsel <i>Tephroseris phaeantha</i> (Nakai) C.Jeffrey & Y.L.Chen
바위송이풀 (Ba-wi-song-i-pul)	Rocky lousewort <i>Pedicularis nigrescens</i> Nakai
바위수국 (Ba-wi-su-guk)	Rocky hydrangea vine <i>Schizophragma hydrangeoides</i> Siebold & Zucc.
바위수국속 [범의귀과] (Ba-wi-su-guk-sok)	Hydrangea vine <i>Schizophragma</i> Siebold & Zucc. [Saxifragaceae]

Korean name (Romanization)	English name Scientific name
바위장대 (Ba-wi-jang-dae)	Serrate-leaf rockcress <i>Arabis serrata</i> Franch. & Sav.
바위족제비고사리 (Ba-wi-jok-je-bi-go-sa-ri)	Rock buckler fern <i>Dryopteris saxifraga</i> H. Itô
바위좀고사리 (Ba-wi-jom-go-sa-ri)	Small stone-wall spleenwort <i>Asplenium sarelii</i> var. <i>anogrammoides</i> (H. Christ) Tagawa
바위종덩굴 (Ba-wi-jong-deong-gul)	Rock clematis <i>Clematis calcicola</i> J.S.Kim
바위채송화 (Ba-wi-chae-song-hwa)	Mosslike stonecrop <i>Sedum polytrichoides</i> Hemsl.
바위틈고사리 (Ba-wi-teum-go-sa-ri)	Goering's wood fern <i>Dryopteris goeringiana</i> (Kunze) Koidz.
바위포기사초 (Ba-wi-po-gi-sa-cho)	Tufted rock-living sedge <i>Carex makinoensis</i> Franch.
바이칼꿩의다리 (Ba-i-kal-kkwong-ui-da-ri)	Baical meadow-rue <i>Thalictrum baicalense</i> Turcz.
바이칼바람꽃 (Ba-i-kal-ba-ram-kkot)	Glabrous Baical anemone <i>Anemone baicalensis</i> var. <i>glabrata</i> Maxim.
박과 (Bak-gwa)	Gourd family <i>Cucurbitaceae</i> Juss.
박달나무 (Bak-dal-na-mu)	Bakdal birch <i>Betula schmidtii</i> Regel
박달목서 (Bak-dal-mok-seo)	Island devilwood <i>Osmanthus insularis</i> Koidz.
박새 (Bak-sae)	East Asian white false-hellebore <i>Veratrum oxysepalum</i> Turcz.
박주가리 (Bak-ju-ga-ri)	Rough potato <i>Metaplexis japonica</i> (Thunb.) Makino
박주가리과 (Bak-ju-ga-ri-gwa)	Milkweed family <i>Asclepiadaceae</i> Borkh.
박주가리속 [박주가리과] (Bak-ju-ga-ri-sok)	Metaplexis <i>Metaplexis</i> R.Br. [Asclepiadaceae]

Korean name (Romanization)	English name Scientific name
박쥐나무 (Bak-jwi-na-mu)	Trilobed-leaf alangium <i>Alangium platanifolium</i> var. <i>trilobum</i> (Miq.) Ohwi
박쥐나무과 (Bak-jwi-na-mu-gwa)	Alangium family Alangiaceae DC.
박쥐나무속 [박쥐나무과] (Bak-jwi-na-mu-sok)	Alangium <i>Alangium</i> Lam. [Alangiaceae]
박쥐나물 (Bak-jwi-na-mul)	Mountain Indian plantain <i>Parasenecio auriculatus</i> var. <i>matsumurana</i> Nakai
박쥐나물속 [국화과] (Bak-jwi-na-mul-sok)	Indian plantain <i>Parasenecio</i> W.W. Sm. & J. Small [Asteraceae]
박하 (Bak-ha)	Bakha <i>Mentha arvensis</i> var. <i>piperascens</i> Malinv. ex Holmes
박하속 [꿀풀과] (Bak-ha-sok)	Mint <i>Mentha</i> L. [Lamiaceae]
반달콩제비꽃 (Ban-dal-kong-je-bi-kkot)	Semilunar-leaf violet <i>Viola verecunda</i> var. <i>semilunaris</i> Maxim.
반들깃고사리 (Ban-deul-git-go-sa-ri)	Northern spleenwort <i>Asplenium boreale</i> (Ohwi ex Kurata) Nakaike
반들사초 (Ban-deul-sa-cho)	Shiny-spike sedge <i>Carex tristachya</i> Thunb.
반들지네고사리 (Ban-deul-ji-ne-go-sa-ri)	Shiny autumn fern <i>Dryopteris medioxima</i> Koidz.
반들진달래 (Ban-deul-jin-dal-rae)	Shiny-leaf Korean rhododendron <i>Rhododendron mucronulatum</i> var. <i>lucidum</i> Nakai
반디미나리 (Ban-di-mi-na-ri)	Linear-leaf pternopetalum <i>Pternopetalum tanakae</i> (Franch. & Sav.) Hand.-Mazz.
반디미나리속 [산형과] (Ban-di-mi-na-ri-sok)	Pternopetalum <i>Pternopetalum</i> Franch. [Apiaceae]
반디지치 (Ban-di-ji-chi)	Star-flower gromwell <i>Lithospermum zollingeri</i> A.DC.
반송 (Ban-song)	Many-stem Korean red pine <i>Pinus densiflora</i> f. <i>multicaulis</i> Uyeki

Korean name (Romanization)	English name Scientific name
반용골담초 (Ban-yong-gol-dam-cho)	Large-flower Chinese peashrub <i>Caragana sinica</i> var. <i>megalantha</i> C.K.Schneid.
반짝버들 (Ban-jjak-beo-deul)	Laurel willow <i>Salix pentandra</i> L.
반쪽고사리 (Ban-jjok-go-sa-ri)	Unequal-lobe brake fern <i>Pteris dispar</i> Kunze
반하 (Ban-ha)	Crow dipper <i>Pinellia ternata</i> (Thunb.) Breitenb.
반하속 [천남성과] (Ban-ha-sok)	Green dragons, Pinellia <i>Pinellia</i> Ten. [Araceae]
발풀고사리 (Bal-pul-go-sa-ri)	Old world forked fern <i>Dicranopteris linearis</i> (Burm.f.) Underw.
발풀고사리속 [풀고사리과] (Bal-pul-go-sa-ri-sok)	Forked fern <i>Dicranopteris</i> Bernh. [Gleicheniaceae]
밤나무 (Bam-na-mu)	Korean castanea <i>Castanea crenata</i> Siebold & Zucc.
밤나무속 [참나무과] (Bam-na-mu-sok)	Chestnut <i>Castanea</i> Mill. [Fagaceae]
밤일엽 (Bam-il-yeop)	Chestnut-leaf fern <i>Neocheiropteris ensata</i> (Thunb.) Ching
밤일엽속 [고란초과] (Bam-il-yeop-sok)	Neocheiropteris <i>Neocheiropteris</i> Christ. [Polypodiaceae]
밤잎고사리 (Bam-ip-go-sa-ri)	Chestnut-leaf colysis fern <i>Colysis wrightii</i> (Hook.) Ching
방가지똥속 [국화과] (Bang-ga-ji-ttong-sok)	Sowthistle <i>Sonchus</i> L. [Asteraceae]
방기 (Bang-gi)	Orientvine <i>Sinomenium acutum</i> (Thunb.) Rehder & E.H.Wilson
방기속 [새모래덩굴과] (Bang-gi-sok)	Sinomenium <i>Sinomenium</i> Diels [Menispermaceae]
방동사니 (Bang-dong-sa-ni)	Asian flatsedge <i>Cyperus amuricus</i> Maxim.

Korean name (Romanization)	English name Scientific name
방동사니대가리 (Bang-dong-sa-ni-dae-ga-ri)	Purple glume flatsedge <i>Cyperus sanguinolentus</i> Vahl
방동사니속 [사초과] (Bang-dong-sa-ni-sok)	Flatsedges, Galingales, Nutsedges, Papyrus sedges, Umbrella-sedges <i>Cyperus</i> L. [Cyperaceae]
방동사니아재비 (Bang-dong-sa-ni-a-jae-bi)	Pacific island flatsedge <i>Cyperus cyperoides</i> (L.) Kuntze
방망이일엽초 (Bang-mang-i-il-yeop-cho)	Club weeping fern <i>Lepisorus uchiyamae</i> (Makino) H.Ito
방석나물 (Bang-seok-na-mul)	Southern seepweed <i>Suaeda australis</i> (R.Br.) Moq.
방아풀 (Bang-a-pul)	Bangahpul (East Asian soup-mint) <i>Isodon japonicus</i> (Burm.) H.Hara
방울고랭이 (Bang-ul-go-raeng-i)	Long pine-cone bulrush <i>Scirpus wichurae</i> Boeckeler
방울꽃 (Bang-ul-kkot)	Few-flower conehead <i>Strobilanthes oliganthus</i> Miq.
방울꽃속 [주꼬리망초과] (Bang-ul-kkot-sok)	Strobilanthes <i>Strobilanthes</i> Blume [Acanthaceae]
방울난초 (Bang-ul-nan-cho)	Black crucifera habenaria <i>Habenaria flagellifera</i> (Maxim.) Makino
방울비짜루 (Bang-ul-bi-jja-ru)	Few-twig asparagus <i>Asparagus oligoclonos</i> Maxim.
방울새란 (Bang-ul-sae-ran)	Minor pogonia <i>Pogonia minor</i> (Makino) Makino
방울새란속 [난초과] (Bang-ul-sae-ran-sok)	Pogonia <i>Pogonia</i> Juss. [Orchidaceae]
방패꽃 (Bang-pae-kkot)	Brightblue speedwell <i>Veronica tenella</i> All.
발뚝외풀 (Bat-ttuk-oe-pul)	Prostrate false pimpernel <i>Lindernia procumbens</i> (Krock.) Philcox
발뚝외풀속 [현삼과] (Bat-ttuk-oe-pul-sok)	False pimpernel <i>Lindernia</i> All. [Scrophulariaceae]

Korean name (Romanization)	English name Scientific name
밭하늘지기 (Bat-ha-neul-ji-gi)	Yentai fimbriostylis <i>Fimbristylis stauntonii</i> Debeaux & Franch.
배나무속 [장미과] (Bae-na-mu-sok)	Pear <i>Pyrus L.</i> [Rosaceae]
배암나무 (Bae-am-na-mu)	Korean viburnum <i>Viburnum koreeanum</i> Nakai
배암차즈기 (Bae-am-cha-jeu-gi)	Plebeian sage <i>Salvia plebeia</i> R.Br.
배암차즈기속 [꿀풀과] (Bae-am-cha-jeu-gi-sok)	Sage <i>Salvia L.</i> [Lamiaceae]
배초향 (Bae-cho-hyang)	Korean mint <i>Agastache rugosa</i> (Fisch. & C.A.Mey.) Kuntze
배초향속 [꿀풀과] (Bae-cho-hyang-sok)	Giant hyssop <i>Agastache J.Clayton ex Gronov.</i> [Lamiaceae]
배풍등 (Bae-pung-deung)	Lyre-leaf nightshade <i>Solanum lyratum</i> Thunb.
백당나무 (Baek-dang-na-mu)	Smooth-cranberrybush viburnum <i>Viburnum opulus</i> var. <i>calvescens</i> (Rehder) H.Hara
백도라지 (Baek-do-ra-ji)	White balloon-flower <i>Platycodon grandiflorus</i> f. <i>albiflorus</i> (Honda) H.Hara
백두사초 (Baek-du-sa-cho)	Baekdu sedge <i>Carex peiktusani</i> Kom.
백두산고사리삼 (Baek-du-san-go-sa-ri-sam)	Common moonwort <i>Botrychium lunaria</i> (L.) Sw.
백두산고사리삼속 [고사리삼과] (Baek-du-san-go-sa-ri-sam-sok)	Grapefern, Moonwort <i>Botrychium</i> Sw. [Ophioglossaceae]
백두산구슬봉이 (Baek-du-san-gu-seul-bung-i)	Baekdusan gentian <i>Gentiana takahashii</i> T.Mori
백두산대극 (Baek-du-san-dae-geuk)	Baekdusan spurge <i>Euphorbia hakutosanensis</i> Hurus.
백두산떡쑥 (Baek-du-san-tteok-ssuk)	Mountain everlasting <i>Antennaria dioica</i> (L.) Gaertn.

Korean name (Romanization)	English name Scientific name
백두산떡쑥속 [국화과] (Baek-du-san-tteok-ssuk-sok)	Catsfoot, Cat's-foot, Everlasting, Pussytoes <i>Antennaria Gaertn.</i> [Asteraceae]
백두산바위취 (Baek-du-san-ba-wi-chwi)	Baedusun lancinate rockfoil <i>Saxifraga laciniata</i> var. <i>takedana</i> (Nakai) H.Hara
백두산자작나무 (Baek-du-san-ja-jak-na-mu)	Baedusun birch <i>Betula ovalifolia</i> Rupr.
백두실골풀 (Baek-du-sil-gol-pul)	Botanin's rush <i>Juncus botaninii</i> Buchenau
백량금 (Baek-ryang-geum)	Coralberry <i>Ardisia crispa</i> (Thunb.) A.DC.
백리향 (Baek-ri-hyang)	Five-rib thyme <i>Thymus quinquecostatus</i> Celak.
백리향속 [꿀풀과] (Baek-ri-hyang-sok)	Thyme <i>Thymus L.</i> [Lamiaceae]
백미꽃 (Baek-mi-kkot)	Black-end swallow-wort <i>Cynanchum atratum</i> Bunge
백미꽃속 [박주가리과] (Baek-mi-kkot-sok)	Dog-strangling vine, Swallow-wort <i>Cynanchum L.</i> [Asclepiadaceae]
백부자 (Baek-bu-ja)	Korean monk'shood <i>Aconitum coreanum</i> (H.Lév.) Rapaics
백산버들 (Baek-san-beo-deul)	Brownish beak willow <i>Salix xerophila</i> var. <i>fuscescens</i> (Nakai) W.T.Lee
백산새풀 (Baek-san-sae-pul)	Narrow-leaf reedgrass <i>Calamagrostis angustifolia</i> Kom.
백산차 (Baek-san-cha)	Hairy labrador tea <i>Ledum palustre</i> var. <i>diversipilosum</i> Nakai
백산차속 [진달래과] (Baek-san-cha-sok)	Labrador tea <i>Ledum L.</i> [Ericaceae]
백서향 (Baek-seo-hyang)	White daphne <i>Daphne kiusiana</i> Miq.
백선 (Baek-seon)	Dense-fruit dittany <i>Dictamnus dasycarpus</i> Turcz.

Korean name (Romanization)	English name Scientific name
백선속 [운향과] (Baek-seon-sok)	Burning bush, Dictamnus, Dittany, Fraxinella, Gas plant <i>Dictamnus</i> L. [Rutaceae]
백설취 (Baek-seol-chwi)	Snow-white saussurea <i>Saussurea rectinervis</i> Nakai
백양꽃 (Baek-yang-kkot)	Orange-flower surprise lily <i>Lycoris sanguinea</i> Maxim.
백양더부살이 (Baek-yang-deo-bu-sal-i)	Baekyang broomrape <i>Orobanche filicicola</i> Nakai
백운기름나물 (Baek-un-gi-reum-na-mul)	Baekun hogfennel <i>Peucedanum hakuunense</i> Nakai
백운란 (Baek-un-ran)	Baekun kuhlhasseltia orchid <i>Kuhlhasseltia nakaiana</i> (F.Maek.) Ormerod
백운란속 [난초과] (Baek-un-ran-sok)	Kuhlhasseltia <i>Kuhlhasseltia</i> J.J.Sm. [Orchidaceae]
백운배나무 (Baek-un-bae-na-mu)	Baekun wild pear * <i>Pyrus ussuriensis</i> var. <i>hakunensis</i> (Nakai) T.B.Lee
백운산원추리 (Baek-un-san-won-chu-ri)	Baekunsan daylily <i>Hemerocallis hakuunensis</i> Nakai
백운쇠물푸레 (Baek-un-soe-mul-pu-re)	Baekun flowering ash * <i>Fraxinus sieboldiana</i> var. <i>quadrijuga</i> (Nakai) T.B.Lee
백운취 (Baek-un-chwi)	Baekun saussurea <i>Saussurea insularis</i> Kitam.
백운풀 (Baek-un-pul)	Snake tongue starviolet <i>Hedyotis diffusa</i> Willd.
백운풀속 [꼭두서니과] (Baek-un-pul-sok)	Dickwort, Oldenlandia <i>Oldenlandia</i> L. [Rubiaceae]
백작약 (Baek-jak-yak)	White woodland peony <i>Paeonia japonica</i> (Makino) Miyabe & Takeda
백합과 (Baek-hap-gwa)	Lily family <i>Liliaceae</i> Juss.
백합속 [백합과] (Baek-hap-sok)	Lily <i>Lilium</i> L. [Liliaceae]

Korean name (Romanization)	English name Scientific name
백화등 (Baek-hwa-deung)	White-flower Asian jasmine <i>Trachelospermum asiaticum</i> var. <i>majus</i> (Nakai) Ohwi
뱀고사리 (Baem-go-sa-ri)	Asian common ladyfern <i>Athyrium yokoscense</i> (Franch. & Sav.) Christ
뱀딸기 (Baem-ttal-gi)	Wrinkled mock strawberry <i>Duchesnea chrysanthia</i> (Zoll. & Moritzi) Miq.
뱀딸기속 [장미과] (Baem-ttal-gi-sok)	Duchesnea <i>Duchesnea</i> Sm. [Rosaceae]
뱀무 (Baem-mu)	Asian herb bennet <i>Geum japonicum</i> Thunb.
뱀무속 [장미과] (Baem-mu-sok)	Avens <i>Geum</i> L. [Rosaceae]
뱀톱 (Baem-top)	Toothed clubmoss <i>Huperzia serrata</i> (Thunb.) Trevisan
버드나무 (Beo-deu-na-mu)	Korean willow <i>Salix koreensis</i> Andersson
버드나무과 (Beo-deu-na-mu-gwa)	Willow family <i>Salicaceae</i> Mirb.
버드나무속 [버드나무과] (Beo-deu-na-mu-sok)	Willow <i>Salix</i> L. [Salicaceae]
버드쟁이나물 (Beo-deu-jaeng-i-na-mul)	Perennial false aster <i>Aster iinumae</i> Kitam. ex H.Hara
버들개화나무 (Beo-deul-gae-hoe-na-mu)	Willow-leaf Manchurian lilac <i>Syringa fauriei</i> H.Lév.
버들겨이삭여뀌 (Beo-deul-gyeo-i-sak-yeo-kkwi)	East Asian willow smartweed <i>Persicaria foliosa</i> var. <i>paludicola</i> (Makino) H.Hara ex H.Ito
버들금불초 (Beo-deul-geum-bul-cho)	Asian willow-leaf yellowhead <i>Inula salicina</i> var. <i>asiatica</i> Kitam.
버들까치수염 (Beo-deul-kka-chi-su-yeom)	Tufted loosestrife <i>Lysimachia thyrsiflora</i> L.

Korean name (Romanization)	English name Scientific name
벼들바늘꽃 (Beo-deul-ba-neul-kkot)	Marsh willowherb <i>Epilobium palustre</i> L.
벼들분취 (Beo-deul-bun-chwi)	Maximowicz's saussurea <i>Saussurea maximowiczii</i> Herd
벼들일엽 (Beo-deul-il-yeop)	Willow-leaf lance fern <i>Loxogramme salicifolia</i> (Makino) Makino
벼들잎꼬리풀 (Beo-deul-ip-kko-ri-pul)	Willow-leaf veronicastrum <i>Veronicastrum tubiflorum</i> (Fisch. & C.A.Mey.) H.Hara
벼들잎엉겅퀴 (Beo-deul-ip-eong-geong-kwi)	Linear-leaf thistle <i>Cirsium lineare</i> (Thunb.) Sch.Bip.
벼들쥐똥나무 (Beo-deul-jwi-ttong-na-mu)	Willow-leaf privet <i>Ligustrum salicinum</i> Nakai
벼들참빗 (Beo-deul-cham-bit)	Simple-leaf false spleenwort <i>Neotriblemma lancea</i> (Thunb.) Nakaike
벼들참빗속 [면마과] (Beo-deul-cham-bit-sok)	Neotriblemma <i>Neotriblemma</i> Nakaike [Dryopteridaceae]
벼들취 (Beo-deul-chwi)	Amur saussurea <i>Saussurea amurensis</i> Turcz. ex DC.
벼들회나무 (Beo-deul-hoe-na-mu)	Willow spindletree <i>Euonymus trapococca</i> Nakai
벼어먼초 (Beo-eo-meon-cho)	Hidden-petal bluethread <i>Burmannia cryptopetala</i> Makino
벼어먼초과 (Beo-eo-meon-cho-gwa)	Burmannia family Burmanniaceae Blume
벼어먼초속 [벼어먼초과] (Beo-eo-meon-cho-sok)	Bluethread <i>Burmannia</i> L. [Burmanniaceae]
번행초 (Beon-haeng-cho)	Common tetragonia <i>Tetragonia tetragonoides</i> (Pall.) Kuntze
번행초과 (Beon-haeng-cho-gwa)	Fig-marigold family, Ice plant family Aizoaceae Martinov
번행초속 [번행초과] (Beon-haeng-cho-sok)	Tetragonia <i>Tetragonia</i> L. [Aizoaceae]

Korean name (Romanization)	English name Scientific name
벌음씀바귀 (Beot-eum-sseum-ba-gwi)	Weak ixeris <i>Ixeris debilis</i> (Thunb.) A.Gray
벌개미취 (Beol-gae-mi-chwi)	Montane aster <i>Aster koraiensis</i> Nakai
벌깨냉이 (Beol-kkae-naeng-i)	Hallasan bittercress <i>Cardamine glechomifolia</i> H.Lév.
벌깨덩굴 (Beol-kkae-deong-gul)	Nettle-leaf mint <i>Meehania urticifolia</i> (Miq.) Makino
벌깨덩굴속 [꿀풀과] (Beol-kkae-deong-gul-sok)	Meehania <i>Meehania</i> Britton [Lamiaceae]
벌깨풀 (Beol-kkae-pul)	Rupestrian dragon's head <i>Dracocephalum rupestre</i> Hance
벌노랑이 (Beol-no-rang-i)	Asian birdsfoot-trefoil <i>Lotus corniculatus</i> var. <i>japonicus</i> Regel
벌노랑이속 [콩과] (Beol-no-rang-i-sok)	Trefoil <i>Lotus</i> L. [Fabaceae]
벌등골나물 (Beol-deung-gol-na-mul)	Opposite-leaf eupatorium <i>Eupatorium makinoi</i> var. <i>oppositifolium</i> (Koidz.) Kawahara & Yahara
벌레먹이말 (Beol-re-meok-i-mal)	Waterwheel plant <i>Aldrovanda vesiculosa</i> L.
벌레먹이말속 [끈끈이귀개과] (Beol-re-meok-i-mal-sok)	Waterwheel plant <i>Aldrovanda</i> L. [Droseraceae]
벌레잡이속 [통발과] (Beol-re-jap-i-sok)	Butterwort <i>Pinguicula</i> L. [Lentibulariaceae]
벌레잡이제비꽃 (Beol-re-jap-i-je-bi-kkot)	California butterwort <i>Pinguicula vulgaris</i> var. <i>macroceras</i> (Pall. ex Link) Herder
벌배나무 (Beol-bae-na-mu)	Lobulate-leaf Korean mountain ash <i>Sorbus alnifolia</i> var. <i>lobulata</i> (Koidz.) Rehder
벌사상자 (Beol-sa-sang-ja)	Monnier's snowparsley <i>Cnidium monnierii</i> (L.) Cusson
벌사초 (Beol-sa-cho)	Woolly-fruit sedge <i>Carex lasiocarpa</i> Ehrh.

Korean name (Romanization)	English name Scientific name
벌씀바귀 (Beol-sseum-ba-gwi)	Many-head ikeris <i>Ikeris polycypala</i> Cass.
벌완두 (Beol-wan-du)	Amur vetch <i>Vicia amurensis</i> Oett.
범꼬리 (Beom-kko-ri)	Asian bistort <i>Bistorta manshuriensis</i> (Petrov ex Kom.) Kom.
범꼬리속 [마디풀과] (Beom-kko-ri-sok)	Bistort <i>Bistorta</i> (L.) Scop. [Polygonaceae]
범부채 (Beom-bu-chae)	Leopard lily <i>Belamcanda chinensis</i> (L.) DC.
범부채속 [붓꽃과] (Beom-bu-chae-sok)	Belamcanda <i>Belamcanda</i> Adans. [Iridaceae]
범의귀 (Beom-ui-gwi)	Nampotaesan rockfoil <i>Saxifraga furumii</i> Nakai
범의귀과 (Beom-ui-gwi-gwa)	Saxifrage family Saxifragaceae Juss.
범의귀속 [범의귀과] (Beom-ui-gwi-sok)	Saxifrage, Rockfoils <i>Saxifraga</i> L. [Saxifragaceae]
벗풀 (Beot-pul)	Three-leaf arrowhead <i>Sagittaria trifolia</i> L.
벗나무 (Beot-na-mu)	Oriental flowering cherry <i>Prunus serrulata</i> f. <i>spontanea</i> (E.H.Wilson) Chin S.Chang
벗나무속 [장미과] (Beot-na-mu-sok)	Cherry, Plum <i>Prunus</i> L. [Rosaceae]
벼과 (Byeo-gwa)	Grass family Poaceae Barnhart (= Gramineae Juss.)
벼룩나물 (Byeo-ruk-na-mul)	Bog chickweed <i>Stellaria alsine</i> var. <i>undulata</i> (Thunb.) Ohwi
벼룩아재비 (Byeo-ruk-a-jae-bi)	Annual mitrewort <i>Mitrasacme alsinoides</i> R.Br.
벼룩아재비속 [마전과] (Byeo-ruk-a-jae-bi-sok)	Mitrasacme <i>Mitrasacme</i> Labill. [Loganiaceae]

Korean name (Romanization)	English name Scientific name
벼룩이울타리 (Byeo-ruk-i-ul-ta-ri)	Rush sandwort <i>Arenaria juncea</i> M.Bieb.
벼룩이자리 (Byeo-ruk-i-ja-ri)	Thyme-leaf sandwort <i>Arenaria serpyllifolia</i> L.
벼룩이자리속 [석죽과] (Byeo-ruk-i-ja-ri-sok)	Arenaria <i>Arenaria</i> L. [Caryophyllaceae]
벽오동과 (Byeok-o-dong-gwa)	Sterculia family <i>Sterculiaceae</i> Vent.
변산바람꽃 (Byeon-san-ba-ram-kkot)	Byeonsan winter aconite <i>Eranthis byunsanensis</i> B.Y.Sun
별고사리 (Byeol-go-sa-ri)	Sail fern <i>Cyclosorus acuminata</i> (Houtt.) Nakai ex H.Ito
별고사리속 [면마과] (Byeol-go-sa-ri-sok)	Cyclosorus <i>Cyclosorus</i> Link [Dryopteridaceae]
별꽃 (Byeol-kkot)	Common chickweed <i>Stellaria media</i> (L.) Vill.
별꽃속 [석죽과] (Byeol-kkot-sok)	Stitchwort, Chickweed <i>Stellaria</i> L. [Caryophyllaceae]
별꽃풀 (Byeol-kkot-pul)	Spatulate-leaf swertia <i>Swertia veratroides</i> Maxim. ex Kom.
별꿩의밥 (Byeol-kkwong-ui-bap)	Small-star woodrush <i>Luzula rufescens</i> var. <i>macrocarpa</i> Buchenau
별날개골풀 (Byeol-nal-gae-gol-pul)	Narrow-wingstem rush <i>Juncus diastrophanthus</i> Buchenau
별사초 (Byeol-sa-cho)	Sparse-flower sedge <i>Carex tenuiflora</i> Wahlenb.
별이끼 (Byeol-i-kki)	Oriental water-starwort <i>Callitrichie japonica</i> Engelm. ex Hegelm.
별이끼과 (Byeol-i-kki-gwa)	Water-starwort family <i>Callitrichaceae</i> Link
별이끼속 [별이끼과] (Byeol-i-kki-sok)	Water-starwort <i>Callitrichie</i> L. [Callitrichaceae]

Korean name (Romanization)	English name Scientific name
별풍경사초 (Byeol-pung-gyeong-sa-cho)	Smooth Maximowicz's sedge <i>Carex maximowiczzii</i> var. <i>levisaccus</i> Ohwi
병개암나무 (Byeong-gae-am-na-mu)	Short-beak hazel <i>Corylus hallaisanensis</i> Nakai
병꽃나무 (Byeong-kkot-na-mu)	Korean weigela <i>Weigela subsessilis</i> (Nakai) L.H.Bailey
병꽃나무속 [인동과] (Byeong-kkot-na-mu-sok)	Weigela <i>Weigela</i> Thunb. [Caprifoliaceae]
병물개암나무 (Byeong-mul-gae-am-na-mu)	Short Asian beaked hazel <i>Corylus sieboldiana</i> var. <i>brevirostris</i> C.K.Schneid.
병아리꽃나무 (Byeong-a-ri-kkot-na-mu)	Black jetbead <i>Rhodotypos scandens</i> (Thunb.) Makino
병아리꽃나무속 [장미과] (Byeong-a-ri-kkot-na-mu-sok)	Rhodotypos <i>Rhodotypos</i> Siebold & Zucc. [Rosaceae]
병아리난초 (Byeong-a-ri-nan-cho)	Delicate amitostigma <i>Amitostigma gracile</i> (Blume) Schltr.
병아리난초속 [난초과] (Byeong-a-ri-nan-cho-sok)	Amitostigma <i>Amitostigma</i> Schltr. [Orchidaceae]
병아리다리 (Byeong-a-ri-da-ri)	Oblong-leaf salomonia <i>Salomonia oblongifolia</i> DC.
병아리다리속 [원지과] (Won-ji-sok)	Salomonia <i>Salomonia</i> Lour. [Polygalaceae]
병아리방동사니 (Byeong-a-ri-bang-dong-sa-ni)	Small flatsedge <i>Cyperus hakonensis</i> Franch. & Sav.
병아리풀 (Byeong-a-ri-pul)	Oriental milkwort <i>Polygala tatarinowii</i> Regel
병조희풀 (Byeong-jo-hui-pul)	Hyacinth-flower clematis <i>Clematis heracleifolia</i> DC.
병풀 (Byeong-pul)	Asian pennywort <i>Centella asiatica</i> (L.) Urb.
병풀속 [산형과] (Byeong-pul-sok)	Centella <i>Centella</i> L. [Apiaceae]

Korean name (Romanization)	English name Scientific name
병풍쌈 (Byeong-pung-ssam)	Firm Indian plantain <i>Parasenecio firmus</i> (Kom.) Y.L.Chen
보라노랑무늬붓꽃 (Bo-ra-no-rang-mu-nui-but-kkot)	Violet-flower Odaesan iris <i>Iris odaesanensis f. purpurascens</i> Y.N.Lee
보리밥나무 (Bo-ri-bap-na-mu)	Broad-leaf olive <i>Elaeagnus macrophylla</i> Thunb.
보리수나무 (Bo-ri-su-na-mu)	Autumn olive <i>Elaeagnus umbellata</i> Thunb.
보리수나무과 (Bo-ri-su-na-mu-gwa)	Oleaster family <i>Elaeagnaceae</i> Juss.
보리수나무속 [보리수나무과] (Bo-ri-su-na-mu-sok)	Oleaster, Silverberry <i>Elaeagnus</i> L. [Elaeagnaceae]
보리장나무 (Bo-ri-jang-na-mu)	Autumn-flower olive <i>Elaeagnus glabra</i> Thunb.
보은대추나무 (Bo-eun-dae-chu-na-mu)	Boeun jujube * <i>Zizyphus jujuba</i> var. <i>hoonensis</i> (Kawamoto) T.B.Lee
보춘화 (Bo-chun-hwa)	Goering's cymbidium <i>Cymbidium goeringii</i> (Rchb.f.) Rchb.f.
보춘화속 [난초과] (Bo-chun-hwa-sok)	Boat orchid <i>Cymbidium</i> Sw. [Orchidaceae]
보풀 (Bo-pul)	Narrow-leaf arrowhead <i>Sagittaria aginashi</i> Makino
보풀속 [택사과] (Bo-pul-sok)	Arrowhead, Duck potato, Katniss, Swan potato, Tule potato, Wapato, Wapato <i>Sagittaria</i> L. [Alismataceae]
보현개별꽃 (Bo-hyeon-gae-byeo-lkkot)	Bohyeon false-starwort <i>Pseudostellaria davidii</i> × <i>P. palibiniana</i>
복딸나무 (Bok-ttal-na-mu)	White-berry raspberry <i>Rubus sorbifolius</i> var. <i>myriadenus</i> (H.Lév. & Vaniot) T.B.Lee
복분자딸기 (Bok-bun-ja-ttal-gi)	Bokbunjia (Korean blackberry) <i>Rubus coreanus</i> Miq.
복사앵도나무 (Bok-sa-aeng-do-na-mu)	Peach-nanking cherry <i>Prunus choreiana</i> Nakai ex H.T.Im

Korean name (Romanization)	English name Scientific name
복수초 (Bok-su-cho)	Amur adonis <i>Adonis amurensis</i> Regel & Radde
복수초속 [미나리아재비과] (Bok-su-cho-sok)	Adonis, Pheasant's eye <i>Adonis</i> L. [Ranunculaceae]
복자기 (Bok-ja-gi)	Three-flower maple <i>Acer triflorum</i> Kom.
복장나무 (Bok-jang-na-mu)	Manchurian maple <i>Acer mandshuricum</i> Maxim.
복주머니란 (Bok-ju-meo-ni-ran)	Big-flower lady's slipper <i>Cypripedium macranthos</i> Sw.
복주머니란속 [난초과] (Bok-ju-meo-ni-ran-sok)	Camel's foot, Lady's slipper orchids, Moccasin flower, Slipper orchids, Squirrel foot, Steeple cap, Venus' shoes, Whippoorwill shoe <i>Cypripedium</i> L. [Orchidaceae]
볼레고불나무 (Bol-re-goe-bul-na-mu)	Single-flower honeysuckle <i>Lonicera monantha</i> Nakai
봄구슬봉이 (Bom-gu-seul-bung-i)	Early-blooming gentian <i>Gentiana thunbergii</i> (G.Don) Griseb.
봄나도냉이 (Bom-na-do-naeng-i)	Early yellowrocket <i>Barbarea verna</i> (Mill.) Asch.
봄맞이 (Bom-mat-i)	Umbelled rockjasmine <i>Androsace umbellata</i> (Lour.) Merr.
봄맞이꽃속 [앵초과] (Bom-mat-i-kkot-sok)	Rockjasmine <i>Androsace</i> L. [Primulaceae]
봄여뀌 (Bom-yeo-kkwi)	Spring smartweed <i>Persicaria vulgaris</i> Webb & Moq.
봉동참나무 (Bong-dong-cham-na-mu)	Bongdongcham oak (Aliena × mongolica oak) <i>Quercus × pontungensis</i> Uyeki
봉래꼬리풀 (Bong-rae-kko-ri-pul)	Geumgangsan spike speedwell <i>Veronica kiusiana</i> var. <i>diamantiaca</i> (Nakai) T.Yamaz.
봉선화과 (Bong-seon-hwa-gwa)	Balsam family Balsaminaceae A.Rich.
봉의꼬리 (Bong-ui-kko-ri)	Spider brake fern <i>Pteris multifida</i> Poir.

Korean name (Romanization)	English name Scientific name
봉의꼬리속 [고사리과] (Bong-ui-kko-ri-sok)	Brake fern <i>Pteris L.</i> [Pteridaceae]
부게꽃나무 (Bu-ge-kkot-na-mu)	Candle-shape maple <i>Acer ukurunduense</i> Trautv. & C.A.Mey.
부들 (Bu-deul)	Oriental cattail <i>Typha orientalis</i> C.Presl
부들과 (Bu-deul-gwa)	Cattail family Typhaceae Juss.
부들속 [부들과] (Bu-deul-sok)	Bulrush, Catninetail, Cattail, Corn dog grass, Cumbungi, Punks, Reedmace <i>Typha L.</i> [Typhaceae]
부령소리쟁이 (Bu-ryeong-so-ri-jaeng-i)	Patience dock <i>Rumex patientia</i> L.
부리실청사초 (Bu-ri-sil-cheong-sa-cho)	Beaked-fruit narrow mitra sedge <i>Carex sabynensis</i> var. <i>rostrata</i> (Maxim.) Ohwi
부산마디풀 (Bu-san-ma-di-pul)	Alaska knotweed <i>Polygonum humifusum</i> C.Merck ex K.Koch
부싯깃고사리 (Bu-sit-git-go-sa-ri)	Silver clockfern <i>Cheilanthes argentea</i> (S.G.Gmel.) Kunze
부전란 (Bu-jeon-ran)	Bujeon helleborine <i>Epipactis puzenensis</i> T.H.Chung
부전바디 (Bu-jeon-ba-di)	Bujeon angelica <i>Coelopleurum nakaianum</i> (Kitag.) Kitag.
부전바디속 [산형과] (Bu-jeon-ba-di-sok)	Coelopleurum <i>Coelopleurum</i> Ledeb. [Apiaceae]
부전송이풀 (Bu-jeon-song-i-pul)	Hooked big-flower lousewort <i>Pedicularis palustris</i> L.
부전제비고깔 (Bu-jeon-je-bi-go-kkal)	Bujeon larkspur <i>Delphinium maackianum</i> var. <i>lasiophyllum</i> Nakai
부전쥐손이 (Bu-jeon-jwi-son-i)	Glabrous cranesbill <i>Geranium eriostemon</i> var. <i>glabrescens</i> Nakai ex H.Hara
부지깽이나물 (Bu-ji-kkaeng-i-na-mul)	Amur wallflower <i>Erysimum amurense</i> Kitag.

Korean name (Romanization)	English name Scientific name
부채괴불이끼 (Bu-chae-goe-bul-i-kki)	Tiny bristle fern <i>Crepidomanes minutum</i> (Blume) K.Iwats.
부채마 (Bu-chae-ma)	Fan-leaf mountain yam <i>Dioscorea nipponica</i> Makino
부채붓꽃 (Bu-chae-but-kkot)	Wild flag iris <i>Iris setosa</i> Pall. ex Link
부채싸리 (Bu-chaessa-ri)	Notched-leaf tall lespedeza <i>*Lespedeza thunbergii</i> var. <i>retusa</i> T.B.Lee
부처꽃 (Bu-cheo-kkot)	Purple loosestrife <i>Lythrum anceps</i> (Koehne) Makino
부처꽃과 (Bu-cheo-kkot-gwa)	Loosestrife family <i>Lythraceae</i> J.St.-Hil.
부처꽃속 [부처꽃과] (Bu-cheo-kkot-sok)	Loosestrife <i>Lythrum</i> L. [Lythraceae]
부처손 (Bu-cheo-son)	Tree spikemoss <i>Selaginella involvens</i> (Sw.) Spring
부처손과 (Bu-cheo-son-gwa)	Spikemoss family <i>Selaginellaceae</i> Willk.
부처손속 [부처손과] (Bu-cheo-son-sok)	Spikemoss, Lesser clubmosses, Selaginella <i>Selaginella</i> P.Beauv. [Selaginellaceae]
부추속 [백합과] (Bu-chu-sok)	Ornamental onion, Onion <i>Allium</i> L. [Liliaceae]
북개벗지나무 (Buk-gae-beot-ji-na-mu)	Meyer's cherry <i>Prunus meyeri</i> Rehder
북관중 (Buk-gwan-jung)	Northern shield fern <i>Dryopteris coreano-montana</i> Nakai
북미나리아재비 (Buk-mi-na-ri-a-jae-bi)	Northern buttercup <i>Ranunculus grandis</i> var. <i>austrokurilensis</i> (Tatew.) H.Hara
북바위고사리 (Buk-ba-wi-go-sa-ri)	Parsley fern <i>Cryptogramma crispa</i> (L.) R.Br. ex Rich.
북바위고사리속 [고사리과] (Buk-ba-wi-go-sa-ri-sok)	Rockbrake <i>Cryptogramma</i> R.Br. [Pteridaceae]

Korean name (Romanization)	English name Scientific name
북부식깃고사리 (Buk-bu-sit-git-go-sa-ri)	Thin Northern lipfern <i>Cheilanthes kuhnii f. gracilis</i> Kitag.
북분취 (Buk-bun-chwi)	Mongolian saussurea <i>Saussurea mongolica</i> (Franch.) Franch.
북사초 (Buk-sa-cho)	Augustinowicz's sedge <i>Carex augustinowiczzii</i> Menish. ex Korsh.
북새발고사리 (Buk-sae-bal-go-sa-ri)	Black-scale ladyfern <i>Athyrium melanolepis</i> (Franch. & Sav.) Christ
북선메뚜기피 (Buk-seon-me-ttwi-gi-pi)	Alpine reedgrass <i>Calamagrostis hymenoglossa</i> Ohwi
북선점나도나물 (Buk-seon-jeom-na-do-na-mul)	Korean mouse-ear chickweed <i>Cerastium rubescens</i> var. <i>koreanum</i> (Nakai) Miki
북쇠뜨기 (Buk-soe-tieu-gi)	Northern field horsetail <i>Equisetum arvense</i> var. <i>boreale</i> (Bong.) Rupr.
북점나도나물 (Buk-jeom-na-do-na-mul)	Eurasian mouse-ear chickweed <i>Cerastium holosteoides</i> Fries
북통발 (Buk-tong-bal)	Yellowish-white bladderwort <i>Utricularia ochroleuca</i> R.W.Hartm.
분개구리밥 (Bun-gae-gu-ri-bap)	Rootless watermeal <i>Wolffia arrhiza</i> (L.) Horkel ex Wimm.
분개구리밥속 [개구리밥과] (Bun-gae-gu-ri-bap-sok)	Duckweed, Watermeal <i>Wolffia</i> Horkel ex Schleid. [Lemnaceae]
분꽃나무 (Bun-kkot-na-mu)	Korean spice viburnum <i>Viburnum carlesii</i> Hemsl.
분단나무 (Bun-dan-na-mu)	Forked viburnum <i>Viburnum furcatum</i> Blume
분벼들 (Bun-beo-deul)	Prunia-shoot willow <i>Salix rorida</i> Laksch.
분비나무 (Bun-bi-na-mu)	Khingan fir <i>Abies nephrolepis</i> (Trautv. ex Maxim.) Maxim.
분취 (Bun-chwi)	Seoul saussurea <i>Saussurea seoulensis</i> Nakai

Korean name (Romanization)	English name Scientific name
분홍꽃향유 (Bun-hong-kkot-hyang-yu)	Pink-flower shiny mint <i>*Elsholtzia splendens f. roseola</i> Y.N.Lee
분홍노루발 (Bun-hong-no-ru-bal)	Pink-flower wintergreen <i>Pyrola asarifolia</i> subsp. <i>incarnata</i> (DC.) Haber & Hir. Takah.
분홍미선나무 (Bun-hong-mi-seon-na-mu)	Pink-flower miseonnamu (Pink-flower abeliophyllum) <i>Abeliophyllum distichum</i> f. <i>lilacinum</i> Nakai
분홍바늘꽃 (Bun-hong-ba-neul-kkot)	Rosebay willowherb <i>Epilobium angustifolium</i> L.
분홍벚나무 (Bun-hong-beot-na-mu)	Hairy Sargent's cherry <i>Prunus sargentii</i> var. <i>verecuda</i> (Koidz.) Chin S.Chang
분홍장구채 (Bun-hong-jang-gu-chae)	Pink catchfly <i>Silene capitata</i> Kom.
분홍좁쌀풀 (Bun-hong-jop-ssal-pul)	Pink loosestrife <i>Lysimachia vulgaris</i> var. <i>davurica</i> f. <i>koreana</i> W.T.Lee ex W.T.Lee & W.K.Paik
분홍쥐손이 (Bun-hong-jwi-son-i)	Western purple cranesbill <i>Geranium maximowiczii</i> Regel
분홍털복주머니란 (Bun-hong-teol-bok-ju-meo-ni-ran)	Pink hairy spotted lady's slipper <i>Cypripedium guttatum</i> f. <i>punicum</i> Y.N.Lee
분홍활미꽃 (Bun-hong-hal-mi-kkot)	Dahurian pasque-flower <i>Pulsatilla dahurica</i> (Fisch. ex DC.) Spreng.
붉가시나무 (Buk-ga-si-na-mu)	Red-wood evergreen oak <i>Quercus acuta</i> Thunb.
붉나무 (Buk-na-mu)	Nutgall tree <i>Rhus chinensis</i> Mill.
붉나무속 [옻나무과] (Buk-na-mu-sok)	Sumac <i>Rhus</i> L. [Anacardiaceae]
붉노랑상사화 (Buk-no-rang-sang-sa-hwa)	Reddish-yellow surprise lily <i>Lycoris flavaescens</i> M.Y.Kim & S.T.Lee
붉은가문비 (Bul-geun-ga-mun-bi)	Red-cone spruce <i>Picea jezoensis</i> f. <i>rubrilepis</i> Uyeki
붉은거울살이 (Bul-geun-geo-ul-sal-i)	Red-berry Korean mistletoe <i>Viscum coloratum</i> f. <i>rubroaurantiacum</i> (Makino) Kitag.

Korean name (Romanization)	English name Scientific name
붉은고로쇠 (Bul-geun-go-ro-soe)	Red-petiole mono maple <i>Acer mono f. rubripes</i> T.B.Lee
붉은골풀아재비 (Bul-geun-gol-pul-a-jae-bi)	Red-spike beaksedge <i>Rhynchospora rubra</i> (Lour.) Makino
붉은구상 (Bul-geun-gu-sang)	Red-cone Korean fir <i>Abies koreana f. rubrocarpa</i> T.B.Lee
붉은꽃싸리 (Bul-geun-kkotssa-ri)	Red false bush-clover <i>Campylotropis macrocarpa f. rosea</i> Uyeki
붉은노루삼 (Bul-geun-no-ru-sam)	Red baneberry <i>Actaea erythrocarpa</i> Fisch.
붉은대극 (Bul-geun-dae-geuk)	Red spurge <i>Euphorbia ebracteolata</i> Hayata
붉은대산뽕 (Bul-geun-dae-san-ppong)	Red-stem mulberry <i>*Morus bombycina var. rubricaulis</i> Uyeki
붉은별깨덩굴 (Bul-geun-beol-kkae-deong-gul)	Red nettle-leaf mint <i>*Meehania urticifolia f. rubra</i> T.B.Lee
붉은병꽃나무 (Bul-geun-byeong-kkot-na-mu)	Old-fashion weigela <i>Weigela florida</i> (Bunge) A.DC.
붉은사철란 (Bul-geun-sa-cheol-ran)	Reddish rattlesnake plantain <i>Goodyera biflora</i> (Lindl.) Hook.f.
붉은수크령 (Bul-geun-su-keu-ryeong)	Reddish foxtail fountaingrass <i>Pennisetum alopecuroides</i> var. <i>erythrochaetum</i> Ohwi
붉은여로 (Bul-geun-yeo-ro)	Reddish-flower false-hellebore <i>Veratrum versicolor f. brunnea</i> Nakai
붉은조개나물 (Bul-geun-jo-gae-na-mul)	Red Korean pyramid bugle <i>Ajuga multiflora</i> f. <i>rosea</i> Y.N.Lee
붉은참반디 (Bul-geun-cham-ban-di)	Red-flower sanicle <i>Sanicula rubriflora</i> F.Schmidt ex Maxim.
붉은키버들 (Bul-geun-ki-beo-deul)	Red winnow willow <i>Salix koriyanagi</i> f. <i>rubra</i> (Nakai) W.T.Lee
붉은터리풀 (Bul-geun-teo-ri-pul)	Red Korean meadowsweet <i>Filipendula koreana</i> (Nakai) Nakai

Korean name (Romanization)	English name Scientific name
붉은털이슬 (Bul-geun-teol-i-seul)	Red-hair enchanter's nightshade <i>Circaeа erubescens</i> Franch. & Sav.
붉은톱풀 (Bul-geun-top-pul)	Reddish alpine yarrow <i>Achillea alpina</i> subsp. <i>rhodoptarmica</i> (Nakai) Kitam.
붉은호장근 (Bul-geun-ho-jang-geun)	Red Asian knotweed <i>*Fallopia japonica</i> f. <i>elata</i> Y.M.Lee & H.J.Choi
붓꽃 (But-kkot)	Blood iris <i>Iris sanguinea</i> Donn ex Horn
붓꽃과 (But-kkot-gwa)	Iris family Iridaceae Juss.
붓꽃속 [붓꽃과] (But-kkot-sok)	Iris <i>Iris L.</i> [Iridaceae]
붓순나무 (But-sun-na-mu)	Aniseed tree <i>Illicium anisatum</i> L.
붓순나무과 (But-sun-na-mu-gwa)	Star-anise family Illiciaceae A.C. Sm.
붓순나무속 [붓순나무과] (But-sun-na-mu-sok)	Anisetree, Star-anise <i>Illicium L.</i> [Illiciaceae]
붕겐새풀 (Bung-gen-sae-pul)	Bunge's reedgrass <i>Calamagrostis bungeana</i> V.Petrov
붕어마름 (Bung-eo-ma-reum)	Coon's tail <i>Ceratophyllum demersum</i> L.
붕어마름과 (Bung-eo-ma-reum-gwa)	Hornwort family Ceratophyllaceae Gray
붕어마름속 [붕어마름과] (Bung-eo-ma-reum-sok)	Coon's tail, Hornwort <i>Ceratophyllum L.</i> [Ceratophyllaceae]
비고사리 (Bi-go-sa-ri)	East Asian necklace fern <i>Lindsaea japonica</i> (Baker) Diels
비고사리속 [고사리과] (Bi-go-sa-ri-sok)	Necklace fern <i>Lindsaea Dryand.</i> ex Sm. [Pteridaceae]
비녀골풀 (Bi-nyeo-gol-pul)	Kramer's rush <i>Juncus krameri</i> Franch. & Sav.

Korean name (Romanization)	English name Scientific name
비노리 (Bi-no-ri)	Multi-stem lovegrass <i>Eragrostis multicaulis</i> Steud.
비늘개관종 (Bi-neul-gae-gwan-jung)	Scaly holly fern <i>Polystichum retrosopaleaceum</i> (Kodama) Tagawa
비늘고사리 (Bi-neul-go-sa-ri)	Leatherly wood fern <i>Dryopteris lacera</i> (Thunb.) Kuntze
비늘사초 (Bi-neul-sa-cho)	Lentoid sedge <i>Carex phacota</i> Spreng.
비늘석송 (Bi-neul-seok-song)	Ground pine <i>Lycopodium complanatum</i> L.
비늘이끼 (Bi-neul-i-kki)	Loose-leaf sellaginella <i>Selaginella remotifolia</i> Spring
비단분취 (Bi-dan-bun-chwi)	Komarov's saussurea <i>Saussurea komaroviana</i> Lipsch.
비단쑥 (Bi-dan-ssuk)	White-mountain wormwood <i>Artemisia lagocephala</i> f. <i>triloba</i> (Ledeb.) Pamp.
비로용담 (Bi-ro-yong-dam)	Biro gentian <i>Gentiana jamesii</i> Hemsl.
비름 (Bi-reum)	Edible amaranth <i>Amaranthus mangostanus</i> L.
비름과 (Bi-reum-gwa)	Amaranth family Amaranthaceae Juss.
비름속 [비름과] (Bi-reum-sok)	Amaranth, Pigweed <i>Amaranthus</i> L. [Amaranthaceae]
비목나무 (Bi-mok-na-mu)	Red-fruit spicebush <i>Lindera erythrocarpa</i> Makino
비바리골무꽃 (Bi-ba-ri-gol-mu-kkot)	Bibari skullcap <i>Scutellaria indica</i> var. <i>alba</i> S.T.Kim & S.T.Lee
비비추난초 (Bi-bi-chu-nan-cho)	Hosta-leaf orchid <i>Tipularia japonica</i> Matsum.
비비추난초속 [난초과] (Bi-bi-chu-nan-cho-sok)	Tipularia <i>Tipularia</i> Nutt. [Orchidaceae]

Korean name (Romanization)	English name Scientific name
비비추속 [백합과] (Bi-bi-chu-sok)	Plantain lily, Hosta <i>Hosta</i> Tratt. [Liliaceae]
비수리 (Bi-su-ri)	Sericea lespedeza <i>Lespedeza cuneata</i> (Dum.Cours.) G.Don
비술나무 (Bi-sul-na-mu)	Siberian elm <i>Ulmus pumila</i> L.
비슬개별꽃 (Bi-seul-gae-byeol-kkot)	Biseul false-starwort <i>Pseudostellaria heterophylla × P. palibiniana</i> K.Choi & J.H.Pak
비쑥 (Bi-ssuk)	Virgate wormwood <i>Artemisia scoparia</i> Waldst. & Kit.
비양나무속 [쐐기풀과] (Bi-yang-na-mu-sok)	Oreocnide <i>Oreocnide</i> Miq. [Urticaceae]
비자나무 (Bi-ja-na-mu)	Nut-bearing torreya <i>Torreya nucifera</i> (L.) Siebold & Zucc.
비자나무속 [주목과] (Bi-ja-na-mu-sok)	Nutmeg yew, Torreya <i>Torreya</i> Arn. [Taxaceae]
비자란 (Bi-ja-ran)	East Asian thrixspermum <i>Thrixspermum japonicum</i> (Miq.) Rchb.f.
비자란속 [난초과] (Bi-ja-ran-sok)	Thrixspermum <i>Thrixspermum</i> Lour. [Orchidaceae]
비진도콩 (Bi-jin-do-kong)	Bijindo bean <i>Dumasia truncata</i> Siebold & Zucc.
비진도콩속 [콩과] (Bi-jin-do-kong-sok)	Dumasia <i>Dumasia</i> DC. [Fabaceae]
비짜루 (Bi-jja-ru)	Schoberia-like asparagus <i>Asparagus schoberioides</i> Kunth
비짜루속 [백합과] (Bi-jja-ru-sok)	Asparagus, Garden asparagus <i>Asparagus</i> L. [Liliaceae]
비쭈기나무 (Bi-jju-gi-na-mu)	Japanese cleyera <i>Cleyera japonica</i> Thunb.
비쭈기나무속 [차나무과] (Bi-jju-gi-na-mu-sok)	Cleyera <i>Cleyera</i> Thunb. [Theaceae]

Korean name (Romanization)	English name Scientific name
빈추나무 (Bin-chu-na-mu)	Cherry prinsepia <i>Prinsepia sinensis</i> (Oliv.) Oliv. ex Bean
빈추나무속 [장미과] (Bin-chu-na-mu-sok)	Prinsepia <i>Prinsepia</i> Royle [Rosaceae]
빌레나무 (Bil-re-na-mu)	Broad flat rock tree <i>Maesa japonica</i> (Thunb.) Moritzi & Zoll.
빌레나무과 (Bil-re-na-mu-gwa)	Maesa family Maesaceae Anderb., B.Ståhl & Källersjö
빌레나무속 [빌레나무과] (Bil-re-na-mu-sok)	Maesa <i>Maesa</i> Forssk. [Maesaceae]
빕새귀리 (Bip-sae-gwi-ri)	Fringed brome <i>Bromus canadensis</i> subsp. <i>yedoensis</i> (Ohwi) V.N.Voroshilov.
빗살새 (Bit-sal-sae)	Crested dogtail grass <i>Cynosurus cristatus</i> L.
빗살새속 [벼과] (Bit-sal-sae-sok)	Dogtail grass <i>Cynosurus</i> L. [Poaceae]
빗살서덜취 (Bit-sal-seo-deol-chwi)	Deeply-lobe saussurea <i>Saussurea odontolepis</i> (Herder) Sch.Bip. ex Maxim.
뺑쑥 (Ppaeng-ssuk)	Fedde's wormwood <i>Artemisia feddei</i> H.Lév. & Vaniot
빼꾹나리 (Ppeo-kkuk-na-ri)	Toad lily <i>Tricyrtis macropoda</i> Miq.
빼꾹나리속 [백합과] (Ppeo-kkuk-na-ri-sok)	Toad lilies, Tricyrtis <i>Tricyrtis</i> Wall. [Liliaceae]
빼꾹채 (Ppeo-kkuk-chae)"	Uniflower swisscentaury <i>Rhaponticum uniflorum</i> (L.) DC.
빼꾹채속 [국화과] (Ppeo-kkuk-chae-sok)"	Rhaponticum <i>Rhaponticum</i> Ludw. [Asteraceae]
뽀리뱅이 (Ppo-ri-baeng-i)	Oriental false hawksbeard <i>Youngia japonica</i> (L.) DC.
뽀리뱅이속 [국화과] (Ppo-ri-baeng-i-sok)	Youngia <i>Youngia</i> Cass. [Asteraceae]

Korean name (Romanization)	English name Scientific name
뽕나무과 (Ppong-na-mu-gwa)	Mulberry family Moraceae Gaudich.
뽕나무속 [뽕나무과] (Ppong-na-mu-sok)	Mulberry <i>Morus L.</i> [Moraceae]
뽕모시풀 (Ppong-mo-si-pul)	Hairy crabweed <i>Fatoua villosa</i> (Thunb.) Nakai
뽕모시풀속 [뽕나무과] (Ppong-mo-si-pul-sok)	Fatoua <i>Fatoua</i> Gaudich. [Moraceae]
뽕잎피나무 (Ppong-ip-pi-na-mu)	Mulberry-leaf linden <i>Tilia taquetii</i> C.K.Schneid.
뾰족잎사철나무 (Ppyo-jok-ip-sa-cheol-na-mu)	Acute-leaf evergreen spindletree <i>Euonymus japonicus</i> var. <i>acutus</i> Rehder
뿔고사리 (Ppul-go-sa-ri)	Horn fern <i>Cornopteris decurrenti-alata</i> (Hook.) Nakai
뿔고사리속 [면마과] (Ppul-go-sa-ri-sok)	Cornopteris <i>Cornopteris</i> Nakai [Dryopteridaceae]
뿔말 (Ppul-mal)	Horned pondweed <i>Zannichellia palustris</i> L.
뿔말속 [가래과] (Ppul-mal-sok)	Horned pondweed <i>Zannichellia</i> [Potamogetonaceae]

人

사과나무속 [장미과] (Sa-gwa-na-mu-sok)	Apple, Crabapples, Crab apples, Crabs, Wild apples <i>Malus</i> Mill. [Rosaceae]
사국이질풀 (Sa-guk-i-jil-pul)	Shikoku marbled cranebill <i>Geranium shikokianum</i> Matsum.
사다리고사리 (Sa-da-ri-go-sa-ri)	Ladder-shape gland fern <i>Parathelypteris glanduligera</i> (Kunze) Ching
사다리고사리속 [면마과] (Sa-da-ri-go-sa-ri-sok)	Gland fern, Marsh fern, Parathelypteris <i>Parathelypteris</i> (H. Itô) Ching [Dryopteridaceae]
사데풀 (Sa-de-pul)	Seashore sowthistle <i>Sonchus brachyotus</i> DC.

Korean name (Romanization)	English name Scientific name
사동미나리 (Sa-dong-mi-na-ri)	Dahurian snowparsley <i>Cnidium dauricum</i> (Jacq.) Fisch. & C.A.Mey
사람주나무 (Sa-ram-ju-na-mu)	Tallow Tree <i>Neoshirakia japonica</i> (Siebold & Zucc.) Esser
사람주나무속 [대극과] (Sa-ram-ju-na-mu-sok)	Milktree <i>Neoshirakia</i> Esser [Euphorbiaceae]
사마귀풀 (Sa-ma-gwi-pul)	Marsh dewflower <i>Murdannia keisak</i> (Hassk.) Hand.-Mazz.
사마귀풀속 [닭의장풀과] (Sa-ma-gwi-pul-sok)	Murdannia <i>Murdannia</i> Royle [Commelinaceae]
사상자 (Sa-sang-ja)	Erect hedgeparsley <i>Torilis japonica</i> (Houtt.) DC.
사상자속 [산형과] (Sa-sang-ja-sok)	Hedgeparsley <i>Torilis</i> Adans. [Apiaceae]
사스래나무 (Sa-seu-rae-na-mu)	Erman's birch <i>Betula ermanii</i> Cham.
사스레피나무 (Sa-seu-re-pi-na-mu)	East Asian eurya <i>Eurya japonica</i> Thunb.
사스레피나무속 [차나무과] (Sa-seu-re-pi-na-mu-sok)	Eurya <i>Eurya</i> Thunb. [Theaceae]
사순딸기 (Sa-seun-ttal-gi)	Small-leaf trailing raspberry <i>Rubus parvifolius</i> var. <i>taquetii</i> (H.Lév.) Nemoto
사시나무 (Sa-si-na-mu)	Korean aspen <i>Populus davidiana</i> Dode
사시나무속 [벼드나무과] (Sa-si-na-mu-sok)	Cottonwood, Poplar <i>Populus</i> L. [Salicaceae]
사위질빵 (Sa-wi-jil-ppang)	Three-leaf clematis <i>Clematis apiifolia</i> DC.
사창분취 (Sa-chang-bun-chwi)	Northern saussurea <i>Saussurea calcicola</i> Nakai
사철검은재나무 (Sa-cheol-geom-eun-jae-na-mu)	Thick sweetleaf <i>Symplocos lucida</i> (Thunb.) Siebold & Zucc.

Korean name (Romanization)	English name Scientific name
사철고사리 (Sa-cheol-go-sa-ri)	Evergreen spleenwort <i>Asplenium pekinense</i> Hance
사철나무 (Sa-cheol-na-mu)	Evergreen spindletree <i>Euonymus japonicus</i> Thunb.
사철란 (Sa-cheol-ran)	Schlechtendal's rattlesnake plantain <i>Goodyera schlechtendaliana</i> Rchb.f.
사철란속 [난초과] (Sa-cheol-ran-sok)	Rattlesnake plantain <i>Goodyera</i> R.Br. [Orchidaceae]
사철쑥 (Sa-cheol-ssuk)	Capillary wormwood <i>Artemisia capillaris</i> Thunb.
사철잔고사리 (Sa-cheol-jan-go-sa-ri)	Rough hay-scented fern <i>Dennstaedtia scabra</i> (Wall. ex Hook.) T.Moore
사초과 (Sa-cho-gwa)	Sedges Cyperaceae Juss.
사초속 [사초과] (Sa-cho-sok)	Sedge <i>Carex</i> L. [Cyperaceae]
사할린새풀 (Sa-hal-rin-sae-pul)	Sakhalin reedgrass <i>Calamagrostis sachalinensis</i> F.Schmidt
사향제비꽃 (Sa-hyang-je-bi-kkot)	Musky violet <i>Viola obtusa</i> (Makino) Makino
산가막살나무 (San-ga-mak-sal-na-mu)	Wright's viburnum <i>Viburnum wrightii</i> Miq.
산각시취 (San-gak-si-chwi)	Mountain maiden saussurea <i>Saussurea umbrosa</i> Kom.
산갈퀴 (San-gal-kwi)	Mountain bedstraw <i>Galium pogananthum</i> Franch. & Sav.
산개갈퀴 (San-gae-gal-kwi)	Asian montane woodruff <i>Asperula platygallum</i> Maxim.
산개고사리 (San-gae-go-sa-ri)	Vidal's ladyfern <i>Athyrium vidalii</i> (Franch. & Sav.) Nakai
산개나리 (San-gae-na-ri)	Rocky forsythia <i>Forsythia saxatilis</i> (Nakai) Nakai

Korean name (Romanization)	English name Scientific name
산개벗지나무 (San-gae-beot-ji-na-mu)	Korean mountain cherry <i>Prunus maximowiczii</i> Rupr.
산개별꽃 (San-gae-byeol-kkot)	Mountain false-starwort <i>Pseudostellaria monantha</i> Ohwi
산개쑥 (San-gae-ssuk)	High-mountain wormwood <i>Artemisia orthobotrys</i> Kitam.
산갓보리 (San-gaet-bo-ri)	Velvety Dahurian wheatgrass <i>Elymus dahuricus</i> var. <i>vilosulus</i> (Ohwi) Ohwi
산검양옻나무 (San-geom-yang-ot-na-mu)	Wood lacquer tree <i>Toxicodendron sylvestre</i> (Siebold & Zucc.) Kuntze
산겨름나무 (San-gyeo-reup-na-mu)	East Asian stripe maple <i>Acer tegmentosum</i> Maxim.
산겨이식 (San-gyeo-i-sak)	Clavate bentgrass <i>Agrostis clavata</i> Trin.
산고사리	Mountain ladyfern <i>Athyrium alpestre</i> (Hoppe) Clairv.
산고사리삼 (San-go-sa-ri-sam)	Colored grapefern <i>Sceptridium multifidum</i> var. <i>rebustum</i> (Rupr. ex Milde) M.Nishida ex Tagawa
산골무꽃 (San-gol-mu-kkot)	Mountain skullcap <i>Scutellaria pekinensis</i> var. <i>transitria</i> (Makino) H.Hara
산골취	Elliptic-leaf saussurea <i>Saussurea neoserrata</i> Nakai
산괭이눈 (San-gwaeng-i-nun)	Mountain golden saxifrage <i>Chrysosplenium japonicum</i> (Maxim.) Makino
산괭이사초 (San-gwaeng-i-sa-cho)	Mountain cat-tail sedge <i>Carex leiorhyncha</i> C.A.Mey.
산괴불나무 (San-goe-bul-na-mu)	Mountain chrysanthia honeysuckle <i>Lonicera chrysanthia</i> var. <i>crassipes</i> Nakai
산괴불주머니 (San-goe-bul-ju-meo-ni)	Beautiful corydalis <i>Corydalis speciosa</i> Maxim.
산구절초 (San-gu-jeol-cho)	Korean dendranthema <i>Dendranthema zawadskii</i> (Herb.) Tzvelev

Korean name (Romanization)	English name Scientific name
산국 (San-guk)	Northern dendranthema <i>Dendranthema boreale</i> (Makino) Ling ex Kitam.
산국속 [국화과] (San-guk-sok)	Arctic daisy, Dendranthema <i>Dendranthema</i> (DC.) Des Moul. [Asteraceae]
산국수나무 (San-guk-su-na-mu)	Amur ninebark <i>Physocarpus amurensis</i> (Maxim.) Maxim.
산국수나무속 [장미과] (San-guk-su-na-mu-sok)	Ninebark <i>Physocarpus</i> Maxim. [Rosaceae]
산기름나물 (San-gi-reum-na-mul)	Mountain hogfennel <i>Peucedanum terebinthaceum</i> var. <i>deltoidicum</i> (Makino ex K. Yabe) Makino
산기장 (San-gi-jang)	Globose phaenosperma <i>Phragmites japonicus</i> Steud.
산꼬리사초 (San-kko-ri-sa-cho)	Long-tail-spike sedge <i>Carex shimidzensis</i> Franch.
산꼬리풀 (San-kko-ri-pul)	Mountain spike speedwell <i>Veronica rotunda</i> var. <i>subintegra</i> (Nakai) T. Yamaz.
산꽃고사리삼 (San-kkot-go-sa-ri-sam)	East Asian grapefern <i>Sceptridium japonicum</i> (Prantl) Lyon
산꽃다지 (San-kkot-da-ji)	Rock whitlow-grass <i>Draba glabella</i> Pursh
산꿩의다리 (San-kkhwong-ui-da-ri)	Tuberous-rooted meadow-rue <i>Thalictrum filamentosum</i> var. <i>tenerum</i> (Huth) Ohwi
산꿩의밥 (San-kkhwong-ui-bap)	Common woodrush <i>Luzula multiflora</i> (Ehrh.) Lej.
산냉이 (San-naeng-i)	Northern meadow bittercress <i>Cardamine prorepens</i> Fisch. ex DC.
산닥나무 (San-dak-na-mu)	Montane false ohelo <i>Wikstroemia trichotoma</i> (Thunb.) Makino
산닥나무속 [狎꽃나무과] (San-dak-na-mu-sok)	False ohelo <i>Wikstroemia</i> Endl. [Thymelaeaceae]
산단풍나무 (San-dan-pung-na-mu)	Mountain Korean maple <i>Acer pseudosieboldianum</i> var. <i>ishidoyanum</i> Uyeki

Korean name (Romanization)	English name Scientific name
산달래 (San-dal-rae)	Long-stamen chive <i>Allium macrostemon</i> Bunge
산돌배 (San-dol-bae)	Ussurian pear <i>Pyrus ussuriensis</i> Maxim.
산동쥐똥나무 (San-dong-jwi-ttong-na-mu)	Sharp-leaf privet <i>Ligustrum acutissimum</i> Koehne
산둥굴레 (San-dung-gul-re)	Thunberg's solomon's seal <i>Polygonatum thunbergii</i> Morr. & Decne.
산들깨 (San-deul-kkae)	Large-bract mosla <i>Mosla japonica</i> (Benth. ex Oliv.) Maxim
산들쭉나무 (San-deul-jjuk-na-mu)	Alpine bog blueberry <i>Vaccinium uliginosum</i> var. <i>alpinum</i> Bigelow
산딸기 (San-ttal-gi)	Korean raspberry <i>Rubus crataegifolius</i> Bunge
산딸기속 [장미과] (San-ttal-gi-sok)	Blackberry <i>Rubus L.</i> [Rosaceae]
산딸나무 (San-ttal-na-mu)	Korean dogwood <i>Cornus kousa</i> F.Buerger ex Hance
산떡쑥 (San-tteok-ssuk)	Pearly everlasting <i>Anaphalis margaritacea</i> (L.) Benth. & Hook.f.
산뚝사초 (San-ttuk-sa-cho)	Scissors-like sedge <i>Carex forficula</i> Franch. & Sav.
산마가목 (San-ma-ga-mok)	Siberian mountain ash <i>Sorbus sambucifolia</i> var. <i>pseudogracilis</i> C.K.Schneid.
산마늘 (San-ma-neul)	Alpine broad-leaf allium <i>Allium victorialis</i> L.
산매자나무 (San-mae-ja-na-mu)	Mountain blueberry <i>Vaccinium japonicum</i> Miq.
산목새 (San-muk-sae)	Oriental fescue <i>Festuca japonica</i> Makino
산물봉선 (San-mul-bong-seon)	Small white touch-me-not <i>Impatiens furcillata</i> Hemsl.

Korean name (Romanization)	English name Scientific name
산물통이 (San-mul-tong-i)	Montane clearweed <i>Pilea japonica</i> (Maxim.) Hand.-Mazz.
산미나리 (San-mi-na-ri)	Goutweed <i>Aegopodium podagraria</i> L.
산미나리속 [산형과] (San-mi-na-ri-sok)	Goutweed <i>Aegopodium</i> L. [Apiaceae]
산미나리아재비 (San-mi-na-ri-a-jae-bi)	Mountain meadow buttercup <i>Ranunculus acris</i> var. <i>monticola</i> (Kitag.) Tamura
산미역취 (San-mi-yeok-chwi)	European goldenrod <i>Solidago virgaurea</i> var. <i>leiocarpa</i> (Benth.) A.Gray
산민들레 (San-min-deul-re)	Montane dandelion <i>Taraxacum ohwianum</i> Kitam.
산민망초 (San-min-mang-cho)	Kamchatka fleabane <i>Erigeron acris</i> var. <i>kamtschaticus</i> (DC.) Herder
산바늘사초 (San-ba-neul-sa-cho)	Few-flower sedge <i>Carex pauciflora</i> Lightf.
산바위싱아 (San-ba-wi-sing-a)	Mountain knotweed <i>Aconogonon limosum</i> (Kom.) H.Hara
산박하 (San-bak-ha)	Mountain isodon <i>Isodon inflexus</i> (Thunb.) Kudô
산박하속 [꿀풀과] (San-bak-ha-sok)	Isodon <i>Isodon</i> (Schrad. ex Benth.) Spach [Lamiaceae]
산밤나무 (San-bam-na-mu)	Korean mountain castanea <i>Castanea crenata</i> var. <i>kusakuri</i> (Blume) Nakai
산뱀고사리 (San-baem-go-sa-ri)	Faurie's ladyfern <i>Athyrium fauriei</i> (Christ) Makino
산벚나무 (San-beot-na-mu)	Sargent's cherry <i>Prunus sargentii</i> Rehder
산복사나무 (San-bok-sa-na-mu)	Pere David's cherry <i>Prunus davidiana</i> (Carrière) Franch.
산부싯깃고사리 (San-bu-sit-git-go-sa-ri)	Northern lipfern <i>Cheilanthes kuhnii</i> Milde

Korean name (Romanization)	English name Scientific name
산부채 (San-bu-chae)	Water-arum <i>Calla palustris</i> L.
산부채속 [천남성과] (San-bu-chae-sok)	Bog arum, Callalily, Marsh calla, Water-arum, Wild calla <i>Calla</i> L. [Araceae]
산부추 (San-bu-chu)	Thunberg's chive <i>Allium thunbergii</i> G.Don
산분꽃나무 (San-bun-kkot-na-mu)	Manchurian viburnum <i>Viburnum burejaeticum</i> Regel & Herder
산분꽃나무속 [인동과] (San-bun-kkot-na-mu-sok)	Viburnum <i>Viburnum</i> L. [Caprifoliaceae]
산비늘고사리 (San-bi-neul-go-sa-ri)	Japanese shield fern <i>Dryopteris polylepis</i> (Franch. & Sav.) C.Chr.
산비늘사초 (San-bi-neul-sa-cho)	Different-scale sedge <i>Carex heterolepis</i> Bunge
산비장이 (San-bi-jang-i)	Mountain coronate sawwort <i>Serratula coronata</i> var. <i>insularis</i> (Iljin) Kitam.
산비장이속 [국화과] (San-bi-jang-i-sok)	Plumeless sawwort <i>Serratula</i> L. [Asteraceae]
산뽕나무 (San-ppong-na-mu)	Korean mulberry <i>Morus bombycina</i> Koidz.
산사나무 (San-sa-na-mu)	Mountain hawthorn <i>Crataegus pinnatifida</i> Bunge
산사나무속 [장미과] (San-sa-na-mu-sok)	Hawberry, Hawthorn, May-tree, Thornapple, Whitethorn <i>Crataegus</i> L. [Rosaceae]
산사초 (San-sa-cho)	Silvery sedge <i>Carex canescens</i> L.
산새밥 (San-sae-bap)	Eurasian woodrush <i>Luzula pallescens</i> Sw.
산새콩 (San-sae-kong)	Korean mountain vetching <i>Lathyrus vaniotii</i> H.Lév.
산새풀 (San-sae-pul)	Langsdorf's reedgrass <i>Calamagrostis langsdorffii</i> (Link) Trin.

Korean name (Romanization)	English name Scientific name
산새풀속 [벼과] (San-sae-pul-sok)	Small reed, Reed grass <i>Calamagrostis</i> Adans. [Poaceae]
산석송 (San-seok-song)	Alpine clubmoss <i>Lycopodium alpinum</i> L.
산소영도리나무 (San-so-yeong-do-ri-na-mu)	Hairy early-flowering weigela <i>Weigela praecox</i> var. <i>pilosa</i> (Nakai) Nakai
산속단 (San-sok-dan)	Korean Jerusalem sage <i>Phlomis koraiensis</i> Nakai
산솜다리 (San-som-da-ri)	Bristle-tip edelweiss <i>Leontopodium leiolepis</i> Nakai
산솜방망이 (San-som-bang-mang-i)	Scarlet groundsel <i>Tephroseris flammea</i> (Turcz. ex DC.) Holub
산쇠고비 (San-soe-go-bi)	Arching hollyfern <i>Cyrtomium fortunei</i> var. <i>clivicola</i> (Makino) Tagawa
산수국 (San-su-guk)	Mountain hydrangea <i>Hydrangea serrata</i> f. <i>acuminata</i> (Siebold & Zucc.) E.H.Wilson
산쐐기풀 (San-sswae-gi-pul)	Devil's woodnettle <i>Laportea macrostachya</i> (Maxim.) Ohwi
산쑥 (San-ssuk)	Montane wormwood <i>Artemisia montana</i> (Nakai) Pamp.
산쑥부쟁이 (San-ssuk-bu-jaeng-i)	Mountain aster <i>Aster lautureanus</i> (Debeaux) Franch.
산씀바귀 (San-sseum-ba-gwi)	Hairy-vein lettuce <i>Lactuca raddeana</i> Maxim.
산앵도나무 (San-aeng-do-na-mu)	Korean blueberry <i>Vaccinium hirtum</i> var. <i>koreanum</i> (Nakai) Kitam.
산앵도나무속 [진달래과] (San-aeng-do-na-mu-sok)	Blueberry <i>Vaccinium</i> L. [Ericaceae]
산양지사초 (San-yang-ji-sa-cho)	Montane sedge <i>Carex ulobasis</i> V.I.Krecz.
산여뀌 (San-yeo-kkwi)	Nepal smartweed <i>Persicaria nepalensis</i> (Meisn.) H.Gross

Korean name (Romanization)	English name Scientific name
산오이풀 (San-o-i-pul)	Korean mountain burnet <i>Sanguisorba hakusanensis</i> Makino
산옥잠화 (San-ok-jam-hwa)	Narrow-leaf hosta <i>Hosta longissima</i> Honda
산외 (San-oe)	Cracking Melon <i>Schizopepon bryoniifolius</i> Maxim.
산외속 [박과] (San-oe-sok)	Schizopepon <i>Schizopepon</i> Maxim. [Cucurbitaceae]
산용담 (San-yong-dam)	Whitish gentian <i>Gentiana algida</i> Pall.
산우드풀 (San-u-deu-pul)	Subcordate woodsia <i>Woodsia subcordata</i> Turcz.
산유자나무 (San-yu-ja-na-mu)	Shiny xylosma <i>Xylosma congesta</i> (Lour.) Merr.
산유자나무과 (San-yu-ja-na-mu-gwa)	Flacourtie family Flacourtiaceae Rich. ex DC.
산유자나무속 [산유자나무과] (San-yu-ja-na-mu-sok)	Brushhollies, Xylosmas <i>Xylosma</i> G.Forst. [Flacourtiaceae]
산이삭사초 (San-i-sak-sa-cho)	Lyngbye's sedge <i>Carex lyngbyei</i> Hornem.
산이스라자 (San-i-seu-ra-ji)	Mountain bush cherry <i>Prunus tshidoyana</i> Nakai
산이질풀 (San-i-jil-pul)	Nepal cranesbill <i>Geranium nepalense</i> Sweet
산일엽초 (San-il-yeop-cho)	Ussuri weeping fern <i>Lepisorus ussuriensis</i> (Regel & Maack) Ching
산자고 (San-ja-go)	Edible tulip <i>Tulipa edulis</i> (Miq.) Baker
산자고속 [백합과] (San-ja-go-sok)	Tulip <i>Tulipa</i> L. [Liliaceae]
산작약 (San-jak-yak)	Woodland peony <i>Paeonia obovata</i> Maxim.

Korean name (Romanization)	English name Scientific name
산잠자리피 (San-jam-ja-ri-pi)	Twofork oatgrass <i>Trisetum spicatum</i> (L.) K.Richt.
산장대 (San-jang-dae)	Budding rockcress <i>Arabis gemmifera</i> (Matsum.) Makino
산제비란 (San-je-bi-ran)	Common Korean platanthera <i>Platanthera mandarinorum</i> Rchb.f.
산조아재비 (San-jo-a-jae-bi)	Alpine timothy <i>Phleum alpinum</i> L.
산조아재비속 [벼과] (San-jo-a-jae-bi-sok)	Timothy <i>Phleum</i> L. [Poaceae]
산조팝나무 (San-jo-pap-na-mu)	Montane spirea <i>Spiraea blumei</i> G.Don
산조풀 (San-jo-pul)	Wood small reed <i>Calamagrostis epigeios</i> (L.) Roth
산족제비고사리 (San-jok-je-bi-go-sa-ri)	Mountain buckler fern <i>Dryopteris bissetiana</i> (Baker) C.Chr.
산중개고사리 (San-jung-gae-go-sa-ri)	Montane ladyfern <i>Athyrium epirachis</i> (H.Christ) Ching
산쥐손이 (San-jwi-son-i)	Dahurian cranesbill <i>Geranium dahuricum</i> DC.
산지치 (San-ji-chi)	East Asian alpine forget-me-not <i>Eritrichium sichotense</i> Popov
산지치속 [지치과] (San-ji-chi-sok)	Alpine forget-me-not <i>Eritrichium</i> Schrad. ex Gaudin [Boraginaceae]
산진달래 (San-jin-dal-rae)	Dahurian rhododendron <i>Rhododendron dauricum</i> L.
산짚신나물 (San-jip-sin-na-mul)	Korean agrimony <i>Agrimonia coreana</i> Nakai
산쪽풀 (San-jjok-pul)	Glabrous fruit mercury <i>Mercurialis leiocarpa</i> Siebold & Zucc.
산쪽풀속 [대극과] (San-jjok-pul-sok)	Mercurialis, Mercuries <i>Mercurialis</i> L. [Euphorbiaceae]

Korean name (Romanization)	English name Scientific name
산천궁 (San-cheon-gung)	Kamchatka hemlock parsley <i>Conioselinum kamtschaticum</i> Rupr.
산천궁속 [산형과] (San-cheon-gung-sok)	Hemlock parsley <i>Conioselinum</i> Fisch. ex Hoffm. [Apiaceae]
산철쭉 (San-cheol-jjuk)	Korean azalea <i>Rhododendron yedoense</i> f. <i>poukhanense</i> (H.Lév.) M.Sugim. ex T.Yamaz.
산초나무 (San-cho-na-mu)	Mastic-leaf prickly ash <i>Zanthoxylum schinifolium</i> Siebold & Zucc.
산층증이 (San-cheung-cheung-i)	Mountain Asian calamint <i>Clinopodium chinense</i> var. <i>shibetichense</i> (H.Lév.) Koidz.
산타래사초 (San-ta-rae-sa-cho)	Two-tip sedge <i>Carex lachenalii</i> Schkuhr
산토끼고사리 (San-to-kki-go-sa-ri)	Asian oak fern <i>Gymnocarpium jessoense</i> (Koidz.) Koidz.
산토끼꽃 (San-to-kki-kkot)	East Asian teasel <i>Dipsacus japonicus</i> Miq.
산토끼꽃과 (San-to-kki-kkot-gwa)	Teasel family Dipsacaceae Juss.
산토끼꽃속 [산토끼꽃과] (San-to-kki-kkot-sok)	Teasel, Teazel, Teazle <i>Dipsacus</i> L. [Dipsacaceae]
산톱풀 (San-top-pul)	Discoïd-involucrè alpine yarrow <i>Achillea alpina</i> var. <i>discoidea</i> (Regel) Kitam.
산파 (San-pa)	Oriental chive <i>Allium maximowiczii</i> Regel
산팽나무 (San-paeng-na-mu)	Orange-fruit hackberry <i>Celtis aurantiaca</i> Nakai
산활미꽃 (San-hal-mi-kkot)	Mountain pasque-flower <i>Pulsatilla nivalis</i> Nakai
산해박 (San-hae-bak)	Paniculate swallow-wort <i>Cynanchum paniculatum</i> (Bunge) Kitag.

Korean name (Romanization)	English name Scientific name
산향모 (San-hyang-mo)	Alpine sweetgrass <i>Hierochloe alpina</i> (Sw. ex Willd.) Roem. & Schult.
산형과 (San-hyeong-gwa)	Celery family, Carrot family, Parsley family Apiaceae Lindl. (= Umbelliferae Juss.)
산형쇠방동사니 (San-hyeong-soe-bang-dong-sa-ni)	Umbel rice flatsedge <i>Cyperus orthostachyus</i> var. <i>umbellus</i> Y.C.Oh & Y.B.Lee
산호란 (San-ho-ran)	Early coralroot <i>Corallorrhiza trifida</i> Châtel.
산호란속 [난초과] (San-ho-ran-sok)	Coralroot <i>Corallorrhiza</i> Gagnepin [Orchidaceae]
산호수 (San-ho-su)	Tiny ardisia <i>Ardisia pusilla</i> A.DC.
산황나무 (San-hwang-na-mu)	Oriental buckthorn <i>Rhamnus crenata</i> Siebold & Zucc.
산흰쑥 (San-huin-ssuk)	Sievers wormwood <i>Artemisia sieversiana</i> Ehrh. ex Willd.
살갈퀴 (Sal-gal-kwi)	Infield narrow-leaf vetch <i>Vicia angustifolia</i> var. <i>segetilis</i> (Thuill.) Arcang.
삼과 (Sam-gwa)	Dagga family, Hemp family, Hop family Cannabaceae Martinov
삼도하수오 (Sam-do-ha-su-o)	Korean knotweed <i>Fallopia koreana</i> B.U.Oh & J.G.Kim
삼백초 (Sam-baek-cho)	Asian lizard's tail <i>Saururus chinensis</i> (Lour.) Baill.
삼백초과 (Sam-baek-cho-gwa)	Lizard's tail family Saururaceae Rich. ex T. Lestib.
삼백초속 [삼백초과] (Sam-baek-cho-sok)	Lizard's tail, Saururus <i>Saururus</i> L. [Saururaceae]
삼색싸리 (Sam-saek-ssa-ri)	Three-color Korean lespedeza <i>Lespedeza maximowiczii</i> var. <i>tricolor</i> Nakai

Korean name (Romanization)	English name Scientific name
삼수개미자리 (Sam-su-gae-mi-ja-ri)	Asian spring stitchwort <i>Minuartia verna</i> var. <i>coreana</i> (Nakai) H.Hara
삼수구릿대 (Sam-su-gu-rit-dae)	Amrok angelica <i>Angelica jaluana</i> Nakai
삼수여로 (Sam-su-yeo-ro)	Samsu false-hellebore <i>Veratrum bohnhoefii</i> var. <i>latifolium</i> Nakai
삼잎구와가막사리 (Sam-ip-gu-wa-ga-mak-sa-ri)	Radiate beggartick <i>Bidens radiata</i> Thuill.
삼잎방망이 (Sam-ip-bang-mang-i)	Aleutian groundsel <i>Senecio cannabifolius</i> Less.
삼쥐손이 (Sam-jwi-son-i)	Hardy geranium <i>Geranium soboliferum</i> Kom.
삼지구엽초 (Sam-ji-gu-yeop-cho)	Korean epimedium <i>Epimedium koreanum</i> Nakai
삼지구엽초속 [매자나무과] (Sam-ji-gu-yeop-cho-sok)	Barrenwort, Bishop's hat, Epimedium, Fairy wings, Horny goat weed, Randy beef grass, Rowdy lamb herb, Yin yang huo <i>Epimedium</i> L. [Berberidaceae]
삽주 (Sap-ju)	Ovate-leaf atracylodes <i>Atractylodes ovata</i> (Thunb.) DC.
삽주속 [국화과] (Sap-ju-sok)	Atractylodes <i>Atractylodes</i> DC. [Asteraceae]
삿갓나물 (Sat-gat-na-mul)	Verticillate paris <i>Paris verticillata</i> M.Bieb.
삿갓나물속 [백합과] (Sat-gat-na-mul-sok)	Paris <i>Paris</i> L. [Liliaceae]
삿갓사초 (Sat-gat-sa-cho)	Curved-utricule sedge <i>Carex dispalata</i> Boott
상동나무 (Sang-dong-na-mu)	Mock buckthorn <i>Sageretia thea</i> (Osbeck) M.C.Johnst.
상동나무속 [갈매나무과] (Sang-dong-na-mu-sok)	Sageretia, Mock buckthorn <i>Sageretia Brongn.</i> [Rhamnaceae]

Korean name (Romanization)	English name Scientific name
상동잎주뚱나무 (Sang-dong-ip-jwi-ttong-na-mu)	Quihoui privet <i>Ligustrum quihoui</i> var. <i>latifolium</i> Nakai
상사화속 [수선화과] (Sang-sa-hwa-sok)	Cluster amaryllis, Hurricane lilies, Lycoris, Surprise lily <i>Lycoris</i> Herb. [Amaryllidaceae]
상산 (Sang-san)	East Asian orixa <i>Orixa japonica</i> Thunb.
상산속 [운향과] (Sang-san-sok)	Orixa <i>Orixa</i> Thunb. [Rutaceae]
상수리나무 (Sang-su-ri-na-mu)	Sawtooth oak <i>Quercus acutissima</i> Carruth.
상아미선나무 (Sang-a-mi-seon-na-mu)	Ivory-flower miseonnamu (Ivory-flower abeliophyllum) <i>Abeliophyllum distichum</i> f. <i>eburneum</i> T.B.Lee
새 (Sae)	Ciliate hairy arundinella <i>Arundinella hirta</i> var. <i>ciliara</i> (Thunb.) Koidz.
새깃고사리 (Sae-git-go-sa-ri)	Fragrant necklace fern <i>Lindsaea odorata</i> Roxb.
새깃아재비 (Sae-git-a-jae-bi)	Asian chain fern <i>Woodwardia japonica</i> (L.f.) Sm.
새깃아재비과 (Sae-git-a-jae-bi-gwa)	Chain fern family <i>Blechnaceae</i> Newman
새깃아재비속 [새깃아재비과] (Sae-git-a-jae-bi-sok)	Chain fern <i>Woodwardia</i> Sm. [Blechnaceae]
새끼꿩의비름 (Sae-kki-kkwong-ui-bi-reum)	Bulbil stonecrop <i>Hylotelephium viviparum</i> (Maxim.) H.Ohba
새끼노루귀 (Sae-kki-no-ru-gwi)	Seaside liverleaf <i>Hepatica insularis</i> Nakai
새끼노루발 (Sae-kki-no-ru-bal)	Sidebells wintergreen <i>Pyrola secunda</i> L.
새덕이 (Sae-deok-i)	Irregular-streak newlitse <i>Neolitsea aciculata</i> (Blume) Koidz.

Korean name (Romanization)	English name Scientific name
새동지란 (Sae-dung-ji-ran)	Manchurian bird's nest orchid <i>Neottia papilligera</i> Schltr.
새동지란속 [난초과] (Sae-dung-ji-ran-sok)	Bird's nest orchid, Neottia <i>Neottia</i> Guett. [Orchidaceae]
새머루 (Sae-meo-ru)	Creeping grapevine <i>Vitis flexuosa</i> Thunb.
새며느리밥풀 (Sae-myeo-neu-ri-bap-pul)	Big bristled-leaf cow-wheat <i>Melampyrum setaceum</i> var. <i>nakaianum</i> (Tuyama) T.Yamaz.
새모래덩굴 (Sae-mo-rae-deong-gul)	Asian moonseed <i>Menispermum dauricum</i> DC.
새모래덩굴과 (Sae-mo-rae-deong-gul-gwa)	Moonseed family Menispermaceae Juss.
새모래덩굴속 [새모래덩굴과] (Sae-mo-rae-deong-gul-sok)	Moonseed <i>Menispermum</i> L. [Menispermaceae]
새박 (Sae-bak)	Bird's egg cucumber <i>Melothria japonica</i> (Thunb.) Maxim. ex Cogn.
새박속 [박과] (Sae-bak-sok)	Melothria <i>Melothria</i> L. [Cucurbitaceae]
새발노랑매미꽃 (Sae-bal-no-rang-mae-mi-kkot)	Bird-foot forest poppy <i>Hylomecon vernalis</i> var. <i>sasundaeensis</i> Y.N.Lee
새밥 (Sae-bap)	Rufous woodrush <i>Luzula rufescens</i> Fisch. ex E.Mey.
새방울사초 (Sae-bang-ul-sa-cho)	Blister sedge <i>Carex vesicaria</i> L.
새비나무 (Sae-bi-na-mu)	Jejudo beautyberry <i>Callicarpa mollis</i> Siebold & Zucc.
새삼 (Sae-sam)	Japanese dodder <i>Cuscuta japonica</i> Choisy
새삼속 [매꽃과] (Sae-sam-sok)	Dodder <i>Cuscuta</i> L. [Convolvulaceae]
새수염가래꽃 (Sae-su-yeom-ga-rae-kkot)	Four-petal Asian lobelia <i>*Lobelia chinensis</i> var. <i>tetrapetala</i> Y.N.Lee

Korean name (Romanization)	English name Scientific name
새양버들 (Sae-yang-beo-deul)	Riparian Chosen-willow <i>Chosenia arbutifolia</i> (Pall.) A.K.Skvortsov
새양버들속 [버드나무과] (Sae-yang-beo-deul-sok)	Chosenia, Chosen-willow <i>Chosenia</i> Nakai [Salicaceae]
새완두 (Sae-wan-du)	Hairy vetch <i>Vicia hirsuta</i> (L.) Gray
새우가래 (Sae-u-ga-rae)	Maack's pondweed <i>Potamogeton maackianus</i> A.Benn.
새우나무 (Sae-u-na-mu)	East Asian hophornbeam <i>Ostrya japonica</i> Sarg.
새우나무속 [자작나무과] (Sae-u-na-mu-sok)	Hophornbeam, Hop-hornbeam <i>Ostrya</i> Scop. [Betulaceae]
새우난초 (Sae-u-nan-cho)	Common calanthe <i>Calanthe discolor</i> Lindl.
새우난초속 [난초과] (Sae-u-nan-cho-sok)	Calanthe <i>Calanthe</i> R.Br. [Orchidaceae]
새우말 (Sae-u-mal)	Surfgrass <i>Phyllospadix iwatensis</i> Makino
새우말속 [거머리말과] (Sae-u-mal-sok)	Surfgrass <i>Phyllospadix</i> Hook. [Zosteraceae]
새이삭여뀌 (Sae-i-sak-yeo-kkwi)	New spike smartweed <i>Persicaria neofiliformis</i> (Nakai) Ohki
새콩 (Sae-kong)	Edgeworth's hogpeanut <i>Amphicarpa bracteata</i> subsp. <i>edgeworthii</i> (Benth.) H.Ohashi
새콩속 [콩과] (Sae-kong-sok)	Hogpeanut <i>Amphicarpa</i> Elliott ex Nutt. [Fabaceae]
새팥 (Sae-pat)	Wild red cowpea <i>Vigna angularis</i> var. <i>nippensis</i> (Ohwi) Ohwi & H.Ohashi
새포아풀 (Sae-po-a-pul)	Annual bluegrass <i>Poa annua</i> L.

Korean name (Romanization)	English name Scientific name
색산앵도나무 (Saek-san-aeng-do-na-mu)	Variegate Korean blueberry <i>*Vaccinium hirtum</i> var. <i>variegatum</i> Nakai ex T.Mori
생강나무 (Saeng-gang-na-mu)	Blunt-lobe spicebush <i>Lindera obtusiloba</i> Blume
생강나무속 [녹나무과] (Saeng-gang-na-mu-sok)	Benjamin bush, Spicebush, Spicewood <i>Lindera</i> Thunb. [Lauraceae]
생달나무 (Saeng-dal-na-mu)	Japanese camphor tree <i>Cinnamomum yabunikkei</i> H.Ohba
생열귀나무 (Saeng-yeol-gwi-na-mu)	Amur rose <i>Rosa davurica</i> Pall.
생이가래 (Saeng-i-ga-rae)	Floating watermoss <i>Salvinia natans</i> (L.) All.
생이가래과 (Saeng-i-ga-rae-gwa)	Floating fern family <i>Salviniacae</i> Martinov
생이가래속 [생이가래과] (Saeng-i-ga-rae-sok)	Watermoss <i>Salvinia</i> Ség. [Salviniacae]
서덜취 (Seo-deol-chwi)	Large-flower saussurea <i>Saussurea grandifolia</i> Maxim.
서수라사초 (Seo-su-ra-sa-cho)	Seosura sedge <i>Carex kirganica</i> Kom.
서양갓냉이 (Seo-yang-gaet-naeng-i)	American searocket <i>Cakile edentula</i> (Bigelow) Hook.
서양갓냉이속 [십자화과] (Seo-yang-gaet-naeng-i-sok)	Searocket <i>Cakile</i> Mill. [Brassicaceae]
서어나무 (Seo-eo-na-mu)	Loose-flower hornbeam <i>Carpinus laxiflora</i> (Siebold & Zucc.) Blume
서어나무속 [자작나무과] (Seo-eo-na-mu-sok)	Hornbeam <i>Carpinus</i> L. [Betulaceae]
서울개발나물 (Seo-ul-gae-bal-na-mul)	Nerved-leaf pterygopleurum <i>Pterygopleurum neurophyllum</i> (Maxim.) Kitag.
서울개발나물속 [산형과] (Seo-ul-gae-bal-na-mul-sok)	Pterygopleurum <i>Pterygopleurum</i> Kitag. [Apiaceae]

Korean name (Romanization)	English name Scientific name
서울고광나무 (Seo-ul-go-gwang-na-mu)	Seoul mock orange <i>Philadelphus seoulensis</i> Y.H.Chung & H.C.Shin
서울귀룽나무 (Seo-ul-gwi-rung-na-mu)	Seoul bird cherry <i>Prunus padus</i> var. <i>seoulensis</i> (H.Lév.) Nakai
서울김의털 (Seo-ul-gim-ui-teol)	Seoul sheep's fescue <i>Festuca ovina</i> var. <i>duriuscula</i> (L.) W.D.J. Koch
서울민바랭이 (Seo-ul-min-ba-raeng-i)	Seoul violet crabgrass <i>Digitaria violascens</i> var. <i>intersita</i> (Ohwi) Ohwi
서울제비꽃 (Seo-ul-je-bi-kkot)	Seoul violet <i>Viola seoulensis</i> Nakai
서울족도리풀 (Seo-ul-jok-do-ri-pul)	Seoul wildginger <i>Asarum heterotropoides</i> var. <i>seoulense</i> (Nakai) Kitag.
석곡 (Seok-gok)	Seok-gok (Moniliform dendrobium) <i>Dendrobium moniliforme</i> (L.) Sw.
석곡속 [난초과] (Seok-gok-sok)	Dendrobium <i>Dendrobium</i> Sw. [Orchidaceae]
석류풀 (Seok-ryu-pul)	Five-leaf carpetweed <i>Mollugo pentaphylla</i> L.
석류풀과 (Seok-ryu-pul-gwa)	Carpetweed family Molluginaceae Bartl.
석류풀속 [석류풀과] (Seok-ryu-pul-sok)	Carpetweed <i>Mollugo</i> L. [Molluginaceae]
석송 (Seok-song)	Running clubmoss <i>Lycopodium clavatum</i> L.
석송과 (Seok-song-gwa)	Clubmoss family Lycopodiaceae P.Beauv. ex Mirb.
석송속 [석송과] (Seok-song-sok)	Clubmoss, Creeping cedar, Ground pines <i>Lycopodium</i> L. [Lycopodiaceae]
석위 (Seok-wi)	Tongue fern <i>Pyrrosia lingua</i> (Thunb.) Farw.
석위속 [고란초과] (Seok-wi-sok)	Felt fern, Pyrrosia, Tongue fern <i>Pyrrosia</i> Mirb. [Polypodiaceae]

Korean name (Romanization)	English name Scientific name
석잠풀 (Seok-jam-pul)	Hairless woundwort <i>Stachys japonica</i> Miq.
석잠풀속 [꿀풀과] (Seok-jam-pul-sok)	Betony, Heal-all, Hedgenettle, Lamb's ears, Self-heal, Woundwort <i>Stachys</i> L. [Lamiaceae]
석장포속 [백합과] (Seok-jang-po-sok)	Tofieldia, Asphodel <i>Tofieldia</i> Huds. [Liliaceae]
석죽과 (Seok-juk-gwa)	Pink family, Carnation family Caryophyllaceae Juss.
석창포 (Seok-chang-po)	Grass-leaf sweet flag <i>Acorus gramineus</i> Sol.
선가래 (Seon-ga-rae)	Fryer's pondweed <i>Potamogeton fryeri</i> A.Benn.
선갈퀴 (Seon-gal-kwi)	Sweet woodruff <i>Asperula odorata</i> L.
선괭이눈 (Seon-gwaeng-i-nun)	Upright golden saxifrage <i>Chrysosplenium pseudoaurieei</i> H.Lév.
선괭이밥 (Seon-gwaeng-i-bap)	Yellow wood sorrel <i>Oxalis stricta</i> L.
선괴불주머니 (Seon-goe-bul-ju-meo-ni)	Upright yellow corydalis <i>Corydalis pauciovulata</i> Ohwi
선녀고사리 (Seon-nyeo-go-sa-ri)	Shallow-teeth spleenwort <i>Asplenium tenerum</i> G.Forst.
선녀싸리 (Seon-nyeo-ssa-ri)	White leafy lespedeza * <i>Lespedeza cyrtobotrya</i> f. <i>alba</i> T.B.Lee
선동굴레 (Seon-dung-gul-re)	Upright solomon's seal <i>Polygonatum grandicaule</i> Y.S.Kim, B.U.Oh & C.G.Jang
선등갈퀴 (Seon-deung-gal-kwi)	Seven-pair-leaflet vetch * <i>Vicia heptajuga</i> Nakai
선매꽃 (Seon-me-kkot)	Dahurian morning glory <i>Calystegia dahurica</i> (Herb.) Choisy
선모시대 (Seon-mo-si-dae)	Erect ladybell <i>Adenophora erecta</i> S.Lee, Joongku Lee & S.Kim

Korean name (Romanization)	English name Scientific name
선물수세미 (Seon-mul-su-se-mi)	Ussurian water-milfoil <i>Myriophyllum ussuricense</i> (Regel) Maxim.
선밀나물 (Seon-mil-na-mul)	White-back greenbrier <i>Smilax nipponica</i> Miq.
선바위고사리 (Seon-ba-wi-go-sa-ri)	Carrot fern <i>Onychium japonicum</i> (Thunb.) Kunze
선바위고사리속 [고사리과] (Seon-ba-wi-go-sa-ri-sok)	Onychium <i>Onychium</i> Kaulf. [Pteridaceae]
선백미꽃 (Seon-baek-mi-kkot)	Upright Asian swallow-wort * <i>Cynanchum inamoenum</i> (Maxim.) Loes.
선버들 (Seon-beo-deul)	Erect willow <i>Salix subfragilis</i> Andersson
선부추 (Seon-bu-chu)	Linear-leaf chive <i>Allium linearifolium</i> H.J.Choi & B.U.Oh
선비늘이끼 (Seon-bi-neul-i-kki)	Erect sellaginella <i>Selaginella nipponica</i> Franch. & Sav.
선사초 (Seon-sa-cho)	Alternate-flower thread sedge <i>Carex sachalinensis</i> var. <i>alterniflora</i> (Franch.) Ohwi
선씀바귀 (Seon-sseum-ba-gwi)	Short bristle-like hair ikeris <i>Ixeris strigosa</i> (H.Lév. & Vaniot) J.H.Pak & Kawano
선씀바귀속 [국화과] (Seon-sseum-ba-gwi-sok)	Ikeris <i>Ikeris</i> (Cass.) Cass. [Asteraceae]
선연리초 (Seon-yeon-ri-cho)	Erect vetchling <i>Lathyrus komarovii</i> Ohwi
선이질풀 (Seon-i-jil-pul)	Upright cranesbill <i>Geranium krameri</i> Franch. & Sav.
선제비꽃 (Seon-je-bi-kkot)	Erect violet <i>Viola raddeana</i> Regel
선주름잎 (Seon-ju-reum-ip)	Betony-leaf mazus <i>Mazus stachydifolius</i> (Turcz.) Maxim.
선줄바꽃 (Seon-jul-ba-kkot)	Big-bract monk'shood <i>Aconitum raddeanum</i> Regel

Korean name (Romanization)	English name Scientific name
선취꼬리새 (Seon-jwi-kko-ri-sae)	Erect muhly <i>Muhlenbergia hakonensis</i> (Hack. ex Matsum.) Makino
선투구꽃 (Seon-tu-gu-kkot)	Meadow monk'shood <i>Aconitum umbrosum</i> (Korsh.) Kom.
선포아풀 (Seon-po-a-pul)	Wood bluegrass <i>Poa nemoralis</i> L.
선피막이 (Seon-pi-mak-i)	Asian dwarf pennywort <i>Hydrocotyle maritima</i> Honda
선헌호색 (Seon-hyeon-ho-saek)	Thin-lobe corydalis <i>Corydalis lineariloba</i> Siebold & Zucc.
설령개현삼 (Seol-ryeong-gae-hyeon-sam)	Northern Korean figwort <i>Scrophularia borealikoreana</i> Nakai
설령골풀 (Seol-ryeong-gol-pul)	Triceps chestnut rush <i>Juncus castaneus</i> subsp. <i>triceps</i> (Rostk.) Novikov
설령쥐오줌풀 (Seol-ryeong-jwi-o-jum-pul)	Amur valerian <i>Valeriana amurensis</i> P.A.Smirn. ex Kom.
설령황기 (Seol-ryeong-hwang-gi)	Alpine milkvetch <i>Astragalus setsureianus</i> Nakai
설령황새풀 (Seol-ryeong-hwang-sae-pul)	Northland cottonsedge <i>Eriophorum brachyantherum</i> Trautv. & C.A.Mey.
설설고사리 (Seol-seol-go-sa-ri)	Winged beech fern <i>Phegopteris decursive-pinnata</i> (H.C. Hall) Fée
설설고사리속 [면마과] (Seol-seol-go-sa-ri-sok)	Beech fern <i>Phegopteris</i> (C. Presl) Fée [Dryopteridaceae]
설악눈주목 (Seol-ak-nun-ju-mok)	Korean spreading yew <i>Taxus cuspidata</i> var. <i>nana</i> Rehder
설악대극 (Seol-ak-dae-geuk)	Seorak spurge <i>Euphorbia ebracteolata</i> f. <i>magna</i> Y.N.Lee
설악조팝나무 (Seol-ak-jo-pap-na-mu)	Woolly-fruit pubescent spirea <i>Spiraea pubescens</i> var. <i>lasiocarpa</i> Nakai
설앵초 (Seol-aeng-cho)	Alpine modest primrose <i>Primula modesta</i> var. <i>hannasanensis</i> T.Yamaz.

Korean name (Romanization)	English name Scientific name
섬개벚나무 (Seom-gae-beot-na-mu)	Amur cherry <i>Prunus buergeriana</i> Miq.
섬개야광나무 (Seom-gae-ya-gwang-na-mu)	Ulleungdo cotoneaster <i>Cotoneaster wilsonii</i> Nakai
섬개야광나무속 [장미과] (Seom-gae-ya-gwang-na-mu-sok)	Cotoneaster <i>Cotoneaster</i> Medik. [Rosaceae]
섬개회나무 (Seom-gae-hoe-na-mu)	Ulleungdo Miss Kim lilac <i>Syringa patula</i> var. <i>venosa</i> (Nakai) M.Kim
섬갯쑥부쟁이 (Seom-gaet-ssuk-bu-jaeng-i)	Beach-sand aster <i>Aster arenarius</i> (Kitam.) Nemoto
섬거북꼬리 (Seom-geo-buk-kko-ri)	Hallasan falsenettle <i>Boehmeria taquetii</i> Nakai
섬고광나무 (Seom-go-gwang-na-mu)	Rough mock orange <i>Philadelphus scaber</i> Nakai
섬고사리 (Seom-go-sa-ri)	Ulleungdo ladyfern <i>Athyrium acutipinnulum</i> Kodama ex Nakai
섬공작고사리 (Seom-gong-jak-go-sa-ri)	Mono-sorus maidenhair fern <i>Adiantum monochlamys</i> D.C.Eaton
섬곽향 (Seom-gwak-hyang)	Sticky germander <i>Teucrium viscidum</i> Blume
섬광대수염 (Seom-gwang-dae-su-yeom)	Ulleungdo deadnettle <i>Lamium takesimense</i> Nakai
섬괴불나무 (Seom-goe-bul-na-mu)	Ulleungdo honeysuckle <i>Lonicera insularis</i> Nakai
섬국수나무 (Seom-guk-su-na-mu)	Island ninebark <i>Physocarpus insularis</i> (Nakai) Nakai
섬기린초 (Seom-gi-rin-cho)	Ulleungdo stonecrop <i>Sedum takesimense</i> Nakai
섬깃반쪽고사리 (Seom-git-ban-jjok-go-sa-ri)	Simple unequal-lobe brake fern <i>Pteris excelsa</i> var. <i>simplicior</i> (Tagawa) W.C.Shih
섬까치수염 (Seom-kka-chi-su-yeom)	Jejudo glandular loosestrife <i>Lysimachia acroadenia</i> Maxim.

Korean name (Romanization)	English name Scientific name
섬꼬리풀 (Seom-kko-ri-pul)	Ulleungdo spike speedwell <i>Veronica nakaiana</i> Ohwi
섬꽃마리 (Seom-kkot-ma-ri)	Ceylon hound's tongue <i>Cynoglossum zeylanicum</i> (Vahl ex Hornem.) Thunb. ex Lehm.
섬꽃마리속 [지치과] (Seom-kkot-ma-ri-sok)	Hound's tongue <i>Cynoglossum</i> L. [Boraginaceae]
섬꿩고사리 (Seom-kkwong-go-sa-ri)	Petiole pheasant tail fern <i>Plagiogyria japonica</i> Nakai
섬꿩의비름 (Seom-kkwong-ui-bi-reum)	Green-flower stonecrop <i>Hylotelephium viridescens</i> (Nakai) H.Ohba
섬나도히초미 (Seom-na-do-hi-cho-mi)	Long-frond holly fern <i>Polystichum longifrons</i> Sa Kurata
섬나무딸기 (Seom-na-mu-ttal-gi)	Ulleungdo raspberry <i>Rubus takesimensis</i> Nakai
섬남성 (Seom-nam-seong)	Ulleungdo jack-in-the-pulpit <i>Arisaema takesimense</i> Nakai
섬노루귀 (Seom-no-ru-gwi)	Ulleungdo liverleaf <i>Hepatica maxima</i> (Nakai) Nakai
섬노린재나무 (Seom-no-rin-jae-na-mu)	Korean sweetleaf <i>Symplocos coreana</i> (H.Lév.) Ohwi
섬다래 (Seom-da-rae)	Reddish-brown hardy kiwi <i>Actinidia rufa</i> (Siebold & Zucc.) Planch. ex Miq.
섬단풍나무 (Seom-dan-pung-na-mu)	Ulleungdo maple <i>Acer takesimense</i> Nakai
섬대 (Seom-dae)	Slender Northern bamboo <i>Sasa borealis</i> var. <i>gracilis</i> (Nakai) T.B.Lee
섬댕강나무 (Seom-daeng-gang-na-mu)	Ulleungdo abelia <i>Abelia biflora</i> Turcz.
섬딸기 (Seom-ttal-gi)	Thornless Southern raspberry <i>Rubus ribisoideus</i> Matsum.

Korean name (Romanization)	English name Scientific name
섬말나리 (Seom-mal-na-ri)	Ulleungdo turk's-cap lily <i>Lilium hansonii</i> Leichtlin ex D.D.T.Moore
섬매발톱나무 (Seom-mae-bal-top-na-mu)	Jejudo barberry <i>Berberis amurensis</i> var. <i>quelpaertensis</i> (Nakai) Nakai
섬머루 (Seom-meo-ru)	Ulleungdo crimson grapevine <i>Vitis coignetae</i> f. <i>glabrescens</i> (Nakai) H.Hara
섬모시풀 (Seom-mo-si-pul)	Island ramie <i>Boehmeria nivea</i> var. <i>nippononivea</i> (Koidz.) W.T.Wang
섬바다 (Seom-ba-di)	Ulleungdo dystaenia <i>Dystaenia takesimana</i> (Nakai) Kitag.
섬바디속 [산형과] (Seom-ba-di-sok)	Dystaenia <i>Dystaenia</i> Kitag. [Apiaceae]
섬백리향 (Seom-baek-ri-hyang)	Ulleungdo thyme <i>Thymus quinquecostatus</i> var. <i>japonicus</i> H.Hara
섬버들 (Seom-beo-deul)	Ulleungdo willow <i>Salix ishidoyana</i> Nakai
섬벚나무 (Seom-beot-na-mu)	Ulleungdo flowering cherry <i>Prunus takesimensis</i> Nakai
섬뽕나무 (Seom-ppong-na-mu)	Seaside mulberry <i>Morus bombycina</i> var. <i>maritima</i> Koidz.
섬사스레피나무 (Seom-sa-seu-re-pi-na-mu)	East Asian island eurya <i>Eurya japonica</i> f. <i>integra</i> (Nakai) T.B.Lee
섬사철란 (Seom-sa-cheol-ran)	Short raceme rattlesnake plantain <i>Goodyera maximowicziana</i> Makino
섬새우난초 (Seom-sae-u-nan-cho)	Korean calanthe <i>Calanthe coreana</i> Nakai
섬시호 (Seom-si-ho)	Ulleungdo hare's ear <i>Bupleurum latissimum</i> Nakai
섬싸리냉이 (Seom-ssa-ri-naeng-i)	Island narrow-leaf bittercress <i>Cardamine impatiens</i> var. <i>obutusifolia</i> Knaf
섬쐐기풀 (Seom-sswae-gi-pul)	Island small-leaf nettle <i>Urtica laetevirens</i> var. <i>robusta</i> F.Maek.

Korean name (Romanization)	English name Scientific name
섬쑥 (Seom-ssuk)	Hallasan wormwood <i>Artemisia japonica</i> var. <i>hallaianensis</i> (Nakai) Kitam.
섬쑥부쟁이 (Seom-ssuk-bu-jaeng-i)	Ulleungdo aster <i>Aster glehnii</i> F.Schmidt
섬양지꽃 (Seom-yang-ji-kkot)	Glabrous Korean cinquefoil <i>Potentilla dickinsii</i> var. <i>glabrata</i> Nakai
섬오갈피나무 (Seom-o-gal-pi-na-mu)	Hairy-style eleuthero <i>Eleutherococcus gracilistylus</i> (W.W.Sm.) S.Y.Hu
섬오리나무 (Seom-o-ri-na-mu)	Ulleungdo alder * <i>Alnus japonica</i> var. <i>serrata</i> Nakai
섬일엽아재비 (Seom-il-yeop-a-jae-bi)	Island single-leaf fern <i>Haplopteris zosterifolia</i> (Willd.) E.H.Crane
섬자리공 (Seom-ja-ri-gong)	Island pokeweed <i>Phytolacca insularis</i> Nakai
섬잔고사리 (Seom-jan-go-sa-ri)	Jejudo twinsorus fern <i>Diplazium hachijoense</i> Nakai
섬잔대 (Seom-jan-dae)	Jejudo ladybell <i>Adenophora taquetii</i> H.Lév.
섬잣나무 (Seom-jat-na-mu)	Ulleungdo white pine <i>Pinus parviflora</i> Siebold & Zucc.
섬장대 (Seom-jang-dae)	Ulleungdo rockcress <i>Arabis takesimana</i> Nakai
섬제비꽃 (Seom-je-bi-kkot)	Ulleungdo violet <i>Viola takesimana</i> Nakai
섬조릿대 (Seom-jo-rit-dae)	Kuril bamboo <i>Sasa kurilensis</i> (Rupr.) Makino & Shibata
섬쥐깨풀 (Seom-jwi-kkae-pul)	Island large-bract mosla <i>Mosla japonica</i> var. <i>thymolifera</i> (Makino) Kitam.
섬쥐똥나무 (Seom-jwi-ttong-na-mu)	Korean privet <i>Ligustrum foliosum</i> Nakai
섬쥐손이 (Seom-jwi-son-i)	Hallasan cranebill <i>Geranium shikokianum</i> var. <i>quelpartense</i> Nakai

Korean name (Romanization)	English name Scientific name
섬질경이 (Seom-jil-gyeong-i)	Island plantain <i>Plantago asiatica f. polystachya</i> (Makino) Nakai
섬참이질풀 (Seom-cham-i-jil-pul)	Jejudo cranesbill <i>Geranium koraiense</i> var. <i>chejuense</i> S.-J.Park et K.-J.Kim
섬천남성 (Seom-cheon-nam-seong)	Island jack-in-the-pulpit <i>Arisaema negishii</i> Makino
섬초롱꽃 (Seom-cho-rong-kkot)	Korean bellflower <i>Campanula takesimana</i> Nakai
섬패랭이꽃 (Seom-pae-raeng-i-kkot)	Beach pink * <i>Dianthus littorus</i> Makino ex Nakai
섬포아풀 (Seom-po-a-pul)	Island bluegrass <i>Poa takesimana</i> Honda
섬피나무 (Seom(pi)-na-mu)	Ulleungdo linden <i>Tilia insularis</i> Nakai
섬향나무 (Seom-hyang-na-mu)	Procumbens Chinese juniper <i>Juniperus chinensis</i> var. <i>procumbens</i> (Siebold) Endl.
섬현삼 (Seom-hyeon-sam)	Ulleungdo figwort <i>Scrophularia takesimensis</i> Nakai
섬현호색 (Seom-hyeon-ho-saek)	Island corydalis <i>Corydalis filistipes</i> Nakai
섬회나무 (Seom-hoe-na-mu)	Geomundo evergreen spindletree <i>Euonymus chibae</i> Makino
섬회양목 (Seom-hoe-yang-mok)	Glabrous Korean boxwood <i>Buxus koreana</i> f. <i>insularis</i> (Nakai) Y.S.Kim & J.H.Kim
성널수국 (Seong-neol-su-guk)	Sweet hydrangea <i>Hydrangea liukiuensis</i> Nakai
성주풀 (Seong-ju-pul)	Yellow-swamp foxglove <i>Centranthera cochinchinensis</i> var. <i>lutea</i> (H.Hara) H.Hara
성주풀속 [현삼과] (Seong-ju-pul-sok)	Centranthera <i>Centranthera</i> R.Br. [Scrophulariaceae]
세대가리 (Se-dae-ga-ri)	Small-head lipocarpha <i>Lipocarpha microcephala</i> (R.Br.) Kunth

Korean name (Romanization)	English name Scientific name
세대가리속 [사초과] (Se-dae-ga-ri-sok)	Halfchaff sedge, Lipocarpha <i>Lipocarpha</i> R.Br. [Cyperaceae]
세모고랭이 (Se-mo-go-raeng-i)	Triangular bulrush <i>Schoenoplectus triquetus</i> (L.) Palla
세모부추 (Se-mo-bu-chu)	Triangular chive <i>Allium deltoidefistulosum</i> S.O.Yu et al.
세모산부추 (Se-mo-san-bu-chu)	Triangular-leaf Thunberg's chive <i>Allium thunbergii</i> var. <i>deltoides</i> (S.O.Yu, S.Lee & W.T.Lee) H.J.Chi & B.U.Oh
세바람꽃 (Se-ba-ram-kkot)	Stolon-bearing anemone <i>Anemone stolonifera</i> Maxim.
세복수초 (Se-bok-su-cho)	Acute-tip adonis <i>Adonis multiflora</i> Nishikawa & Koji Ito
세뿔석위 (Se-ppul-seok-wi)	Three-finger tongue fern <i>Pyrrosia hastata</i> (Thunb.) Ching
세뿔여뀌 (Se-ppul-yeo-kkwi)	Weak smartweed <i>Persicaria debilis</i> H.Gross ex W.T.Lee
세뿔투구꽃 (Se-ppul-tu-gu-kkot)	Trilobe monk'shood <i>Aconitum austrokoreense</i> Koidz.
세수염마름 (Se-su-yeom-ma-reum)	Three-appendages trapella <i>Trapella sinensis</i> Oliv.
세잎개발나물 (Se-ip-gae-bal-na-mul)	Ternate-leaf water parsnip <i>Sium ternifolium</i> B.Y.Lee & S.C.Ko
세잎꿩의비름 (Se-ip-kkhwong-ui-bi-reum)	Whorled-leaf stonecrop <i>Hylotelephium verticillatum</i> (L.) H.Ohba
세잎돌짜귀 (Se-ip-dol-jjeo-gwi)	Three-leaf monk'shood <i>Aconitum triphyllum</i> Nakai
세잎솜대 (Se-ip-som-dae)	Three-leaf false lily of the valley <i>Maianthemum trifolium</i> (L.) Sloboda
세잎승마 (Se-ip-seung-ma)	Three-leaf Komarov's bugbane <i>Cimicifuga heracleifolia</i> var. <i>bifida</i> Nakai
세잎양지꽃 (Se-ip-yang-ji-kkot)	Freyen's cinquefoil <i>Potentilla freyniana</i> Bornm.

Korean name (Romanization)	English name Scientific name
세잎종덩굴 (Se-ip-jong-deong-gul)	Korean clematis <i>Clematis koreana</i> Kom.
세잎쥐손이 (Se-ip-jwi-son-i)	Wilford's cranesbill <i>Geranium wilfordii</i> Maxim.
세잎쥐오줌풀 (Se-ip-jwi-o-jum-pul)	Verticillate valerian <i>Valeriana dageletiana</i> var. <i>verticillata</i> S.H.Park
세잎참꽃 (Se-ip-cham-kkot)	Three-leaf white chick azalea <i>Rhododendron tschonoskii</i> var. <i>trinerve</i> (Franch. ex Boiss.) Makino
세잎풀 (Se-ip-pul)	East Asian deer's foot <i>Achlys japonica</i> Maxim.
세잎풀속 [매자나무과] (Se-ip-pul-sok)	Achlys <i>Achlys</i> DC. [Berberidaceae]
세포큰조롱 (Se-po-keun-jo-rong)	Twining swallow-wort <i>Cynanchum volubile</i> (Maxim.) Hemsl.
센달나무 (Sen-dal-na-mu)	Long-leaf bay-tree <i>Machilus japonica</i> Siebold & Zucc.
소경불알 (So-gyeong-bul-al)	Ussuri bellflower <i>Codonopsis ussuriensis</i> (Rupr. & Maxim.) Hemsl.
소귀나무 (So-gwi-na-mu)	Waxberry tree <i>Myrica rubra</i> (Lour.) Siebold & Zucc.
소귀나무과 (So-gwi-na-mu-gwa)	Bayberry family Myricaceae Rich. ex Kunth
소귀나무속 [소귀나무과] (So-gwi-na-mu-sok)	Bayberry, Bay-rum tree, Candleberry, Sweet gale, Wax-myrtle <i>Myrica</i> L. [Myricaceae]
소나무 (So-na-mu)	Korean red pine <i>Pinus densiflora</i> Siebold & Zucc.
소나무과 (So-na-mu-gwa)	Pine family Pinaceae Spreng. ex Rudolphi
소나무속 [소나무과] (So-na-mu-sok)	Pine <i>Pinus</i> L. [Pinaceae]
소란 (So-ran)	Four-season orchid <i>Cymbidium ensifolium</i> (L.) Sw.

Korean name (Romanization)	English name Scientific name
소래풀 (So-rae-pul)	Violet orychophragmus <i>Orychophragmus violaceus</i> (L.) O.E.Schulz
소래풀속 [십자화과] (So-rae-pul-sok)	Orychophragmus <i>Orychophragmus</i> Bunge [Brassicaceae]
소리쟁이속 [마디풀과] (So-ri-jaeng-i-sok)	Dock <i>Rumex</i> L. [Polygonaceae]
소사나무 (So-sa-na-mu)	Korean hornbeam <i>Carpinus turczaninowii</i> Hance
소엽맥문동 (So-yeop-maek-mun-dong)	Dwarf lilyturf <i>Ophiopogon japonicus</i> (L.f.) Ker Gawl
소엽풀 (So-yeop-pul)	Rice paddy marshweed <i>Limnophila aromatica</i> (Lam.) Merr.
소영도리나무 (So-yeong-do-ri-na-mu)	Early-blooming weigela <i>Weigela praecox</i> (Lemoine) L.H.Bailey
소태나무 (So-tae-na-mu)	Bitterwood <i>Picrasma quassioides</i> (D.Don) Benn.
소태나무과 (So-tae-na-mu-gwa)	Quassia family <i>Simaroubaceae</i> DC.
소태나무속 [소태나무과] (So-tae-na-mu-sok)	Picrasma <i>Picrasma</i> Blume [Simaroubaceae]
속단 (Sok-dan)	Shady Jerusalem sage <i>Phlomis umbrosa</i> Turcz.
속단속 [꿀풀과] (Sok-dan-sok)	Jerusalem sage, Lampwick plant <i>Phlomis</i> L. [Lamiaceae]
속리기린초 (Sok-ri-gi-rin-cho)	Songni stoncrocrop <i>Sedum zokuriense</i> Nakai
속리싸리 (Sok-ri-ssa-ri)	Songni lespedeza <i>Lespedeza tetraloba</i> Nakai
속리참나물 (Sok-ri-cham-na-mul)	Songni tilingia <i>Tilingia nakaiana</i> Kitag.
속새 (Sok-sae)	Scouringrush horsetail <i>Equisetum hyemale</i> L.

Korean name (Romanization)	English name Scientific name
속새과 (Sok-sae-gwa)	Horsetail family <i>Equisetaceae</i> Michx. ex DC.
속새속 [속새과] (Sok-sae-sok)	Horsetail, Puzzlegrass, Snake grass <i>Equisetum</i> L. [Equisetaceae]
속속이풀 (Sok-sok-i-pul)	Bog yellowcress <i>Rorippa palustris</i> (L.) Besser
속털개밀 (Sok-teol-gae-mil)	Ciliate wheatgrass <i>Elymus ciliaris</i> (Trin.) Tzvelev
손고비 (Son-go-bi)	Elliptic colysis fern <i>Colysis elliptica</i> (Thunb.) Ching
손고비속 [고란초과] (Son-go-bi-sok)	Colysis <i>Colysis</i> C.Presl [Polypodiaceae]
손바닥나비난초 (Son-ba-dak-na-bi-nan-cho)	Spiked dactylorhiza <i>Dactylorhiza aristata</i> (Fisch. ex Lindl.) Soó
손바닥난초 (Son-ba-dak-nan-cho)	Fragrant orchid <i>Gymnadenia conopsea</i> (L.) R.Br.
손바닥난초속 [난초과] (Son-ba-dak-nan-cho-sok)	Gymnadenia <i>Gymnadenia</i> R.Br. [Orchidaceae]
술나리 (Sol-na-ri)	Nodding lily <i>Lilium cernuum</i> Kom.
술나물 (Sol-na-mul)	Asian yellow spring bedstraw <i>Galium verum</i> var. <i>asiaticum</i> Nakai
솔방울고랭이 (Sol-bang-ul-go-raeng-i)	Oriental bulrush <i>Scirpus karuisawensis</i> Makino
솔방울골 (Sol-bang-ul-gol)	Pinecone bulrush <i>Scirpus mitsukurianus</i> Makino
솔붓꽃 (Sol-but-kkot)	Beardless iris <i>Iris ruthenica</i> Ker Gawl.
솔비나무 (Sol-bi-na-mu)	Jejudo maackia <i>Maackia floribunda</i> (Miq.) Takeda
솔비녀골풀 (Sol-bi-nyeo-gol-pul)	Wonsan rush * <i>Juncus ounsanensis</i> T.H.Chung

Korean name (Romanization)	English name Scientific name
솔새 (Sol-sae)	Solsae (Brush grass) <i>Themedia triandra</i> var. <i>japonica</i> (Willd.) Makino
솔새속 [벼과] (Sol-sae-sok)	Kangaroo grass <i>Themedia</i> Forssk. [Poaceae]
솔송나무 (Sol-song-na-mu)	Ulleungdo hemlock <i>Tsuga diversifolia</i> (Maxim.) Mast.
솔송나무속 [소나무과] (Sol-song-na-mu-sok)	Hemlock <i>Tsuga</i> (Endl.) Carrière [Pinaceae]
솔인진 (Sol-in-jin)	Northeast Asian ajania <i>Ajania pallasiana</i> (Fisch. ex Besser) Poljakov
솔인진속 [국화과] (Sol-in-jin-sok)	Ajania <i>Ajania</i> Poljakov [Asteraceae]
솔잎가래 (Sol-ip-ga-rae)	Sago pondweed <i>Potamogeton pectinatus</i> L.
솔잎란 (Sol-ip-ran)	Whisk fern <i>Psilotum nudum</i> (L.) P.Beauv.
솔잎란과 (Sol-ip-ran-gwa)	Whisk fern family <i>Psilotaceae</i> J.W. Griff. & Henfr.
솔잎란속 [솔잎란과] (Sol-ip-ran-sok)	Whisk fern <i>Psilotum</i> Sw. [Psilotaceae]
솔잎사초 (Sol-ip-sa-cho)	Pine-leaf sedge <i>Carex biwensis</i> Franch.
솔잎잔대 (Sol-ip-jan-dae)	Narrow-leaf ladybell <i>Adenophora gmelinii</i> (Biehler) Fisch.
솔장다리 (Sol-jang-da-ri)	Slender Russian thistle <i>Salsola collina</i> Pall.
솔체꽃 (Sol-che-kkot)	Northeastern scabious <i>Scabiosa tschiliensis</i> Grüning
솜나물 (Som-na-mul)	Leibnitzia sunbonnet <i>Leibnitzia anandria</i> (L.) Turecz.
솜나물속 [국화과] (Som-na-mul-sok)	Sunbonnets <i>Leibnitzia</i> Cass. [Asteraceae]

Korean name (Romanization)	English name Scientific name
솜다리 (Som-da-ri)	Korean edelweiss <i>Leontopodium coreanum</i> Nakai
솜다리속 [국화과] (Som-da-ri-sok)	Edelweiss <i>Leontopodium</i> R.Br. ex Cass. [Asteraceae]
솜대속 [백합과] (Som-dae-sok)	Smilacina, Solomon's seal <i>Smilacina</i> Desf. [Liliaceae]
솜방망이 (Som-bang-mang-i)	East Asian groundsel <i>Tephroseris kirilowii</i> (Turcz. ex DC.) Holub
솜방망이속 [국화과] (Som-bang-mang-i-sok)	Groundsel <i>Tephroseris</i> (Rchb.) Rchb. [Asteraceae]
솜분취 (Som-bun-chwi)	Woolly-leaf saussurea <i>Saussurea eriophylla</i> Nakai
솜쑥방망이 (Som-ssuk-bang-mang-i)	Asian swamp groundsel <i>Senecio pierotii</i> Miq.
솜아마존 (Som-a-ma-jon)	Amplexicaul swallow-wort <i>Cynanchum amplexicaule</i> (Siebold & Zucc.) Hemsl.
솜양지꽃 (Som-yang-ji-kkot)	Discolor cinquefoil <i>Potentilla discolor</i> Bunge
솜흰여뀌 (Som-huin-yeo-kkwi)	Willow-leaf white-flower smartweed <i>Persicaria lapathifolia</i> var. <i>salicifolia</i> Miyabe
송금나무 (Song-geum-na-mu)	Small-leaf beautyberry <i>Callicarpa japonica</i> var. <i>taquetii</i> (L.f.) Nakai
송악 (Song-ak)	Songak (Songak ivy) <i>Hedera rhombea</i> (Miq.) Siebold & Zucc. ex Bean
송악속 [두릅나무과] (Song-ak-sok)	Ivy (Songak ivy) <i>Hedera</i> L. [Araliaceae]
송양나무 (Song-yang-na-mu)	Oboval-leaf ehretia <i>Ehretia acuminata</i> var. <i>obovata</i> (Lindl.) I.M.Johnst.
송양나무속 [지치과] (Song-yang-na-mu-sok)	Ehretia <i>Ehretia</i> P.Browne [Boraginaceae]
송이고랭이 (Song-i-go-raeng-i)	Big bog bulrush <i>Schoenoplectus triangulatus</i> (Roxb.) Soják

Korean name (Romanization)	English name Scientific name
송이풀 (Song-i-pul)	Resupinate lousewort <i>Pedicularis resupinata</i> L.
송이풀속 [현삼과] (Song-i-pul-sok)	Lousewort <i>Pedicularis</i> L. [Scrophulariaceae]
송장풀 (Song-jang-pul)	Large-flower motherwort <i>Leonurus macranthus</i> Maxim.
쇠고비 (Soe-go-bi)	Fortune's hollyfern <i>Cyrtomium fortunei</i> J.Sm.
쇠고비속 [면마과] (Soe-go-bi-sok)	Netvein hollyfern <i>Cyrtomium</i> C.Presl [Dryopteridaceae]
쇠고사리 (Soe-go-sa-ri)	Attractive hollyfern <i>Arachniodes amabilis</i> (Blume) Tindale
쇠고사리속 [면마과] (Soe-go-sa-ri-sok)	Hollyfern <i>Arachniodes</i> Blume [Dryopteridaceae]
쇠나무 (Soe-na-mu)	Serrate-leaf flowering ash <i>Fraxinus sieboldiana</i> var. <i>serrata</i> Nakai
쇠낚시사초 (Soe-nak-si-sa-cho)	Papilose sedge <i>Carex filipes</i> var. <i>oligostachys</i> Kük.
쇠돌피 (Soe-dol-pi)	Asian minor rabbit's-foot grass <i>Polypogon fugax</i> Nees ex Steud.
쇠돌피속 [벼과] (Soe-dol-pi-sok)	Beard grass, Rabbit's-foot grass <i>Polypogon</i> Desf. [Poaceae]
쇠뜨기 (Soe-tteu-gi)	Field horsetail <i>Equisetum arvense</i> L.
쇠뜨기말풀 (Soe-tteu-gi-mal-pul)	Common mare's-tail <i>Hippuris vulgaris</i> L.
쇠뜨기말풀과 (Soe-tteu-gi-mal-pul-gwa)	Mare's-tail family <i>Hippuridaceae</i> Vest
쇠뜨기말풀속 [쇠뜨기말풀과] (Soe-tteu-gi-mal-pul-sok)	Mare's-tail <i>Hippuris</i> L. [Hippuridaceae]
쇠무릎 (Soe-mu-reup)	Oriental chaff flower <i>Achyranthes japonica</i> (Miq.) Nakai

Korean name (Romanization)	English name Scientific name
쇠무릎속 [비름과] (Soe-mu-reup-sok)	Chaff flower <i>Achyranthes</i> L. [Amaranthaceae]
쇠물푸레나무 (Soe-mul-pu-re-na-mu)	Asian flowering ash <i>Fraxinus sieboldiana</i> Blume
쇠방동사니 (Soe-bang-dong-sa-ni)	Upright-spike flatsedge <i>Cyperus orthostachyus</i> Franch. & Sav.
쇠별꽃 (Soe-byeol-kkot)	Giant chickweed <i>Stellaria aquatica</i> (L.) Scop.
쇠보리 (Soe-bo-ri)	Toco grass <i>Ischaemum aristatum</i> var. <i>glaucum</i> (Honda) T.Koyama
쇠보리속 [벼과] (Soe-bo-ri-sok)	Murainagrass <i>Ischaemum</i> L. [Poaceae]
쇠비름 (Soe-bi-reum)	Purslane <i>Portulaca oleracea</i> L.
쇠비름과 (Soe-bi-reum-gwa)	Purslane family Portulacaceae Juss.
쇠비름속 [쇠비름과] (Soe-bi-reum-sok)	Moss roses, Purslane <i>Portulaca</i> L. [Portulacaceae]
쇠뿔현호색 (Soe-ppul-hyeon-ho-saek)	Bull's-horn corydalis <i>Corydalis cornupetala</i> Y.H.Kim et J.H.Jeong
쇠서나물 (Soe-seo-na-mul)	Korean hawkweed oxtongue <i>Picris hieracioides</i> var. <i>koreana</i> Kitam.
쇠서나물속 [국화과] (Soe-seo-na-mul-sok)	Oxtongue <i>Picris</i> L. [Asteraceae]
쇠채 (Soe-chae)	White-stem serpentroot <i>Scorzonera albicaulis</i> Bunge
쇠채속 [국화과] (Soe-chae-sok)	Scorzonera, Serpentroot <i>Scorzonera</i> L. [Asteraceae]
쇠치기풀속 [벼과] (Soe-chi-gi-pul-sok)	Jointgrass <i>Hemarthria</i> R.Br. [Poaceae]
쇠치기풀 (Soe-chi-gi-pul)	Siberian jointgrass <i>Hemarthria sibirica</i> (Gand.) Ohwi

Korean name (Romanization)	English name Scientific name
쇠털골 (Soe-teol-gol)	Needle spikerush <i>Eleocharis acicularis</i> f. <i>longiseta</i> (Svenson) T.Koyama
쇠털이슬 (Soe-teol-i-seul)	Cordata enchanter's nightshade <i>Ciraea cordata</i> Royle
쇠풀 (Soe-pul)	Short-leaf bluestemgrass <i>Schizachyrium brevifolium</i> (Sw.) Nees ex Buse
쇠풀속 [벼과] (Soe-pul-sok)	Bluestem <i>Schizachyrium</i> Nees [Poaceae]
쇠하늘지기 (Soe-ha-neul-ji-gi)	Uni-spikelet fimbristylis <i>Fimbristylis ovata</i> (Burm.f.) J.Kern
수강아지풀 (Su-gang-a-ji-pul)	Dense-flower bristlegrass <i>Setaria viridis</i> subsp. <i>pycnocoma</i> (Steud.) Tzvelev
수개미자리 (Su-gae-mi-ja-ri)	Glabrous sticky-stem pearlwort <i>Sagina maxima</i> f. <i>crassicaulis</i> (S.Watson) Mizush
수거머리말 (Su-geo-meo-ri-mal)	Northeastern eelgrass <i>Zostera caulescens</i> Miki
수골무꽃 (Su-gol-mu-kkot)	Alpine dentate skullcap <i>Scutellaria dentata</i> var. <i>alpina</i> Nakai
수국속 [범의귀과] (Su-guk-sok)	Hydrangea, Hortensia <i>Hydrangea</i> L. [Saxifragaceae]
수궁초 (Su-gung-cho)	Hemp dogbane <i>Apocynum cannabinum</i> L.
수궁초속 [협죽도과] (Su-gung-cho-sok)	Dogbane, Indian hemp <i>Apocynum</i> L. [Apocynaceae]
수까치깨 (Su-kka-chi-kkae)	Tomentose corchoropsis <i>Corchoropsis tomentosa</i> (Thunb.) Makino
수련 (Su-ryeon)	Pigmy water-lily <i>Nymphaea tetragona</i> Georgi
수련과 (Su-ryeon-gwa)	Water-lily family <i>Nymphaeaceae</i> Salisb.

Korean name (Romanization)	English name Scientific name
수련속 [수련과] (Su-ryeon-sok)	Water-lily, Water lilies, Waterlily <i>Nymphaea</i> L. [Nymphaeaceae]
수리딸기 (Su-ri-ttal-gi)	Juteleaf raspberry <i>Rubus corchorifolius</i> L.f.
수리취 (Su-ri-chwi)	Deltoid synurus <i>Synurus deltoides</i> (Aiton) Nakai
수리취속 [국화과] (Su-ri-chwi-sok)	Synurus <i>Synurus Iljin</i> [Asteraceae]
수선화과 (Su-seon-hwa-gwa)	Amaryllis family Amaryllidaceae J. St.-Hil.
수송나물 (Su-song-na-mul)	Komarov's Russian thistle <i>Salsola komarovii</i> Iljin
수송나물속 [명아주과] (Su-song-na-mul-sok)	Russian thistle <i>Salsola</i> L. [Chenopodiaceae]
수수고사리 (Su-su-go-sa-ri)	Wilford's spleenwort <i>Asplenium wilfordii</i> Mett. ex Kuhn
수수꽃다리 (Su-su-kkot-da-ri)	Korean early lilac <i>Syringa oblata</i> var. <i>dilatata</i> (Nakai) Rehder
수수꽃다리속 [물푸레나무과] (Su-su-kkot-da-ri-sok)	Lilac <i>Syringa</i> L. [Oleaceae]
수수새 (Su-su-sae)	Shining sorghum <i>Sorghum nitidum</i> (Vahl) Pers.
수수새속 [벼과] (Su-su-sae-sok)	Sorghum <i>Sorghum</i> Moench [Poaceae]
수염가래꽃 (Su-yeom-ga-rae-kkot)	Asian lobelia <i>Lobelia chinensis</i> Lour.
수염개밀 (Su-yeom-gae-mil)	Long-beard porcupine <i>Hystrix longearistata</i> (Hack.) Honda
수염개밀속 [벼과] (Su-yeom-gae-mil-sok)	Hystrix <i>Hystrix</i> Moench [Poaceae]
수염김의털 (Su-yeom-gim-ui-teol)	Choseon sheep's fescue <i>Festuca ovina</i> var. <i>chosonica</i> Ohwi

Korean name (Romanization)	English name Scientific name
수염대새풀 (Su-yeom-dae-sae-pul)	Beard Hackel's cleistogenes <i>Cleistogenes hackelii</i> var. <i>nakaii</i> (Keng) Ohwi
수염마름 (Su-yeom-ma-reum)	Five-appendages trapella <i>Trapella sinensis</i> var. <i>antenifera</i> (H.Lév.) H.Hara
수염마름속 [참깨과] (Su-yeom-ma-reum-sok)	Trapella <i>Trapella</i> Oliv. [Pedaliaceae]
수염며느리밥풀 (Su-yeom-myeo-neu-ri-bap-pul)	Bearded cow-wheat <i>Melampyrum roseum</i> var. <i>japonicum</i> Franch. & Sav.
수염용담 (Su-yeom-yong-dam)	Bearded fringe gentian <i>Gentianopsis barbata</i> (Froel.) Ma
수염용담속 [용담과] (Su-yeom-yong-dam-sok)	Fringed gentian <i>Gentianopsis</i> Ma [Gentianaceae]
수염이끼 (Su-yeom-i-kki)	Beard filmy fern <i>Hymenophyllum barbatum</i> (Bosch) Baker
수염이끼속 [처녀이끼과] (Su-yeom-i-kki-sok)	Filmy fern <i>Hymenophyllum</i> Sm. [Hymenophyllaceae]
수염치자풀 (Su-yeom-chi-ja-pul)	Delicate starviolet <i>Hedyotis tenelliflora</i> Blume
수염치자풀속 [꼭두서니과] (Su-yeom-chi-ja-pul-sok)	Starviolet <i>Hedyotis</i> L. [Rubiaceae]
수염패랭이꽃 (Su-yeom-pae-raeng-i-kkot)	Asian pink <i>Dianthus barbatus</i> var. <i>asiaticus</i> Nakai
수염풀 (Su-yeom-pul)	Mongolian false needlegrass <i>Ptilagrostis mongholica</i> (Turcz. ex Trin.) Griseb.
수염풀속 [벼과] (Su-yeom-pul-sok)	False needlegrass <i>Ptilagrostis</i> Griseb. [Poaceae]
수염현호색 (Su-yeom-hyeon-ho-saek)	Tailed corydalis <i>Corydalis caudata</i> (Lam.) Pers.
수영 (Su-yeong)	Garden dock <i>Rumex acetosa</i> L.
수원고랭이 (Su-won-go-raeng-i)	Wallich's bulrush <i>Scirpus wallichii</i> Nees

Korean name (Romanization)	English name Scientific name
수원사시나무 (Su-won-sa-si-na-mu)	Suwon aspen <i>Populus glandulosa</i> (Uyeki) Uyeki
수원사초 (Su-won-sa-cho)	Suwon sedge <i>Carex omiana</i> Franch. & Sav.
수원잔대 (Su-won-jan-dae)	Many-flower ladybell <i>Adenophora polyantha</i> Nakai
수정난풀 (Su-jeong-nan-pul)	Indian pipe <i>Monotropa uniflora</i> L.
수정난풀과 (Su-jeong-nan-pul-gwa)	Indian pipe family Monotropaceae Nutt.
수정난풀속 [수정난풀과] (Su-jeong-nan-pul-sok)	Indian pipe <i>Monotropa</i> L. [Monotropaceae]
수정목 (Su-jeong-mok)	Big-leaf damnacanthus <i>Damnacanthus major</i> Siebold & Zucc.
수크령 (Su-keu-ryeong)	Foxtail fountaingrass <i>Pennisetum alopecuroides</i> (L.) Spreng.
수크령속 [벼과] (Su-keu-ryeong-sok)	Fountaingrass <i>Pennisetum</i> Rich. [Poaceae]
숙은꽃장포 (Suk-eun-kkot-jang-po)	Northern asphodel <i>Tofieldia coccinea</i> Rich.
숙은노루오줌 (Suk-eun-no-ru-o-jum)	Korean false goat's beard <i>Astilbe koreana</i> (Kom.) Nakai
숙은처녀치마 (Suk-eun-cheo-nyeo-chi-ma)	Tubular-flower swamppink <i>Heloniopsis tubiflora</i> Fuse, N.S.Lee & M.N.Tamura
순비기나무 (Sun-bi-gi-na-mu)	Beach vitex <i>Vitex rotundifolia</i> L.f.
순비기나무속 [마편초과] (Sun-bi-gi-na-mu-sok)	Chastetree <i>Vitex</i> L. [Verbenaceae]
순안억새 (Sun-an-eok-sae)	Sunan maiden silvergrass <i>Miscanthus sinensis</i> var. <i>sunanensis</i> YN.Lee
순채 (Sun-chae)	Watershield <i>Brasenia schreberi</i> J.F.Gmelin

Korean name (Romanization)	English name Scientific name
순채속 [수련과] (Sun-chae-sok)	Brasenia <i>Brasenia</i> Schreb. [Nymphaeaceae]
순갈일엽 (Sut-gal-il-yeop)	Linear-sorus lance fern <i>Loxogramme duclouxii</i> Christ
술파랭이꽃 (Sul-pae-raeng-i-kkot)	Longcalyx pink <i>Dianthus longicalyx</i> Miq.
숫돌담고사리 (Sut-dol-dam-go-sa-ri)	Protruding spleenwort <i>Asplenium prolongatum</i> Hook.
숫명다래나무 (Sut-myeong-da-rae-na-mu)	Korean honeysuckle <i>Lonicera coreana</i> Nakai
숫잔대 (Sut-jan-dae)	Sessile lobelia <i>Lobelia sessilifolia</i> Lamb.
숫잔대속 [초롱꽃과] (Sut-jan-dae-sok)	Lobelia <i>Lobelia</i> L. [Campanulaceae]
숲갈퀴나물 (Sup-gal-kwi-na-mul)	Pale Amur vetch <i>Vicia amurensis</i> var. <i>pallida</i> (Turcz.) Kitag.
숲개밀 (Sup-gae-mil)	Wood false brome <i>Brachypodium sylvaticum</i> (Huds.) P.Beauv.
숲개밀속 [벼과] (Sup-gae-mil-sok)	False brome <i>Brachypodium</i> P.Beauv. [Poaceae]
숲개별꽃 (Sup-gae-byeol-kkot)	Bristled false-starwort <i>Pseudostellaria setulosa</i> Ohwi
숲바람꽃 (Sup-ba-ram-kkot)	Shady anemone <i>Anemone umbrosa</i> C.A.Mey.
숲이삭사초 (Sup-i-sak-sa-cho)	Forest-live sedge <i>Carex drymophila</i> Turcz.
쉬땅나무 (Swi-ttang-na-mu)	False spiraea <i>Sorbaria sorbifolia</i> var. <i>stellipila</i> Maxim.
쉬땅나무속 [장미과] (Swi-ttang-na-mu-sok)	False spiraea <i>Sorbaria</i> (Ser.) A.Braun [Rosaceae]
쉽싸리 (Swip-ssa-ri)	Shiny bugleweed <i>Lycopus lucidus</i> Turcz. ex Benth.

Korean name (Romanization)	English name Scientific name
쉽싸리속 [꿀풀과] (Swip-ssa-ri-sok)	Bugleweed, Gypsywort, Waterhorehound <i>Lycopus L.</i> [Lamiaceae]
승마 (Seung-ma)	Komarov's bugbane <i>Cimicifuga heracleifolia</i> Kom.
승마속 [미나리아재비과] (Seung-ma-sok)	Bugbane, Cohosh <i>Cimicifuga L.</i> ex Wernisch. [Ranunculaceae]
시탁나무 (Si-dak-na-mu)	Red-twigs maple <i>Acer komarovii</i> Pojark.
시로미 (Si-ro-mi)	Korean crowberry <i>Empetrum nigrum</i> var. <i>japonicum</i> K.Koch
시로미과 (Si-ro-mi-gwa)	Crowberry family Empetraceae Hook. & Lindl.
시로미속 [시로미과] (Si-ro-mi-sok)	Crowberry <i>Empetrum L.</i> [Empetraceae]
시루산동부 (Si-ru-san-dom-bu)	Siberian locoweed <i>Oxytropis strobilacea</i> Bunge
시무나무 (Si-mu-na-mu)	Hemiptelea <i>Hemiptelea davidii</i> (Hance) Planch.
시무나무속 [느릅나무과] (Si-mu-na-mu-sok)	Hemiptelea <i>Hemiptelea</i> Planch. [Ulmaceae]
시베리아다닥냉이 (Si-be-ri-a-da-dak-naeng-i)	Siberian peppergrass <i>Lepidium sibiricum</i> Schweigg.
시베리아살구 (Si-be-ri-a-sal-gu)	Siberian cherry <i>Prunus sibirica</i> L.
시베리아여뀌 (Si-be-ri-a-yeo-kkwi)	Siberian knorreria <i>Knorreria sibirica</i> (Laxm.) Tzvelev
시베리아여뀌속 (Si-be-ri-a-yeo-kkwi-sok)	Knorreria <i>Knorreria</i> (Czukav.) Tzvelev [Polygonaceae]
시베리아잠자리피 (Si-be-ri-a-jam-ja-ri-pi)	Siberian oatgrass <i>Trisetum sibiricum</i> Rupr.
시베리아포아풀 (Si-be-ri-a-po-a-pul)	Siberian bluegrass <i>Poa sibirica</i> Roshev.

Korean name (Romanization)	English name Scientific name
시호속 [산형과] (Si-ho-sok)	Bupleurum <i>Bupleurum</i> L. [Apiaceae]
식나무 (Sik-na-mu)	Spotted laurel <i>Aucuba japonica</i> Thunb.
식나무속 [층층나무과] (Sik-na-mu-sok)	Aucuba <i>Aucuba</i> Thunb. [Cornaceae]
신갈나무 (Sin-gal-na-mu)	Mongolian oak <i>Quercus mongolica</i> Fisch. ex Ledeb.
신갈매나무 (Sin-gal-mae-na-mu)	Diamond buckthorn <i>Rhamnus diamantiaca</i> Nakai
신갈줄참나무 (Sin-gal-jol-cham-na-mu)	Mongolica × serrata oak <i>*Quercus × alienoserratooides</i> T.B.Lee
신감채 (Sin-gam-chae)	Deeply-serrate-leaf ostericum <i>Ostericum grosseserratum</i> (Maxim.) Kitag.
신나무 (Sin-na-mu)	Amur maple <i>Acer tataricum</i> subsp. <i>ginnala</i> (Maxim.) Wesm.
신부채붓꽃 (Sin-bu-chae-but-kkot)	New wild flag iris <i>Iris neosetosa</i> Y.N.Lee
신안새우난초 (Sin-an-sae-u-nan-cho)	Sinan calanthe <i>Calanthe aristulifera</i> Rchb.f.
신의주별꽃 (Sin-ui-ju-byeol-kkot)	Sinuiju chickweed <i>Stellaria neopalustris</i> Kitag.
신이대 (Sin-i-dae)	Korean bamboo <i>Sasa coreana</i> Nakai
신창구절초 (Sin-chang-gu-jeol-cho)	Sinchang dendranthema <i>Dendranthema sinchangense</i> (Uyeki) Kitam.
실갈퀴 (Sil-gal-kwi)	Linear-leaf bedstraw <i>Galium linearifolium</i> Turcz.
실개수염 (Sil-gae-su-yeon)	Thread pipewort <i>Eriocaulon decemflorum</i> var. <i>nipponicum</i> (Maxim.) Nakai
실거리나무 (Sil-geo-ri-na-mu)	Mysore thorn <i>Caesalpinia decapetala</i> (Roth) Alston

Korean name (Romanization)	English name Scientific name
실거리나무속 [콩과] (Sil-geo-ri-na-mu-sok)	Nicker <i>Caesalpinia</i> L. [Fabaceae]
실고사리 (Sil-go-sa-ri)	Vine-like fern <i>Lygodium japonicum</i> (Thunb.) Sw.
실고사리과 (Sil-go-sa-ri-gwa)	Curly grass family <i>Schizaeaceae</i> Kaulf.
실고사리속 [실고사리과] (Sil-go-sa-ri-sok)	Climbing fern <i>Lygodium</i> Sw. [Schizaeaceae]
실꽃풀 (Sil-kkot-pul)	White stringflower <i>Chionographis japonica</i> (Willd.) Maxim.
실꽃풀속 [백합과] (Sil-kkot-pul-sok)	Chionographis <i>Chionographis</i> Maxim. [Liliaceae]
실나자스말 (Sil-na-ja-seu-mal)	Slender water-nymph <i>Najas gracillima</i> (A.Braun ex Engelm.) Magnus
실말 (Sil-mal)	Small pondweed <i>Potamogeton pusillus</i> L.
실맥문동 (Sil-maek-mun-dong)	Shady dwarf lilyturf <i>Ophiopogon japonicus</i> var. <i>umbrosus</i> Maxim.
실미꾸리낚시 (Sil-mi-kku-ri-nak-si)	Swamp Siebold's smartweed <i>Persicaria sieboldii</i> var. <i>paludosa</i> (Kom.) Nakai ex Kitag.
실별꽃 (Sil-byeol-kkot)	Slender chickweed <i>Stellaria filicaulis</i> Makino
실부추 (Sil-bu-chu)	Thread-leaf chive <i>Allium anisopodium</i> Ledeb.
실비녀골풀 (Sil-bi-nyeo-gol-pul)	Maximowicz's rush <i>Juncus maximowiczii</i> Buchenau
실사리 (Sil-sa-ri)	Siberian spikemoss <i>Selaginella sibirica</i> (Milde) Hieron.
실사초 (Sil-sa-cho)	Thread sedge <i>Carex pisiformis</i> Boott
실새삼 (Sil-sae-sam)	Australian dodder <i>Cuscuta australis</i> R.Br.

Korean name (Romanization)	English name Scientific name
실새풀 (Sil-sae-pul)	Purple reedgrass <i>Calamagrostis brachytricha</i> Steud.
실쑥 (Sil-ssuk)	Siberian filifolium <i>Filifolium sibiricum</i> (L.) Kitam.
실쑥속 [국화과] (Sil-ssuk-sok)	Filifolium <i>Filifolium</i> Kitam. [Asteraceae]
실이삭사초 (Sil-i-sak-sa-cho)	Loosely-spike sedge <i>Carex laxa</i> Wahlenb.
실제비쑥 (Sil-je-be-ssuk)	Narrow oriental wormwood <i>Artemisia japonica</i> var. <i>angustissima</i> (Nakai) Kitam.
실청사초 (Sil-cheong-sa-cho)	Narrow mitra sedge <i>Carex sabynensis</i> Less. ex Kunth
실통발 (Sil-tong-bal)	Lesser bladderwort <i>Utricularia multispinosa</i> (Miki) Miki
실포아풀 (Sil-po-a-pul)	White-top bluegrass <i>Poa acroleuca</i> Steud.
실피사초 (Sil-pi-sa-cho)	Pallid long-rostrate sedge <i>Carex longerstrata</i> var. <i>pallida</i> (Kitag.) Ohwi
십자고사리 (Sip-ja-go-sa-ri)	Cross holly fern <i>Polystichum tripteron</i> (Kunze) C.Presl
십자화과 (Sip-ja-hwa-gwa)	Cabbage family, Crucifers family, Mustards family, Mustard flowers family Brassicaceae Burnett (= Cruciferae Juss.)
싱아 (Sing-a)	Alpine knotweed <i>Aconogonon alpinum</i> (All.) Schur
싱아속 [마디풀과] (Sing-a-sok)	Aconogonon <i>Aconogonon</i> (Meisn.) Rchb. [Polygonaceae]
싸라기사초 (Ssa-ra-gi-sa-cho)	Ussuri sedge <i>Carex ussuriensis</i> Kom.
싸리 (Ssa-ri)	Shrub lespedeza <i>Lespedeza bicolor</i> Turcz.

Korean name (Romanization)	English name Scientific name
싸리냉이 (Ssa-ri-naeng-i)	Narrow-leaf bittercress <i>Cardamine impatiens</i> L.
싸리속 [콩과] (Ssa-ri-sok)	Bush clovers, Japanese clovers, Lespedeza <i>Lespedeza</i> Michx. [Fabaceae]
쌀사초 (Ssal-sa-cho)	Pseudo-glaucous sedge <i>Carex glauciformis</i> Meinh.
쌀새 (Ssal-sae)	Broad-spike melic <i>Melica onoei</i> Franch. & Sav.
쌀새속 [벼과] (Ssal-sae-sok)	Melic, Melic grass, Oniongrass <i>Melica</i> L. [Poaceae]
쌀파도풀 (Ssal-pa-do-pul)	Long omphalotrix <i>Omphalotrix longipes</i> Maxim.
쌀파도풀속 [현삼과] (Ssal-pa-do-pul-sok)	Omphalotrix <i>Omphalotrix</i> Maxim. [Scrophulariaceae]
쌍동바람꽃 (Ssang-dong-ba-ram-kkot)	Twin-flower anemone <i>Anemone rossii</i> S.Moore
쌍실버들 (Ssang-sil-beo-deul)	Paired-fruit willow <i>Salix bicarpa</i> Nakai
쌍잎난초 (Ssang-ip-nan-cho)	Twin-leaf twayblade <i>Neottia pinetorum</i> (Lindl.) Szlach.
쐐기풀 (Sswae-gi-pul)	East Asian nettle <i>Urtica thunbergiana</i> Siebold & Zucc.
쐐기풀과 (Sswae-gi-pul-gwa)	Nettle family Urticaceae Juss.
쐐기풀속 [쐐기풀과] (Sswae-gi-pul-sok)	Nettle, Stinging nettles <i>Urtica</i> L. [Urticaceae]
쑥 (Ssuk)	Ssuk (Korean wormwood) <i>Artemisia princeps</i> Pamp.
쑥국화 (Ssuk-guk-hwa)	Tansy <i>Tanacetum vulgare</i> L.
쑥국화속 [국화과] (Ssuk-guk-hwa-sok)	Tansy <i>Tanacetum</i> L. [Asteraceae]

Korean name (Romanization)	English name Scientific name
속방망이 (Ssuk-bang-mang-i)	Argun groundsel <i>Senecio argunensis</i> Turcz.
쑥부쟁이 (Ssuk-bu-jaeng-i)	Field aster <i>Aster yomena</i> (Kitam.) Honda
쑥부지깽이 (Ssuk-bu-ji-kkaeng-i)	Wormseed wallflower <i>Erysimum cheiranthoides</i> L.
쑥부지깽이속 [십자화과] (Ssuk-bu-ji-kkaeng-i-sok)	Wallflower <i>Erysimum</i> L. [Brassicaceae]
쑥속 [국화과] (Ssuk-sok)	Mugwort, Sagebrush, Wormwood <i>Artemisia</i> L. [Asteraceae]
쓴풀 (Sseun-pul)	East Asian swertia <i>Swertia japonica</i> (Schult.) Makino
쓴풀속 [용담과] (Sseun-pul-sok)	Felwort, Swertia <i>Swertia</i> L. [Gentianaceae]
씀바귀 (Sseum-ba-gwi)	Toothed ikeridium <i>Ikeridium dentatum</i> (Thunb.) Tzvelev
씀바귀속 [국화과] (Sseum-ba-gwi-sok)	Ikeridium <i>Ikeridium</i> (A. Gray) Tzvelev [Asteraceae]
씨눈난초 (Ssi-nun-nan-cho)	Bead-root orchid <i>Herminium lanceum</i> var. <i>longicrure</i> (C. Wright ex A. Gray) H. Hara
씨눈난초속 [난초과] (Ssi-nun-nan-cho-sok)	Herminium <i>Herminium</i> L. [Orchidaceae]
씨눈바위취 (Ssi-nun-ba-wi-chwi)	Nodding saxifrage <i>Saxifraga cernua</i> L.
씨범꼬리 (Ssi-beom-kko-ri)	Alpine bistort <i>Bistorta vivipara</i> (L.) Delarbre
O	
아광나무 (A-gwang-na-mu)	Maximowicz's hawthorn <i>Crataegus maximowiczii</i> C.K.Schneid.
아구장나무 (A-gu-jang-na-mu)	Pubescent spirea <i>Spiraea pubescens</i> Turcz.

Korean name (Romanization)	English name Scientific name
아그배나무 (A-geu-bae-na-mu)	Three-lobe crabapple <i>Malus toringo</i> (Siebold) de Vriese
아마과 (A-ma-gwa)	Flax family Linaceae DC. ex Perleb.
아마속 [백합과] (A-ma-sok)	Flax <i>Linum L.</i> [Linaceae]
아마풀 (A-ma-pul)	Flaxleaf Diarthon <i>Diarthon linifolium</i> Turcz.
아마풀속 [팔꽃나무과] (A-ma-pul-sok)	Diarthon <i>Diarthon</i> Turcz. [Thymelaeaceae]
아물고사리 (A-mul-go-sa-ri)	Amur wood fern <i>Dryopteris amurensis</i> (Milde) Christ
아왜나무 (A-wae-na-mu)	Sweet viburnum <i>Viburnum odoratissimum</i> var. <i>awabuki</i> (K.Koch) Zabel ex Rümpler
아욱과 (A-uk-gwa)	Hibiscus family Malvaceae Juss.
아욱메풀속 [메꽃과] (A-uk-me-pul-sok)	Ponysfoot <i>Dichondra</i> J.R.Forst. & G.Forst. [Convolvulaceae]
아욱메풀 (A-uk-me-pul)	Kidney weed <i>Dichondra micrantha</i> Urb.
아욱제비꽃 (A-uk-je-bi-kkot)	Chinese-mallow-leaf violet <i>Viola hondoensis</i> W.Becker & H.Boissieu
아자비고즐 (A-ja-bi-gwa-jeul)	Straight-bean Japanese honey locust <i>Gleditsia japonica</i> var. <i>stenocarpa</i> (Nakai) Nakai
안면용등굴레 (An-myeon-yong-dung-gul-re)	Anmyondo wide-bract solomon's seal <i>Polygonatum desoulavayi</i> Kom.
앉은가래 (An-jeun-ga-rae)	Variegated-leaf pondweed <i>Potamogeton heterophyllus</i> Schreb.
앉은부채 (An-jeun-bu-chae)	Oriental skunk cabbage <i>Symplocarpus renifolius</i> Schott ex Miq.
앉은부채속 [천남성과] (An-jeun-bu-chae-sok)	Skunk cabbage <i>Symplocarpus</i> Salisb. ex W.P.C. Barton [Araceae]

Korean name (Romanization)	English name Scientific name
얇은잎다닥냉이 (An-jeun-ip-da-dak-naeng-i)	Heart-leaf peppergrass <i>Lepidium cordatum</i> Willd. ex Stev.
얇은좁쌀풀 (An-jeun-jop-ssal-pul)	Maximowicz's eyebright <i>Euphrasia maximowiczzii</i> Wetst.
알파리 (Al-kkwa-ri)	Naked ground berry <i>Tubocapsicum anomalum</i> (Franch. & Sav.) Makino
알파리속 [가지과] (Al-kkwa-ri-sok)	Tubocapsicum <i>Tubocapsicum</i> (Wettst.) Makino [Solanaceae]
알록제비꽃 (Al-rok-je-bi-kkot)	Variegated-leaf violet <i>Viola variegata</i> Fisch. ex Link
알록큰봉의꼬리 (Al-rok-keun-bong-ui-kko-ri)	Variegate cretan brake fern <i>Pteris nipponica</i> Shieh
알며느리밥풀 (Al-myeo-neu-ri-bap-pul)	Oval-leaf cow-wheat <i>Melampyrum roseum</i> var. <i>ovalifolium</i> (Nakai) Nakai ex Beauverd
알방동사니 (Al-bang-dong-sa-ni)	Difformed flatsedge <i>Cyperus difformis</i> L.
암고사리 (Am-go-sa-ri)	Asian twinsorus fern <i>Diplazium chinense</i> (Baker) C.Chr.
암공작고사리 (Am-gong-jak-go-sa-ri)	Junos-hair fern <i>Adiantum capillus-junonis</i> Rupr.
암괴불나무 (Am-goe-bul-na-mu)	Black honeysuckle <i>Lonicera nigra</i> var. <i>barbinervis</i> (Kom.) Nakai
암까치깨 (Am-kka-chi-kkiae)	Intermediate corchoropsis <i>Corchoropsis intermedia</i> Nakai
암대극 (Am-dae-geuk)	Jolkin's spurge <i>Euphorbia jolkini</i> Boiss.
암매 (Am-mae)	Pincushion plant <i>Diapensia lapponica</i> var. <i>obovata</i> F.Schmidt
암매과 (Am-mae-gwa)	Diapensia family <i>Diapensiaceae</i> Lindl.
암매속 [암매과] (Am-mae-sok)	Diapensia <i>Diapensia</i> L. [Diapensiaceae]

Korean name (Romanization)	English name Scientific name
암뱀고사리 (Am-baem-go-sa-ri)	Shady ladyfern <i>Athyrium clivicola</i> Tagawa
암수등굴레 (Am-su-dung-gul-re)	Small-flower solomon's seal <i>Polygonatum stenanthum</i> Nakai
암풀고사리 (Am-pul-go-sa-ri)	Smooth forked fern <i>Gleichenia laevissima</i> Christ
암하늘지기 (Am-ha-neul-ji-gi)	Straight-awn fimbriстиlis <i>Fimbristylis squarrosa</i> var. <i>esquarrosa</i> Makino
압록더부살이 (Ap-rok-deo-bu-sal-i)	Amur yellow-flower broomrape <i>Orobanche pycnostachya</i> var. <i>amurensis</i> Beck
애랭이사초 (Ae-gwaeng-i-sa-cho)	Small nerved-fruit sedge <i>Carex laevissima</i> Nakai
애기기라래 (Ae-gi-ga-rae)	Little pondweed <i>Potamogeton octandrus</i> Poir.
애기기물고사리 (Ae-gi-ga-mul-go-sa-ri)	Smooth woodsia <i>Woodsia glabella</i> R.Br. ex Richardson
애기기자별꽃 (Ae-gi-ga-ji-byeol-kkot)	Spreading chickweed <i>Stellaria diffusa</i> Willd. ex Schltdl.
애기감등사초 (Ae-gi-gam-dung-sa-cho)	Black-tiny sedge <i>Carex fusaneensis</i> Ohwi
애기거머리말 (Ae-gi-geo-meo-ri-mal)	Dwarf eelgrass <i>Zostera japonica</i> Asch. & Graebn.
애기거이삭 (Ae-gi-gyeo-i-sak)	Creeping bentgrass <i>Agrostis stolonifera</i> L.
애기고광나무 (Ae-gi-go-gwang-na-mu)	Beijing mock orange <i>Philadelphus pekinensis</i> Rupr.
애기고추나물 (Ae-gi-go-chu-na-mul)	Tiny St. Johnswort <i>Hypericum japonicum</i> Thunb.
애기곡정초 (Ae-gi-gok-jeong-cho)	Moss pipewort <i>Eriocaulon sphagnicolum</i> Ohwi
애기골무꽃 (Ae-gi-gol-mu-kkot)	Delicate skullcap <i>Scutellaria dependens</i> Maxim.

Korean name (Romanization)	English name Scientific name
애기골풀 (Ae-gi-gol-pul)	Toad rush <i>Juncus bufonius</i> L.
애기괭이눈 (Ae-gi-gwaeng-i-nun)	Stolon golden saxifrage <i>Chrysosplenium flagelliferum</i> F.Schmidt
애기괭이밥 (Ae-gi-gwaeng-i-bap)	Common wood sorrel <i>Oxalis acetosella</i> L.
애기금강제비꽃 (Ae-gi-geum-gang-je-bi-kkot)	Dwarf Geumgang violet <i>Viola yazuwana</i> Makino
애기금매화 (Ae-gi-geum-mae-hwa)	Baedususan globe-flower <i>Trollius japonicus</i> Miq.
애기기린초 (Ae-gi-gi-rin-cho)	Miniature stonecrop <i>Sedum middendorffianum</i> Maxim.
애기꼬리고사리 (Ae-gi-kko-ri-go-sa-ri)	Variable spleenwort <i>Asplenium varians</i> Wall. ex Hook. & Grev.
애기나리 (Ae-gi-na-ri)	Star-flower fairybell <i>Disporum smilacinum</i> A.Gray
애기나리속 [백합과] (Ae-gi-na-ri-sok)	Disporum <i>Disporum</i> Salisb. [Liliaceae]
애기나비나물 (Ae-gi-na-bi-na-mul)	Hallasan two-leaf vetch <i>Vicia unijuga</i> f. <i>minor</i> Nakai
애기낚시제비꽃 (Ae-gi-nak-si-je-bi-kkot)	Small creeping violet <i>Viola grypoceras</i> var. <i>exilis</i> (Miq.) Nakai
애기냉이 (Ae-gi-naeng-i)	Alpine bittercress <i>Cardamine bellidifolia</i> L.
애기노루발 (Ae-gi-no-ru-bal)	Tooth-margine wintergreen <i>Pyrola denticulata</i> Koidz.
애기닥나무 (Ae-gi-dak-na-mu)	Small paper mulberry <i>*Broussonetia kazinoki</i> var. <i>humilis</i> Uyeki
애기닭의덩굴 (Ae-gi-dak-ui-deong-gul)	Small copse knotweed <i>Fallopia pauciflora</i> (Maxim.) Kitag.
애기닭의장풀 (Ae-gi-dak-ui-jang-pul)	Minute blue dayflower <i>Commelinina</i> Y.N.Lee & Y.J.Oh

Korean name (Romanization)	English name Scientific name
애기담배풀 (Ae-gi-dam-bae-pul)	Rosette carpesium <i>Carpesium rosulatum</i> Miq.
애기더덕 (Ae-gi-deo-deok)	Sweet bonnet bellflower <i>Codonopsis minima</i> Nakai
애기덕산풀 (Ae-gi-deok-san-pul)	Fine-stalk nutrush <i>Scleria pergracilis</i> (Nees) Kunth
애기도둑놈의갈고리 (Ae-gi-do-duk-nom-ui-gal-go-ri)	Manchurian tick clover <i>Desmodium podocarpum</i> var. <i>mandshuricum</i> Maxim.
애기도라지 (Ae-gi-do-ra-ji)	Southern rockbell <i>Wahlenbergia marginata</i> (Thunb.) A.DC.
애기도라지속 [초롱꽃과] (Ae-gi-do-ra-ji-sok)	Wahlenbergia <i>Wahlenbergia</i> Schrad. ex Roth [Campanulaceae]
애기동으나물 (Ae-gi-dong-ui-na-mul)	Floating marsh marigold <i>Caltha natans</i> Pall.
애기두릅나무 (Ae-gi-du-reup-na-mu)	Small-leaf Korean angelica tree <i>Aralia elata</i> f. <i>canescens</i> (Siebold & Zucc.) T.Yamaz.
애기등 (Ae-gi-deung)	Summer-white oiltree <i>Millettia japonica</i> (Siebold & Zucc.) A.Gray
애기등속 [콩과] (Ae-gi-deung-sok)	Oiltree <i>Millettia</i> Wight & Arn. [Fabaceae]
애기똥풀 (Ae-gi-ttong-pul)	Asian greater celandine <i>Chelidonium majus</i> var. <i>asiaticum</i> (H.Hara) Ohwi
애기똥풀속 [양귀비과] (Ae-gi-ttong-pul-sok)	Celandine, Greater celandine, Nipplewort, Swallowwort, Tetterwort <i>Chelidonium</i> L. [Papaveraceae]
애기마름 (Ae-gi-ma-reum)	Tiny water-chestnut <i>Trapa incisa</i> Siebold & Zucc.
애기매꽃 (Ae-gi-me-kkot)	Ivy morning glory <i>Calystegia hederacea</i> Wall.
애기며느리밥풀 (Ae-gi-myeo-neu-ri-bap-pul)	Lanceolate-leaf cow-wheat <i>Melampyrum setaceum</i> (Maxim. ex Palib.) Nakai
애기면모고사리 (Ae-gi-myeon-mo-go-sa-ri)	Sinuate holly-fern woodsia <i>Woodsia polystichoides</i> f. <i>sinuata</i> (Hook.) Kitag.

Korean name (Romanization)	English name Scientific name
애기무엽란 (Ae-gi-mu-yeop-ran)	Asian leafless bird's nest orchid <i>Neottia acuminata</i> Schltr.
애기물꽈리아재비 (Ae-gi-mul-kkwa-ri-a-jae-bi)	Tender monkey-flower <i>Mimulus tenellus</i> Bunge
애기물매화 (Ae-gi-mul-mae-hwa)	Hallasan marsh parnassus <i>Parnassia alpicola</i> Makino
애기미나리아재비 (Ae-gi-mi-na-ri-a-jae-bi)	Meadow buttercup <i>Ranunculus acris</i> L.
애기바늘꽃 (Ae-gi-ba-neul-kkot)	Small marsh willowherb <i>Epilobium palustre</i> var. <i>fischerianum</i> Hausskn.
애기바늘사초 (Ae-gi-ba-neul-sa-cho)	Small-needle sedge <i>Carex hakonensis</i> Franch. & Sav.
애기바위솔 (Ae-gi-ba-wi-sol)	Narrow-leaf rock pine <i>Orostachys filirera</i> (Nakai) Nakai
애기반들사초 (Ae-gi-ban-deul-sa-cho)	Small shiny-spike sedge <i>Carex tristachya</i> var. <i>pocilliformis</i> (Boott) Kük.
애기벼어먼초 (Ae-gi-beo-eo-meon-cho)	Champion's bluethread <i>Burmannia championii</i> Thwaites
애기복수초 (Ae-gi-bok-su-cho)	Small Amur adonis <i>*Adonis amurensis</i> subsp. <i>nanus</i> Y.N.Lee
애기봄맞이 (Ae-gi-bom-mat-i)	Filiform rockjasmine <i>Androsace filiformis</i> Retz.
애기부들 (Ae-gi-bu-deul)	Lesser cattail <i>Typha angustifolia</i> L.
애기비쑥 (Ae-gi-bi-ssuk)	Incheon wormwood <i>Artemisia nakaii</i> Pamp.
애기사철란 (Ae-gi-sa-cheol-ran)	Lesser rattlesnake plantain <i>Goodyera repens</i> (L.) R.Br.
애기사초 (Ae-gi-sa-cho)	Miniature sedge <i>Carex conica</i> Boott
애기석남 (Ae-gi-seok-nam)	Common bog rosemary <i>Andromeda polifolia</i> L.

Korean name (Romanization)	English name Scientific name
애기석위 (Ae-gi-seok-wi)	Petiolate tongue fern <i>Pyrrosia petiolosa</i> (Christ) Ching
애기솔나물 (Ae-gi-sol-na-mul)	Small yellow spring bedstraw * <i>Galium verum</i> var. <i>asiaticum</i> f. <i>pusillum</i> (Nakai) M.Park
애기송이풀 (Ae-gi-song-i-pul)	Radical-flower lousewort <i>Pedicularis ishidoyana</i> Koidz. & Ohwi
애기수염이끼 (Ae-gi-su-yeom-i-kki)	Korean filmy fern <i>Hymenophyllum coreanum</i> Nakai
애기수영 (Ae-gi-su-yeong)	Field dock <i>Rumex acetosella</i> L.
애기쉽싸리 (Ae-gi-swip-ssa-ri)	Maack's bugleweed <i>Lycopus maackianus</i> (Maxim. ex Herder) Makino
애기쐐기풀 (Ae-gi-sswae-gi-pul)	Small-leaf nettle <i>Urtica laetevirens</i> Maxim.
애기씨 범꼬리 (Ae-gi-ssi-beom-kko-ri)	Narrow-leaf alpine bistort <i>Bistorta vivipara</i> var. <i>angustifolia</i> Nakai
애기앉은부채 (Ae-gi-an-jeun-bu-chae)	East Asian skunk cabbage <i>Symplocarpus nipponicus</i> Makino
애기염주사초 (Ae-gi-yeom-ju-sa-cho)	Big-tongue jack sedge <i>Carex jackiana</i> var. <i>macroglossa</i> (Franch. & Sav.) Kük.
애기완두 (Ae-gi-wan-du)	Short vetchling <i>Lathyrus humilis</i> (Ser.) Spreng.
애기우산나물 (Ae-gi-u-san-na-mul)	Shredded umbrella plant <i>Syneilesis aconitifolia</i> (Bunge) Maxim.
애기원추리 (Ae-gi-won-chu-ri)	Small daylily <i>Hemerocallis minor</i> Mill.
애기월귤 (Ae-gi-wol-gyul)	Small blueberry <i>Vaccinium oxycoccus</i> subsp. <i>microcarpus</i> (Turcz.) Kitam.
애기이삭사초 (Ae-gi-i-sak-sa-cho)	Yellow-mantle sedge <i>Carex ochrochlamys</i> Ohwi
애기일엽초 (Ae-gi-il-yeop-cho)	Tiny weeping fern <i>Lepisorus onoei</i> (Franch. & Sav.) Ching

Korean name (Romanization)	English name Scientific name
애기자운 (Ae-gi-ja-un)	Spring gueldenstaedtia <i>Gueldenstaedtia verna</i> (Georgi) Boriss.
애기자운속 [콩과] (Ae-gi-ja-un-sok)	Gueldenstaedtia <i>Gueldenstaedtia</i> Fisch. [Fabaceae]
애기장구채 (Ae-gi-jang-gu-chae)	Meadow catchfly <i>Silene aprica</i> Turcz. ex Fisch. & C.A.Mey.
애기장대 (Ae-gi-jang-dae)	Arabidopsis <i>Arabidopsis thaliana</i> (L.) Heynh.
애기장대속 [십자화과] (Ae-gi-jang-dae-sok)	Arabidopsis <i>Arabidopsis</i> Heynh. [Brassicaceae]
애기제비란 (Ae-gi-je-bi-ran)	Baby Asian platanthera <i>Platanthera mandarinorum</i> subsp. <i>maximowicziana</i> (Schltr.) K.Inoue
애기족제비고사리 (Ae-gi-jok-je-bi-go-sa-ri)	Baby buckler fern <i>Dryopteris sacrosanta</i> Koidz.
애기좁쌀풀 (Ae-gi-jop-ssal-pul)	Korean alpine eyebright <i>Euphrasia coreanalgina</i> Nakai ex Y.Kimura
애기주름조개풀 (Ae-gi-ju-reum-jo-gae-pul)	Large wavy-leaf basketgrass <i>Oplismenus undulatifolius</i> var. <i>microphyllus</i> (Honda) Ohwi
애기중의무릇 (Ae-gi-jung-ui-mu-reut)	Small gagea <i>Gagea hiensis</i> Pascher
애기지네고사리 (Ae-gi-ji-ne-go-sa-ri)	Baby-saw autumn fern <i>Dryopteris decipiens</i> var. <i>diploaziooides</i> (Christ) Ching
애기참반디 (Ae-gi-cham-ban-di)	Dwarf sanicle <i>Sanicula tuberculata</i> Maxim.
애기천마 (Ae-gi-cheon-ma)	Sweet cheon-ma <i>Chamaegastrodia shikokiana</i> Makino & F.Maek.
애기천마속 [난초과] (Ae-gi-cheon-ma-sok)	Chamaegastrodia <i>Chamaegastrodia</i> Makino & F.Maek. [Orchidaceae]
애기천일사초 (Ae-gi-cheon-il-sa-cho)	Hoppner's sedge <i>Carex subspathacea</i> Wormsk. ex Hornem.
애기탑꽃 (Ae-gi-tap-kkot)	Slender wild calamint <i>Clinopodium gracile</i> (Benth.) Kuntze

Korean name (Romanization)	English name Scientific name
애기톱지네고사리 (Ae-gi-top-ji-ne-go-sa-ri)	Little shaggy shield fern <i>Dryopteris commixta</i> Tagawa
애기풀 (Ae-gi-pul)	Dwarf milkwort <i>Polygala japonica</i> Houtt.
애기하늘지기 (Ae-gi-ha-neul-ji-gi)	Puerto Rico fimbristylyis <i>Fimbristylis autumnalis</i> (L.) Roem. & Schult.
애기향유 (Ae-gi-hyang-yu)	Rocky mint <i>Elsholtzia saxatilis</i> (Kom.) Nakai ex Kitag.
애기황새냉이 (Ae-gi-hwang-sae-naeng-i)	Minute bittercress <i>Cardamine manshurica</i> (Kom.) Nakai
애기황새풀 (Ae-gi-hwang-sae-pul)	Alpine bulrush <i>Trichophorum alpinum</i> (L.) Pers.
애기황새풀속 [사초과] (Ae-gi-hwang-sae-pul-sok)	Bulrush <i>Trichophorum</i> Pers. [Cyperaceae]
애기흰사초 (Ae-gi-huin-sa-cho)	Small mucronate sedge <i>Carex mollicula</i> Boott
앵초 (Aeng-cho)	East Asian primrose <i>Primula sieboldii</i> E.Morren
앵초과 (Aeng-cho-gwa)	Primrose family <i>Primulaceae</i> Batsch ex Borkh.
앵초속 [앵초과] (Aeng-cho-sok)	Primrose <i>Primula</i> L. [Primulaceae]
야고 (Ya-go)	Indian broomrape <i>Aeginetia indica</i> L.
야고속 [열당과] (Ya-go-sok)	Aeginetia <i>Aeginetia</i> L. [Orobanchaceae]
야광나무 (Ya-gwang-na-mu)	Siberian crabapple <i>Malus baccata</i> (L.) Borkh.
야산고비 (Ya-san-go-bi)	Sensitive fern <i>Onoclea sensibilis</i> var. <i>interrupta</i> Maxim.
야산고비속 [면마과] (Ya-san-go-bi-sok)	Sensitive fern <i>Onoclea</i> L. [Dryopteridaceae]

Korean name (Romanization)	English name Scientific name
야지피 (Ya-ji-pi)	Slim-stem reedgrass <i>Calamagrostis stricta</i> (Timm) Koeler
약난초 (Yak-nan-cho)	Single-leaf cremastra <i>Cremastra appendiculata</i> var. <i>variabilis</i> (Blume) I.D.Lund
약난초속 [난초과] (Yak-nan-cho-sok)	Cremastra <i>Cremastra</i> Lindl. [Orchidaceae]
약밤나무 (Yak-bam-na-mu)	Chinese castanea <i>Castanea mollissima</i> Blume
얇은개싱아 (Yal-beun-gae-sing-a)	Thin-leaf knotweed <i>Aconogonon mollifolium</i> (Kitag.) H.Hara
얇은잎고광나무 (Yal-beun-ip-go-gwang-na-mu)	Slender-leaf mock orange <i>Philadelphus tenuifolius</i> Rupr. & Maxim.
양귀비과 (Yang-gwi-bi-gwa)	Poppy family Papaveraceae Juss.
양귀비속 [양귀비과] (Yang-gwi-bi-sok)	Poppy <i>Papaver</i> L. [Papaveraceae]
양덕고광나무 (Yang-deok-go-gwang-na-mu)	Yangdeok mock orange <i>Philadelphus koreanus</i> Nakai
양덕사초 (Yang-deok-sa-cho)	Awl-fruit sedge <i>Carex stipata</i> Muhl. ex Willd.
양반풀 (Yang-ban-pul)	Siberian swallow-wort <i>Cynanchum sibiricum</i> (L.) R.Br.
양뿔사초 (Yang-ppul-sa-cho)	Capricornis sedge <i>Carex capricornis</i> Meinh. ex Maxim.
양지꽃 (Yang-ji-kkot)	Sunny-place cinquefoil <i>Potentilla fragarioides</i> L.
양지꽃속 [장미과] (Yang-ji-kkot-sok)	Cinquefoil <i>Potentilla</i> L. [Rosaceae]
양지사초 (Yang-ji-sa-cho)	Nerved-mitra sedge <i>Carex nervata</i> Franch. & Sav.
어리곤달비 (Eo-ri-gon-dal-bi)	Narrow-bract ragwort <i>Ligularia intermedia</i> Nakai

Korean name (Romanization)	English name Scientific name
어리병풍 (Eo-ri-byeong-pung)	Smaller Indian plantain <i>Parasenecio pseudotaimingasa</i> (Nakai) B.U.Oh
어리연꽃 (Eo-ri-yeon-kkot)	Floatingheart <i>Nymphoides indica</i> (L.) Kuntze
어리연꽃속 [조름나물과] (Eo-ri-yeon-kkot-sok)	Floatingheart <i>Nymphoides</i> Seg. [Menyanthaceae]
어수리 (Eo-su-ri)	East Asian hogweed <i>Heracleum moellendorffii</i> Hance
어수리속 [산형과] (Eo-su-ri-sok)	Cow parsnip, Hogweed <i>Heracleum</i> L. [Apiaceae]
엑새 (Eok-sae)	Purple maiden silvergrass <i>Miscanthus sinensis</i> var. <i>purpurascens</i> (Andersson) Matsum.
엑새속 [벼과] (Eok-sae-sok)	Silvergrass <i>Miscanthus</i> Andersson [Poaceae]
엑새아재비 (Eok-sae-a-jae-bi)	Small Japanese silvergrass <i>Miscanthus longiberberis</i> (Hack.) Nakai
언덕사초 (Eon-deok-sa-cho)	Hill sedge <i>Carex oxyandra</i> (Franch. & Sav.) Kudô
얼레지 (Eol-re-ji)	Asian fawnlily <i>Erythronium japonicum</i> Decne.
얼레지속 [백합과] (Eol-re-ji-sok)	Fawn lily, Trout lily, Dog's-tooth violet, Adder's tongue <i>Erythronium</i> L. [Liliaceae]
얼룩사초 (Eol-ruk-sa-cho)	Short-leaf sedge <i>Carex misandra</i> R.Br.
얼룩엑새 (Eol-ruk-eok-sae)	Variegate maiden silvergrass <i>Miscanthus sinensis</i> f. <i>variegatus</i> Nakai
얼치기복주머니란 (Eol-chi-gi-bok-ju-meo-ni-ran)	Eol-chi-gi lady's slipper (Hybrid complex) <i>Cypripedium</i> x <i>venticosum</i> Sw.
얼치기완두 (Eol-chi-gi-wan-du)	Lentil vetch <i>Vicia tetrasperma</i> (L.) Schreb.
엉겅퀴 (Eong-geong-kwi)	Ussuri thistle <i>Cirsium japonicum</i> var. <i>maackii</i> (Maxim.) Matsum.

Korean name (Romanization)	English name Scientific name
영겅퀴속 [국화과] (Eong-geong-kwi-sok)	Thistle <i>Cirsium</i> Mill. [Asteraceae]
엉성거이삭 (Eong-seong-gyeo-i-sak)	Many-fold sequence bentgrass <i>Agrostis divaricatissima</i> Mez
여뀌 (Yeo-kkwi)	Water pepper <i>Persicaria hydropiper</i> (L.) Delarbre
여뀌바늘 (Yeo-kkwi-ba-neul)	Climbing seedbox <i>Ludwigia prostrata</i> Roxb.
여뀌바늘속 [바늘꽃과] (Yeo-kkwi-ba-neul-sok)	Ludwigia, Primrose-willow, Water-primrose, Water-purslane <i>Ludwigia</i> L. [Onagraceae]
여뀌속 [마디풀과] (Yeo-kkwi-sok)	Smartweeds <i>Persicaria</i> Mill. [Polygonaceae]
여뀌잎제비꽃 (Yeo-kkwi-ip-je-bi-kkot)	Persicaria-leaf violet <i>Viola thibaudieri</i> Franch. & Sav.
여덟잎으름 (Yeo-deol-ip-eu-reum)	Eight-leaf chocolate vine <i>Akebia quinata</i> f. <i>polyphylla</i> (Nakai) Hiyama
여로 (Yeo-ro)	Hairy false-hellebore <i>Veratrum maackii</i> Regel
여로속 [백합과] (Yeo-ro-sok)	False-hellebore, Corn lilies <i>Veratrum</i> L. [Liliaceae]
여름새우난초 (Yeo-reum-sae-u-nan-cho)	Summer-flowering calanthe <i>Calanthe reflexa</i> Maxim.
여복송 (Yeo-bok-song)	Crowded Korean red pine <i>Pinus densiflora</i> f. <i>congesta</i> Uyeki
여우구슬 (Yeo-u-gu-seul)	Common leafflower <i>Phyllanthus urinaria</i> L.
여우꼬리사초 (Yeo-u-kko-ri-sa-cho)	Ciliated-fruited sedge <i>Carex blepharicarpa</i> Franch.
여우꼬리풀 (Yeo-u-kko-ri-pul)	Glabrous colicroot <i>Aletris glabra</i> Bureau & Franch.
여우버들 (Yeo-u-beo-deul)	Beak willow <i>Salix xerophila</i> Flod.

Korean name (Romanization)	English name Scientific name
여우오줌 (Yeo-u-o-jum)	Bighead carpesium <i>Carpesium macrocephalum</i> Franch. & Sav.
여우주머니 (Yeo-u-ju-meo-ni)	Ussuri river leafflower <i>Phyllanthus ussuriensis</i> Rupr. & Maxim.
여우주머니속 [대극과] (Yeo-u-ju-meo-ni-sok)	Leafflower <i>Phyllanthus</i> L. [Euphorbiaceae]
여우콩 (Yeo-u-kong)	Winding snoutbean <i>Rhynchosia volubilis</i> Lour.
여우콩속 [콩과] (Yeo-u-kong-sok)	Snoutbean <i>Rhynchosia</i> Lour. [Fabaceae]
여우팥 (Yeo-u-pat)	Villous dunbaria <i>Dunbaria villosa</i> (Thunb.) Makino
여우팥속 [콩과] (Yeo-u-pat-sok)	Dunbaria <i>Dunbaria</i> Wight & Arn. [Fabaceae]
연두솜대 (Yeon-du-som-dae)	Green-flower solomon's seal <i>Smilacina bicolor</i> var. <i>flavovirens</i> N.S.Lee & J.Y.Kim
연리갈퀴 (Yeon-ri-gal-kwi)	Venose vetch <i>Vicia venosa</i> (Willd.) Maxim.
연리초 (Yeon-ri-cho)	Five-vein vetchling <i>Lathyrus quinquenervius</i> (Miq.) Litv.
연리초속 [콩과] (Yeon-ri-cho-sok)	Pea, Sweet peas, Vetchlings <i>Lathyrus</i> L. [Fabaceae]
연밥갈매나무 (Yeon-bap-gal-mae-na-mu)	Oblong-fruit buckthorn <i>Rhamnus shozyoensis</i> Nakai
연밥매자나무 (Yeon-bap-mae-ja-na-mu)	Elongate-fruit Korean barberry <i>Berberis koreana</i> var. <i>ellipsoides</i> Nakai
연밥피나무 (Yeon-bap-pi-na-mu)	Korean linden <i>Tilia koreana</i> Nakai
연보라과남풀 (Yeon-bo-ra-gwa-nam-pul)	Lilac clustered gentian <i>Gentiana triflora</i> f. <i>alvoviolacea</i> W.K.Paik & W.T.Lee
연복초 (Yeon-bok-cho)	Muskroot <i>Adoxa moschatellina</i> L.

Korean name (Romanization)	English name Scientific name
연복초과 (Yeon-bok-cho-gwa)	Moschatel family Adoxaceae E.Mey.
연복초속 [연복초과] (Yeon-bok-cho-sok)	Adoxa <i>Adoxa L.</i> [Adoxaceae]
연영초 (Yeon-yeong-cho)	Kamchatka trillium <i>Trillium camschatcense</i> Ker Gawl.
연영초속 [백합과] (Yeon-yeong-cho-sok)	Birthroot, Birthwort, Trillium, Tri flower, Wakerobin <i>Trillium L.</i> [Liliaceae]
연잎꿩의다리 (Yeon-ip-kkhwong-ui-da-ri)	Korean meadow-rue <i>Thalictrum coreanum</i> H.Lév.
연지꼴무꽃 (Yeon-ji-gol-mu-kkot)	Pink Indian skullcap <i>Scutellaria indica</i> var. <i>coccinea</i> S.T.Kim & S.T.Lee
연화바위솔 (Yeon-hwa-ba-wi-sol)	Lotus rock pine <i>Orostachys iwarenge</i> (Makino) H.Hara
열당과 (Yeoł-dang-gwa)	Broomrape family Orobanchaceae Vent.
엷은갈미사초 (Yeoł-beun-gal-mi-sa-cho)	Goosegrass sedge <i>Carex eleusinoides</i> Turcz. ex Kunth
엷은잎제비꽃 (Yeoł-beun-ip-je-bi-kkot)	Thin-leaf violet <i>Viola blandaeformis</i> Nakai
엷은잎지네고사리 (Yeoł-beun-ip-ji-ne-go-sa-ri)	Thin autumn fern <i>Dryopteris kinkiensis</i> Koidz. ex Tagawa
염낭사초 (Yeom-nang-sa-cho)	Softest sedge <i>Carex mollissima</i> Christ ex Scheutz
염주괴불주머니 (Yeom-ju-goe-bul-ju-meo-ni)	Beaded yellow corydalis <i>Corydalis heterocarpa</i> Siebold & Zucc.
염주나무 (Yeom-ju-na-mu)	Beads linden <i>Tilia megaphylla</i> Nakai
염주냉이 (Yeom-ju-naeng-i)	Low torularia <i>Torularia humilis</i> (C.A.Mey.) O.E.Schulz
염주냉이속 [십자화과] (Yeom-ju-naeng-i-sok)	Torularia <i>Torularia Bonnem.</i> [Brassicaceae]

Korean name (Romanization)	English name Scientific name
염주사초 (Yeom-ju-sa-cho)	Thin-spiculate sedge <i>Carex ischnostachya</i> Steud.
영도민들레 (Yeong-do-min-deul-re)	Youngdo dandelion <i>Taraxacum formosanum</i> Kitam.
영도산박하 (Yeong-do-san-bak-ha)	Small-leaf mountain isodon <i>Isodon inflexus</i> var. <i>microphyllus</i> Kudo
영아리난초 (Yeong-a-ri-nan-cho)	East Asian nervilia <i>Nervilia nipponica</i> Makino
영아리난초속 [난초과] (Yeong-a-ri-nan-cho-sok)	Nervilia <i>Nervilia</i> Comm. ex Gaudich. [Orchidaceae]
영아자 (Yeong-a-ja)	East Asian harebell <i>Asyneuma japonicum</i> (Miq.) Briq.
영아자속 [초롱꽃과] (Yeong-a-ja-sok)	Harebell <i>Asyneuma</i> Griseb. & Schenk [Campanulaceae]
영주치자 (Yeong-ju-chi-ja)	Island gardneria <i>Gardneria insularis</i> Nakai
영주치자속 [마전과] (Yeong-ju-chi-ja-sok)	Gardneria <i>Gardneria</i> Wall. [Loganiaceae]
예덕나무 (Ye-deok-na-mu)	East Asian mallotus <i>Mallotus japonicus</i> (L.f.) Müll.Arg.
예덕나무속 [대극과] (Ye-deok-na-mu-sok)	Mallotus <i>Mallotus</i> Lour. [Euphorbiaceae]
오갈피나무 (O-gal-pi-na-mu)	Stalkless-flower eleuthero <i>Eleutherococcus sessiliflorus</i> (Rupr. & Maxim.) S.Y.Hu
오갈피나무속 [두릅나무과] (O-gal-pi-na-mu-sok)	Eleuthero, Ginseng, Siberian ginseng <i>Eleutherococcus</i> Maxim. [Araliaceae]
오대산괭이눈 (O-dae-san-gwaeng-i-nun)	Odaesan golden saxifrage <i>Chrysosplenium alternifolium</i> var. <i>sibiricum</i> Ser. ex DC.
오대산새밥 (O-dae-san-sae-bap)	Odaesan woodrush * <i>Luzula odaesanesis</i> Y.N.Lee & Chae Y.
오동나무 (O-dong-na-mu)	Korean paulownia <i>Paulownia coreana</i> Uyeki

Korean name (Romanization)	English name Scientific name
오동나무속 [현삼과] (O-dong-na-mu-sok)	Paulownia <i>Paulownia</i> Siebold & Zucc. [Scrophulariaceae]
오랑캐장구채 (O-rang-kae-jang-gu-chae)	Creeping catchfly <i>Silene repens</i> Patrin
오리나무 (O-ri-na-mu)	East Asian alder <i>Alnus japonica</i> (Thunb.) Steud.
오리나무더부살이 (O-ri-na-mu-deo-bu-sal-i)	Northern groundcone <i>Boschniakia rossica</i> (Cham. & Schltdl.) B.Fedtsch.
오리나무더부살이속 [열당과] (O-ri-na-mu-deo-bu-sal-i-sok)	Groundcone <i>Boschniakia</i> C.A.Mey. ex Bong. [Orobanchaceae]
오리나무속 [자작나무과] (O-ri-na-mu-sok)	Alder <i>Alnus</i> Mill. [Betulaceae]
오리방풀 (O-ri-bang-pul)	Tailed-leaf isodon <i>Isodon excisus</i> (Maxim.) Kudô
오미자 (O-mi-ja)	Five-flavor magnolia vine <i>Schisandra chinensis</i> (Turcz.) Baill.
오미자과 (O-mi-ja-gwa)	Schisandra family Schisandraceae Blume.
오미자속 [오미자과] (O-mi-ja-sok)	Magnolia vine, Schisandra <i>Schisandra</i> Michx. [Schisandraceae]
오성봉어마름 (O-seong-bung-eo-ma-reum)	Four-spin coon's tail <i>Ceratophyllum demersum</i> var. <i>quadrispinum</i> Makino
오엽딸기 (O-yeop-ttal-gi)	Five-palmate-leaf raspberry <i>Rubus ikonoensis</i> H.Lév. & Vaniot
오엽명석딸기 (O-yeop-meong-seok-ttal-gi)	Five-pinnate-leaf trailing raspberry <i>Rubus parvifolius</i> f. <i>subpinnatus</i> (Nakai) Nakai
오이풀 (O-i-pul)	Great burnet <i>Sanguisorba officinalis</i> L.
오이풀속 [장미과] (O-i-pul-sok)	Burnet <i>Sanguisorba</i> L. [Rosaceae]
옥녀꽃대 (Ok-nyeo-kkot-dae)	Maiden chloranthus <i>Chloranthus fortunei</i> (A.Gray) Solms

Korean name (Romanization)	English name Scientific name
옻잠난초 (Ok-jam-nan-cho)	Large widelip orchid <i>Liparis kumokiri</i> F.Maec.
옻괴불나무 (Ol-goe-bul-na-mu)	Early-blooming honeysuckle <i>Lonicera praeflorens</i> Batalin
옻미 (Ol-mi)	Pygmy arrowhead <i>Sagittaria pygmaea</i> Miq.
옻방개 (Ol-bang-gae)	East Asian spikerush <i>Eleocharis kuroguwai</i> Ohwi
옻방개아재비 (Ol-bang-gae-a-jae-bi)	Bristleless spikerush <i>Eleocharis kamtschatica</i> (C.A.Mey.) Kom.
옻벗나무 (Ol-beot-na-mu)	Wild-spring cherry <i>Prunus spachiana</i> f. <i>ascendens</i> (Makino) Kitam.
옻보리수나무 (Ol-bo-ri-su-na-mu)	Prematured autumn olive <i>Elaeagnus umbellata</i> var. <i>prematura</i> (Koidz.) T.B.Lee
옻챙이고랭이 (Ol-chaeng-i-go-raeng-i)	Rush-like bulrush <i>Scirpus juncoides</i> var. <i>hotarui</i> (Ohwi) Ohwi
옻챙이솔 (Ol-chaeng-i-sol)	Oriental bamboo plant <i>Blyxa japonica</i> (Miq.) Maxim. ex Asch. & Gürke
옻챙이자리 (Ol-chaeng-i-ja-ri)	Round-fruit blyxa <i>Blyxa aubertii</i> Rich.
옻챙이자리속 [자라풀과] (Ol-chaeng-i-ja-ri-sok)	Blyxa <i>Blyxa</i> Noronha ex Thouars [Hydrocharitaceae]
옻챙이풀 (Ol-chaeng-i-pul)	Linear-fruit blyxa <i>Blyxa aubertii</i> var. <i>echinosperma</i> (C.B.Clarke) C.D.K.Cook & Luond
옹굿나물 (Ong-gut-na-mul)	Highly-branch aster <i>Aster fastigiatus</i> Fisch.
옻나무과 (Ot-na-mu-gwa)	Cashew family <i>Anacardiaceae</i> R.Br.
옻나무속 [옻나무과] (Ot-na-mu-sok)	Poison ivy, Poison oak, Lacquer tree <i>Toxicodendron</i> Mill. [Rutaceae]

Korean name (Romanization)	English name Scientific name
왁살고사리 (Wak-sal-go-sa-ri)	Northern upside-down fern <i>Leptorumohra miqueliana</i> (Maxim. ex Franch. & Sav.) H.Ito
왁살고사리속 [면마과] (Wak-sal-go-sa-ri-sok)	Leptorumohra <i>Leptorumohra</i> (H.Ito) H.Ito [Dryopteridaceae]
완도현호색 (Wan-do-hyeon-ho-saek)	Wando corydalis <i>Corydalis wandoensis</i> Y.N.Lee
왕가래나무 (Wang-ga-rae-na-mu)	Siebold's Manchurian walnut <i>Juglans mandshurica</i> var. <i>sieboldiana</i> Makino
왕갓쑥부쟁이 (Wang-gaet-ssuk-bu-jaeng-i)	Magnus aster <i>Aster magnus</i> Y.N.Lee & C.S.Kim
왕거머리말 (Wang-geo-meo-ri-mal)	Asian eelgrass <i>Zostera asiatica</i> Miki
왕고광나무 (Wang-go-gwang-na-mu)	Robust Korean mock orange <i>Philadelphus koreanus</i> var. <i>robustus</i> (Nakai) W.T.Lee
왕고들빼기 (Wang-go-deul-ppae-gi)	Indian lettuce <i>Lactuca indica</i> L.
왕고들빼기속 [국화과] (Wang-go-deul-ppae-gi-sok)	Lettuce <i>Lactuca</i> L. [Asteraceae]
왕고로쇠나무 (Wang-go-ro-soe-na-mu)	Straight-angle mono maple <i>Acer mono</i> var. <i>savatieri</i> (Pax) Nakai
왕고사리 (Wang-go-sa-ri)	Giant tappering glade fern <i>Deparia pterorachis</i> (Christ) M.Kato
왕골 (Wang-gol)	Great flatsedge <i>Cyperus exaltatus</i> Retz.
왕괴불나무 (Wang-goe-bul-na-mu)	Vidal's mountain honeysuckle <i>Lonicera vidalii</i> Franch. & Sav.
왕그늘사초 (Wang-geu-neul-sa-cho)	Peduncled wide-leaf low sedge <i>Carex pediformis</i> var. <i>pedunculata</i> Maxim.
왕김의털 (Wang-gim-ui-teol)	Red fescue <i>Festuca rubra</i> L.
왕김의털아재비 (Wang-gim-ui-teol-a-jae-bi)	Asian subulate fescue <i>Festuca extremiorientalis</i> Ohwi

Korean name (Romanization)	English name Scientific name
왕꽃마리 (Wang-kkot-ma-ri)	Rough-hair hound's tongue <i>Cynoglossum aspernum</i> Nakai
왕느릅나무 (Wang-neu-reup-na-mu)	Large-fruit elm <i>Ulmus macrocarpa</i> Hance
왕다람쥐꼬리 (Wang-da-ram-jwi-kko-ri)	Big clubmoss <i>Huperzia cryptomeriana</i> (Maxim.) R.D.Dixit
왕대속 [벼과] (Wang-dae-sok)	Bamboo <i>Phyllostachys</i> Siebold & Zucc. [Poaceae]
왕둥굴레 (Wang-dung-gul-re)	Robust solomon's seal <i>Polygonatum robustum</i> (Korsh.) Nakai
왕매발톱나무 (Wang-mae-bal-top-na-mu)	Ulleungdo barberry <i>Berberis amurensis</i> var. <i>latifolia</i> Nakai
왕머루 (Wang-meo-ru)	Amur grapevine <i>Vitis amurensis</i> Rupr.
왕모람 (Wang-mo-ram)	Climbing fig <i>Ficus thunbergii</i> Maxim.
왕모시풀 (Wang-mo-si-pul)	Seashore falsenettles <i>Boehmeria pannosa</i> Nakai & Satake ex Oka
왕미꾸리꽝이 (Wang-mi-kku-ri-gwang-i)	Broad-leaf mannagrass <i>Glyceria leptolepis</i> Ohwi
왕밀사초 (Wang-mil-sa-cho)	Big-wheat sedge <i>Carex matsumurae</i> Franch.
왕바랭이 (Wang-ba-raeng-i)	Indian goosegrass <i>Eleusine indica</i> (L.) Gaertn.
왕바랭이속 [벼과] (Wang-ba-raeng-i-sok)	Goosegrass <i>Eleusine</i> Gaertn. [Poaceae]
왕배풀등 (Wang-bae-pung-deung)	Big nightshade <i>Solanum megacarpum</i> Koidz.
왕백산차 (Wang-baek-san-cha)	Large-leaf labrador tea <i>Ledum palustre</i> var. <i>maximum</i> Nakai
왕버들 (Wang-beo-deul)	Giant-pussy willow <i>Salix chaenomeloides</i> Kimura

Korean name (Romanization)	English name Scientific name
왕벚나무 (Wang-beot-na-mu)	Korean flowering cherry <i>Prunus × yedoensis</i> Matsum.
왕별꽃 (Wang-byeol-kkot)	Ciliate-petal chickweed <i>Stellaria radians</i> L.
왕보리수나무 (Wang-bo-ri-su-na-mu)	Korean autumn olive <i>Elaeagnus umbellata</i> var. <i>coreana</i> (H.Lév.) H.Lév.
왕복주머니란 (Wang-bok-ju-meo-ni-ran)	Big lady's slipper orchid * <i>Cypripedium macranthos</i> var. <i>hoteiatusmorianum</i> Sadovsky
왕비늘사초 (Wang-bi-neul-sa-cho)	Maximowicz's sedge <i>Carex maximowiczii</i> Miq.
왕삿갓사초 (Wang-sat-gat-sa-cho)	Large-spike sedge <i>Carex rhynchospora</i> Fisch., C.A.Mey. & Avé-Lall
왕솜대 (Wang-som-dae)	Large false solomon's seal <i>Smilacina japonica</i> var. <i>mandshurica</i> Maxim.
왕쌀새 (Wang-ssal-sae)	Mountain melic <i>Melica nutans</i> L.
왕씀배 (Wang-sseum-bae)	Yellow-white rattlesnake-root <i>Prenanthes ochroleuca</i> (Maxim.) Hemsl.
왕씀배속 [국화과] (Wang-sseum-bae-sok)	Purple lettuce, Rattlesnake-root <i>Prenanthes</i> L. [Asteraceae]
왕용가시 (Wang-yong-ga-si)	Korean Maximowicz's rose <i>Rosa maximowicziana</i> var. <i>coreana</i> (R.Keller) Kitag.
왕자귀나무 (Wang-ja-gwi-na-mu)	Kalkora mimosa <i>Albizia kalkora</i> Prain
왕작살나무 (Wang-jak-sal-na-mu)	Robust beautyberry <i>Callicarpa japonica</i> var. <i>luxurians</i> Rehder
왕잔대 (Wang-jan-dae)	Chosen ladybell * <i>Adenophora tyosensis</i> Nakai ex T.H.Chung
왕잔디 (Wang-jan-di)	Big-spike lawngrass <i>Zoysia macrostachya</i> Franch. & Sav.
왕제비꽃 (Wang-je-bi-kkot)	Big violet <i>Viola Websteri</i> Hemsl.

Korean name (Romanization)	English name Scientific name
왕죽대아재비 (Wang-juk-dae-a-jae-bi)	Korean twisted-stalk <i>Streptopus koreanus</i> (Kom.) Ohwi
왕쥐똥나무 (Wang-jwi-ttong-na-mu)	Oval-leaf privet <i>Ligustrum ovalifolium</i> Hassk.
왕지네고사리 (Wang-ji-ne-go-sa-ri)	King wood fern <i>Dryopteris monticola</i> (Makino) C.Chr.
왕질경이 (Wang-jil-gyeong-i)	Giant plantain <i>Plantago major</i> var. <i>japonica</i> (Franch. & Sav.) Miyabe
왕초피나무 (Wang-cho-pi-na-mu)	Large-leaflet prickly-ash <i>Zanthoxylum coreanum</i> Nakai
왕털마가목 (Wang-teol-ma-ga-mok)	Red-hair mountain ash <i>Sorbus commixta</i> f. <i>rufa-hirtella</i> Nakai
왕팽나무 (Wang-paeng-na-mu)	Korean hackberry <i>Celtis koraiensis</i> Nakai
왕호장근 (Wang-ho-jang-geun)	Giant knotweed <i>Fallopia sachalinensis</i> (F.Schmidt) Ronse Decr.
왜갓냉이 (Wae-gat-naeng-i)	Northern mountain bittercress <i>Cardamine yezoensis</i> Maxim.
왜개싱아 (Wae-gae-sing-a)	Spreading knotweed <i>Aconogonon divaricatum</i> (L.) Nakai ex T.Mori
왜개연꽃 (Wae-gae-yeon-kkot)	Least water-lily <i>Nuphar pumila</i> (Timm) DC.
왜골무꽃 (Wae-gol-mu-kkot)	Wetland skullcap <i>Scutellaria strigillosa</i> var. <i>yezoensis</i> (Kudo) Kitam.
왜광대수염 (Wae-gwang-dae-su-yeom)	White deadnettle <i>Lamium album</i> L.
왜구실사리 (Wae-gu-sil-sa-ri)	Dwarf spikemoss <i>Selaginella helvetica</i> (L.) Spring
왜떡쑥 (Wae-tteok-ssuk)	Marsh cudweed <i>Gnaphalium uliginosum</i> L.
왜떡쑥속 [국화과] (Wae-tteok-ssuk-sok)	Cudweed <i>Gnaphalium</i> L. [Asteraceae]

Korean name (Romanization)	English name Scientific name
왜모시풀 (Wae-mo-si-pul)	Large-leaf false-nettle <i>Boehmeria longispica</i> Steud.
왜미나리아재비 (Wae-mi-na-ri-a-jae-bi)	Franchet's buttercup <i>Ranunculus franchetii</i> H.Boissieu
왜박주가리 (Wae-bak-ju-ga-ri)	Many-flower tylophora <i>Tylophora floribunda</i> Miq.
왜박주가리속 [박주가리과] (Wae-bak-ju-ga-ri-sok)	Tylophora <i>Tylophora</i> R.Br. [Asclepiadaceae]
왜방풍 (Wae-bang-pung)	Alpine goutweed <i>Aegopodium alpestre</i> Ledeb.
왜솜다리 (Wae-som-da-ri)	East Asian edelweiss <i>Leontopodium japonicum</i> Miq.
왜승마 (Wae-seung-ma)	Jejudo bugbane <i>Cimicifuga japonica</i> (Thunb.) Spreng.
왜우산풀 (Wae-u-san-pul)	Kamchatka pleurospermum <i>Pleurospermum camtschaticum</i> Hoffm.
왜젓가락나물 (Wae-jeot-ga-rak-na-mul)	Jejudo buttercup <i>Ranunculus silerifolius</i> H.Lév.
왜제비꽃 (Wae-je-bi-kkot)	Japanese violet <i>Viola japonica</i> Langsd. ex DC.
왜줄방제비꽃 (Wae-jol-bang-je-bi-kkot)	Sakhalin violet <i>Viola saccharalinensis</i> H.Boissieu
왜지치 (Wae-ji-chi)	Woodland forget-me-not <i>Myosotis sylvatica</i> Ehrh. ex Hoffm.
왜천궁 (Wae-cheon-gung)	Kneeling angelica <i>Angelica genuflexa</i> Nutt. ex Torr. & A.Gray
왜현호색 (Wae-hyeon-ho-saek)	Small corydalis <i>Corydalis ambigua</i> Cham. & Schleht.
외대바람꽃 (Oe-dae-ba-ram-kkot)	Single-flower anemone <i>Anemone nikensis</i> Maxim.
외대으아리 (Oe-dae-eu-a-ri)	Unifloral clematis <i>Clematis brachyura</i> Maxim.

Korean name (Romanization)	English name Scientific name
외대잔대 (Oe-dae-jan-dae)	Racemous ladybell <i>Adenophora racemosa</i> J.Lee & S.Lee
외잎물쑥 (Oe-ip-mul-ssuk)	Simple-leaf riverside wormwood <i>Artemisia selengensis</i> f. <i>subintegra</i> (Pamp.) Kitag.
외잎승마 (Oe-ip-seung-ma)	Entire-leaf false goat's beard <i>Astilbe simplicifolia</i> Makino
외잎쑥 (Oe-ip-ssuk)	Green wormwood <i>Artemisia viridissima</i> (Kom.) Pamp.
외잎진고사리 (Oe-ip-jin-go-sa-ri)	Crenate fern × <i>Neotriblepelia lobatocrenata</i> (Tagawa) Nakaike
외잎진고사리속 [면마과] (Oe-ip-jin-go-sa-ri-sok)	Neotriblepelia × <i>Neotriblepelia</i> Nakaike [Dryopteridaceae]
외풀 (Oe-pul)	Brittle false pimpernel <i>Lindernia crustacea</i> (L.) F.Muell.
요강나물 (Yo-gang-na-mul)	Black-flower Korean clematis <i>Clematis fusca</i> var. <i>coreana</i> Nakai
용가시나무 (Yong-ga-si-na-mu)	Maximowicz's rose <i>Rosa maximowicziana</i> Regel
용담 (Yong-dam)	Korean gentian <i>Gentiana scabra</i> Bunge
용담과 (Yong-dam-gwa)	Gentian family Gentianaceae Juss.
용담속 [용담과] (Yong-dam-sok)	Gentian <i>Gentiana</i> L. [Gentianaceae]
용등굴레 (Yong-dung-gul-re)	Wide-bract solomon's seal <i>Polygonatum involucratum</i> (Franch. & Sav.) Maxim.
용머리 (Yong-meo-ri)	Fischer's dragonhead <i>Dracocephalum argunense</i> Fisch. ex Link
용머리속 [꿀풀과] (Yong-meo-ri-sok)	Dragonhead <i>Dracocephalum</i> L. [Lamiaceae]
용수염 (Yong-su-yeom)	East Asian beakgrain <i>Diarrhena japonica</i> Franch. & Sav.

Korean name (Romanization)	English name Scientific name
용수염속 [벼과] (Yong-su-yeom-sok)	Beakgrain <i>Diarrhena P.Beauv.</i> [Poaceae]
우단꼭두서니 (U-dan-kkok-du-seo-ni)	Hairy madder <i>Rubia pubescens Nakai</i>
우단석잠풀 (U-dan-seok-jam-pul)	Velvety woundwort <i>Stachys oblongifolia Benth.</i>
우단일엽 (U-dan-il-yeop)	Lineate-leaf felt fern <i>Pyrrosia linearifolia (Hook.) Ching</i>
우단쥐손이 (U-dan-jwi-son-i)	Velvety cranebill * <i>Geranium wlassovianum</i> Fisher ex Link
우드풀 (U-deu-pul)	Holly-fern woodsia <i>Woodsia polystichoides D.C.Eaton</i>
우드풀속 [면마과] (U-deu-pul-sok)	Cliff fern, Woodsia <i>Woodsia R.Br.</i> [Dryopteridaceae]
우목사스레피 (U-muk-sa-seu-re-pi)	Emarginate eurya <i>Eurya emarginata (Thunb.) Makino</i>
우산나물 (U-san-na-mul)	Palmate shred umbrella plant <i>Syneilesis palmata (Thunb.) Maxim.</i>
우산나물속 [국화과] (U-san-na-mul-sok)	Syneilesis <i>Syneilesis Maxim.</i> [Asteraceae]
우산물통이 (U-san-mul-tong-i)	Umbrella elatostema <i>Elatostema umbellata (Siebold & Zucc.) Blume</i>
우산방동사니 (U-san-bang-dong-sa-ni)	Narrow-spiculate flatsedge <i>Cyperus tenuispica Steud.</i>
우산쇠방동사니 (U-san-soe-bang-dong-sa-ni)	Pinnate rice flatsedge <i>Cyperus orthostachyus var. <i>pinnateformis</i> Y.C.Oh & Y.B.Lee</i>
우산잔디 (U-san-jan-di)	Bermuda grass <i>Cynodon dactylon (L.) Pers.</i>
우산잔디속 [벼과] (U-san-jan-di-sok)	Bermuda grass, Dog's tooth grass <i>Cynodon Rich.</i> [Poaceae]
우산제비꽃 (U-san-je-bi-kkot)	Ulleungdo sweet violet <i>Viola woosanensis Y.N.Lee & J.Kim</i>

Korean name (Romanization)	English name Scientific name
운향과 (Un-hyang-gwa)	Rue family Rutaceae Juss.
울릉국화 (Ul-reung-guk-hwa)	Ulleung dendranthema <i>Dendranthema zawadskii</i> var. <i>lucidum</i> (Nakai) J.H.Park
울릉미역취 (Ul-reung-mi-yeok-chwi)	Ulleung goldenrod <i>Solidago virgaurea</i> subsp. <i>gigantea</i> (Nakai) Kitam.
울릉산마늘 (Ul-reung-san-ma-neul)	Myeong-yi (Siberian onion) <i>Allium ochotense</i> Prokh.
울릉연화바위솔 (Ul-reung-yeon-hwa-ba-wi-sol)	Ulleungdo lotus rock pine * <i>Orostachys iwarenge</i> f. <i>magnus</i> Y.N.Lee
울릉장구채 (Ul-reung-jang-gu-chae)	Ulleung catchfly <i>Silene takeshimensis</i> Uyeki & Sakata
울릉포아풀 (Ul-reung-po-a-pul)	Ulleung bluegrass <i>Poa ullungdoensis</i> Chung
웅기솜나물 (Ung-gi-som-na-mul)	Seaside groundsel <i>Senecio pseudoarnica</i> Less.
웅기오리나무 (Ung-gi-o-ri-na-mu)	Sticky East Asian alder <i>Alnus japonica</i> var. <i>resinosa</i> Nakai
웅기피나무 (Ung-gi-pi-na-mu)	Oval fruit linden <i>Tilia ovalis</i> Nakai
원산딱지꽃 (Won-san-ttak-ji-kkot)	Wonsan cinquefoil <i>Potentilla niponica</i> Th.Wolf
원산바늘골 (Won-san-ba-neul-gol)	Pellucid spikerush <i>Eleocharis pellucida</i> J.Presl & C.Presl
원산쇠털골 (Won-san-soe-teol-gol)	Wonsan spikerush <i>Eleocharis acicularis</i> subsp. <i>yokoscensis</i> (Franch. & Sav.) T.V.Egorova
원지 (Won-ji)	Thin-leaf milkwort <i>Polygala tenuifolia</i> Willd.
원지과 (Won-ji-gwa)	Milkwort family Polygalaceae Hoffmanns. & Link.
원지속 [원지과] (Won-ji-sok)	Milkworts, Polygala, Snakeroots <i>Polygala</i> L. [Polygalaceae]

Korean name (Romanization)	English name Scientific name
원추리속 [백합과] (Won-chu-ri-sok)	Daylily <i>Hemerocallis</i> L. [Liliaceae]
월귤 (Wol-gyul)	Cowberry <i>Vaccinium vitis-idaea</i> L.
위도상사화 (Wi-do-sang-sa-hwa)	Uydo surprise lily <i>Lycoris uydoensis</i> M.Y.Kim
위봉배 (Wi-bong-bae)	Uibong wild pear <i>Pyrus uipongensis</i> Uyeki
유가래나무 (Yu-ga-rae-na-mu)	Glabrous beak willow <i>Salix xerophila</i> f. <i>glabra</i> (Nakai) Kitag.
유령란 (Yu-ryeong-ran)	Leafless epipogium <i>Epipogium aphyllum</i> Sw.
유령란속 [난초과] (Yu-ryeong-ran-sok)	Epipogium <i>Epipogium</i> J.F.Gmel. ex Borkh. [Orchidaceae]
유성사초 (Yu-seong-sa-cho)	Korshinsky's sedge <i>Carex korshinskyi</i> Kom.
유전마름 (Yu-jeon-ma-reum)	Korean water-chestnut <i>Trapa bicornis</i> L.
육박나무 (Yuk-bak-na-mu)	Sword-leaf actinodaphne <i>Litsea coreana</i> H.Lév.
육절보리풀 (Yuk-jeol-bo-ri-pul)	Creeping mannagrass <i>Glyceria acutiflora</i> subsp. <i>japonica</i> (Steud.) T. Koyama & Kawano
육지꽃버들 (Yuk-ji-kkot-beo-deul)	Common willow <i>Salix viminalis</i> L.
윤개관증 (Yun-gae-gwan-jung)	Black-scale holly fern <i>Polystichum makinoi</i> (Tagawa) Tagawa
윤노리나무 (Yun-no-ri-na-mu)	Oriental photinia <i>Pourthiaeavillosa</i> (Thunb.) Decne.
윤노리나무속 [장미과] (Yun-no-ri-na-mu-sok)	Pourthiaeavillosa (Thunb.) Decne. [Rosaceae]
윤판나물 (Yun-pan-na-mul)	Korean fairybell <i>Disporum uniflorum</i> Baker

Korean name (Romanization)	English name Scientific name
윤판나물아재비 (Yun-pan-na-mul-a-jae-bi)	Common fairybell <i>Disporum sessile</i> (Thunb.) D.Don ex Schult. & Schult.f.
율무쑥 (Yul-mu-ssuk)	Job's tears wormwood <i>Artemisia koidzumii</i> Nakai
으름난초 (Eu-reum-nan-cho)	Akebian fruit orchid <i>Cyrtosia septentrionalis</i> (Rchb.f.) Garay
으름난초속 [난초과] (Eu-reum-nan-cho-sok)	Cyrtosia <i>Cyrtosia</i> Blume [Orchidaceae]
으름덩굴 (Eu-reum-deong-gul)	Five-leaf chocolate vine <i>Akebia quinata</i> (Houtt.) Decne.
으름덩굴과 (Eu-reum-deong-gul-gwa)	Lardizabala family <i>Lardizabalaceae</i> R.Br.
으름덩굴속 [으름덩굴과] (Eu-reum-deong-gul-sok)	Akebia, Chocolate vine <i>Akebia</i> Decne. [Lardizabalaceae]
으아리 (Eu-a-ri)	Manchurian clematis <i>Clematis terniflora</i> var. <i>mandshurica</i> (Rupr.) Ohwi
으아리속 [미나리아재비과] (Eu-a-ri-sok)	Clematis, Leather flower, Old man's beard, Traveller's joy, Vase vine, Virgin's bower <i>Clematis</i> L. [Ranunculaceae]
은평의다리 (Eun-kkwong-ui-da-ri)	Silver meadow-rue <i>Thalictrum actaeifolium</i> var. <i>brevistylum</i> Nakai
은난초 (Eun-nan-cho)	Erect cephalanthera <i>Cephalanthera erecta</i> (Thunb.) Blume
은대난초 (Eun-dae-nan-cho)	Long-bract cephalanthera <i>Cephalanthera longibracteata</i> Blume
은대난초속 [난초과] (Eun-dae-nan-cho-sok)	Cephalanthera <i>Cephalanthera</i> Rich. [Orchidaceae]
은방울꽃 (Eun-bang-ul-kkot)	Lily of the valley <i>Convallaria keiskei</i> Miq.
은방울꽃속 [백합과] (Eun-bang-ul-kkot-sok)	Convallaria <i>Convallaria</i> L. [Liliaceae]

Korean name (Romanization)	English name Scientific name
은분취 (Eun-bun-chwi)	Silvery-hair saussurea <i>Saussurea gracilis</i> Maxim.
은송 (Eun-song)	Silver Korean red pine <i>Pinus densiflora</i> f. <i>vittata</i> Uyeki
은양지꽃 (Eun-yang-ji-kkot)	Snow cinquefoil <i>Potentilla nivea</i> L.
은나무 (Eum-na-mu)	Prickly castor oil tree <i>Kalopanax septemlobus</i> (Thunb.) Koidz.
은나무속 [두릅나무과] (Eum-na-mu-sok)	Castor aralia, Prickly castor oil tree <i>Kalopanax</i> Miq. [Araliaceae]
음양고비 (Eum-yang-go-bi)	Interrupted fern <i>Osmunda claytoniana</i> L.
응달고사리 (Eung-dal-go-sa-ri)	Shady horn fern <i>Cornopteris crenulato-serrulata</i> (Makino) Nakai
이고들빼기 (I-go-deul-pgae-gi)	Teeth-margin crepidiastrum <i>Crepidiastrum denticulatum</i> (Houtt.) Pak & Kawano
이나무 (I-na-mu)	Idesia <i>Idesia polycarpa</i> Maxim.
이나무속 [산유자나무과] (I-na-mu-sok)	Idesia <i>Idesia</i> Maxim. [Flacourtiaceae]
이노리나무 (I-no-ri-na-mu)	Komarov's hawthorn <i>Crataegus komarovii</i> Sarg.
이대 (I-dae)	Arrow bamboo <i>Pseudosasa japonica</i> (Siebold & Zucc. ex Steud.) Makino ex Nakai
이대속 [벼과] (I-dae-sok)	Arrow bamboo <i>Pseudosasa</i> Makino ex Nakai [Poaceae]
이른봄꼬리 (I-reun-beom-kko-ri)	Early-blooming bistort <i>Bistorta tenuicaulis</i> (Bisset & S.Moore) Nakai
이삭귀개 (I-sak-gwi-gae)	Dense-flower bladderwort <i>Utricularia racemosa</i> Wall. ex Walp.
이삭단엽란 (I-sak-dan-yeop-ran)	White adder's mouth <i>Malaxis monophyllos</i> (L.) Sw.

Korean name (Romanization)	English name Scientific name
이삭단엽란속 [난초과] (I-sak-dan-yeop-ran-sok)	Malaxis <i>Malaxis</i> Sol. ex Sw. [Orchidaceae]
이삭물수세미 (I-sak-mul-su-se-mi)	Eurasian water-milfoil <i>Myriophyllum spicatum</i> L.
이삭바꽃 (I-sak-ba-kkot)	Kusnezoff's monk'shood <i>Aconitum kusnezoffii</i> Rchb.
이삭봄맞이 (I-sak-bom-mat-i)	Common stimpsonia <i>Stimpsonia chamaedrioides</i> C.Wright ex A.Gray
이삭봄맞이속 [앵초과] (I-sak-bom-mat-i-sok)	Stimpsonia <i>Stimpsonia</i> C.Wright ex A.Gray [Primulaceae]
이삭비비추 (I-sak-bi-bi-chu)	Sword-like hosta <i>Hosta ensata</i> F.Maek.
이삭사초 (I-sak-sa-cho)	Dimorphous-spike sedge <i>Carex dimorpholepis</i> Steud.
이삭송이풀 (I-sak-song-i-pul)	Spicate lousewort <i>Pedicularis spicata</i> Pall.
이삭여뀌 (I-sak-yeo-kkwi)	Loose-spike smartweed <i>Persicaria filiformis</i> (Thunb.) Nakai ex T.Mori
이삭호모초 (I-sak-ho-mo-cho)	Chingan mountain bugseed <i>Corispermum chinganicum</i> Iljin
이삼사초 (I-sam-sa-cho)	Mountain nerved-fruit sedge <i>Carex leucochlora</i> Bunge
이스라지 (I-seu-ra-ji)	Oriental bush cherry <i>Prunus japonica</i> var. <i>nakaii</i> (H.Lév.) Rehder
이질풀 (I-jil-pul)	Thunberg's geranium <i>Geranium thunbergii</i> Siebold & Zucc.
이팝나무 (I-pap-na-mu)	Retusa fringetree <i>Chionanthus retusus</i> Lindl. & Paxton
이팝나무속 [물푸레나무과] (I-pap-na-mu-sok)	Fringetree <i>Chionanthus</i> L. [Oleaceae]
이화구절초 (I-hwa-gu-jeol-cho)	Intermediate dendranthema * <i>Dendranthema × intermedium</i> (Y.N.Lee) Y.N.Lee

Korean name (Romanization)	English name Scientific name
익모초 (Ik-mo-cho)	Oriental motherwort <i>Leonurus japonicus</i> Houtt.
익모초속 [꿀풀과] (Ik-mo-cho-sok)	Motherwort <i>Leonurus</i> L. [Lamiaceae]
인가목 (In-ga-mok)	Prickly rose <i>Rosa acicularis</i> Lindl.
인가목조팝나무 (In-ga-mok-jo-pap-na-mu)	Elm-leaf spirea <i>Spiraea chamaedryfolia</i> L.
인동과 (In-dong-gwa)	Honeysuckle family Caprifoliaceae Juss.
인동덩굴 (In-dong-deong-gul)	Golden-and-silver honeysuckle <i>Lonicera japonica</i> Thunb.
인동속 [인동과] (In-dong-sok)	Honeysuckle <i>Lonicera</i> L. [Caprifoliaceae]
인삼 (In-sam)	Korean ginseng <i>Panax ginseng</i> C.A.Mey.
인삼속 [두릅나무과] (In-sam-sok)	Ginseng <i>Panax</i> Hill [Araliaceae]
인제사초 (In-je-sa-cho)	Different-spike sedge <i>Carex heterostachya</i> Bunge
인천잔대 (In-cheon-jan-dae)	Incheon ladybell <i>Adenophora remotidens</i> Hemsl.
일본사초 (Il-bon-sa-cho)	Hondo sedge <i>Carex hondoensis</i> Ohwi
일색고사리 (Il-saek-go-sa-ri)	Upside-down hollyfern <i>Arachniodes standishii</i> (T.Moore) Ohwi
일엽아재비 (Il-yeop-a-jae-bi)	Reflexed-margine single-leaf fern <i>Haplopteris flexuosa</i> (Fée) E.H.Crane
일엽아재비과 (Il-yeop-a-jae-bi-gwa)	Shoestring fern family Vittariaceae Ching.
일엽아재비속 [일엽아재비과] (Il-yeop-a-jae-bi-sok)	Haplopteris <i>Haplopteris</i> C.Presl [Vittariaceae]

Korean name (Romanization)	English name Scientific name
일엽초 (Il-yeop-cho)	Weeping fern <i>Lepisorus thunbergianus</i> (Kaulf.) Ching
일엽초속 [고란초과] (Il-yeop-cho-sok)	Lepisorus, Weeping fern <i>Lepisorus</i> (J. Sm.) Ching [Polypodiaceae]
일월비비추 (Il-wol-bi-bi-chu)	Ilwol hosta <i>Hosta capitata</i> (Koidz.) Nakai
일월산별꽃 (Il-wol-san-byeol-kkot)	Diverse-flower chickweed <i>Stellaria diversiflora</i> Maxim.
일월산사나무 (Il-wol-san-sa-na-mu)	Large-bract mountain hawthorn <i>Crataegus pinnatifida</i> f. <i>bracteata</i> Nakai
일월토현삼 (Il-wol-to-hyeon-sam)	Velvety Korean figwort <i>Scrophularia koraiensis</i> var. <i>velutina</i> Sakata ex Uyeki & Sakata
임계청닭의난초 (Im-gye-cheong-dak-ui-nan-cho)	Imgye green-flower helleborine <i>Epipactis papillosa</i> var. <i>imkoensis</i> Y.N.Lee & K.S.Lee
입술망초 (Ip-sul-mang-cho)	Small magenta plant <i>Dicliptera japonica</i> (Thunb.) Makino
입술망초속 [주꼬리망초과] (Ip-sul-mang-cho-sok)	Foldwing <i>Dicliptera</i> Juss. [Acanthaceae]
잎갈나무 (Ip-gal-na-mu)	Dahurian larch <i>Larix gmelinii</i> (Rupr.) Kuzen.
잎갈나무속 [소나무과] (Ip-gal-na-mu-sok)	Larch <i>Larix</i> Mill. [Pinaceae]
잎새바위솔 (Ip-sae-ba-wi-sol)	Spiny rock pine <i>Orostachys spinosa</i> (L.) Sweet

X

자귀나무 (Ja-gwi-na-mu)	Silk tree <i>Albizia julibrissin</i> Durazz.
자귀나무속 [콩과] (Ja-gwi-na-mu-sok)	Albizia, Albizzias, East Indian walnut, Mimosa, Silk plants, Silk trees, Sirises <i>Albizia</i> Durazz. [Fabaceae]
자귀풀 (Ja-gwi-pul)	Indian jointvetch <i>Aeschynomene indica</i> L.

Korean name (Romanization)	English name Scientific name
자귀풀속 [콩과] (Ja-gwi-pul-sok)	Jointvetch <i>Aeschynomene</i> L. [Fabaceae]
자금우 (Ja-geum-u)	Marlberry <i>Ardisia japonica</i> (Thunb.) Blume
자금우과 (Ja-geum-u-gwa)	Myrsine family Myrsinaceae R.Br.
자금우속 [자금우과] (Ja-geum-u-sok)	Marlberry <i>Ardisia</i> Sw. [Myrsinaceae]
자라풀 (Ja-ra-pul)	Frogbit <i>Hydrocharis dubia</i> (Blume) Backer
자라풀과 (Ja-ra-pul-gwa)	Frog's bit family, Najad family, Tape-grass family, Waternymph family Hydrocharitaceae Juss.
자라풀속 [자라풀과] (Ja-ra-pul-sok)	Hydrocharis <i>Hydrocharis</i> L. [Hydrocharitaceae]
자란 (Ja-ran)	Hyacinth orchid <i>Bletilla striata</i> (Thunb.) Rchb.f.
자란속 [난초과] (Ja-ran-sok)	Bletilla, Urn orchid <i>Bletilla</i> Rchb.f. [Orchidaceae]
자란초 (Ja-ran-cho)	Korean bugle <i>Ajuga spectabilis</i> Nakai
자루나도고사리삼 (Ja-ru-na-do-go-sa-ri-sam)	Netted adder's tongue <i>Ophioglossum petiolatum</i> Hook
자리공과 (Ja-ri-gong-gwa)	Pokeweed family Phytolaccaceae R.Br.
자리공속 [자리공과] (Ja-ri-gong-sok)	Pokeweeds, Pokebush, Pokeberry, Pokeroot, Poke sallet <i>Phytolacca</i> L. [Phytolaccaceae]
자반풀 (Ja-ban-pul)	Kramer's navelwort <i>Omphalodes krameri</i> Franch. & Sav.
자반풀속 [자치과] (Ja-ban-pul-sok)	Navelwort <i>Omphalodes</i> L. [Boraginaceae]

Korean name (Romanization)	English name Scientific name
자병취 (Ja-byeong-chwi)	Jabyeong saussurea <i>Saussurea chabyoungsanica</i> H.T.Im
자작나무 (Ja-jak-na-mu)	East Asian white birch <i>Betula pendula</i> Roth
자작나무과 (Ja-jak-na-mu-gwa)	Birch family <i>Betulaceae</i> Gray.
자작나무속 [자작나무과] (Ja-jak-na-mu-sok)	Birch <i>Betula</i> L. [Betulaceae]
자주가는오이풀 (Ja-ju-ga-neun-o-i-pul)	Purple Asian burnet <i>Sanguisorba × tenuiflora</i> var. <i>purpurea</i> Trautv. & C.A.Mey
자주개머루 (Ja-ju-gae-meo-ru)	Purple-fruit porcelainberry <i>Ampelopsis brevipedunculata</i> f. <i>elegans</i> (K.Koch) Rehder
자주개밀 (Ja-ju-gae-mil)	Purplish wheatgrass <i>Elymus nipponicus</i> Jaaska
자주개황기 (Ja-ju-gae-hwang-gi)	Rattle milkvetch <i>Astragalus adsurgens</i> Pall.
자주고불주머니 (Ja-ju-goe-bul-ju-meo-ni)	Incised corydalis <i>Corydalis incisa</i> (Thunb.) Pers.
자주꽃방망이 (Ja-ju-kkot-bang-mang-i)	Dahurian clustered bellflower <i>Campanula glomerata</i> var. <i>dahurica</i> Fisch. ex Ker Gawl.
자주꿩의다리 (Ja-ju-kkwong-ui-da-ri)	Seoul meadow-rue <i>Thalictrum uchiyamae</i> Nakai
자주꿩의비름 (Ja-ju-kkwong-ui-bi-reum)	Purple-flower stonecrop <i>Hylotelephium telephium</i> (L.) H.Ohba
자주덩굴별꽃 (Ja-ju-deong-gul-byeol-kkot)	Purple-stem berry catchfly <i>Cucubalus baccifer</i> f. <i>atropurpureus</i> Nakai
자주땅구개 (Ja-ju-itang-gwi-gae)	Purple-flower bladderwort <i>Utricularia yakusimensis</i> Masam.
자주박주가리 (Ja-ju-bak-ju-ga-ri)	Purple swallow-wort <i>Cynanchum purpureum</i> (Pall.) K.Schum.
자주방가지똥 (Ja-ju-bang-ga-ji-ttong)	Siberian lettuce <i>Lactuca sibirica</i> (L.) Benth. ex Maxim.

Korean name (Romanization)	English name Scientific name
자주방아풀 (Ja-ju-bang-a-pul)	Purple-leaf bangahpul <i>Isodon serra</i> (Maxim.) Kudô
자주복주머니란 (Ja-ju-bok-ju-meo-ni-ran)	Purple lady's slipper orchid <i>Cypripedium morinanthum</i> Y.N.Lee
자주솔대 (Ja-ju-som-dae)	Purple-flower solomon's seal <i>Smilacina bicolor</i> Nakai
자주쓴풀 (Ja-ju-sseun-pul)	False Chinese swertia <i>Swertia pseudochinensis</i> H.Hara
자주알록제비꽃 (Ja-ju-al-rok-je-bi-kkot)	Purple variegated-leaf violet <i>Viola variegata</i> var. <i>chinensis</i> Bunge
자주애기괭이밥 (Ja-ju-ae-gi-gwaeng-i-bap)	Purple wood sorrel <i>Oxalis acetosella</i> var. <i>purpurascens</i> Mart.
자주이대 (Ja-ju-i-dae)	Purple arrow bamboo <i>Pseudosasa japonica</i> var. <i>purpurascens</i> Nakai
자주잎제비꽃 (Ja-ju-ip-je-bi-kkot)	Purple-leaf violet <i>Viola violacea</i> Makino
자주장대나물 (Ja-ju-jang-dae-na-mul)	Crown rockcress <i>Arabis coronata</i> Nakai
자주조희풀 (Ja-ju-jo-hui-pul)	Purple Hyacinth-flower clematis <i>Clematis heracleifolia</i> var. <i>tubulosa</i> (Turcz.) Kuntze
자주족도리풀 (Ja-ju-jok-do-ri-pul)	Korean wildginger <i>Asarum koreanum</i> (J.Kim & C.Yook) B.U.Oh & J.K.Kim
자주종덩굴 (Ja-ju-jong-deong-gul)	Purple alpine clematis <i>Clematis alpina</i> var. <i>ochotensis</i> (Pall.) S.Watson
자주지네고사리 (Ja-ju-ji-ne-go-sa-ri)	Purple autumn fern <i>Dryopteris purpurella</i> Tagawa
자주포아풀 (Ja-ju-po-a-pul)	Glaucous bluegrass <i>Poa glauca</i> Vahl
자주황기 (Ja-ju-hwang-gi)	Dahurian milkvetch <i>Astragalus dahuricus</i> (Pall.) DC.
작살나무 (Jak-sal-na-mu)	East Asian beautyberry <i>Callicarpa japonica</i> Thunb.

Korean name (Romanization)	English name Scientific name
작살나무속 [마편초과] (Jak-sal-na-mu-sok)	Beautyberry <i>Callicarpa</i> L. [Verbenaceae]
작약과 (Jak-yak-gwa)	Peony family <i>Paeoniaceae</i> Raf.
작약속 [작약과] (Jak-yak-sok)	Peony <i>Paeonia</i> L. [Paeoniaceae]
작은사위질빵 (Jak-eun-sa-wi-jil-ppang)	Small-virgin's bower clematis <i>Clematis pierotii</i> Miq.
작은황새풀 (Jak-eun-hwang-sae-pul)	Slender cottonsedge <i>Eriophorum gracile</i> Koch
잔고사리 (Jan-go-sa-ri)	Hairy hay-scented fern <i>Dennstaedtia hirsuta</i> (Sw.) Mett. ex Miq.
잔고사리속 [고사리과] (Jan-go-sa-ri-sok)	Hay-scented fern <i>Dennstaedtia</i> Bernh. [Pteridaceae]
잔나비나물 (Jan-na-bi-na-mul)	Lesser two-leaf vetch <i>Vicia bifolia</i> Nakai
잔눈썹고사리 (Jan-nun-sseop-go-sa-ri)	Slightly-asymmetric spleenwort <i>Asplenium shikokianum</i> Makino
잔대 (Jan-dae)	Three-leaf ladybell <i>Adenophora triphylla</i> var. <i>japonica</i> (Regel) H.Hara
잔대속 [초롱꽃과] (Jan-dae-sok)	Ladybells <i>Adenophora</i> Fisch. [Campanulaceae]
잔디 (Jan-di)	Korean lawngrass <i>Zoysia japonica</i> Steud.
잔디갈고리 (Jan-di-gal-go-ri)	Heterocarpous tick clover <i>Desmodium heterocarpon</i> (L.) DC.
잔디바랭이 (Jan-di-ba-raeng-i)	Birdleg dimeria <i>Dimeria ornithopoda</i> Trin.
잔디바랭이속 [벼과] (Jan-di-ba-raeng-i-sok)	Dimeria <i>Dimeria</i> R.Br. [Poaceae]
잔디속 [벼과] (Jan-di-sok)	Lawngrass, Zoysia Willd., Zoysiagrass <i>Zoysia</i> Willd. [Poaceae]

Korean name (Romanization)	English name Scientific name
잔솔잎사초 (Jan-sol-ip-sa-cho)	Tiny sedge <i>Carex capillacea</i> Boott
잔실쑥 (Jan-sil-ssuk)	Korean filifolium * <i>Filifolium koreanum</i> J.H.Pak
잔잎바디 (Jan-ip-ba-di)	Diverse-petal angelica <i>Angelica czernaevia</i> (Fisch. & C.A.Mey.) Kitag.
잔잎산비장이 (Jan-ip-san-bi-jang-i)	Minute sawwort <i>Serratula komarovii</i> Iljin
잔털드문고사리 (Jan-teol-deu-mun-go-sa-ri)	East Asian loosely-leaf marsh fern <i>Metathelypteris hattori</i> (H.Ito) Ching
잔털마가목 (Jan-teol-ma-ga-mok)	Hairy mountain ash <i>Sorbus commixta</i> var. <i>pilosa</i> Nakai
잔털벗나무 (Jan-teol-beot-na-mu)	Mountain oriental cherry <i>Prunus serrulata</i> var. <i>pubescens</i> (Makino) Nakai
잔털오리나무 (Jan-teol-o-ri-na-mu)	Downy East Asian alder <i>Alnus × mayrii</i> Callier
잔털인동 (Jan-teol-in-dong)	Downy golden-and-silver honeysuckle <i>Lonicera japonica</i> f. <i>chinensis</i> H.Hara
잔털제비꽃 (Jan-teol-je-bi-kkot)	Short-hair violet <i>Viola keiskei</i> Miq.
잔톱비장이 (Jan-top-bi-jang-i)	Serrate sawwort <i>Serratula hayatae</i> Nakai
잠자리난초 (Jam-ja-ri-nan-cho)	Linear-leaf habenaria <i>Habenaria linearifolia</i> Maxim.
잠자리피 (Jam-ja-ri-pi)	Spike oatgrass <i>Trisetum bifidum</i> (Thunb.) Ohwi
잠자리피속 [벼과] (Jam-ja-ri-pi-sok)	Oatgrass <i>Trisetum</i> Pers. [Poaceae]
잡골사초 (Jap-gol-sa-cho)	Mixed nerved-scale sedge * <i>Carex aphanolepis</i> var. <i>mixta</i> Nakai
잡싸리 (Jap-ssa-ri)	Schindler's lespedeza <i>Lespedeza × schindleri</i> T.B.Lee

Korean name (Romanization)	English name Scientific name
잣나무 (Jat-na-mu)	Korean pine <i>Pinus koraiensis</i> Siebold & Zucc.
장구밥나무 (Jang-gu-bap-na-mu)	Bilobed grewia <i>Grewia parviflora</i> Bunge
장구밥나무속 [피나무과] (Jang-gu-bap-na-mu-sok)	Grewia <i>Grewia</i> L. [Tiliaceae]
장구채 (Jang-gu-chae)	Catchfly <i>Silene firma</i> Siebold & Zucc.
장군대사초 (Jang-gun-dae-sa-cho)	Bowl-shape-scale sedge <i>Carex pockisquama</i> Kük.
장군풀 (Jang-gun-pul)	Korean rhubarb <i>Rheum coreanum</i> Nakai
장다리나물 (Jang-da-ri-na-mul)	Tall bugseed <i>Corispermum puberulum</i> f. <i>lissocarpum</i> (Kitag.) Kitag.
장대나물 (Jang-dae-na-mul)	Tower rockcress <i>Arabis glabra</i> (L.) Bernh.
장대나물속 [십자화과] (Jang-dae-na-mul-sok)	Rockcress <i>Arabis</i> L. [Brassicaceae]
장대냉이 (Jang-dae-naeng-i)	Maximowicz's berteroella <i>Berteroella maximowiczii</i> (Palib.) O.E.Schulz
장대냉이속 [십자화과] (Jang-dae-naeng-i-sok)	Berteroella <i>Berteroella</i> O.E.Schulz [Brassicaceae]
장대여뀌 (Jang-dae-yeo-kkwi)	Tall smartweed <i>Persicaria posumbu</i> var. <i>laxiflora</i> (Meisn.) H.Hara
장딸기 (Jang-ttal-gi)	Hirsute raspberry <i>Rubus hirsutus</i> Thunb.
장미과 (Jang-mi-gwa)	Rose family <i>Rosaceae</i> Juss.
장미빛복주머니란 (Jang-mi-bit-bok-ju-meo-ni-ran)	Rosy lady's slipper <i>Cypripedium roseum</i> Y.N.Lee
장미속 [장미과] (Jang-mi-sok)	Rose <i>Rosa</i> L. [Rosaceae]

Korean name (Romanization)	English name Scientific name
장백제비꽃 (Jang-baek-je-bi-kkot)	Arctic yellow violet <i>Viola biflora</i> L.
장백패랭이꽃 (Jang-baek-pae-raeng-i-kkot)	Northern pink <i>Dianthus repens</i> Willd.
장성사초 (Jang-seong-sa-cho)	Jangseong sedge <i>Carex kujuzana</i> Ohwi
장수고사리 (Jang-su-go-sa-ri)	Glandular wood fern <i>Dryopteris woodsiisora</i> Hayata
장수만리화 (Jang-su-man-ri-hwa)	Hairy forsythia <i>Forsythia velutina</i> Nakai
장수팽나무 (Jang-su-paeng-na-mu)	Broad-leaf hackberry <i>Celtis cordifolia</i> Nakai
장억새 (Jang-eok-sae)	Chang's silvergrass <i>Misanthus changii</i> Y.N.Lee
장지석남 (Jang-ji-seok-nam)	Needle-leaf bog rosemary <i>Andromeda polifolia</i> f. <i>acerosa</i> C.Hartm.
장지석남속 [진달래과] (Jang-ji-seok-nam-sok)	Bog rosemary <i>Andromeda</i> L. [Ericaceae]
장지채 (Jang-ji-chae)	Pod grass <i>Scheuchzeria palustris</i> L.
장지채과 (Jang-ji-chae-gwa)	Scheuchzeria family <i>Scheuchzeriaceae</i> F. Rudolphi.
장지채속 [장지채과] (Jang-ji-chae-sok)	Pod grass, Rannoch-rush <i>Scheuchzeria</i> L. [Scheuchzeriaceae]
장흥곡정초 (Jang-heung-gok-jeong-cho)	Buerger's pipewort <i>Eriocaulon buergerianum</i> Körn.
재쑥 (Jae-ssuk)	Herb-sophia <i>Descurainia sophia</i> (L.) Webb ex Prantl
재쑥속 [십자화과] (Jae-ssuk-sok)	Tansymustard <i>Descurainia</i> Webb & Berthel. [Brassicaceae]
전나무 (Jeon-na-mu)	Needle fir <i>Abies holophylla</i> Maxim.

Korean name (Romanization)	English name Scientific name
전나무속 [소나무과] (Jeon-na-mu-sok)	Firs <i>Abies</i> Mill. [Pinaceae]
전의금불초 (Jeon-ui-geum-bul-cho)	Small-petal yellowhead * <i>Inula salicina</i> var. <i>minipetala</i> Y.N.Lee
전주물꼬리풀 (Jeon-ju-mul-kko-ri-pul)	Jeonju pogostemon <i>Dysophylla yatabeana</i> Makino
전호 (Jeon-ho)	Wild chervil <i>Anthriscus sylvestris</i> (L.) Hoffm.
전호속 [산형과] (Jeon-ho-sok)	Chervil <i>Anthriscus</i> Pers. [Apiaceae]
절국대 (Jeol-guk-dae)	Asian siphonostegia <i>Siphonostegia chinensis</i> Benth.
절국대속 [현삼과] (Jeol-guk-dae-sok)	Siphonostegia <i>Siphonostegia</i> Benth. [Scrophulariaceae]
절굿대 (Jeol-gut-dae)	Purple globe thistle <i>Echinops setifer</i> Iljin
절굿대속 [국화과] (Jeol-gut-dae-sok)	Globe thistles <i>Echinops</i> L. [Asteraceae]
절영풀 (Jeol-yeong-pul)	Broad-leaf crepidiastrum <i>Crepidiastrum platyphyllum</i> (Franch. & Sav.) Kitam.
절초나무 (Jeol-cho-na-mu)	Long-peduncle chrysanthia honeysuckle <i>Lonicera chrysanthia</i> var. <i>longipes</i> Maxim.
점고사리 (Jeom-go-sa-ri)	Dotted beadfern <i>Hypolepis punctata</i> (Thunb.) Mett. ex Kuhn
점고사리속 [고사리과] (Jeom-go-sa-ri-sok)	Beadfern <i>Hypolepis</i> Bernh. [Pteridaceae]
점나도나물 (Jeom-na-do-na-mul)	Common mouse-ear chickweed <i>Cerastium holosteoides</i> var. <i>hallaisanense</i> (Nakai) Mizush.
점나도나물속 [석죽과] (Jeom-na-do-na-mul-sok)	Mouse-ear chickweed <i>Cerastium</i> L. [Caryophyllaceae]
점박이구름병아리난초 (Jeom-bak-i-gu-reum-byeong-a-ri-nan-cho)	Variegate cucullate neotianthe orchid * <i>Gymnadenia cucullata</i> var. <i>variegata</i> Y.N.Lee

Korean name (Romanization)	English name Scientific name
점박이별꽃풀 (Jeom-bak-i-byeol-kkot-pul)	Red-spot swertia <i>Swertia erythrosticta</i> Maxim.
점박이천남성 (Jeom-bak-i-cheon-nam-seong)	Variegated jack-in-the-pulpit <i>Arisaema serratum</i> (Thunb.) Schott
점봉산엉겅퀴 (Jeom-bong-san-eong-geong-kwi)	Jeombongsan thistle <i>Cirsium zenii</i> Nakai
점수땅나무 (Jeom-swi-ttang-na-mu)	Glandular false spiraea * <i>Sorbaria sorbifolia</i> f. <i>glandulosa</i> (Nakai) T.B.Lee
점현호색 (Jeom-hyeon-ho-saek)	Spotted corydalis <i>Corydalis maculata</i> B.U.Oh & Y.S.Kim
젓가락나물 (Jeot-ga-rak-na-mul)	Asian buttercup <i>Ranunculus chinensis</i> Bunge
정금나무 (Jeong-geum-na-mu)	Oldham's blueberry <i>Vaccinium oldhamii</i> Miq.
정능참나무 (Jeong-neung-cham-na-mu)	Jeongreungcham oak (Acuti x variabilis oak) <i>Quercus acutissima</i> Carruth. x <i>Q. variabilis</i> Blume
정선바위솔 (Jeong-seon-ba-wi-sol)	Jeongseon rock pine <i>Orostachys chongsunensis</i> Y.N.Lee
정선황기 (Jeong-seon-hwang-gi)	Korean milkvetch <i>Astragalus koraiensis</i> Y.N.Lee
정영엉겅퀴 (Jeong-yeong-eong-geong-kwi)	Jeongyeong thistle <i>Cirsium chanroenicum</i> (L.) Nakai
정향나무 (Jeong-hyang-na-mu)	Korean lilac <i>Syringa patula</i> var. <i>kamibayashii</i> (Nakai) M.Kim
정향풀 (Jeong-hyang-pul)	Asian bluestar <i>Amsonia elliptica</i> (Thunb.) Roem. & Schult.
정향풀속 [협죽도과] (Jeong-hyang-pul-sok)	Bluestar <i>Amsonia</i> Walter [Apocynaceae]
제비고깔 (Je-bi-go-kkal)	Siberian larkspur <i>Delphinium grandiflorum</i> L.
제비고깔속 [미나리아재비과] (Je-bi-go-kkal-sok)	Larkspur <i>Delphinium</i> L. [Ranunculaceae]

Korean name (Romanization)	English name Scientific name
제비꼬리고사리 (Je-bi-kko-ri-go-sa-ri)	Swallow-tail marsh fern <i>Pseudocyclosorus esquirolii</i> (Christ) Ching
제비꼬리고사리속 [면마과] (Je-bi-kko-ri-go-sa-ri-sok)	Pseudocyclosorus <i>Pseudocyclosorus</i> Ching [Dryopteridaceae]
제비꽃 (Je-bi-kkot)	Manchurian violet <i>Viola mandshurica</i> W.Becker
제비꽃과 (Je-bi-kkot-gwa)	Violet family Violaceae Batsch.
제비꽃속 [제비꽃과] (Je-bi-kkot-sok)	Violet <i>Viola</i> L. [Violaceae]
제비꿀 (Je-bi-kkul)	East Asian thesium <i>Thesium chinense</i> Turcz.
제비꿀속 [단향과] (Je-bi-kkul-sok)	Thesium <i>Thesium</i> L. [Santalaceae]
제비난초 (Je-bi-nan-cho)	Greater platanthera <i>Platanthera bifolia</i> (L.) Rich.
제비난초속 [난초과] (Je-bi-nan-cho-sok)	Fringed orchid <i>Platanthera</i> Rich. [Orchidaceae]
제비동자꽃 (Je-bi-dong-ja-kkot)	Laciniate-flower campion <i>Lychnis wilfordii</i> (Regel) Maxim.
제비붓꽃 (Je-bi-but-kkot)	Rabbit-ear iris <i>Iris laevigata</i> Fisch.
제비쑥 (Je-bi-ssuk)	Oriental wormwood <i>Artemisia japonica</i> Thunb.
제주개관중 (Je-ju-gae-gwan-jung)	Jeju holly fern <i>Polystichum cyrtolepidotum</i> Franch.
제주검정곡정초 (Je-ju-geom-jeong-gok-jeong-cho)	Jeju pipewort <i>Eriocaulon glaberrimum</i> var. <i>platypetalum</i> (Satake) Satake
제주고사리삼 (Je-ju-go-sa-ri-sam)	Mankyu <i>Mankyu chejuense</i> B.Y.Sun, M.H.Kim et C.H.Kim
제주고사리삼속 [고사리삼과] (Je-ju-go-sa-ri-sam-sok)	Mankyu <i>Mankyu</i> B.Y.Sun, M.H.Kim & C.H.Kim [Ophioglossaceae]

Korean name (Romanization)	English name Scientific name
제주국화 (Je-ju-guk-hwa)	Jeju aster <i>Aster chejuensis</i> (Kitam.) Nakai
제주긴잎모시풀 (Je-ju-gin-ip-mo-si-pul)	Jeju long-leaf falso-nettle <i>Boehmeria nakaiana</i> Satake
제주나래새 (Je-ju-na-rae-sae)	Jeju needlegrass <i>Stipa coreana</i> var. <i>japonica</i> (Matsum.) Y.N.Lee
제주달구지풀 (Je-ju-dal-gu-ji-pul)	Alpine lupine clover <i>Trifolium lupinaster</i> f. <i>alpinus</i> (Nakai) M.K.Park
제주대극 (Je-ju-dae-geuk)	Jeju spurge <i>Euphorbia octoradiata</i> H.Lév. & Vaniot ex H.Lév.
제주모시풀 (Je-ju-mo-si-pul)	Jeju falso-nettle <i>Boehmeria quelpaertense</i> Satake
제주무엽란 (Je-ju-mu-yeop-ran)	Jeju leafless lecanorchis <i>Lecanorchis kiusiana</i> Tuyama
제주물부추 (Je-ju-mul-bu-chu)	Jeju quillwort <i>Isoetes jejuensis</i> H.-K. Choi, C. Kim & J. Jung
제주방울란 (Je-ju-bang-ul-ran)	Jeju habenaria <i>Habenaria chejuensis</i> Y.N.Lee & K.S.Lee
제주백운풀 (Je-ju-baek-un-pul)	Sprawling dickwort <i>Oldenlandia brachypoda</i> DC.
제주벚나무 (Je-ju-beot-na-mu)	Jeju flowering cherry <i>Prunus × yedoensis</i> f. <i>nudiflora</i> (Koehne) Rehder
제주산딸기 (Je-ju-san-ttal-gi)	Jejudo raspberry <i>Rubus nishimuranus</i> Koidz.
제주산버들 (Je-ju-san-beo-deul)	Jeju mountain willow <i>Salix blinii</i> H.Lév.
제주상사화 (Je-ju-sang-sa-hwa)	Jeju surprise lily <i>Lycoris chejuensis</i> K.H.Tae & S.C.Ko
제주새풀 (Je-ju-sae-pul)	Jeju purple reedgrass <i>Calamagrostis brachytricha</i> var. <i>inaequata</i> (Hack. ex Honda) Yonek.
제주십자고사리 (Je-ju-sip-ja-go-sa-ri)	Jeju cross holly fern <i>Polystichum hancockii</i> (Hance) Diels

Korean name (Romanization)	English name Scientific name
제주싸리냉이 (Je-jussa-ri-naeng-i)	Jeju narrow-leaf bittercress <i>Cardamine impatiens</i> var. <i>fumaria</i> H.Lév.
제주양지꽃 (Je-ju-yang-ji-kkot)	Jeju cinquefoil <i>Potentilla stolonifera</i> var. <i>quelpaertensis</i> Nakai
제주엉겅퀴 (Je-ju-eong-geong-kwi)	Chinese thistle <i>Cirsium chinense</i> Gardner & Cham.
제주올챙이꼴 (Je-ju-ol-chaeng-i-gol)	Jeju rush-like bulrush <i>Scirpus lineolatus</i> Franch. & Sav.
제주장뜰기 (Je-ju-jang-ttal-gi)	Jeju hirsute raspberry <i>Rubus hirsutus</i> f. <i>argyi</i> (H.Lév.) W.T.Lee
제주조릿대 (Je-ju-jo-rit-dae)	Broad-leaf bamboo <i>Sasa palmata</i> (Hort. ex Burb.) E.G.Camus
제주지네고사리 (Je-ju-ji-ne-go-sa-ri)	Champion autumn fern <i>Dryopteris championii</i> (Benth.) C. Chr. ex Ching
제주진득찰 (Je-ju-jin-deuk-chal)	Common St. Paul's wort <i>Sigesbeckia orientalis</i> L.
제주찔레 (Je-ju-jjil-re)	Memorial rose <i>Rosa luciae</i> Franch. & Rochebr. ex Crép.
제주창고사리 (Je-ju-chang-go-sa-ri)	Jeju spear colysis fern <i>Colyssia × shintenensis</i> (Hayata) H.Ito
제주큰물통이 (Je-ju-keun-mul-tong-i)	Jeju clearweed <i>Pilea taquetii</i> Nakai
제주큰옥매듭풀 (Je-ju-keun-ok-mae-deup-pul)	Jeju knotweed <i>Polygonum aviculare</i> var. <i>fusco-ochreatum</i> (Kom.) A.J.Li
제주피막이 (Je-ju-pi-mak-i)	Jeju pennywort <i>Hydrocotyle yabei</i> Makino
제주하늘지기 (Je-ju-ha-neul-ji-gi)	Few-spikelet fimbriostylis <i>Fimbriostylis schoenoides</i> (Retz.) Vahl
제주현삼 (Je-ju-hyeon-sam)	Jeju Buerger's figwort <i>Scrophularia buergeriana</i> var. <i>quelpartensis</i> Yamaz.
제주황기 (Je-ju-hwang-gi)	Jeju membranous milkvetch <i>Astragalus membranaceus</i> var. <i>alpinus</i> Nakai

Korean name (Romanization)	English name Scientific name
조개나물 (Jo-gae-na-mul)	Korean pyramid bugle <i>Ajuga multiflora</i> Bunge
조개나물속 [꿀풀과] (Jo-gae-na-mul-sok)	Bugle, Bugleweed, Carpet bugle, Ground pine <i>Ajuga</i> L. [Lamiaceae]
조개풀 (Jo-gae-pul)	Small carpetgrass <i>Arthraxon hispidus</i> (Thunb.) Makino
조개풀속 [벼과] (Jo-gae-pul-sok)	Carpetgrass <i>Arthraxon</i> P.Beauv. [Poaceae]
조도만두나무 (Jo-do-man-du-na-mu)	Jodo cheesetree <i>Glochidion chodoense</i> J.S.Lee & H.T.Im
조도만두나무속 [대극과] (Jo-do-man-du-na-mu-sok)	Glochidion <i>Glochidion</i> J.R.Forst. & G.Forst. [Euphorbiaceae]
조령으아리 (Jo-ryeong-eu-a-ri)	Six-sepal clematis <i>Clematis brachyura</i> var. <i>hexasepala</i> Y.N.Lee
조록나무 (Jo-rok-na-mu)	Evergreen witch hazel <i>Distylium racemosum</i> Siebold & Zucc.
조록나무과 (Jo-rok-na-mu-gwa)	Witch hazel family <i>Hamamelidaceae</i> R.Br.
조록나무속 [조록나무과] (Jo-rok-na-mu-sok)	Winter-hazel <i>Distylium</i> Siebold & Zucc. [Hamamelidaceae]
조록싸리 (Jo-rok-ssa-ri)	Korean lespedeza <i>Lespedeza maximowiczii</i> C.K.Schneid.
조름나물 (Jo-reum-na-mul)	Buckbean <i>Menyanthes trifoliata</i> L.
조름나물과 (Jo-reum-na-mul-gwa)	Buckbean family <i>Menyanthaceae</i> Dumort.
조름나물속 [조름나물과] (Jo-reum-na-mul-sok)	Bogbean, Buckbean <i>Menyanthes</i> L. [Menyanthaceae]
조릿대 (Jo-rit-dae)	Northern bamboo <i>Sasa borealis</i> (Hack.) Makino & Shibata
조릿대속 [벼과] (Jo-rit-dae-sok)	Broad-leaf bamboo <i>Sasa</i> Makino & Shibata [Poaceae]

Korean name (Romanization)	English name Scientific name
조릿대풀 (Jo-rit-dae-pul)	Common lophotocarpus <i>Lophatherum gracile</i> Brongn.
조릿대풀속 [벼과] (Jo-rit-dae-pul-sok)	Lophatherum <i>Lophatherum</i> Brongn. [Poaceae]
조밥나물 (Jo-bap-na-mul)	Narrow-leaf hawkweed <i>Hieracium umbellatum</i> L.
조밥나물속 [국화과] (Jo-bap-na-mul-sok)	Hawkweed <i>Hieracium</i> L. [Asteraceae]
조뱅이 (Jo-baeng-i)	Common breea <i>Breea segeta</i> (Bunge) Kitam.
조뱅이속 [국화과] (Jo-baeng-i-sok)	Breea <i>Breea</i> Less. [Asteraceae]
조선마늘 (Jo-seon-ma-neul)	Korean pickled-peel garlic <i>Allium scorodoprasum</i> var. <i>multibillosum</i> Y.N.Lee
조선사초 (Jo-seon-sa-cho)	Korean sedge <i>Carex chosenica</i> Ohwi
조선현호색 (Jo-seon-hyeon-ho-saek)	Korean corydalis <i>Corydalis tartschaninovii</i> Besser
조아재비 (Jo-a-jae-bi)	Hard bristlegrass <i>Setaria chondrachne</i> (Steud.) Honda
조이삭사초 (Jo-i-sak-sa-cho)	Brown-spike sedge <i>Carex phaeothrix</i> Ohwi
조팝나무 (Jo-pap-na-mu)	Simple bridalwreath spirea <i>Spiraea prunifolia</i> f. <i>simpliciflora</i> Nakai
조팝나무속 [장미과] (Jo-pap-na-mu-sok)	Spirea <i>Spiraea</i> L. [Rosaceae]
족도리풀 (Jok-do-ri-pul)	Wildginger <i>Asarum sieboldii</i> Miq.
족도리풀속 [쥐방울덩굴과] (Jok-do-ri-pul-sok)	Wildginger <i>Asarum</i> L. [Aristolochiaceae]
족제비고사리 (Jok-je-bi-go-sa-ri)	Apricot fern <i>Dryopteris varia</i> (L.) Kuntze

Korean name (Romanization)	English name Scientific name
졸갈참나무 (Jol-gal-cham-na-mu)	Jolgalcham oak (Acute-serrate white oak) <i>Quercus aliena</i> var. <i>acuteserrata</i> Maxim. ex Wenz.
졸방제비꽃 (Jol-bang-je-bi-kkot)	Long-stem violet <i>Viola acuminata</i> Ledeb.
졸참나무 (Jol-cham-na-mu)	Jolcham oak (Konara oak) <i>Quercus serrata</i> Murray
좀가지풀 (Jom-ga-ji-pul)	Small loosestrile <i>Lysimachia japonica</i> Thunb.
좀갈매나무 (Jom-gal-mae-na-mu)	Jejudo buckthorn <i>Rhamnus taquetii</i> (H.Lév. & Vaniot) H.Lév.
좀개갓냉이 (Jom-gae-gat-naeng-i)	Small-seed yellowcress <i>Rorippa cantoniensis</i> (Lour.) Ohwi
좀개구리밥 (Jom-gae-gu-ri-bap)	Minute duckweed <i>Lemna perpusilla</i> Torr.
좀개구리밥속 [개구리밥과] (Jom-gae-gu-ri-bap-sok)	Duckweed <i>Lemna Martinov</i> [Lemnaceae]
좀개미취 (Jom-gae-mi-chwi)	Maack's aster <i>Aster maackii</i> Regel
좀개수염 (Jom-gae-su-yeom)	Small pipewort <i>Eriocaulon decemflorum</i> Maxim.
좀겨풀 (Jom-gyeo-pul)	Rice cutgrass <i>Leersia oryzoides</i> (L.) Sw.
좀고사리 (Jom-go-sa-ri)	Small moss-like fern <i>Pleurosoriopsis makinoi</i> (Maxim. ex Makino) Fomin
좀고사리삼 (Jom-go-sa-ri-sam)	Little moonwort <i>Botrychium simplex</i> E.Hitchc.
좀고사리속 [고사리과] (Jom-go-sa-ri-sok)	Pleurosoriopsis <i>Pleurosoriopsis</i> Fomin [Pteridaceae]
좀고양이수염 (Jom-go-yang-i-su-yeom)	Small beaksedge <i>Rhynchospora fujianana</i> Makino
좀고추나물 (Jom-go-chu-na-mul)	Loose St. Johnswort <i>Hypericum laxum</i> (Blume) Koidz.

Korean name (Romanization)	English name Scientific name
좀골담초 (Jom-gol-dam-cho)	Little-leaf peashrub <i>Caragana microphylla</i> Lam.
좀골무꽃 (Jom-gol-mu-kkot)	Dwarf Indian skullcap <i>Scutellaria indica</i> var. <i>parvifolia</i> (Makino) Makino
좀구슬봉이 (Jom-gu-seul-bung-i)	Small squarrose-leaf gentian <i>Gentiana squarrosa</i> var. <i>microphylla</i> Nakai
좀굴거리나무 (Jom-gul-geo-ri-na-mu)	Common daphniphyllum <i>Daphniphyllum teijsmannii</i> Zoll. ex Teijsm. & Binn
좀깨잎나무 (Jom-kkae-ip-na-mu)	Spicate falsenettle <i>Boehmeria spicata</i> (Thunb.) Thunb.
좀깨묵 (Jom-kke-muk)	Small Maximowicz's hololeion <i>Hololeion maximowiczii</i> var. <i>fauriei</i> (H.Lév. & Vaniot) J. H. Pak
좀꼬리까치밥나무 (Jom-kko-ri-kka-chi-bap-na-mu)	Slender-racemous currant <i>Ribes komarovii</i> var. <i>breviracemum</i> (Nakai) T.B.Lee
좀꽃벼들 (Jom-kkot-beo-deul)	Small willow <i>Salix viminalis</i> var. <i>abbreviata</i> Doell.
좀꽝꽝나무 (Jom-kkwang-kkwang-na-mu)	Small box-leaf holly <i>Ilex crenata</i> var. <i>microphylla</i> Maxim. ex Matsum.
좀꾸러미풀 (Jom-kku-reo-mi-pul)	Mountain ridge bluegrass <i>Poa radula</i> Franch. & Sav.
좀꿩의다리 (Jom-kkhwong-ui-da-ri)	East Asian low medow-rue <i>Thalictrum kemense</i> var. <i>hypoleucum</i> (Siebold & Zucc.) Kitag.
좀꿩의밥 (Jom-kkhwong-ui-bap)	Reindeer woodrush <i>Luzula wahlenbergii</i> Rupr.
좀나도고사리삼 (Jom-na-do-go-sa-ri-sam)	Meadow adder's tongue <i>Ophioglossum thermale</i> Kom.
좀나도히초미 (Jom-na-do-hi-cho-mi)	Braun's holly fern <i>Polystichum braunii</i> (Spenn.) Fée
좀낭아초 (Jom-nang-a-cho)	Ground little rose <i>Chamaerhodos erecta</i> (L.) Bunge
좀낭아초속 [장미과] (Jom-nang-a-cho-sok)	Little rose <i>Chamaerhodos</i> Bunge [Rosaceae]

Korean name (Romanization)	English name Scientific name
좀냉이 (Jom-naeng-i)	Small-flower bittercress <i>Cardamine parviflora</i> L.
좀네모골 (Jom-ne-mo-gol)	Small-square spikerush <i>Eleocharis wichurae</i> Boeckeler
좀네잎갈퀴 (Jom-ne-ip-gal-kwi)	Slender-leaf bedstraw <i>Galium gracilens</i> (A.Gray) Makino
좀다람쥐고리 (Jom-da-ram-jwi-kko-ri)	Fir clubmoss <i>Huperzia selago</i> (L.) Bernh. ex Schrank & Mart.
좀닭의장풀 (Jom-dak-ui-jang-pul)	Narrow-flower Asian dayflower <i>Commelina communis</i> var. <i>angustifolia</i> Nakai
좀담배풀 (Jom-dam-bae-pul)	Drooping carpesium <i>Carpesium cernuum</i> L.
좀댕강나무 (Jom-daeng-gang-na-mu)	Dwarf abelia <i>Abelia serrata</i> Siebold & Zucc.
좀도깨비사초 (Jom-do-kkae-bi-sa-cho)	Small Dickin's sedge <i>Carex idzuroei</i> Franch. & Sav.
좀돌팥 (Jom-dol-pat)	Common Asian cowpea <i>Vigna nakashimae</i> (Ohwi) Ohwi & H.Ohashi
좀돌피 (Jom-dol-pi)	Meadow barnyard grass <i>Echinochloa crus-galli</i> var. <i>praticola</i> Ohwi
좀딱취 (Jom-ttak-chwi)	Small maple-leaf ainsliaea <i>Ainsliaea apiculata</i> Sch.Bip.
좀딸기 (Jom-ttal-gi)	Mockstrawberry cinquefoil <i>Potentilla centigrana</i> Maxim.
좀마디거머리말 (Jom-ma-di-geo-meo-ri-mal)	Sub-nod eelgrass <i>Zostera geojeensis</i> H.Shin, Cho & Y.S.Oh
좀매자기 (Jom-mae-ja-gi)	Flat-stalk bulrush <i>Scirpus planiculmis</i> F.Schmidt
좀맥문동 (Jom-maek-mun-dong)	Lesser lilyturf <i>Liriopae minor</i> (Maxim.) Makino
좀머귀나무 (Jom-meo-gwi-na-mu)	Lesser alianthus-like prickly-ash <i>Zanthoxylum fauriei</i> (Nakai) Ohwi

Korean name (Romanization)	English name Scientific name
좀명아주 (Jom-myeong-a-ju)	Figleaf goosefoot <i>Chenopodium ficifolium</i> Sm.
좀목형 (Jom-mok-hyeong)	Five-leaf chastetree <i>Vitex negundo</i> var. <i>incisa</i> (Lam.) C.B.Clarke
좀물뚝새 (Jom-mul-ttuk-sae)	Glenwoodgrass <i>Sacciolepis indica</i> (L.) Chase
좀미꾸리광이 (Jom-mi-kku-ri-gwang-i)	Pale false mannagrass <i>Torreyochloa pallida</i> (Torr.) Church
좀미꾸리광이속 [벼과] (Jom-mi-kku-ri-gwang-i-sok)	False mannagrass <i>Torreyochloa</i> G.L.Church [Poaceae]
좀미역고사리 (Jom-mi-yeok-go-sa-ri)	Rock polypody <i>Polypodium virginianum</i> L.
좀민들레 (Jom-min-deul-re)	Hallasan small dandelion <i>Taraxacum hallaisanense</i> Nakai
좀민하늘지기 (Jom-min-ha-neul-ji-gi)	Summer fimbriстиlis <i>Fimbristylis aestivalis</i> (Retz.) Vahl
좀바늘꽃 (Jom-ba-neul-kkot)	Slender willowherb <i>Epilobium tenue</i> Kom.
좀바늘사초 (Jom-ba-neul-sa-cho)	Bellard's kobresia <i>Kobresia bellardii</i> (All.) Degl. ex Loisel.
좀바늘사초속 [사초과] (Jom-ba-neul-sa-cho-sok)	Bog sedge <i>Kobresia</i> Willd. [Cyperaceae]
좀바랭이 (Jom-ba-raeng-i)	Trailing crabgrass <i>Digitaria radicosa</i> (J. Presl) Miq.
좀바위솔 (Jom-ba-wi-sol)	Minute rock pine <i>Orostachys minuta</i> (Kom.) A.Berger
좀보리사초 (Jom-bo-ri-sa-cho)	Dwarf sand sedge <i>Carex pumila</i> Thunb.
좀부처꽃 (Jom-bu-cheo-kkot)	Many-flower ammannia <i>Ammannia multiflora</i> Roxb.
좀부처꽃속 [부처꽃과] (Jom-bu-cheo-kkot-sok)	Redstem, Ammannia <i>Ammannia</i> L. [Lythraceae]

Korean name (Romanization)	English name Scientific name
좀부추 (Jom-bu-chu)	Manchurian aging chive <i>Allium minus</i> (S.O.Yu, S.Lee & W.Lee) H.J.Chi & B.U.Oh
좀분버들 (Jom-bun-beo-deul)	Gland-less pruina-shoot willow <i>Salix rorida</i> var. <i>roridaeformis</i> (Nakai) Ohwi
좀비비추 (Jom-bi-bi-chu)	Minor hosta <i>Hosta minor</i> (Baker) Nakai
좀사다리고사리 (Jom-sa-da-ri-go-sa-ri)	Small gland fern <i>Parathelypteris cystopteroides</i> (D.C.Eaton) Ching
좀사위질빵 (Jom-sa-wi-jil-ppang)	Short plumous clematis <i>Clematis brevicaudata</i> DC.
좀사철나무 (Jom-sa-cheol-na-mu)	Winter creeper spindletree <i>Euonymus fortunei</i> (Turcz.) Hand.-Mazz.
좀산미나리아재비 (Jom-san-mi-na-ri-a-jae-bi)	Small mountain meadow buttercup <i>Ranunculus acris</i> f. <i>oreodoxa</i> (Kitag.) Tamura
좀산서어나무 (Jom-san-seo-eo-na-mu)	Small-leaf Korean hornbeam * <i>Carpinus turczaninovii</i> var. <i>arguta</i> Uyeki
좀산초나무 (Jom-san-cho-na-mu)	Small mastic-leaf prickly ash * <i>Zanthoxylum schinifolium</i> f. <i>microphyllum</i> (Nakai) W.T.Lee
좀새그령 (Jom-sae-geu-ryeong)	Little lovegrass <i>Eragrostis minor</i> Host
좀새비나무 (Jom-sae-bi-na-mu)	Many-stem Jejudo beautyberry <i>Callicarpa mollis</i> f. <i>ramosissima</i> (Nakai) W.T.Lee
좀새포아풀 (Jom-sae-po-a-pul)	Korean bluegrass <i>Poa deschampsoides</i> Ohwi
좀새풀 (Jom-sae-pul)	Tufted hairgrass <i>Deschampsia cespitosa</i> (L.) P.Beauv.
좀새풀속 [벼과] (Jom-sae-pul-sok)	Hairgrass, Tussock grass <i>Deschampsia</i> P.Beauv. [Poaceae]
좀설앵초 (Jom-seol-aeng-cho)	Baedalus primrose <i>Primula sachalinensis</i> Nakai
좀속새 (Jom-sok-sae)	Dwarf horsetail <i>Equisetum scirpoides</i> Michx.

Korean name (Romanization)	English name Scientific name
좀솔방울고랭이 (Jom-sol-bang-ul-go-raeng-i)	Lesser oriental bulrush <i>Scirpus fiurenoides</i> Maxim.
좀송이고랭이 (Jom-song-i-go-raeng-i)	Bog bulrush <i>Schoenoplectus mucronatus</i> (L.) Palla
좀쇠고사리 (Jom-soe-go-sa-ri)	Short-rhizome hollyfern <i>Arachniodes sporadosora</i> (Kunze) Nakaike
좀쇠울푸레 (Jom-soe-mul-pu-re)	Narrow-leaf flowering ash <i>Fraxinus sieboldiana</i> var. <i>angusta</i> Blume
좀쉬땅나무 (Jom-swi-ttang-na-mu)	Drooping-flower false spiraea <i>Sorbaria kirilowii</i> (Regel & Tiling) Maxim.
좀시호 (Jom-si-ho)	Leveille's big-leaf hare's ear <i>Bupleurum longiradiatum</i> f. <i>leveillei</i> (H.Boissieu) Kitag.
좀싸리 (Jom-ssa-ri)	Wando lespedeza <i>Lespedeza virgata</i> (Thunb.) DC.
좀씀바귀 (Jom-sseum-ba-gwi)	Creeping ikeris <i>Ikeris stolonifera</i> A.Gray
좀야광나무 (Jom-ya-gwang-na-mu)	Small-leaf Siberian crabapple <i>Malus baccata</i> f. <i>minor</i> (Nakai) T.B.Lee
좀양지꽃 (Jom-yang-ji-kkot)	High mountain cinquefoil <i>Potentilla matsumurae</i> Th.Wolf
좀어리연꽃 (Jom-eo-ri-yeon-kkot)	East Asian floatingheart <i>Nymphoides coreana</i> (H.Lév.) H.Hara
좀우드풀 (Jom-u-deu-pul)	Intermediate woodsia <i>Woodsia intermedia</i> Tagawa
좀윤노리 (Jom-yun-no-ri)	Korean photinia <i>Pourthiaeavillosa</i> var. <i>coreana</i> Nakai
좀자작나무 (Jom-ja-jak-na-mu)	Dwarf bog birch <i>Betula fruticosa</i> Pall.
좀작살나무 (Jom-jak-sal-na-mu)	Purple beautyberry <i>Callicarpa dichotoma</i> (Lour.) K.Koch
좀장구밥나무 (Jom-jang-gu-bap-na-mu)	Narrow-leaf grewia <i>Grewia parviflora</i> f. <i>angusta</i> (Nakai) W.T.Lee

Korean name (Romanization)	English name Scientific name
좀조개풀 (Jom-jo-gae-pul)	East Asian basketgrass <i>Coelachne japonica</i> Hack.
좀조개풀속 [벼과] (Jom-jo-gae-pul-sok)	Coelachne <i>Coelachne</i> R.Br. [Poaceae]
좀조팝나무 (Jom-jo-pap-na-mu)	Small spirea <i>Spiraea microgyna</i> Nakai
좀종덩굴 (Jom-jong-deong-gul)	Thick-sepal clematis <i>Clematis crassisepala</i> Ohwi
좀쥐똥나무 (Jom-jwi-ttong-na-mu)	Small-leaf privet <i>Ligustrum ibota</i> f. <i>microphyllum</i> Nakai
좀쥐손이 (Jom-jwi-son-i)	Three-lobe cranesbill <i>Geranium tripartitum</i> R.Knuth
좀쥐오줌 (Jom-jwi-o-jum)	Little valerian <i>Valeriana fauriei</i> f. <i>coreana</i> (Briq.) H.Hara
좀진고사리 (Jom-jin-go-sa-ri)	Small false spleenwort <i>Deparia coniliifera</i> (Franch. & Sav.) M.Kato
좀짚신나물 (Jom-jip-sin-na-mul)	Small hairy agrimony <i>Agrimonia nipponica</i> Koidz.
좀쪽동백나무 (Jom-jjok-dong-baek-na-mu)	Jirisan snowbell <i>Styrax shiraianus</i> Makino
좀찔레 (Jom-jjil-re)	Jejudo multiflora rose <i>Rosa multiflora</i> var. <i>quelpaertensis</i> (H.Lév.) Nakai
좀참꽃 (Jom-cham-kkot)	Cute azalea <i>Rhododendron redowskianum</i> Maxim.
좀참빗살나무 (Jom-cham-bit-sal-na-mu)	Winter-berry spindletree <i>Euonymus bungeanus</i> Maxim.
좀처녀이끼 (Jom-cheo-nyeo-i-kki)	Smooth filmy fern <i>Mecodium polyanthos</i> (Sw.) Copel.
좀총총잔대 (Jom-cheung-cheung-jan-dae)	Hallasan ladybell <i>Adenophora verticillata</i> var. <i>abbreviata</i> H.Lév.
좀털쥐똥나무 (Jom-teol-jwi-ttong-na-mu)	Hairy small-leaf privet <i>Ligustrum ibota</i> Siebold

Korean name (Romanization)	English name Scientific name
좁풍게나무 (Jom-pung-ge-na-mu)	Bunge's hackberry <i>Celtis bungeana</i> Blume
좁향유 (Jom-hyang-yu)	Smallest mint <i>Elsholtzia minima</i> Nakai
좁현삼 (Jom-hyeon-sam)	Small-leaf Kakuda figwort <i>Scrophularia kakudensis</i> var. <i>microphylla</i> Nakai
좁현호색 (Jom-hyeon-ho-saek)	Decumbent corydalis <i>Corydalis decumbens</i> (Thunb.) Pers.
좁호랑버들 (Jom-ho-rang-beo-deul)	Elongate-leaf goat willow <i>Salix caprea</i> f. <i>elongata</i> (Nakai) Kitag.
좁황해쑥 (Jom-hwang-hae-ssuk)	Small-head silvery wormwood <i>Artemisia argyi</i> f. <i>microcephala</i> Pamp.
좁쌀냉이 (Jop-ssal-naeng-i)	False bittercress <i>Cardamine fallax</i> L.
좁쌀사초 (Jop-ssal-sa-cho)	Small-flower sedge <i>Carex micrantha</i> Kük.
좁쌀우드풀 (Jop-ssal-u-deu-pul)	Korean woodsia <i>Woodsia saitoana</i> Tagawa
좁쌀풀 (Jop-ssal-pul)	Dahurian loosestrife <i>Lysimachia vulgaris</i> var. <i>davurica</i> (Ledebe.) R.Kunth
좁쌀풀속 [현삼과] (Jop-ssal-pul-sok)	Eyebright <i>Euphrasia</i> L. [Scrophulariaceae]
좁은백산차 (Jop-eun-baek-san-cha)	Narrow-leaf labrador tea <i>Ledum palustre</i> var. <i>decumbens</i> Aiton
좁은어수리 (Jop-eun-eo-su-ri)	Narrow East Asian hogweed <i>Heracleum moellendorffii</i> f. <i>angustum</i> (Kitag.) Kitag.
좁은잎가막사리 (Jop-eun-ip-ga-mak-sa-ri)	Nodding beggartick <i>Bidens cernua</i> L.
좁은잎계요등 (Jop-eun-ip-gye-yo-deung)	Narrow-leaf skunk vine <i>Paederia scandens</i> var. <i>angustifolia</i> (Nakai) T.B.Lee
좁은잎덩굴용담 (Jop-eun-ip-deong-gul-yong-dam)	Twining pterygocalyx <i>Pterygocalyx volubilis</i> Maxim.

Korean name (Romanization)	English name Scientific name
좁은잎덩굴용담속 [용담과] (Jop-eun-ip-deong-gul-yong-dam-sok)	Pterygocalyx <i>Pterygocalyx</i> Maxim. [Gentianaceae]
좁은잎돌꽃 (Jop-eun-ip-dol-kkot)	Narrow-leaf rhodiola <i>Rhodiola angusta</i> Nakai
좁은잎말 (Jop-eun-ip-mal)	Alpine pondweed <i>Potamogeton alpinus</i> Balb.
좁은잎매자 (Jop-eun-ip-mae-ja)	Narrow-leaf Korean barberry <i>Berberis koreana</i> var. <i>angustifolia</i> Nakai
좁은잎미꾸리낚시 (Jop-eun-ip-mi-kku-ri-nak-si)	Linear arrow-head smartweed <i>Persicaria praetermissa</i> (Hook.f.) H.Hara
좁은잎미나리냉이 (Jop-eun-ip-mi-na-ri-naeng-i)	Schulz's bittercress <i>Cardamine trifida</i> (Lam. ex Poir.) B.M.G.Jones
좁은잎밀나물 (Jop-eun-ip-mil-na-mul)	Narrow-leaf riparian greenbrier <i>Smilax riparia</i> var. <i>ussuriensis</i> f. <i>stenophylla</i> (H.Hara) T.Koyama
좁은잎배풀등 (Jop-eun-ip-bae-pung-deung)	Narrow-leaf nightshade <i>Solanum japonense</i> Nakai
좁은잎보리장 (Jop-eun-ip-bo-ri-jang)	Narrow-leaf autumn-flower olive <i>Elaeagnus glabra</i> f. <i>oxyphylla</i> (Servett.) W.T.Lee
좁은잎사위질빵 (Jop-eun-ip-sa-wi-jil-ppang)	Six-petal clematis <i>Clematis hexapetala</i> Pall.
좁은잎엉겅퀴 (Jop-eun-ip-eong-geong-kwi)	Narrow-leaf Japanese thistle <i>Cirsium japonicum</i> f. <i>nakaianum</i> (H.Lév. & Vaniot) W.T.Lee
좁은잎육지꽃버들 (Jop-eun-ip-yuk-ji-kkot-beo-deul)	Linear-leaf willow <i>Salix viminalis</i> var. <i>linearifolia</i> Wimmer & Grabowski
좁은잎참빗살나무 (Jop-eun-ip-cham-bit-sal-na-mu)	Maack's spindletree <i>Euonymus hamiltonianus</i> var. <i>maackii</i> (Rupr.) Kom.
좁은잎천선과 (Jop-eun-ip-cheon-seon-gwa)	Narrow-leaf erecta fig <i>Ficus erecta</i> var. <i>sieboldii</i> (Miq.) King.
좁은잎해란초 (Jop-eun-ip-hae-ran-cho)	Yellow toadflax <i>Linaria vulgaris</i> Hill
좁은잎흑삼릉 (Jop-eun-ip-heuk-sam-reung)	Northern bur-reed <i>Sparganium hyperboreum</i> Laest. ex Beurl.

Korean name (Romanization)	English name Scientific name
좁은해홍나물 (Jop-eun-hae-hong-na-mul)	Narrow-saline seepweed <i>Suaeda heteroptera</i> Kitag.
종가시나무 (Jong-ga-si-na-mu)	Ring-cup oak <i>Quercus glauca</i> Thunb.
종다리꽃 (Jong-da-ri-kkot)	Dentate-lobe alpine bell * <i>Cortusa matthioli</i> var. <i>pekinensis</i> (V.A.Richt.) T.B.Lee
종다리꽃속 [앵초과] (Jong-da-ri-kkot-sok)	Cortusa <i>Cortusa</i> L. [Primulaceae]
종덩굴 (Jong-deong-gul)	Violet Stanavoi clematis <i>Clematis fusca</i> var. <i>violacea</i> Maxim.
종둥굴레 (Jong-dung-gul-re)	Sharp-tipped-leaf solomon's seal <i>Polygonatum acuminatifolium</i> Kom.
종비나무 (Jong-bi-na-mu)	Korean spruce <i>Picea koraiensis</i> Nakai
주걱노루발 (Ju-geok-no-ru-bal)	Lesser wintergreen <i>Pyrola minor</i> L.
주걱댕강나무 (Ju-geok-daeng-gang-na-mu)	Spatulate-leaf abelia <i>Abelia spathulata</i> Siebold & Zucc.
주걱비름 (Ju-geok-bi-reum)	Spatulate-leaf stonecrop <i>Sedum tosaense</i> Makino
주걱비비추 (Ju-geok-bi-bi-chu)	Closed-flower hosta <i>Hosta clausa</i> Nakai
주걱일엽 (Ju-geok-il-yeop)	Oblong-sorus lance fern <i>Loxogramme grammitoides</i> (Baker) C.Chr.
주걱일엽속 [고란초과] (Ju-geok-il-yeop-sok)	Loxogramme, Lace fern <i>Loxogramme</i> (Blume) C. Presl [Polypodiaceae]
주걱장대 (Ju-geok-jang-dae)	Spatulate-leaf rockcress <i>Arabis ligulifolia</i> Nakai
주름고사리 (Ju-reum-go-sa-ri)	Big-ear twinsorus fern <i>Diplazium wichurae</i> (Mett.) Diels
주름고사리속 [면마과] (Ju-reum-go-sa-ri-sok)	Twinsorus fern <i>Diplazium</i> Sw. [Dryopteridaceae]



Korean name (Romanization)	English name Scientific name
주름금강아지풀 (Ju-reum-geum-gang-a-ji-pul)	Wrinkled-glume yellow bristlegrass <i>Setaria glauca</i> var. <i>dura</i> (I.C.Chung) I.C.Chung
주름사초 (Ju-reum-sa-cho)	Slender-culm thick-nerve sedge <i>Carex rugulosa</i> var. <i>graciliculmis</i> (Ohwi) Kitag.
주름잎 (Ju-reum-ip)	Asian mazus <i>Mazus pumilus</i> (Burm.f.) Steenis
주름잎속 [현삼과] (Ju-reum-ip-sok)	Mazus <i>Mazus</i> Lour. [Scrophulariaceae]
주름제비란 (Ju-reum-je-bi-ran)	Wrinkled-margin gymnandenia <i>Neolindleya camtschatica</i> (Cham.) Nevski
주름제비란속 [난초과] (Ju-reum-je-bi-ran-sok)	Neolindleya <i>Neolindleya</i> Kranezel [Orchidaceae]
주름조개풀 (Ju-reum-jo-gae-pul)	Wavy-leaf Basketgrass <i>Oplismenus undulatifolius</i> (Ard.) P.Beauv.
주름조개풀속 [벼과] (Ju-reum-jo-gae-pul-sok)	Basketgrass <i>Oplismenus</i> P.Beauv. [Poaceae]
주목 (Ju-mok)	Rigid-branch yew <i>Taxus cuspidata</i> Siebold & Zucc.
주목과 (Ju-mok-gwa)	Yew family <i>Taxaceae</i> Gray.
주목속 [주목과] (Ju-mok-sok)	Yew <i>Taxus</i> L. [Taxaceae]
주엽나무 (Ju-yeop-na-mu)	Japanese honey locust <i>Gleditsia japonica</i> Miq.
주엽나무속 [콩과] (Ju-yeop-na-mu-sok)	Gleditsia <i>Gleditsia</i> L. [Fabaceae]
주저리고사리 (Ju-jeo-ri-go-sa-ri)	Fragrant fern <i>Dryopteris fragrans</i> (L.) Schott
죽대 (Juk-dae)	Korean solomon's seal <i>Polygonatum lasianthum</i> Maxim.
죽대아재비 (Juk-dae-a-jae-bi)	Clasp-leaf twisted-stalk <i>Streptopus amplexifolius</i> (L.) DC.

Korean name (Romanization)	English name Scientific name
죽대아재비속 [백합과] (Juk-dae-a-jae-bi-sok)	Twisted-stalk <i>Streptopus</i> Michx. [Liliaceae]
죽백란 (Juk-baek-ran)	White bamboo-leaf orchid <i>Cymbidium lancifolium</i> Hook.
죽절초 (Juk-jeol-cho)	Glabrous-sarcandra herb <i>Sarcandra glabra</i> (Thunb.) Nakai
죽절초속 [홀아비꽃대과] (Juk-jeol-cho-sok)	Sarcandra <i>Sarcandra</i> Gardner [Chloranthaceae]
줄 (Jul)	Manchurian wild rice <i>Zizania latifolia</i> (Griseb.) Turcz. ex Stapf
줄고사리 (Jul-go-sa-ri)	Narrow sword fern <i>Nephrolepis cordifolia</i> (L.) C.Presl
줄고사리속 [넉줄고사리과] (Jul-go-sa-ri-sok)	Sword fern <i>Nephrolepis</i> Schott [Davalliaceae]
줄꽃주머니 (Jul-kkot-ju-meo-ni)	Asian mountain fringe <i>Adlumia asiatica</i> Ohwi
줄꽃주머니속 [현호색과] (Jul-kkot-ju-meo-ni-sok)	Adlumia <i>Adlumia</i> Raf. [Fumariaceae]
줄댕강나무 (Jul-daeng-gang-na-mu)	Taihyun's abelia <i>Abelia tyaihyoni</i> Nakai
줄딸기 (Jul-ttal-gi)	Korean creeping raspberry <i>Rubus oldhamii</i> Miq.
줄말 (Jul-mal)	Widgeon grass <i>Ruppia maritima</i> L.
줄말속 [가래과] (Jul-mal-sok)	Ditch grasses, Widgeon grass, Widgeonweed <i>Ruppia</i> L. [Potamogetonaceae]
줄바꽃 (Jul-ba-kkot)	Whitish-purple monk'shood <i>Aconitum alboviolaceum</i> Kom.
줄바늘꽃 (Jul-ba-neul-kkot)	Asian northern willowherb <i>Epilobium glandulosum</i> var. <i>asiaticum</i> H.Hara
줄사철나무 (Jul-sa-cheol-na-mu)	Radicans winter creeper spindletree <i>Euonymus fortunei</i> var. <i>radicans</i> (Miq.) Rehder

Korean name (Romanization)	English name Scientific name
줄사초 (Jul-sa-cho)	Sluggish sedge <i>Carex lenta</i> D.Don
줄석송 (Jul-seok-song)	Siebold's clubmoss <i>Huperzia sieboldii</i> (Miq.) Holub
줄속 [벼과] (Jul-sok)	Wild rice <i>Zizania L.</i> [Poaceae]
줄현호색 (Jul-hyeon-ho-saek)	Bunge's corydalis <i>Corydalis bungeana</i> Turcz.
증나리 (Jung-na-ri)	Lesser tiger lily <i>Lilium leichtlinii</i> var. <i>maximowiczii</i> (Regel) Baker
증느릅나무 (Jung-neu-reup-na-mu)	Medium-fruit elm <i>Ulmus × mesocarpa</i> M.Y.Kim & S.T.Lee
증대가리풀 (Jung-dae-ga-ri-pul)	Spreading sneezeweed <i>Centipeda minima</i> (L.) A.Braun & Asch
증대가리풀속 [국화과] (Jung-dae-ga-ri-pul-sok)	Centipeda <i>Centipeda</i> Lour. [Asteraceae]
증산갓사초 (Jung-sat-gat-sa-cho)	Doomangang sedge <i>Carex tuminensis</i> Kom.
증의무릇 (Jung-ui-mu-reut)	Oriental yellow gagea <i>Gagea nakaiana</i> Kitag.
증의무릇속 [백합과] (Jung-ui-mu-reut-sok)	Gagea, Yellow star-of-Bethlehem <i>Gagea</i> Salisb. [Liliaceae]
증정억새 (Jung-jeong-eok-sae)	Smooth maiden silvergrass <i>Miscanthus sinensis</i> var. <i>nakaianus</i> (Honda) I.C.Chung
쥐깨풀 (Jwi-kkae-pul)	Miniature mosla <i>Mosla dianthera</i> (Buch.-Ham. ex Roxb.) Maxim
쥐깨풀속 [꿀풀과] (Jwi-kkae-pul-sok)	Mosla <i>Mosla</i> (Benth.) Buch.-Ham. ex Maxim. [Lamiaceae]
쥐꼬리망초 (Jwi-kko-ri-mang-cho)	Oriental water-willow <i>Justicia procumbens</i> L.
쥐꼬리망초과 (Jwi-kko-ri-mang-cho-gwa)	Acanthus family <i>Acanthaceae</i> Juss.

Korean name (Romanization)	English name Scientific name
주꼬리망초속 [주꼬리망초과] (Jwi-kko-ri-mang-cho-sok)	Water-willow <i>Justicia</i> L. [Acanthaceae]
주꼬리새 [벼과] (Jwi-kko-ri-sae)	Purple-awn muhly <i>Muhlenbergia japonica</i> Steud.
주꼬리새속 [벼과] (Jwi-kko-ri-sae-sok)	Muhly <i>Muhlenbergia</i> Schreb. [Poaceae]
주꼬리새풀 (Jwi-kko-ri-sae-pul)	Sacaton grass <i>Sporobolus fertilis</i> (Steud.) Clayton
주꼬리새풀속 [벼과] (Jwi-kko-ri-sae-pul-sok)	Dropseed grasses, Sacaton grasses <i>Sporobolus</i> R.Br. [Poaceae]
주꼬리풀 (Jwi-kko-ri-pul)	Spike colicroot <i>Aletris spicata</i> (Thunb.) Franch.
주꼬리풀속 [백합과] (Jwi-kko-ri-pul-sok)	Colicroot, Colicweed, Crow corn, Unicorn root <i>Aletris</i> L. [Liliaceae]
주다래 (Jwi-da-rae)	Variegated-leaf hardy kiwi <i>Actinidia kolomikta</i> (Maxim. & Rupr.) Maxim.
쥐똥나무 (Jwi-ttong-na-mu)	Border privet <i>Ligustrum obtusifolium</i> Siebold & Zucc.
쥐똥나무속 [물푸레나무과] (Jwi-ttong-na-mu-sok)	Privet <i>Ligustrum</i> L. [Oleaceae]
쥐방울덩굴 (Jwi-bang-ul-deong-gul)	Northern pipevine <i>Aristolochia contorta</i> Bunge
쥐방울덩굴과 (Jwi-bang-ul-deong-gul-gwa)	Birthwort family <i>Aristolochiaceae</i> Juss.
쥐방울덩굴속 [쥐방울덩굴과] (Jwi-bang-ul-deong-gul-sok)	Birthwort, Dutchman's pipe, Pipevine <i>Aristolochia</i> L. [Aristolochiaceae]
쥐손이풀 (Jwi-son-i-pul)	Siberian geranium <i>Geranium sibiricum</i> L.
쥐손이풀과 (Jwi-son-i-pul-gwa)	Geranium family <i>Geraniaceae</i> Juss.
쥐손이풀속 [쥐손이풀과] (Jwi-son-i-pul-sok)	Cranesbills, Geranium <i>Geranium</i> L. [Geraniaceae]

Korean name (Romanization)	English name Scientific name
쥐오줌풀 (Jwi-o-jum-pul)	Korean valerian <i>Valeriana fauriei</i> Briq.
쥐오줌풀속 [마타리과] (Jwi-o-jum-pul-sok)	Valerian <i>Valeriana</i> L. [valerianaceae]
쥐털이슬 (Jwi-teol-i-seul)	Alpine enchanter's nightshade <i>Circea alpina</i> L.
증산쑥 (Jeung-san-ssuk)	Northern wormwood <i>Artemisia borealis</i> var. <i>ledebourii</i> Besser
지네고사리 (Ji-ne-go-sa-ri)	East Asian gland fern <i>Parathelypteris japonica</i> (Baker) Ching
지네발란 (Ji-ne-bal-ran)	Centipede's foot orchid <i>Cleisostoma scolopendrifolia</i> (Makino) Garay
지네발란속 [난초과] (Ji-ne-bal-ran-sok)	Cleisostoma <i>Cleisostoma</i> Blume [Orchidaceae]
지느러미고사리 (Ji-neu-reo-mi-go-sa-ri)	Fin maiden spleenwort <i>Hymenophyllum hondoense</i> (N.Murak. et Hatan.) Nakaike
지느러미고사리속 [꼬리고사리과] (Ji-neu-reo-mi-go-sa-ri-sok)	Hymenophyllum <i>Hymenophyllum</i> Hayata [Aspleniaceae]
지렁쿠나무 (Ji-reong-ku-na-mu)	Kamchatka red elder <i>Sambucus racemosa</i> subsp. <i>kamtschatica</i> (E.Wolf) Hultén
지리강활 (Ji-ri-gang-hwal)	Amur angelica <i>Angelica amurensis</i> Schischk.
지리개관중 (Ji-ri-gae-gwan-jung)	Jiri holly fern <i>Polystichum ovatopaleaceum</i> (Kodama) Sa Kurata
지리고들빼기 (Ji-ri-go-deul-ppae-gi)	Jiri crepidiastrum <i>Crepidiastrum koidzumianum</i> (Kitam.) Pak & Kawano
지리고불나무 (Ji-ri-goe-bul-na-mu)	Jiri honeysuckle <i>Lonicera cerasoides</i> Nakai
지리대극 (Ji-ri-dae-geuk)	Jiri spurge <i>Euphorbia togakusensis</i> Hayata
지리대사초 (Ji-ri-dae-sa-cho)	Creeping narrow-leaf sedge <i>Carex okamotoi</i> Ohwi

Korean name (Romanization)	English name Scientific name
지리바꽃 (Ji-ri-ba-kkot)	Jiri monk'shood <i>Aconitum chiisanense</i> Nakai
지리산개별꽃 (Ji-ri-san-gae-byeol-kkot)	Jirisan false-starwort <i>Pseudostellaria okamotoi</i> Ohwi
지리산고사리 (Ji-ri-san-go-sa-ri)	Jirisan ladyfern <i>Athyrium excelsius</i> Nakai
지리산김의털 (Ji-ri-san-gim-ui-teol)	Jirisan sheep's fescue <i>Festuca ovina</i> var. <i>chiisanensis</i> Ohwi
지리산고리풀 (Ji-ri-san-kko-ri-pul)	Korean spike speedwell <i>Veronica rotunda</i> var. <i>coreana</i> (Nakai) T.Yamaz.
지리산숲고사리 (Ji-ri-san-sup-go-sa-ri)	Jirisan horn fern <i>Cornopteris × christenseniana</i> (Koidz.) Tagawa
지리산오갈피 (Ji-ri-san-o-gal-pi)	Jirisan spreading-hair eleuthero <i>Eleutherococcus divaricatus</i> var. <i>chiisanensis</i> (Nakai) C.H.Kim & B.Y.Sun
지리산하늘말나리 (Ji-ri-san-ha-neul-mal-na-ri)	Jirisan twilight lily * <i>Lilium tsingtauense</i> f. <i>carneum</i> (Nakai) Y.N.Lee
지리실청사초 (Ji-ri-sil-cheong-sa-cho)	Smooth-fruit narrow mitra sedge <i>Carex sabynensis</i> var. <i>leiosperma</i> Ohwi
지리오리방풀 (Ji-ri-o-ri-bang-pul)	Jiri tailed-leaf isodon * <i>Isodon excisus</i> var. <i>chiisanensis</i> T.B.Lee
지리터리풀 (Ji-ri-teo-ri-pul)	Jiri meadowsweet <i>Filipendula formosa</i> Nakai
지채 (Ji-chae)	Sea arrowgrass <i>Triglochin maritima</i> L.
지채고 (Ji-chae-gwa)	Arrow grass family <i>Juncaginaceae</i> Rich.
지채속 [지채고] (Ji-chae-sok)	Arrowgrass <i>Triglochin</i> L. [<i>Juncaginaceae</i>]
지치 (Ji-chi)	Redroot gromwell <i>Lithospermum erythrorhizon</i> Siebold & Zucc.
지치과 (Ji-chi-gwa)	Borage family <i>Boraginaceae</i> Juss.

Korean name (Romanization)	English name Scientific name
지치속 [지치과] (Ji-chi-sok)	Gromwells, Stoneseeds <i>Lithospermum</i> L. [Boraginaceae]
지칭개 (Ji-ching-gae)	Lyre-shape hemistepa <i>Hemistepa lyrata</i> Bunge
지칭개속 [국화과] (Ji-ching-gae-sok)	Hemistepa <i>Hemistepa</i> Bunge [Asteraceae]
지포나무 (Ji-po-na-mu)	Glaucous Oldham's blueberry <i>Vaccinium oldhamii</i> f. <i>glaucinum</i> (Nakai) Kitam.
진고사리 (Jin-go-sa-ri)	False spleenwort <i>Deparia japonica</i> (Thunb.) M.Kato
진고사리속 [면마과] (Jin-go-sa-ri-sok)	False spleenwort <i>Deparia</i> Hook. & Grev. [Dryopteridaceae]
진남포사초 (Jin-nam-po-sa-cho)	Rigescens sedge <i>Carex rigescens</i> (Franch.) V.I.Krecz.
진노랑상사화 (Jin-no-rang-sang-sa-hwa)	Yellow surprise lily <i>Lycoris chinensis</i> Traub
진달래 (Jin-dal-rae)	Korean rhododendron <i>Rhododendron mucronulatum</i> Turcz.
진달래과 (Jin-dal-rae-gwa)	Heath family Ericaceae Juss.
진달래속 [진달래과] (Jin-dal-rae-sok)	Azalea, Rhododendron, Rosebay <i>Rhododendron</i> L. [Ericaceae]
진도싸리 (Jin-dossa-ri)	Jindo lespedeza <i>Lespedeza</i> × <i>patentibicolor</i> T.B.Lee
진득찰 (Jin-deuk-chal)	Hairstalk St. Paul's wort <i>Sigesbeckia glabrescens</i> (Makino) Makino
진득찰속 [국화과] (Jin-deuk-chal-sok)	St. Paul's wort <i>Sigesbeckia</i> L. [Asteraceae]
진들검정사초 (Jin-deul-geom-jeong-sa-cho)	Meyer's sedge <i>Carex meyeriana</i> Kunth
진들딸기 (Jin-deul-ttal-gi)	Cloudberry <i>Rubus chamaemorus</i> L.

Korean name (Romanization)	English name Scientific name
진들사초 (Jin-deul-sa-cho)	Globular-spike sedge <i>Carex globularis</i> L.
진들피 (Jin-deul-pi)	Protruding mannagrass <i>Glyceria ischyronoeura</i> Steud.
진땅고추풀 (Jin-ttang-go-chu-pul)	Violet deinostema <i>Deinostema violacea</i> (Maxim.) T.Yamaz.
진땅고추풀속 [현삼과] (Jin-ttang-go-chu-pul-sok)	Deinostema <i>Deinostema</i> T.Yamaz. [Scrophulariaceae]
진범 (Jin-beom)	Upright monk'shood <i>Aconitum pseudolaeve</i> Nakai
진보라붓꽃 (Jin-bo-ra-but-kkot)	Violet blood iris <i>Iris sanguinea</i> var. <i>violacea</i> Makino
진저리고사리 (Jin-jeo-ri-go-sa-ri)	East Asian wood fern <i>Dryopteris maximowiczii</i> (Baker) Kuntz.
진주고추나물 (Jin-ju-go-chu-na-mul)	Few-flower St. Johnswort <i>Hypericum oliganthum</i> Franch. & Sav.
진주바위솔 (Jin-ju-ba-wi-sol)	Margaric leaf rock pine <i>Orostachys margaritifolia</i> Y.N.Lee
진퍼리개고사리 (Jin-peo-ri-gae-go-sa-ri)	Marsh false spleenwort <i>Deparia okuboana</i> (Makino) M.Kato
진퍼리고사리 (Jin-peo-ri-go-sa-ri)	Mollis' swamp fern <i>Leptogramma mollissima</i> (Kunze) Ching
진퍼리고사리속 [면마과] (Jin-peo-ri-go-sa-ri-sok)	Leptogramma <i>Leptogramma</i> J.Sm. [Dryopteridaceae]
진퍼리까치수염 (Jin-peo-ri-kka-chi-su-yeom)	Fortune's loosestrife <i>Lysimachia fortunei</i> Maxim.
진퍼리꽃나무 (Jin-peo-ri-kkot-na-mu)	Leatherleaf <i>Chamaedaphne calyculata</i> (L.) Moench
진퍼리꽃나무속 [진달래과] (Jin-peo-ri-kkot-na-mu-sok)	Leatherleaf <i>Chamaedaphne</i> Moench [Ericaceae]
진퍼리노루오줌 (Jin-peo-ri-no-ru-o-jum)	Spreading false goat's beard <i>Astilbe chinensis</i> var. <i>divaricata</i> Nakai

Korean name (Romanization)	English name Scientific name
진퍼리버들 (Jin-peo-ri-beo-deul)	Swamp willow <i>Salix myrtilloides</i> L.
진퍼리사초 (Jin-peo-ri-sa-cho)	Wet-sand sedge <i>Carex arenicola</i> F.Schmidt
진퍼리새 (Jin-peo-ri-sae)	Japanese moorgrass <i>Molinia japonica</i> Hack.
진퍼리새속 [벼과] (Jin-peo-ri-sae-sok)	Moorgrass <i>Molinia</i> Schrank [Poaceae]
진퍼리용담 (Jin-peo-ri-yong-dam)	Linear-leaf Korean gentian <i>Gentiana scabra</i> f. <i>stenophylla</i> (H.Hara) W.K.Paik & W.T.Lee
진퍼리잔대 (Jin-peo-ri-jan-dae)	Marsh ladybell <i>Adenophora palustris</i> Kom.
진펄현호색 (Jin-peol-hyeon-ho-saek)	Busch's corydalis <i>Corydalis buschii</i> Nakai
진황정 (Jin-hwang-jeong)	Moniliform rhizome solomon's seal <i>Polygonatum falcatum</i> A.Gray
진흙풀 (Jin-heuk-pul)	Chickweed sparrow <i>Microcarpaea minima</i> (K.D.Koenig ex Retz.) Merr.
진흙풀속 [현삼과] (Jin-heuk-pul-sok)	Microcarpaea <i>Microcarpaea</i> R.Br. [Scrophulariaceae]
질경이 (Jil-gyeong-i)	Asian plantain <i>Plantago asiatica</i> L.
질경이과 (Jil-gyeong-i-gwa)	Plantain family <i>Plantaginaceae</i> Juss.
질경이속 [질경이과] (Jil-gyeong-i-sok)	Plantain, Fleawort <i>Plantago</i> L. [Plantaginaceae]
질경이택사 (Jil-gyeong-i-tack-sa)	Asian water plantain <i>Alisma plantago-aquatica</i> subsp. <i>orientale</i> (Sam.) Sam.
집깨고로쇠 (Jip-kke-go-ro-soe)	Connivent-wing mono maple <i>Acer mono</i> f. <i>connivens</i> (Nichols.) Rehder
집사초 (Jip-sa-cho)	Sheathed sedge <i>Carex vaginata</i> Tausch

Korean name (Romanization)	English name Scientific name
짚신나물 (Jip-sin-na-mul)	Hairy agrimony <i>Agrimonia pilosa</i> Ledeb.
짚신나물속 [장미과] (Jip-sin-na-mul-sok)	Agrimony <i>Agrimonia</i> L. [Rosaceae]
싹자래나무 (Jjak-ja-rae-na-mu)	Basally-pored-seed buckthorn <i>Rhamnus yoshinoi</i> Makino
짧은개여뀌 (Jjal-beun-gae-yeo-kkwi)	Short-stalk oriental smartweed <i>Persicaria longisetaria f. breviseta</i> (Meisn.) W.T.Lee
짧은사상자 (Jjal-beun-sa-sang-ja)	Mountain aristate sweetroot <i>Osmorrhiza aristata</i> var. <i>montana</i> Makino
쪽가래나무 (Jjok-ga-rae-na-mu)	Heart-shape walnut <i>Juglans cordiformis</i> Maxim.
쪽동백나무 (Jjok-dong-baek-na-mu)	Fragrant snowbell <i>Styrax obassia</i> Siebold & Zucc.
쪽버들 (Jjok-beo-deul)	Maximowicz's willow <i>Salix maximowiczii</i> Kom.
쪽잔고사리 (Jjok-jan-go-sa-ri)	Asian single-sorus sleepwort <i>Asplenium ritoense</i> Hayata
찔레꽃 (Jjil-re-kkot)	Multiflora rose <i>Rosa multiflora</i> Thunb.

ㅊ

차걸이란 (Cha-geol-i-ran)	East Asian fairy orchid <i>Oberonia japonica</i> (Maxim.) Makino
차걸이란속 [난초과] (Cha-geol-i-ran-sok)	Fairy orchids <i>Oberonia</i> Lindl. [Orchidaceae]
차꼬리고사리 (Cha-kko-ri-go-sa-ri)	Maidenhair spleenwort <i>Asplenium trichomanes</i> L.
차나무 (Cha-na-mu)	Tea camellia <i>Camellia sinensis</i> L.
차나무과 (Cha-na-mu-gwa)	Tea family <i>Theaceae</i> Mirb.

Korean name (Romanization)	English name Scientific name
차빛귀름 (Cha-bit-gwi-rung)	Red-brown bird cherry <i>*Prunus padus f. rufo-ferruginea</i> (Nakai) W.T.Lee
차빛당마가목 (Cha-bit-dang-ma-ga-mok)	Reddish Amur mountain ash <i>Sorbus amurensis</i> var. <i>rufa</i> Nakai
차일봉개미자리 (Cha-il-bong-gae-mi-ja-ri)	Korean big-fruit stitchwort <i>Minuartia macrocarpa</i> var. <i>koreana</i> (Nakai) H.Hara
차풀 (Cha-pul)	Field sensitive pea <i>Chamaecrista nomame</i> (Siebold) H.Ohashi
차풀속 [콩과] (Cha-pul-sok)	Sensitive pea <i>Chamaecrista</i> Moench [Fabaceae]
찰피나무 (Chal-pi-na-mu)	Manchurian lime <i>Tilia mandshurica</i> Rupr. & Maxim.
참가시나무 (Cham-ga-si-na-mu)	Willow-leaf evergreen oak <i>Quercus salicina</i> Blume
참갈매나무 (Cham-gal-mae-na-mu)	Ussuri buckthorn <i>Rhamnus ussuriensis</i> J.J.Vassil.
참갈퀴덩굴 (Cham-gal-kwi-deong-gul)	Korean lady's bedstraw <i>Galium koreanum</i> (Nakai) Nakai
참개별꽃 (Cham-gae-byeol-kkot)	Korean false-starwort <i>Pseudostellaria coreana</i> (Nakai) Ohwi
참개싱아 (Cham-gae-sing-a)	Small-fruit knotweed <i>*Aconogonon microcarpum</i> (Kitag.) H.Hara
참개암나무 (Cham-gae-am-na-mu)	Asian beaked hazel <i>Corylus sieboldiana</i> Blume
참개연꽃 (Cham-gae-yeon-kkot)	Yellow water-lily <i>Nuphar subintegerrima</i> Makino
참고추냉이 (Cham-go-chu-naeng-i)	Korean bittercress <i>Cardamine koreana</i> (Nakai) Nakai
참골담초 (Cham-gol-dam-cho)	Manchurian peashrub <i>Caragana fruticosa</i> (Pall.) Besser
참골무꽃 (Cham-gol-mu-kkot)	Sandy skullcap <i>Scutellaria strigillosa</i> Hemsl.

Korean name (Romanization)	English name Scientific name
참골풀 (Cham-gol-pul)	High mountain rush <i>Juncus brachyspathus</i> Maxim.
참곰비늘고사리 (Cham-gom-bi-neul-go-sa-ri)	Korean uniform wood fern <i>Dryopteris uniformis</i> f. <i>coreana</i> H.Ito
참기생꽃 (Cham-gi-saeng-kkot)	European starflower <i>Trientalis europaea</i> L.
참김의털 (Cham-gim-ui-teol)	Korean sheep's fescue <i>Festuca ovina</i> var. <i>coreana</i> St.-Yves
참깨과 (Cham-kkae-gwa)	Sesame family Pedaliaceae R.Br.
참꽃나무 (Cham-kkot-na-mu)	Weyrich's azalea <i>Rhododendron weyrichii</i> Maxim.
참꽃마리 (Cham-kkot-ma-ri)	Korean trigonotis <i>Trigonotis radicans</i> var. <i>sericea</i> (Maxim.) H.Hara
참꽃받이 (Cham-kkot-bat-i)	Many-bract bothriospermum <i>Bothriospermum secundum</i> Maxim.
참나도히초미 (Cham-na-do-hi-cho-mi)	Korean holly fern <i>Polystichum ovatopaleaceum</i> var. <i>coraiense</i> (Christ) Sa Kurata
참나래박쥐 (Cham-na-rae-bak-jwi)	Korean Indian plantain <i>Parasenecio koraiensis</i> (Nakai) B.U.Oh
참나래새 (Cham-na-rae-sae)	Korean needlegrass <i>Stipa coreana</i> Honda
참나리 (Cham-na-ri)	Tiger lily <i>Lilium lancifolium</i> Thunb.
참나리난초 (Cham-na-ri-nan-cho)	Korean widelip orchid <i>Liparis koreana</i> (Nakai) Nakai
참나무겨우살이 (Cham-na-mu-gyeo-u-sal-i)	Silverberry-like taxillus <i>Taxillus yadoriki</i> (Siebold ex Maxim.) Danser
참나무겨우살이속 [겨우살이고] (Cham-na-mu-gyeo-u-sal-i-sok)	Taxillus <i>Taxillus</i> Tiegh. [Loranthaceae]
참나무과 (Cham-na-mu-gwa)	Beech family, Oak family Fagaceae Dumort.

Korean name (Romanization)	English name Scientific name
참나무속 [참나무과] (Cham-na-mu-sok)	Oak <i>Quercus</i> L. [Fagaceae]
참나물 (Cham-na-mul)	Chamnamul (Short-fruit pimpinella) <i>Pimpinella brachycarpa</i> (Kom.) Nakai
참나물속 [산형과] (Cham-na-mul-sok)	Burnet saxifrage, Pimpinella <i>Pimpinella</i> L. [Apiaceae]
참느릅나무 (Cham-neu-reup-na-mu)	Lacebark elm <i>Ulmus parvifolia</i> Jacq.
참당귀 (Cham-dang-gwi)	Korean angelica <i>Angelica gigas</i> Nakai
참대극 (Cham-dae-geuk)	Shiny spurge <i>Euphorbia lucorum</i> Rupr.
참두메부추 (Cham-du-me-bu-chu)	Korean aging chive <i>Allium spirale</i> Willd.
참똑사초 (Cham-ttuk-sa-cho)	Schmidt's sedge <i>Carex schmidtii</i> Meinsh.
참마 (Cham-ma)	East Asian mountain yam <i>Dioscorea japonica</i> Thunb.
참명아주 (Cham-myeong-a-ju)	Korean goosefoot <i>Chenopodium koraiense</i> Nakai
참물부추 (Cham-mul-bu-chu)	Korean quillwort <i>Isoetes sinensis</i> var. <i>coreana</i> (Y.H.Chung & H.K.Choi) M.Takamiya et al.
참바늘꼴 (Cham-ba-neul-gol)	True needle spikerush <i>Eleocharis attenuata</i> (Franch. & Sav.) Palla
참바위취 (Cham-ba-wi-chwi)	Geumgangsan rockfoil <i>Saxifraga oblongifolia</i> Nakai
참박쥐나물 (Cham-bak-jwi-na-mul)	Colt's-foot-leaf Indian plantain <i>Parasenecio hastatus</i> var. <i>farfaraefolia</i> (Siebold et Zucc.) Ohwi
참반디 (Cham-ban-di)	East Asian sanicle <i>Sanicula chinensis</i> Bunge
참반디속 [산형과] (Cham-ban-di-sok)	Sanicle <i>Sanicula</i> L. [Apiaceae]

Korean name (Romanization)	English name Scientific name
참방동사니 (Cham-bang-dong-sa-ni)	Ricefield flatsedge <i>Cyperus iria</i> L.
참배암차조기 (Cham-bae-am-cha-jeu-gi)	Korean snake sage <i>Salvia chanryoenica</i> Nakai
참범꼬리 (Cham-beom-kko-ri)	Common bistort <i>Bistorta pacifica</i> (Petrov ex Kom.) Kom.
참비녀골풀 (Cham-bi-nyeo-gol-pul)	Prism-fruit rush <i>Juncus prismatocarpus</i> subsp. <i>leschenaultii</i> (Gay ex Laharpe) Kirschner
참비비추 (Cham-bi-bi-chu)	Normal closed-flower hosta <i>Hosta clausa</i> var. <i>normalis</i> F.Maek.
참빗살나무 (Cham-bit-sal-na-mu)	Hamilton's spindletree <i>Euonymus hamiltonianus</i> Wall.
참사다리고사리 (Cham-sa-da-ri-go-sa-ri)	Korean gland fern <i>Parathelypteris glanduligera</i> var. <i>koreana</i> (Nakai) H.Ito
참산부추 (Cham-san-bu-chu)	Northern plain chive <i>Allium sacculiferum</i> Maxim.
참삿갓사초 (Cham-sat-gat-sa-cho)	Amrokgang sedge <i>Carex jaluensis</i> Kom.
참새귀리 (Cham-sae-gwi-ri)	Common brome <i>Bromus japonicus</i> Houtt.
참새귀리속 [벼과] (Cham-sae-gwi-ri-sok)	Brome, Brome grasses, Cheat grasses, Chess grasses <i>Bromus</i> L. [Poaceae]
참새그령 (Cham-sae-geu-ryeong)	Lovegrass <i>Eragrostis ciliaris</i> (Bellardi) Vignolo ex Janch.
참새그령속 [벼과] (Cham-sae-geu-ryeong-sok)	Lovegrass, Canegrass <i>Eragrostis</i> Wolf [Poaceae]
참새발고사리 (Cham-sae-bal-go-sa-ri)	Glandular ladyfern <i>Athyrium brevifrons</i> Kodama ex Nakai
참새피 (Cham-sae-pi)	Asian crowngrass <i>Paspalum thunbergii</i> Kunth ex Steud.

2

Korean name (Romanization)	English name Scientific name
참새피속 [벼과] (Cham-sae-pi-sok)	Bahiagrasses, Crowngrass, Dallis grasses <i>Paspalum L.</i> [Poaceae]
참소리쟁이 (Cham-so-ri-jaeng-i)	Northeast Asian curly dock <i>Rumex japonicus</i> Houtt.
참쇠고비 (Cham-soe-go-bi)	Korean caryota-leaf hollyfern <i>*Cyrtomium caryotideum</i> var. <i>coreanum</i> Nakai
참쇠보리 (Cham-soe-bo-ri)	Korean murainagrass <i>Ischaemum anthephoroides</i> f. <i>coreanum</i> (Nakai) Y.N.Lee
참시호 (Cham-si-ho)	Sickle-leaf hare's ear <i>Bupleurum falcatum</i> var. <i>scorzoneraefolium</i> (Willd.) Ledeb.
참식나무 (Cham-sik-na-mu)	Sericous newlitse <i>Neolitsea sericea</i> (Blume) Koidz.
참식나무속 [녹나무과] (Cham-sik-na-mu-sok)	Neolitsea, Newlitsea <i>Neolitsea</i> Benth. & Hook.f. & Merr. [Lauraceae]
참싸리 (Cham-ssa-ri)	Leafy lespedeza <i>Lespedeza cyrtobotrya</i> Miq.
참쌀새 (Cham-ssal-sae)	Rough melic <i>Melica scabrosa</i> Trin.
참쑥 (Cham-ssuk)	Cham-ssuk (True wormwood) <i>Artemisia dubia</i> Wall.
참양지꽃 (Cham-yang-ji-kkot)	Short-pedicel Korean cinquefoil <i>Potentilla dickinsii</i> var. <i>breviseta</i> Nakai
참억새 (Cham-eok-sae)	Maiden silvergrass <i>Misanthus sinensis</i> Andersson
참여로 (Cham-yeo-ro)	Black false-hellebore <i>Veratrum nigrum</i> L.
참오글잎버들 (Cham-o-geul-ip-beo-deul)	Curly willow <i>Salix siuzevii</i> Seem.
참우드풀 (Cham-u-deu-pul)	Wide-blade woodsia <i>Woodsia macrochlaena</i> Mett. ex Kuhn
참으아리 (Cham-eu-a-ri)	Sweet-autumn clematis <i>Clematis terniflora</i> DC.

Korean name (Romanization)	English name Scientific name
참작약 (Cham-jak-yak)	Three-fruit white peony <i>Paeonia lactiflora</i> var. <i>trichocarpa</i> (Bunge) Stern
참장대나물 (Cham-jang-dae-na-mul)	Cylindrical rockcress <i>Arabis columnaris</i> Nakai
참제비고깔 (Cham-je-be-go-kkal)	Oriental knight's larkspur <i>Delphinium ornatum</i> C.D.Bouché
참조팝나무 (Cham-jo-pap-na-mu)	Korean spirea <i>Spiraea fritschiana</i> C.K.Schneid.
참좁쌀풀 (Cham-jop-ssal-pul)	Korean loosestrife <i>Lysimachia coreana</i> Nakai
참좁쌀풀속 [앵초과] (Cham-jop-ssal-pul-sok)	Yellow loosestrife <i>Lysimachia</i> L. [Primulaceae]
참주름조개풀 (Cham-ju-reum-jo-gae-pul)	Elongate wavy-leaf basketgrass <i>Oplismenus undulatifolius</i> var. <i>elongatus</i> Honda
참줄바꽃 (Cham-jul-ba-kkot)	White-villous monk'shood <i>Aconitum villosum</i> Rchb.
참지네고사리 (Cham-ji-ne-go-sa-ri)	True autumn fern <i>Dryopteris nippensis</i> Koidz.
참취 (Cham-chwi)	Edible aster <i>Aster scaber</i> Thunb.
참취속 [국화과] (Cham-chwi-sok)	Aster <i>Aster</i> L. [Asteraceae]
참터리풀 (Cham-teo-ri-pul)	Multi-ridge meadowsweet <i>Filipendula multijuga</i> Maxim.
참황새풀 (Cham-hwang-sae-pul)	Common cottonsedge <i>Eriophorum angustifolium</i> Honck.
참회나무 (Cham-hoe-na-mu)	Korean spindletree <i>Euonymus oxyphyllus</i> Miq.
창고사리 (Chang-go-sa-ri)	Lance colysis fern <i>Colygon × simplicifrons</i> (Christ) Tagawa
창일엽 (Chang-il-yeop)	Spear star fern <i>Microsorium superficiale</i> (Blume) Ching

え

Korean name (Romanization)	English name Scientific name
창일엽속 [고란초과] (Chang-il-yeop-sok)	Microsorium <i>Microsorium</i> Link [Polypodiaceae]
창포 (Chang-po)	Common sweet flag <i>Acorus calamus</i> L.
창포속 [천남성과] (Chang-po-sok)	Calamus, Sweet flag <i>Acorus</i> L. [Araceae]
채고추나물 (Chae-go-chu-na-mul)	Attenuate St. Johnswort <i>Hypericum attenuatum</i> Fisch. ex Choisy
채진목 (Chae-jin-mok)	Asian serviceberry <i>Amelanchier asiatica</i> (Siebold & Zucc.) Endl. ex Walp.
채진목속 [장미과] (Chae-jin-mok-sok)	Chuckley pear, Juneberry, Sarvis, Sarvisberry, Saskatoon, Serviceberry, Shadblow, Shadbush, Shadwood, Sugarplum, Wild pear, Wild-plum <i>Amelanchier</i> Medik. [Rosaceae]
처녀고사리 (Cheo-nyeo-go-sa-ri)	Eastern marsh fern <i>Thelypteris palustris</i> (Salisb.) Schott
처녀고사리속 [면마과] (Cheo-nyeo-go-sa-ri-sok)	Maiden fern <i>Thelypteris</i> Schmidel [Dryopteridaceae]
처녀바디 (Cheo-nyeo-ba-di)	Bristly-margin angelica <i>Angelica cartilaginomarginata</i> (Makino) Nakai
처녀이끼 (Cheo-nyeo-i-kki)	Wright's filmy fern <i>Mecodium wrightii</i> (Bosch) Copel.
처녀이끼과 (Cheo-nyeo-i-kki-gwa)	Filmy fern family Hymenophyllaceae Mart.
처녀이끼속 [처녀이끼과] (Cheo-nyeo-i-kki-sok)	Filmy fern, Mecodium <i>Mecodium</i> (Copel.) C. Presl ex Copel. [Hymenophyllaceae]
처녀치마 (Cheo-nyeo-chi-ma)	Korean swamppink <i>Heloniopsis koreana</i> Fuse, N.S.Lee & M.N.Tamura
처녀치마속 [백합과] (Cheo-nyeo-chi-ma-sok)	Heloniopsis, Swamppink <i>Heloniopsis</i> A.Gray [Liliaceae]
처진뽕나무 (Cheo-jin-ppong-na-mu)	Weeping white mulberry <i>Morus alba</i> f. <i>pendula</i> Dippel
처진소나무 (Cheo-jin-so-na-mu)	Pendular Korean red pine <i>Pinus densiflora</i> f. <i>pendula</i> Mayr

Korean name (Romanization)	English name Scientific name
천궁속 [산형과] (Cheon-gung-sok)	Snowparsley <i>Cnidium Cusson</i> [Apiaceae]
천남성 (Cheon-nam-seong)	Serrate Amur jack-in-the-pulpit <i>Arisaema amurense</i> f. <i>serratum</i> (Nakai) Kitag.
천남성과 (Cheon-nam-seong-gwa)	Arum family Araceae Juss.
천남성속 [천남성과] (Cheon-nam-seong-sok)	Jack-in-the-pulpit <i>Arisaema Mart.</i> [Araceae]
천마 (Cheon-ma)	Cheon-ma (Tall gastrodia) <i>Gastrodia elata</i> Blume
천마속 [난초과] (Cheon-ma-sok)	Gastrodia <i>Gastrodia R.Br.</i> [Orchidaceae]
천문동 (Cheon-mun-dong)	Lucid asparagus <i>Asparagus cochinchinensis</i> (Lour.) Merr.
천선과나무 (Cheon-seon-gwa-na-mu)	Erecta fig <i>Ficus erecta</i> Thunb.
천일담배풀 (Cheon-il-dam-bae-pul)	Glossy-leaf carpesium <i>Carpesium glossophyllum</i> Maxim.
천일사초 (Cheon-il-sa-cho)	Scabrous-leaf sedge <i>Carex scabrifolia</i> Steud.
철쭉꽃 (Cheol-jjuk-kkot)	Royal azalea <i>Rhododendron schlippenbachii</i> Maxim.
청가시덩굴 (Cheong-ga-si-deong-gul)	Siebold's greenbrier <i>Smilax sieboldii</i> Miq.
청갈참나무 (Cheong-gal-cham-na-mu)	Glabrous Galcham oak (Blue-leaf white oak) <i>Quercus aliena</i> var. <i>pellucida</i> Blume
청괴불나무 (Cheong-goe-bul-na-mu)	Smooth-leaf honeysuckle <i>Lonicera subsessilis</i> Rehder
청까마귀머루 (Cheong-kka-ma-gwi-meo-ru)	Smooth mulberry-leaf grapevine <i>Vitis ficifolia</i> f. <i>glabrata</i> (Nakai) W.T.Lee
청나래고사리 (Cheong-na-rae-go-sa-ri)	Shuttlecock fern <i>Matteuccia struthiopteris</i> (L.) Tod.



Korean name (Romanization)	English name Scientific name
청나래고사리속 [면마과] (Cheong-na-rae-go-sa-ri-sok)	Ostrich fern <i>Matteuccia</i> Tod. [Dryopteridaceae]
청닭의난초 (Cheong-dak-ui-nan-cho)	Green-flower helleborine <i>Epipactis papillosa</i> Franch. & Sav.
청떡갈나무 (Cheong-tteok-gal-na-mu)	Blue Korean oak <i>Quercus dentata</i> var. <i>fallax</i> Nakai
청멍석딸기 (Cheong-meong-seok-ttal-gi)	Glabrous-leaf trailing raspberry * <i>Rubus parvifolius</i> f. <i>concolor</i> (Koidz.) Sugim.
청명아주 (Cheong-myeong-a-ju)	Rhombic-leaf goosefoot <i>Chenopodium bryoniifolium</i> Bunge
청미래덩굴 (Cheong-mi-rae-deong-gul)	East Asian greenbrier <i>Smilax china</i> L.
청미래덩굴속 [백합과] (Cheong-mi-rae-deong-gul-sok)	Catbriers, Greenbriers, Prickly-ivys, Smilaxes <i>Smilax</i> L. [Liliaceae]
청복분자딸기 (Cheong-bok-bun-ja-ttal-gi)	Glabrous-leaf Bokbunjia * <i>Rubus coreanus</i> f. <i>concolor</i> (Nakai) T.B.Lee
청분비나무 (Cheong-bun-bi-na-mu)	Green-cone Khingan fir <i>Abies nephrolepis</i> f. <i>chlorocarpa</i> E.H.Wilson
청비녀골풀 (Cheong-bi-nyeo-gol-pul)	Papillous rush <i>Juncus papillosum</i> Franch. & Sav.
청비수리 (Cheong-bi-su-ri)	Greenish juncea lespedezia <i>Lespedeza inschanica</i> (Maxim.) Schindl.
청사조 (Cheong-sa-jo)	Paniculous supplejack <i>Berchemia racemosa</i> Siebold & Zucc.
청사철란 (Cheong-sa-cheol-ran)	Spotless Schlechtendal's rattlesnake plantain <i>Goodyera schlechtendaliana</i> f. <i>similis</i> (Blume) Makino
청사초 (Cheong-sa-cho)	Short-stem sedge <i>Carex breviculmis</i> R.Br.
청수리딸기 (Cheong-su-ri-ttal-gi)	Smooth-leaf raspberry <i>Rubus corchorifolius</i> var. <i>oliveri</i> (Miq.) Focke

Korean name (Romanization)	English name Scientific name
청수크령 (Cheong-su-keu-ryeong)	Greenish foxtail fountaingrass <i>Pennisetum alopecuroides</i> var. <i>viridescens</i> (Miq.) Ohwi
청수땅나무 (Cheong-swi-ttang-na-mu)	Incertae false spiraea <i>Sorbaria sorbifolia</i> f. <i>incerta</i> (C.K.Schneid.) Kitag.
청시닥나무 (Cheong-si-dak-na-mu)	Bearded maple <i>Acer barbinerve</i> Maxim.
청실리 (Cheong-sil-ri)	Ovoid-fruit Ussurian pear <i>Pyrus ussuriensis</i> var. <i>ovoidea</i> Rehder
청오미자 (Cheong-o-mi-ja)	Green-berry magnolia vine * <i>Schisandra viridicarpa</i> Y.N.Lee
청위봉배나무 (Cheong-wi-bong-bae-na-mu)	Green Uibong wild pear <i>Pyrus pseudocalleryana</i> Uyeki
청졸갈참나무 (Cheong-jol-gal-cham-na-mu)	Glabrous Jolgalcham oak (Blue acute-serrate white oak) <i>Quercus aliena</i> var. <i>acuteserrata</i> f. <i>calvescens</i> Rehder & Wilson
청지네고사리 (Cheong-ji-ne-go-sa-ri)	Green autumn fern <i>Dryopteris erythrosora</i> f. <i>viridisora</i> (Nakai ex H.Ito) H.Ito
청포아풀 (Cheong-po-a-pul)	Greenish bluegrass <i>Poa viridula</i> Palib.
청피사초 (Cheong-pi-sa-cho)	Big male-scale sedge <i>Carex macrandrolepsis</i> H.Lév.
체꽃 (Che-kkot)	Pinnate-leaf scabious <i>Scabiosa tschiliensis</i> f. <i>pinnata</i> (Nakai) W.T.Lee
체꽃속 [산토끼꽃과] (Che-kkot-sok)	Pincushions, Scabious <i>Scabiosa</i> L. [Dipsacaceae]
초령목 (Cho-ryeong-mok)	Compressed michelia <i>Michelia compressa</i> (Maxim.) Sarg.
초령목속 [목련과] (Cho-ryeong-mok-sok)	Michelia <i>Michelia</i> L. [Magnoliaceae]
초롱꽃 (Cho-rong-kkot)	Spotted bellflower <i>Campanula punctata</i> Lam.

え

Korean name (Romanization)	English name Scientific name
초롱꽃과 (Cho-rong-kkot-gwa)	Bellflower family Campanulaceae Juss.
초롱꽃속 [초롱꽃과] (Cho-rong-kkot-sok)	Bellflower <i>Campanula</i> L. [Campanulaceae]
초종용 (Cho-jong-yong)	Skyblue broomrape <i>Orobanche coerulescens</i> Stephan
초종용속 [열당과] (Cho-jong-yong-sok)	Broomrape, Broom-rapé <i>Orobanche</i> L. [Orobanchaceae]
초평조팝나무 (Cho-pyeong-jo-pap-na-mu)	Smooth-fruit pubescent spirea <i>Spiraea pubescens</i> f. <i>leiocarps</i> (Nakai) Kitag.
초피나무 (Cho-pi-na-mu)	Cho-phi (Korean pepper) <i>Zanthoxylum piperitum</i> (L.) DC.
초피나무속 [운향과] (Cho-pi-na-mu-sok)	Prickly-ash <i>Zanthoxylum</i> L. [Rutaceae]
촛대승마 (Chot-dae-seung-ma)	Simple bugbane <i>Cimicifuga simplex</i> Wormsk. ex DC.
총전광이 (Chong-jeon-gwang-i)	Lithuania mannagrass <i>Glyceria lithuanica</i> (Gorski) Gorski
추분취 (Chu-bun-chwi)	Verticillate rhynchospermum <i>Rhynchospermum verticillatum</i> Reinw.
추분취속 [국화과] (Chu-bun-chwi-sok)	Rhynchospermum <i>Rhynchospermum</i> Reinw. [Asteraceae]
취나물속 [국화과] (Chwi-na-mul-sok)	Saussurea, Saw-wort, Snow lotus <i>Saussurea</i> DC. [Asteraceae]
취명아주 (Chwi-myeong-a-ju)	Oak-leaf goosefoot <i>Chenopodium glaucum</i> L.
측백나무 (Cheuk-baek-na-mu)	Oriental arborvita <i>Platycladus orientalis</i> (L.) Franco
측백나무속 [측백나무과] (Cheuk-baek-na-mu-sok)	Chinese arborvitae <i>Platycladus</i> Spach [Cupressaceae]
측백나무과 (Cheuk-baek-na-mu-gwa)	Cypress family Cupressaceae Gray.

Korean name (Romanization)	English name Scientific name
층꽃나무 (Cheung-kkot-na-mu)	Common bluebeard <i>Caryopteris incana</i> (Thunb. ex Houtt.) Miq.
층꽃나무속 [마편초과] (Cheung-kkot-na-mu-sok)	Bluebeard, Caryopteris <i>Caryopteris</i> Bunge [Verbenaceae]
층실사초 (Cheung-sil-sa-cho)	Minute-gibbous sedge <i>Carex remotiuscula</i> Wahlenb.
층층고란초 (Cheung-cheung-go-ran-cho)	Multi-lobe selliquea fern <i>Crypsinus veitchii</i> (Baker) Copel.
층층고랭이 (Cheung-cheung-go-raeng-i)	Strata fen-sedge <i>Cladium chinense</i> Nees
층층고랭이속 [사초과] (Cheung-cheung-go-raeng-i-sok)	Fen-sedge, Sawgrass, Twig-sedge <i>Cladium</i> P.Browne [Cyperaceae]
층층나무 (Cheung-cheung-na-mu)	Wedding cake tree <i>Cornus controversa</i> Hemsl.
층층나무과 (Cheung-cheung-na-mu-gwa)	Dogwood family Cornaceae Bercht. ex J.Presl
층층나무속 [층층나무과] (Cheung-cheung-na-mu-sok)	Dogwood <i>Cornus</i> L. [Cornaceae]
층층등굴레 (Cheung-cheung-dung-gul-re)	Narrow-leaf solomon's seal <i>Polygonatum stenophyllum</i> Maxim.
층층이꽃 (Cheung-cheung-i-kkot)	Small-flower Asian calamint <i>Clinopodium chinense</i> var. <i>parviflorum</i> (Kudô) H.Hara
층층이꽃속 [꿀풀과] (Cheung-cheung-i-kkot-sok)	Clinopodium <i>Clinopodium</i> L. [Lamiaceae]
층층잔대 (Cheung-cheung-jan-dae)	Whorled-leaf ladybell <i>Adenophora verticillata</i> Fisch.
층층장구채 (Cheung-cheung-jang-gu-chae)	Long-style catchfly <i>Silene macrostyla</i> Maxim.
칠면초 (Chil-myeon-cho)	East Asian seepweed <i>Suaeda japonica</i> Makino
칠보개물통이 (Chil-bo-gae-mul-tong-i)	Korean small-flower pellitory <i>Parietaria micrantha</i> var. <i>coreana</i> (Nakai) H.Hara

Korean name (Romanization)	English name Scientific name
칠보치마 (Chil-bo-chi-ma)	Chilbo metanarthecium <i>Metanarthecium luteoviride</i> Maxim.
칠보치마속 [백합과] (Chil-bo-chi-ma-sok)	Metanarthecium <i>Metanarthecium</i> Maxim. [Liliaceae]
칡 (Chik)	East Asian arrow root <i>Pueraria lobata</i> (Willd.) Ohwi
칡속 [콩과] (Chik-sok)	Kudzu <i>Pueraria</i> DC. [Fabaceae]

ㅋ

칼송이풀 (Kal-song-i-pul)	Acute-tip-fruit lousewort <i>Pedicularis lunaris</i> Nakai
코마로브포아풀 (Ko-ma-ro-beu-po-a-pul)	Komarov's bluegrass <i>Poa komarovii</i> Roshev.
콩과 (Kong-gwa)	Pea family Fabaceae Lindl. (= Leguminosae Juss.)
콩배나무 (Kong-bae-na-mu)	Korean sun pear <i>Pyrus calleryana</i> var. <i>fauriei</i> (C.K.Schneid.) Rehder
콩버들 (Kong-beo-deul)	Least willow <i>Salix rotundifolia</i> Trautv.
콩속 [콩과] (Kong-sok)	Soybean <i>Glycine</i> Willd. [Fabaceae]
콩제비꽃 (Kong-je-bi-kkot)	Hidden violet <i>Viola verecunda</i> A.Gray
콩짜개덩굴굴 [고란초과] (Kong-jja-gae-deong-gul-sok)	Green bean fern <i>Lemmaphyllum microphyllum</i> C.Presl
콩짜개덩굴속 [고란초과] (Kong-jja-gae-deong-gul-sok)	Lemmaphyllum <i>Lemmaphyllum</i> C.Presl [Polypodiaceae]
콩짜개란 [난초과] (Kong-jja-gae-ran)	Small-bean-like orchid <i>Bulbophyllum drymoglossum</i> Maxim. ex Ökubo
콩짜개란속 [난초과] (Kong-jja-gae-ran-sok)	Bulbophyllum <i>Bulbophyllum</i> Thouars [Orchidaceae]

Korean name (Romanization)	English name Scientific name
콩팥노루발 (Kong-pat-no-ru-bal)	Kidney-leaf wintergreen <i>Pyrola renifolia</i> Maxim.
큰가래 (Keun-ga-rae)	Floating-leaf pondweed <i>Potamogeton natans</i> L.
큰각시취 (Keun-gak-si-chwi)	East Asian saussurea <i>Saussurea japonica</i> (Thunb.) DC.
큰개고사리 (Keun-gae-go-sa-ri)	Big twinsorus fern <i>Diplazium mesosorum</i> (Makino) Koidz.
큰개관중 (Keun-gae-gwan-jung)	Leathery holly fern <i>Polystichum mayebarae</i> Tagawa
큰개미자리 (Keun-gae-mi-ja-ri)	Sticky-stem pearlwort <i>Sagina maxima</i> A.Gray
큰개별꽃 (Keun-gae-byeol-kkot)	Giant false-starwort <i>Pseudostellaria pallibiniana</i> (Takeda) Ohwi
큰개비자나무 (Keun-gae-bi-ja-na-mu)	Korean plum yew <i>Cephalotaxus harringtonia</i> (Knight) K.Koch
큰개수염 (Keun-gae-su-yeom)	Big pipewort <i>Eriocaulon hondoense</i> Satake
큰개현삼 (Keun-gae-hyeon-sam)	Mountain figwort <i>Scrophularia kakudensis</i> Franch.
큰고란초 (Keun-go-ran-cho)	Engler's selliquea fern <i>Crypsinus engleri</i> (Luerss.) Fraser-Jenk.
큰고랭이 (Keun-go-raeng-i)	Soft-stem bulrush <i>Schoenoplectus tabernaemontani</i> (C.C.Gmelin) Palla
큰고랭이속 [사초과] (Keun-go-raeng-i-sok)	Bulrush, Club-rush, Tule <i>Schoenoplectus</i> (Rchb.) Palla [Cyperaceae]
큰고양이수염 (Keun-go-yang-i-su-yeom)	Big beaksedge <i>Rhynchospora fauriei</i> Franch.
큰고추나물 (Keun-go-chu-na-mul)	Big attenuate St. Johnswort * <i>Hypericum attenuatum</i> var. <i>confertissimum</i> (Nakai) T.B.Lee
큰고추풀 (Keun-go-chu-pul)	Asian hedgehyssop <i>Gratiola japonica</i> Miq.

Korean name (Romanization)	English name Scientific name
큰고추풀속 [현삼과] (Keun-go-chu-pul-sok)	Hedgehyssop <i>Gratiola L.</i> [Scrophulariaceae]
큰괭이밥 (Keun-gwaeng-i-bap)	Large wood sorrel <i>Oxalis obtriangulata</i> Maxim.
큰괴불주마니 (Keun-goe-bul-ju-meo-ni)	Giant corydalis <i>Corydalis x gigantea</i> Trautv. & C.A.Mey.
큰구슬봉이 (Keun-gu-seul-bung-i)	Zollinger's gentian <i>Gentiana zollingeri</i> Fawc.
큰구와꼬리풀 (Keun-gu-wa-kko-ri-pul)	Large-spike speedwell <i>Veronica pyrethrina</i> Nakai
큰금매화 (Keun-geum-mae-hwa)	Long-petal globe-flower <i>Trollius macropetalus</i> (Regel) F.Schmidt
큰기름새 (Keun-gi-reum-sae)	Siberian spodiopogon <i>Spodiopogon sibiricus</i> Trin.
큰기린초 (Keun-gi-rin-cho)	Wide-leaf aizoon stonecrop <i>Sedum aizoon</i> var. <i>latifolium</i> Maxim.
큰까치수염 (Keun-kka-chi-su-yeom)	Gooseneck loosestrife <i>Lysimachia clethroides</i> Duby
큰껍질새 (Keun-kkeop-jil-sae)	Turczaninov's melic <i>Melica turczaninowiana</i> Ohwi
큰꼬리풀 (Keun-kko-ri-pul)	Large linear-leaf spike speedwell <i>Veronica linariifolia</i> var. <i>dilatata</i> (Nakai & Kitag.) Nakai & Kitag.
큰꼭두서니 (Keun-kkok-du-seo-ni)	Erect Asian madder <i>Rubia chinensis</i> Regel & Maack
큰꽃땅비싸리 (Keun-kkot-ttang-bissa-ri)	Large-flower indigo <i>Indigofera grandiflora</i> B.H.Choi & S.K.Cho
큰꽃옥잠난초 (Keun-kkot-ok-jam-nan-cho)	Large-flower widelip orchid <i>Liparis koreojaponica</i> Tsutsumi, T.Yukawa, N.S.Lee, C.S.Lee & M.Kato
큰꽃으아리 (Keun-kkot-eu-a-ri)	Big-flower clematis <i>Clematis patens</i> C.Morren & Decne.
큰꽃장대 (Keun-kkot-jang-dae)	Bristle dontostemon <i>Dontostemon hispidus</i> Maxim.

Korean name (Romanization)	English name Scientific name
큰꾸러미풀 (Keun-kku-reo-mi-pul)	Thick bluegrass <i>Poa nipponica</i> Koidz.
큰꿩의다리 (Keun-kkwong-ui-da-ri)	Long-stalk low meadow-rue <i>Thalictrum kemense</i> Franch.
큰꿩의비름 (Keun-kkwong-ui-bi-reum)	Showy stonecrop <i>Hylotelephium spectabile</i> (Bureau) H.Ohba
큰끈끈이여뀌 (Keun-kkeun-kkeun-i-yeo-kkwi)	Big sticky smartweed <i>Persicaria viscosa</i> var. <i>robusta</i> (Makino) Hiyama
큰나비나물 (Keun-na-bi-na-mul)	Large two-leaf vetch <i>Vicia unijuga</i> var. <i>ouensanensis</i> H.Lév.
큰네잎갈퀴 (Keun-ne-ip-gal-kwi)	Northern meadow vetch <i>Vicia venosa</i> var. <i>albiflora</i> (Turcz.) Maxim.
큰는쟁이냉이 (Keun-neun-jaeng-i-naeng-i)	Large Komarov's bittercress <i>Cardamine komarovii</i> f. <i>macrophylla</i> (T.H.Chung) W.T.Lee
큰달뿌리풀 (Keun-dal-ppu-ri-pul)	Tall reed <i>Phragmites karka</i> (Retz.) Trin. ex Steud.
큰닭의장풀 (Keun-dak-ui-jang-pul)	Garden Asian dayflower <i>Commelina communis</i> var. <i>hortensis</i> Makino
큰도둑놈의갈고리 (Keun-do-duknom-ui-gal-go-ri)	Oldham's tick clover <i>Desmodium oldhamii</i> Oliv.
큰돌단풍 (Keun-dol-dan-pung)	Multilobe mukdenia <i>Mukdenia rossii</i> f. <i>multiloba</i> (Nakai) W.T.Lee
큰두루미꽃 (Keun-du-du-mi-kkot)	False lily of the valley <i>Maianthemum dilatatum</i> (A.W.Wood) A.Nelson & J.F.Macbr.
큰듬성이삭새 (Keun-deum-seong-i-sak-sae)	Loose spike browntop <i>Microstegium vimineum</i> var. <i>polystachyum</i> (Franch. & Sav.) Ohwi
큰등갈퀴 (Keun-deung-gal-kwi)	Large-leaf vetch <i>Vicia pseudoorobus</i> Fisch. & C.A.Mey.
큰뚝사초 (Keun-ttuk-sa-cho)	Humbert's sedge <i>Carex humbertiana</i> Ohwi
큰마름 (Keun-ma-reum)	Two-spin water-chestnut <i>Trapa bispinosa</i> Roxb.

Korean name (Romanization)	English name Scientific name
큰매자기 (Keun-mae-ja-gi)	River bulrush <i>Scirpus fluviatilis</i> (Torr.) Sojak
큰메꽃 (Keun-me-kkot)	Wild morning glory <i>Calystegia sepium</i> (L.) R.Br.
큰물개구리밥 (Keun-mul-gae-gu-ri-bap)	Pacific mosquitofern <i>Azolla japonica</i> Franch. et Sav.
큰물사갓사초 (Keun-mul-sa-gat-sa-cho)	Beak sedge <i>Carex rostrata</i> Stokes
큰물칭개나물 (Keun-mul-ching-gae-na-mul)	Blue water speedwell <i>Veronica anagallis-aquatica</i> L.
큰물통이 (Keun-mul-tong-i)	Large clearweed <i>Pilea hamaoi</i> Makino
큰바늘꽃 (Keun-ba-neul-kkot)	Great hairy willowherb <i>Epilobium hirsutum</i> L.
큰반쪽고사리 (Keun-ban-jjok-go-sa-ri)	Big unequal-lobe brake fern <i>Pteris semipinnata</i> L.
큰방울새란 (Keun-bang-ul-sae-ran)	Asian pogonia <i>Pogonia japonica</i> Rchb.f.
큰뱀무 (Keun-baem-mu)	Yellow avens <i>Geum aleppicum</i> Jacq.
큰벼룩아재비 (Keun-byeo-ruk-a-jae-bi)	Pygmy mitrewort <i>Mitrasacme pygmaea</i> R.Br.
큰별꽃 (Keun-byeol-kkot)	Woodland chickweed <i>Stellaria bungeana</i> Fenzl
큰보리장나무 (Keun-bo-ri-jang-na-mu)	Hybrid broad-leaf olive <i>Elaeagnus × submacrophylla</i> Servett.
큰봉의꼬리 (Keun-bong-ui-kko-ri)	Cretan brake fern <i>Pteris cretica</i> L.
큰비노리 (Keun-bi-no-ri)	Indian lovegrass <i>Eragrostis pilosa</i> (L.) P.Beauv.
큰비단분추 (Keun-bi-dan-bun-chwi)	Large Komarov's saussurea * <i>Saussurea komaroviana</i> var. <i>macrophylla</i> Chung

Korean name (Romanization)	English name Scientific name
큰비비추 (Keun-bi-bi-chu)	Siebold's hosta <i>Hosta sieboldiana</i> (Hook.) Engl.
큰비쑥 (Keun-bi-ssuk)	Asian coastal wormwood <i>Artemisia fukudo</i> Makino
큰산꼬리풀 (Keun-san-kkong-ri-pul)	Smooth-leaf spike speedwell <i>Veronica kiusiana</i> var. <i>glabrifolia</i> (Kitag.) Kitag.
큰산꿩의다리 (Keun-san-kkhwong-ui-da-ri)	Filamentous meadow-rue <i>Thalictrum filamentosum</i> Maxim.
큰산벼들 (Keun-san-beo-deul)	Gray willow <i>Salix sericeo-cinerea</i> Nakai
큰산사초 (Keun-san-sa-cho)	Mackenzie's sedge <i>Carex mackenziei</i> V.I.Krecz.
큰산송이풀 (Keun-san-song-i-pul)	Big-flower alpine lousewort <i>Pedicularis apodochila</i> Maxim.
큰산좁쌀풀 (Keun-san-jop-ssal-pul)	Long-glandular eyebright <i>Euphrasia hirtella</i> Jord.
큰새포아풀 (Keun-sae-po-a-pul)	Rough bluegrass <i>Poa trivialis</i> L.
큰섬잔고사리 (Keun-seom-jan-go-sa-ri)	Large Jejudo twinsorus fern <i>Diplazium nipponicum</i> Tagawa
큰세잎주손이 (Keun-se-ip-jwi-son-i)	Giant cranesbill <i>Geranium knuthii</i> Nakai
큰속단 (Keun-sok-dan)	Maximowicz's Jerusalem sage <i>Phlomis maximowiczii</i> Regel
큰손고비 (Keun-son-go-bi)	Decurrent colysis fern <i>Colysis decurrens</i> (Wall.) C.Presl
큰솔나리 (Keun-sol-na-ri)	Fine-leaf lily <i>Lilium pumilum</i> Delile
큰송이풀 (Keun-song-i-pul)	Big-flower lousewort <i>Pedicularis grandiflora</i> Fisch.

Korean name (Romanization)	English name Scientific name
큰쇠고사리 (Keun-soe-go-sa-ri)	Big-caudate hollyfern <i>Arachniodes caudata</i> (Tagawa) Ching
큰수리취 (Keun-su-ri-chwi)	Large deltoid synurus <i>Synurus excelsus</i> (Makino) Kitam.
큰십자고사리 (Keun-sip-ja-go-sa-ri)	Big cross holly fern <i>Polystichum tripteron</i> f. <i>subpinnatum</i> H.Ito
큰쐐기풀 (Keun-sswae-gi-pul)	Cuspidate girardinia <i>Girardinia cuspidata</i> Wedd.
큰쐐기풀속 [쐐기풀과] (Keun-sswae-gi-pul-sok)	Girardinia <i>Girardinia</i> Gaudich. [Urticaceae]
큰애기나리 (Keun-ae-gi-na-ri)	Green fairybell <i>Disporum viridescens</i> (Maxim.) Nakai
큰앵초 (Keun-aeng-cho)	Yalu river primrose <i>Primula jesoana</i> Miq.
큰엉겅퀴 (Keun-eong-geong-kwi)	Pendulate thistle <i>Cirsium pendulum</i> Fisch. ex DC.
큰여우콩 (Keun-yeo-u-kong)	Acuminate-leaf snoutbean <i>Rhynchosia acuminatifolia</i> Makino
큰연영초 (Keun-yeon-yeong-cho)	Pointed-petal trillium <i>Trillium tschonoskii</i> Maxim.
큰오이풀 (Keun-o-i-pul)	White burnet <i>Sanguisorba stipulata</i> Raf.
큰옥매듭풀 (Keun-ok-mae-deup-pul)	Narrow-leaf knotweed <i>Polygonum bellardii</i> All.
큰우단일엽 (Keun-u-dan-il-yeop)	Single-leaf felt fern <i>Pyrrosia x nipponica</i> M.Beppu & Seriz.
큰원추리 (Keun-won-chu-ri)	Amur daylily <i>Hemerocallis middendorffii</i> Trautv. & C.A.Mey.
큰잎갈퀴 (Keun-ip-gal-kwi)	Dahurian bedstraw <i>Galium dahuricum</i> Turcz. ex Ledeb.
큰잎부들 (Keun-ip-bu-deul)	Broad-leaf cattail <i>Typha latifolia</i> L.

Korean name (Romanization)	English name Scientific name
큰잎쓴풀 (Keun-ip-sseun-pul)	Large tetrapetal swertia <i>Swertia wilfordii</i> (A.Kern.) Kom.
큰장대 (Keun-jang-dae)	Hairy-sepal clausia <i>Clausia trichosepala</i> (Turcz.) F.Dvorák
큰장대속 [십자화과] (Keun-jang-dae-sok)	Clausia <i>Clausia</i> Korn.-Trotzky ex Hayek [Brassicaceae]
큰절굿대 (Keun-jeol-gut-dae)	Broad-leaf globe thistle <i>Echinops latifolius</i> Tausch
큰점나도나물 (Keun-jeom-na-do-na-mul)	Fischer's mouse-ear chickweed <i>Cerastium fischerianum</i> Ser.
큰제비고깔 (Keun-je-bi-go-kkal)	Maack's larkspur <i>Delphinium maackianum</i> Regel
큰제비란 (Keun-je-bi-ran)	Big Asian platanthera <i>Platanthera sachalinensis</i> F.Schmidt
큰조롱 (Keun-jo-rong)	Wilford's swallow-wort <i>Cynanchum wilfordii</i> (Maxim.) Hemsl.
큰조뱅이 (Keun-jo-baeng-i)	Big brea <i>Breea setosa</i> (Willd.) Kitam.
큰족제비고사리 (Keun-jok-je-bi-go-sa-ri)	Big buckler fern <i>Dryopteris pacifica</i> (Nakai) Tagawa
큰줄방제비꽃 (Keun-jol-bang-je-bi-kkot)	Northern long-stem violet <i>Viola kusanoana</i> Makino
큰쥐꼬리새 (Keun-jwi-kko-ri-sae)	Big muhly <i>Muhlenbergia huegelii</i> Trin.
큰지네고사리 (Keun-ji-ne-go-sa-ri)	Big autumn fern <i>Dryopteris fuscipes</i> C.Chr.
큰진고사리 (Keun-jin-go-sa-ri)	Large false spleenwort <i>Deparia dimorphophylla</i> (Koidz.) M.Kato
큰참나물 (Keun-cham-na-mul)	Big springparsley <i>Cymopterus melanotilingia</i> (H.Boissieu) C.Y.Yoon
큰참나물속 [산형과] (Keun-cham-na-mul-sok)	Springparsley <i>Cymopterus</i> Raf. [Apiaceae]

Korean name (Romanization)	English name Scientific name
큰처녀고사리 (Keun-cheo-nyeo-go-sa-ri)	Queen's-veil maiden-fern <i>Lastrea quelpaertensis</i> (Christ) Copel
큰처녀고사리속 [면마과] (Keun-cheo-nyeo-go-sa-ri-sok)	Lastrea <i>Lastrea</i> Bory [Dryopteridaceae]
큰천남성 (Keun-cheon-nam-seong)	Ringen's jack-in-the-pulpit <i>Arisaema ringens</i> (Thunb.) Schott
큰천일사초 (Keun-cheon-il-sa-cho)	Thick-nerve sedge <i>Carex rugulosa</i> Kük.
큰터리풀 (Keun-teo-ri-pul)	Giant meadowsweet <i>Filipendula camtschatica</i> (Pall.) Maxim.
큰톱니나자스말 (Keun-top-ni-na-ja-seu-mal)	Serrate-leaf water-nymph <i>Najas oguraensis</i> Miki
큰톱지네고사리 (Keun-top-ji-ne-go-sa-ri)	Big shaggy shield fern <i>Dryopteris dickinsii</i> (Franch. & Sav.) C.Chr.
큰톱풀 (Keun-top-pul)	Acute-leaf sneezewort yarrow <i>Achillea ptarmica</i> var. <i>acuminata</i> (Ledeb.) Heim.
큰피막이 (Keun-pi-mak-i)	Long-pedicel pennywort <i>Hydrocotyle ramiflora</i> Maxim.
큰피막이풀 (Keun-pi-mak-i-pul)	Nepal pennywort <i>Hydrocotyle nepalensis</i> Hook.
큰하늘나리 (Keun-ha-neul-na-ri)	Big-flower morning-star lily <i>Lilium concolor</i> var. <i>megalanthum</i> Wang & Tang
큰하늘지기 (Keun-ha-neul-ji-gi)	Long-spike fimbriстиlyis <i>Fimbristylis longispica</i> Steud.
큰홍지네고사리 (Keun-hong-ji-ne-go-sa-ri)	Larger red autumn fern <i>Dryopteris hondoensis</i> Koidz.
큰황새냉이 (Keun-hwang-sae-naeng-i)	Big-flower bittercress <i>Cardamine scutata</i> Thunb.
큰황새풀 (Keun-hwang-sae-pul)	Broad-leaf cottonsedge <i>Eriophorum latifolium</i> Hoppe
키다리난초 (Ki-da-ri-nan-cho)	Tall widelip orchid <i>Liparis japonica</i> (Miq.) Maxim.

Korean name (Romanization)	English name Scientific name
키다리바꽃 (Ki-da-ri-ba-kkot)	Curve monk'shood <i>Aconitum arciatum Maxim.</i>
키다리처녀고사리 (Ki-da-ri-cheo-nyeo-go-sa-ri)	Tall marsh fern <i>Parathelypteris nipponica</i> (Franch. & Sav.) Ching
키벼들 (Ki-beo-deul)	Winnow willow <i>Salix koriyanagi</i> Kimura
키큰꿩의비름 (Ki-keun-kkwong-ui-bi-reum)	Tall stonecrop <i>Hylotelephium pallescens</i> (Freyn) H.Ohba
키큰산국 (Ki-keun-san-guk)	Linear-leaf leucantheme <i>Leucanthemella linearis</i> (Matsum.) Tzvelev
키큰산국속 [국화과] (Ki-keun-san-guk-sok)	Leucanthemella <i>Leucanthemella</i> Tzvelev [Asteraceae]

E

타래난초 (Ta-rae-nan-cho)	Ladies' tresse <i>Spiranthes sinensis</i> (Pers.) Ames
타래난초속 [난초과] (Ta-rae-nan-cho-sok)	Ladies tresses, Ladies'-tresses, Lady's tresses <i>Spiranthes</i> Rich. [Orchidaceae]
타래붓꽃 (Ta-rae-but-kkot)	Winding-leaf iris <i>Iris lactea</i> Pall.
타래사초 (Ta-rae-sa-cho)	Maack's sedge <i>Carex maackii</i> Maxim.
탐라난 (Tam-ra-nan)	Tam-ra gastrochilus <i>Gastrochilus japonicus</i> (Makino) Schltr.
탐라민바랭이 (Tam-ra-min-ba-raeng-i)	Jeju violet crabgrass <i>Digitaria violascens</i> var. <i>lasiophylla</i> (Honda) Tuyama
탐라반쪽고사리 (Tam-ra-ban-jjok-go-sa-ri)	Jejudo unequal-lobe brake fern <i>Pteris excelsa</i> var. <i>fauriei</i> (Christ) W.C.Shih
탐라별고사리 (Tam-ra-byeol-go-sa-ri)	Downy shield-fern <i>Cyclosorus dentatus</i> (Forssk.) Ching
탐라사다리고사리 (Tam-ra-sa-da-ri-go-sa-ri)	Narrow gland fern <i>Parathelypteris angustifrons</i> (Miq.) Ching

E

Korean name (Romanization)	English name Scientific name
탐라산수국 (Tam-ra-san-su-guk)	Jejudo hydrangea <i>Hydrangea serrata f. fertilis</i> Nakai
탐라진고사리 (Tam-ra-jin-go-sa-ri)	Petersen's false spleenwort <i>Deparia petersenii</i> (Kunze) M.Kato
탐라풀 (Tam-ra-pul)	Tam-ra starviolet <i>Hedyotis lindleyana</i> var. <i>hirsuta</i> (L.f.) H.Hara
탐라현호색 (Tam-ra-hyeon-ho-saek)	Hallasan corydalis <i>Corydalis hallaisanensis</i> H.Lév.
탑꽃 (Tap-kkot)	Many-stem wild calamint <i>Clinopodium gracile</i> var. <i>multicaule</i> (Maxim.) Ohwi
태백기린초 (Tae-baek-gi-rin-cho)	Taebaek stonecrop <i>Sedum latiovalifolium</i> Y.N.Lee
태백이질풀 (Tae-baek-i-jil-pul)	Taebaek cranesbill <i>Geranium taebaekensis</i> S.J.Park & Y.S.Kim
태백제비꽃 (Tae-baek-je-bi-kkot)	Taebaek violet <i>Viola albida</i> Palib.
태백취 (Tae-baek-chwi)	Big-head saussurea <i>Saussurea grandicapitula</i> W.Lee et H.T.Im
태안원추리 (Tae-an-won-chu-ri)	Taean daylily <i>Hemerocallis taeanensis</i> S.S.Kang & M.G.Chung
택사 (Taek-sa)	Channelled water plantain <i>Alisma canaliculatum</i> A.Braun & C.D.Bouché
택사과 (Taek-sa-gwa)	Water-plantain family Alismataceae Vent.
택사속 [택사과] (Taek-sa-sok)	Water plantain <i>Alisma L.</i> [Alismataceae]
터리풀 (Teo-ri-pul)	Korean meadowsweet <i>Filipendula glaberrima</i> Nakai
터리풀속 [장미과] (Teo-ri-pul-sok)	Meadowsweet <i>Filipendula</i> Mill. [Rosaceae]
털가문비나무 (Teol-ga-mun-bi-na-mu)	Hairy Pungsan spruce <i>Picea pungsanensis</i> var. <i>intercedens</i> (Nakai) T.B.Lee

Korean name (Romanization)	English name Scientific name
털가침박달 (Teol-ga-chim-bak-dal)	Hairy Korean pearl bush <i>Exochorda serratifolia</i> var. <i>oligantha</i> Nakai
털갈매나무 (Teol-gal-mae-na-mu)	Korean buckthorn <i>Rhamnus koraiensis</i> C.K.Schneid.
털개관종 (Teol-gae-gwan-jung)	Hairy holly fern <i>Polystichum fibriloso-paleaceum</i> (Kodama) Tagawa
털개구리미나리 (Teol-gae-gu-ri-mi-na-ri)	Canton buttercup <i>Ranunculus cantoniensis</i> DC.
털개머루 (Teol-gae-meo-ru)	Hairy porcelainberry <i>Ampelopsis brevipedunculata</i> f. <i>ciliata</i> (Nakai) T.B.Lee
털개밀 (Teol-gae-mil)	Hairy wheatgrass <i>Elymus gmelinii</i> (Lebed.) Tzvelev
털개벗나무 (Teol-gae-beot-na-mu)	Pilose Korean hill cherry * <i>Prunus leveilleana</i> var. <i>pilosa</i> Nakai
털개살구 (Teol-gae-sal-gu)	Hairy Manchurian cherry <i>Prunus mandshurica</i> f. <i>barbinervis</i> (Nakai) W.T.Lee
털개억새 (Teol-gae-eok-sae)	Four-nerve eulalia <i>Eulalia quadrinervis</i> (Hack.) Kuntze
털개회나무 (Teol-gae-hoe-na-mu)	Miss Kim lilac <i>Syringa patula</i> (Palib.) Nakai
털갓완두 (Teol-gaet-wan-du)	Hairy beach vetchling <i>Lathyrus japonicus</i> var. <i>aleuticus</i> (T.G.White) Fernald
털계요등 (Teol-gye-yo-deung)	Hairy skunk vine <i>Paederia scandens</i> var. <i>velutina</i> (Nakai) Nakai
털고광나무 (Teol-go-gwang-na-mu)	Jack's mock orange <i>Philadelphus schrenkii</i> var. <i>jackii</i> Koehne
털고로쇠나무 (Teol-go-ro-soe-na-mu)	Yellow-paint maple <i>Acer pictum</i> Thunb.
털고사리 (Teol-go-sa-ri)	Tapping glade fern <i>Deparia pycnosora</i> (Christ) M.Kato
털괭이눈 (Teol-gwaeng-i-nun)	Hairy golden saxifrage <i>Chrysosplenium pilosum</i> Maxim.



Korean name (Romanization)	English name Scientific name
털괴불나무 (Teol-goe-bul-na-mu)	Bristle honeysuckle <i>Lonicera subhispida</i> Nakai
털굴피나무 (Teol-gul-pi-na-mu)	Hairy cone-fruit platycarya <i>Platycarya strobilacea</i> f. <i>coreana</i> (Miq.) W.T.Lee
털기름나물 (Teol-gi-reum-na-mul)	Korean libanotis <i>Libanotis coreana</i> (H.Wolff) Kitag.
털기름나물속 [산형과] (Teol-gi-reum-na-mul-sok)	Libanotis <i>Libanotis</i> Haller ex Zinn [Apiaceae]
털기린초 (Teol-gi-rin-cho)	Amur stonecrop <i>Sedum selskianum</i> Regel & Maack
털긴잎갈퀴 (Teol-gin-ip-gal-kwi)	Northern Korean bedstraw <i>Gallium boreale</i> var. <i>koreanicum</i> Nakai
털긴잎모시풀 (Teol-gin-ip-mo-si-pul)	Hairy long-leaf false-nettle <i>Boehmeria hirtella</i> Satake
털긴잎제비꽃 (Teol-gin-ip-je-bi-kkot)	Hairy long-leaf violet <i>Viola ovato-oblonga</i> f. <i>pubescens</i> F.Maek.
털긴잎조팝나무 (Teol-gin-ip-jo-pap-na-mu)	Silky oriental spirea <i>Spiraea media</i> var. <i>sericea</i> (Turcz.) Maxim.
털꼬리풀 (Teol-kko-ri-pul)	Hairy linear-leaf spike speedwell <i>*Veronica linariifolia</i> var. <i>villosula</i> (Nakai) T.B.Lee
털꽃개화나무 (Teol-kkot-gae-hoe-na-mu)	Wolf's lilac <i>Syringa wolfii</i> var. <i>hirsuta</i> (C.K.Schneid.) Rehder
털꽃다지 (Teol-kkot-da-ji)	Hairy whitlow-grass <i>Draba nipponica</i> Makino
털나도댑싸리 (Teol-na-do-daep-ssa-ri)	Korean pigweed <i>Axyris koreana</i> Nakai
털나도황기 (Teol-na-do-hwang-gi)	Hairy vetch-like sweetvetch <i>Hedysarum vicioides</i> f. <i>pilosum</i> (Ohwi) Kitag.
털낚시제비꽃 (Teol-nak-si-je-bi-kkot)	Hairy creeping violet <i>Viola grypoceras</i> var. <i>pubescens</i> Nakai

Korean name (Romanization)	English name Scientific name
털넓은잎꼬리풀 (Teol-neol-beun-ip-kko-ri-pul)	Villous spike speedwell <i>Veronica kiusiana</i> var. <i>villosa</i> Yamaz.
털네잎갈퀴 (Teol-ne-ip-gal-kwi)	Bristled-fruit bedstraw <i>Galium trachyspermum</i> f. <i>hispidum</i> (Matsuda) Ohwi
털노랑제비꽃 (Teol-no-rang-je-bi-kkot)	Hairy-yellow violet <i>Viola brevistipulata</i> var. <i>minor</i> Nakai
털노박덩굴 (Teol-no-bak-deong-gul)	Hairy oriental bittersweet <i>Celastrus stephanotifolius</i> (Makino) Makino
털누리장나무 (Teol-nu-ri-jang-na-mu)	Hairy harlequin glorybower <i>Clerodendrum trichotomum</i> var. <i>ferrugineum</i> Nakai
털다래 (Teol-da-rae)	Hairy hardy kiwi <i>Actinidia arguta</i> var. <i>platyphylla</i> (A.Gray) Nakai
털대사초 (Teol-dae-sa-cho)	Hairy creeping broad-leaf sedge <i>Carex ciliatormarginata</i> Nakai
털댕강나무 (Teol-daeng-gang-na-mu)	Pedunculate abelia <i>Abelia dielsii</i> (Graebn.) Rehder
털도깨비바늘 (Teol-do-kkae-bi-ba-neul)	Yellow-flower spanish needle <i>Bidens biternata</i> (Lour.) Merr. & Sherff ex Sherff
털동자꽃 (Teol-dong-ja-kkot)	Brilliant campion <i>Lychnis fulgens</i> Fisch. ex Spreng.
털두메자운 (Teol-du-me-ja-un)	Racemous locoweed <i>Oxytropis racemosa</i> Turcz.
털둥근갈퀴 (Teol-dung-geun-gal-kwi)	Kamchatka bedstraw <i>Galium kamtschaticum</i> Steller ex Roem. & Schult.
털둥근이질풀 (Teol-dung-geun-i-jil-pul)	Hairy Korean cranesbill <i>Geranium koreanum</i> var. <i>hirsutum</i> Nakai
털딱지꽃 (Teol-ttak-ji-kkot)	Hairy East Asian cinquefoil <i>Potentilla chinensis</i> var. <i>concolor</i> Franch. & Sav.
털딱총나무 (Teol-ttak-chong-na-mu)	Woolly-fruit red elder * <i>Sambucus sieboldiana</i> var. <i>miquelii</i> f. <i>lasiocarpa</i> T.B.Lee
털마삭줄 (Teol-ma-sak-jul)	Hairy-star jasmine <i>Trachelospermum jasminoides</i> var. <i>pubescens</i> Makino

Korean name (Romanization)	English name Scientific name
털만주고로쇠 (Teol-man-ju-go-ro-soe)	Hairy Manchurian paint maple <i>Acer truncatum</i> var. <i>barbinerve</i> (Nakai) T.B.Lee
털만주송이풀 (Teol-man-ju-song-i-pul)	Hairy Manchurian lousewort <i>Pedicularis mandshurica</i> var. <i>coreana</i> (Bonati) Hurus.
털만주오리나무 (Teol-man-ju-o-ri-na-mu)	Hairy Northeast Asian alder <i>Alnus mandshurica</i> f. <i>pubescens</i> (Nakai) Kitag.
털말발도리 (Teol-mal-bal-do-ri)	Hairy Mongolian deutzia <i>Deutzia parviflora</i> var. <i>amurensis</i> Regel
털매자 (Teol-mae-ja)	Hairy mountain blueberry <i>Vaccinium japonicum</i> var. <i>ciliaris</i> (Matsum.) Nakai
털머위 (Teol-meo-wi)	Leopard plant <i>Farfugium japonicum</i> (L.) Kitam.
털머위속 [국화과] (Teol-meo-wi-sok)	Farfugium <i>Farfugium</i> Lindl. [Asteraceae]
털며느리밥풀 (Teol-myeo-neu-ri-bap-pul)	Hairy-bract cow-wheat <i>Melampyrum roseum</i> var. <i>hirsutum</i> Beauverd
털미꾸리낚시 (Teol-mi-kku-ri-nak-si)	Hairy Siebold's smartweed <i>Persicaria sieboldii</i> var. <i>sericea</i> Nakai ex T.B.Lee
털민들레 (Teol-min-deul-re)	Mongolian dandelion <i>Taraxacum mongolicum</i> Hand.-Mazz.
털바위떡풀 (Teol-ba-wi-tteok-pul)	Long-hair rockfoil <i>Saxifraga fortunei</i> var. <i>pilosissima</i> Nakai
털박쥐나물 (Teol-bak-jwi-na-mul)	Spearhead Indian plantain <i>Parasenecio hastatus</i> (L.) H.Koyama
털박하 (Teol-bak-ha)	Bearded wildmint <i>Mentha arvensis</i> var. <i>barbata</i> (Nakai) W.T.Lee
털백당나무 (Teol-baek-dang-na-mu)	Hairy-cranberrybush viburnum * <i>Viburnum opulus</i> f. <i>puberulum</i> (Kom.) Sugim.
털백선 (Teol-baek-seon)	Hairy-leaf dense-fruit dittany <i>Dictamnus dasycarpus</i> f. <i>velutinus</i> (Nakai) W.T.Lee
털백작약 (Teol-baek-jak-yak)	Hairy woodland peony <i>Paeonia japonica</i> var. <i>pillosa</i> Nakai

Korean name (Romanization)	English name Scientific name
틸별고사리 (Teol-byeo-l-go-sa-ri)	Parasitic maiden fern <i>Cyclosorus parasiticus</i> (L.) Farw.
틸복주머니란 (Teol-bok-ju-meo-ni-ran)	Spotted lady's slipper <i>Cypripedium guttatum</i> Sw.
틸부처꽃 (Teol-bu-cheo-kkot)	Hairy purple loosestrife <i>Lythrum salicaria</i> L.
틸분취 (Teol-bun-chwi)	Nangrimsan saussurea <i>Saussurea rorinsanensis</i> Nakai
틸비늘고사리 (Teol-bi-neul-go-sa-ri)	Asian hairy-scale hollyfern <i>Arachniodes mutica</i> (Franch. et Sav.) Ohwi
틸비속 (Teol-bi-ssuk)	Hairy virgate wormwood <i>Artemisia scoparia</i> f. <i>villosa</i> Korsh.
틸사시나무 (Teol-sa-si-na-mu)	Hairy Korean aspen <i>Populus davidiana</i> f. <i>tomentella</i> (Schneid.) W.T.Lee
틸사철란 (Teol-sa-cheol-ran)	Velutinous rattlesnake plantain <i>Goodyera velutina</i> Maxim. ex Regel
틸사초 (Teol-sa-cho)	Pilose-leaf sedge <i>Carex pilosa</i> Scop.
틸산개나리 (Teol-san-gae-na-ri)	Pilose rocky forsythia <i>Forsythia saxatilis</i> var. <i>pilosa</i> S.T.Lee
틸산고사리 (Teol-san-go-sa-ri)	Northern tall marsh fern <i>Parathelypteris nipponica</i> var. <i>borealis</i> (H.Hara) Nakaike
틸산고불나무 (Teol-san-goe-bul-na-mu)	Hairy chrysanthia honeysuckle <i>Lonicera chrysanthia</i> f. <i>villoa</i> Rehder
틸산돌배 (Teol-san-dol-bae)	Hairy-leaf Ussurian pear <i>*Pyrus ussuriensis</i> var. <i>pubescens</i> Nakai ex Kawamoto
틸산박하 (Teol-san-bak-ha)	Hairy-leaf mountain isodon <i>Isodon inflexus</i> var. <i>canescens</i> (Nakai) Kudo
틸산사 (Teol-san-sa)	Hairy Korean hawthorn <i>Crataegus pinnatifida</i> f. <i>pilosa</i> (C.K.Schneid.) Kitag.
틸산쑥 (Teol-san-ssuk)	Hairy Freyn's wormwood <i>Artemisia freyniana</i> f. <i>discolor</i> (Kom.) Kitag.

Korean name (Romanization)	English name Scientific name
털상동나무 (Teol-sang-dong-na-mu)	Hairy mock buckthorn <i>Sageretia theezans</i> f. <i>tomentosa</i> (C.K.Schneid.) H.Hara
털새 (Teol-sae)	Hairy arundinella <i>Arundinella hirta</i> (Thunb.) Tanaka
털새모래덩굴 (Teol-sae-mo-rae-deong-gul)	Hairy Asian moonseed <i>Menispermum dauricum</i> f. <i>pilosum</i> (C.K.Schneid.) Kitag.
털새속 [벼과] (Teol-sae-sok)	Arundinella <i>Arundinella</i> Raddi [Poaceae]
털석잠풀 (Teol-seok-jam-pul)	Bristle woundwort <i>Stachys japonica</i> var. <i>villosa</i> (Kudô) Ohwi
털선이질풀 (Teol-seon-i-jil-pul)	Downward-hair cranesbill <i>Geranium krameri</i> f. <i>adpressipilosum</i> (H.Hara) H.Hara
털솔나물 (Teol-sol-na-mul)	Hairy-fruit yellow bedstraw <i>Galium verum</i> var. <i>trachycarpum</i> DC.
털쇠무름 (Teol-soe-mu-reup)	Ruderale chaff flower <i>Achyranthes fauriei</i> H.Lév. & Vaniot
털숲고사리 (Teol-sup-go-sa-ri)	Hairy horn fern <i>Cornopteris decurrenti-alata</i> var. <i>pilosella</i> H.Ito
털쉽싸리 (Teol-swipssa-ri)	Northern bugleweed <i>Lycopus uniflorus</i> Michx.
털시베리아살구 (Teol-si-be-ri-a-sal-gu)	Hairy Siberian cherry <i>Prunus sibirica</i> var. <i>pubescens</i> (Kostina) Kitag.
털실부추 (Teol-sil-bu-chu)	Hairy thread-leaf chive <i>Allium anisopodium</i> var. <i>zimmermannianum</i> (Gilg) F.T.Wang & T.Tang
털싱아 (Teol-sing-a)	Hairy knotweed <i>Aconogonon brachytrichum</i> (Ohwi) Soják
털싸리 (Teol-ssa-ri)	Silky-hair shrub lespedeza <i>Lespedeza bicolor</i> var. <i>sericea</i> Nakai
털싸리냉이 (Teol-ssa-ri-naeng-i)	Woolly narrow-leaf bittercress <i>Cardamine impatiens</i> var. <i>eriocarpa</i> DC.

Korean name (Romanization)	English name Scientific name
털쌍잎난초 (Teol-ssang-ip-nan-cho)	Hairy twin-leaf twayblade <i>Neottia nipponica</i> (Makino) Szlach.
털씨범꼬리 (Teol-ssi-beom-kko-ri)	Hairy alpine bistort <i>Bistorta vivipara</i> f. <i>roessleri</i> (G.B.Mannageta) Kitag.
털야광나무 (Teol-ya-gwang-na-mu)	Hairy Siberian crabapple <i>Malus baccata</i> var. <i>mandshurica</i> (Maxim.) C.K.Schneid.
털연리초 (Teol-yeon-ri-cho)	Hairy-marsh vetchling <i>Lathyrus palustris</i> subsp. <i>pilosus</i> (Cham.) Hultén
털오갈피나무 (Teol-o-gal-pi-na-mu)	Spreading-hair eleuthero <i>Eleutherococcus divaricatus</i> (Siebold & Zucc.) S.Y.Hu
털오리나무 (Teol-o-ri-na-mu)	Hairy East Asian alder <i>Alnus japonica</i> var. <i>koreana</i> Callier
털왕버들 (Teol-wang-beo-deul)	Pilose giant-pussy willow <i>Salix chaenomeloides</i> var. <i>pilosa</i> (Nakai) Kimura
털용가시 (Teol-yong-ga-si)	Hairy Maximowicz's rose <i>Rosa maximowicziana</i> var. <i>pilosa</i> (Nakai) Nakai
털윤노리나무 (Teol-yun-no-ri-na-mu)	Hairy oriental photinia <i>Pourthiaeavillosa</i> var. <i>zollingeri</i> (Decne.) C.K.Schneid.
털음나무 (Teol-eum-na-mu)	Hairy prickly castor oil tree <i>Kalopanax septemlobus</i> var. <i>magnificus</i> (Zabel) Hand.-Mazz.
털이스라지 (Teol-i-seu-ra-ji)	Hairy oriental bush cherry <i>Prunus japonica</i> f. <i>rufinervis</i> (Nakai) T.B.Lee
털이슬 (Teol-i-seul)	South enchanter's nightshade <i>Circaeaa mollis</i> Siebold & Zucc.
털이슬속 [바늘꽃과] (Teol-i-seul-sok)	Enchanter's nightshade <i>Circaeaa L.</i> [Onagraceae]
털인가목조팝나무 (Teol-in-ga-mok-jo-pap-na-mu)	Pilose elm-leaf spirea <i>Spiraea chamaedryfolia</i> var. <i>pilosa</i> (Nakai) H.Hara
털인동 (Teol-in-dong)	Hairy golden-and-silver honeysuckle <i>Lonicera japonica</i> var. <i>repens</i> (Siebold) Rehder
털잎사초 (Teol-ip-sa-cho)	Woolly-leaf sedge <i>Carex latisquamea</i> Kom.

Korean name (Romanization)	English name Scientific name
털잎솔나물 (Teol-ip-sol-na-mul)	Hairy-leaf yellow bedstraw <i>Galium verum</i> var. <i>trachyphyllum</i> Wallr.
털잎하늘자기 (Teol-ip-ha-neul-ji-gi)	Silky-hair fimbriстиlis <i>Fimbristylis sericea</i> (Poir.) R.Br.
털잔대 (Teol-jan-dae)	Hairy whorled-leaf ladybell <i>Adenophora verticillata</i> var. <i>hirsuta</i> F.Schmidt
털잡이제비꽃 (Teol-jap-i-je-bi-kkot)	Hairy butterwort <i>Pinguicula villosa</i> L.
털장구채 (Teol-jang-gu-chae)	Hairy catchfly <i>Silene firma</i> f. <i>pubescens</i> (Makino) Makino
털장대 (Teol-jang-dae)	Hairy rockcress <i>Arabis hirsuta</i> (L.) Scop.
털전호 (Teol-jeon-ho)	Hairy wild chervil <i>Anthriscus sylvestris</i> f. <i>hirtifructus</i> (Ohwi) H.Ohba
털점나도나물 (Teol-geom-na-do-na-mul)	Hairy mouse-ear chickweed <i>Cerastium pauciflorum</i> Stev. ex Ser.
털제비고깔 (Teol-je-bi-go-kkal)	Hairy Maack's larkspur <i>Delphinium maackianum</i> f. <i>lasiocarpum</i> (Regel) Kitag.
털제비꽃 (Teol-je-bi-kkot)	Red-flower violet <i>Viola phalacrocarpa</i> Maxim.
털조록싸리 (Teol-jo-rok-ssa-ri)	Hairy Korean lespedeza <i>Lespedeza maximowiczii</i> var. <i>tomentella</i> Nakai
털조릿대풀 (Teol-jo-rit-dae-pul)	Hairy lophotocarpus <i>Lophatherum sinense</i> Rendle
털조장나무 (Teol-jo-jang-na-mu)	Hairy spicebush <i>Lindera sericea</i> (Siebold & Zucc.) Blume
털좁쌀풀 (Teol-jop-ssal-pul)	Downward-hairy eyebright <i>Euphrasia retrotricha</i> Nakai ex T.H.Chung
털종비나무 (Teol-jong-bi-na-mu)	Hairy Korean spruce <i>Picea koraiensis</i> var. <i>tonaiensis</i> (Nakai) T.B.Lee
털중나리 (Teol-jung-na-ri)	Friendly lily <i>Lilium amabile</i> Palib.

Korean name (Romanization)	English name Scientific name
털쥐깨 (Teol-jwi-kkae)	Hairy miniature mosla <i>Mosla dianthera</i> var. <i>nana</i> (H.Hara) Ohwi
털쥐똥나무 (Teol-jwi-ttong-na-mu)	Hairy border privet <i>Ligustrum obtusifolium</i> var. <i>regelianum</i> Rehder
털지렁쿠나무 (Teol-ji-reong-ku-na-mu)	Velvety red elder * <i>Sambucus sieboldiana</i> var. <i>miquelii</i> f. <i>velutina</i> T.B.Lee
털진고사리 (Teol-jin-go-sa-ri)	Hairy false spleenwort <i>Deparia kiusiana</i> (Koidz.) M.Kato
털진달래 (Teol-jin-dal-rae)	Hairy Korean rhododendron <i>Rhododendron mucronulatum</i> var. <i>ciliatum</i> Nakai
털진득찰 (Teol-jin-deuk-chal)	Glandular-stalk St. Paul's wort <i>Sigesbeckia pubescens</i> (Makino) Makino
털질경이 (Teol-jil-gyeong-i)	Depressed plantain <i>Plantago depressa</i> Willd.
털찔레 (Teol-jjil-re)	Glandular-bristle multiflora rose <i>Rosa multiflora</i> var. <i>adenochaeta</i> (Koidz.) Ohwi
털참범고리 (Teol-cham-beom-kko-ri)	Velvety common bistort <i>Bistorta pacifica</i> f. <i>velutina</i> Kitag.
털초피나무 (Teol-cho-pi-na-mu)	Hairy Korean prickly-ash <i>Zanthoxylum piperitum</i> f. <i>pubescens</i> (Nakai) W.T.Lee
털큰산버들 (Teol-keun-san-beo-deul)	Woolly gray willow <i>Salix sericeo-cinerea</i> f. <i>lanata</i> (Nakai) W.T.Lee
털큰앵초 (Teol-keun-aeng-cho)	Hairy Yalu river primrose <i>Primula jesoana</i> var. <i>pubescens</i> (Takeda) Takeda & H.Hara
털톱풀 (Teol-top-pul)	Bristly yarrow <i>Achillea setacea</i> Waldst. & Kit.
털파리채 (Teol-pa-ri-chae)	Shady juncea lespedeza <i>Lespedeza juncea</i> var. <i>umbrosa</i> (Kom.) T.B.Lee
털팥배나무 (Teol-pat-bae-na-mu)	Hairy Korean mountain ash <i>Sorbus alnifolia</i> f. <i>hirtella</i> (Nakai) W.T.Lee
털피나무 (Teol(pi)-na-mu)	Brown linden <i>Tilia rufa</i> Nakai



Korean name (Romanization)	English name Scientific name
털하늘지기 (Teol-ha-neul-ji-gi)	Hairy two-leaf fimbrystilis <i>Fimbristylis dichotoma</i> f. <i>tomentosa</i> (Vahl) Ohwi
털향유 (Teol-hyang-yu)	Split-lip hempnettle <i>Galeopsis bifida</i> Boenn.
털향유속 [꿀풀과] (Teol-hyang-yu-sok)	Hemp-nettle, Hempnettle <i>Galeopsis</i> L. [Lamiaceae]
털현호색 (Teol-hyeon-ho-saek)	Hairy corydalis <i>Corydalis hirtipes</i> B.U.Oh & J.G.Kim
털화살나무 (Teol-hwa-sal-na-mu)	Hairy burning bush spindletree <i>Euonymus alatus</i> f. <i>pilosus</i> (O.Loes. & Rehder) Ohwi
털황벽 (Teol-hwang-byeok)	Hairy Amur corktree <i>Phellodendron amurense</i> f. <i>molle</i> (Nakai) W.T.Lee
털황철나무 (Teol-hwang-cheol-na-mu)	Hairy Manchurian poplar <i>Populus maximowiczii</i> var. <i>barbinervis</i> Nakai
토끼고사리 (To-kki-go-sa-ri)	Oak fern <i>Gymnocarpium dryopteris</i> (L.) Newman
토끼고사리속 [면마과] (To-kki-go-sa-ri-sok)	Oak ferns <i>Gymnocarpium</i> Newman [Dryopteridaceae]
토끼풀속 [콩과] (To-kki-pul-sok)	Clover <i>Trifolium</i> L. [Fabaceae]
토대황 (To-dae-hwang)	Western dock <i>Rumex aquaticus</i> L.
토현삼 (To-hyeon-sam)	Korean figwort <i>Scrophularia koraiensis</i> Nakai
톱니나자스말 (Top-ni-na-ja-seu-mal)	Brittle water-nymph <i>Najas minor</i> All.
톱바위취 (Top-ba-wi-chwi)	Dotted rockfoil <i>Saxifraga punctata</i> L.

Korean name (Romanization)	English name Scientific name
톱잔대 (Top-jan-dae)	Serrate ladybell <i>Adenophora curvidens</i> Nakai
톱지네고사리 (Top-ji-ne-go-sa-ri)	Shaggy shield fern <i>Dryopteris cycadina</i> (Franch. & Sav.) C.Chr.
톱풀 (Top-pul)	Alpine yarrow <i>Achillea alpina</i> L.
톱풀속 [국화과] (Top-pul-sok)	Yarrow <i>Achillea</i> L. [Asteraceae]
통발 (Tong-bal)	Common bladderwort <i>Utricularia vulgaris</i> var. <i>japonica</i> (Makino) T.Yamanaka
통발과 (Tong-bal-gwa)	Bladderwort family Lentibulariaceae Rich.
통발속 [통발과] (Tong-bal-sok)	Bladderwort <i>Utricularia</i> L. [Lentibulariaceae]
통보리사초 (Tong-bo-ri-sa-cho)	Asian sand sedge <i>Carex kobomugi</i> Ohwi
통영미나리냉이 (Tong-yeong-mi-na-ri-naeng-i)	Tongyeong bittercress * <i>Cardamine leucantha</i> var. <i>toensis</i> (Nakai) T.B.Lee
투구꽃 (Tu-gu-kkot)	Monk'shood <i>Aconitum jaluense</i> Kom.
투구꽃속 [미나리아재비과] (Tu-gu-kkot-sok)	Aconite, Blue rocket, Devil's helmet, Leopard's bane, Monk'shood, Mousebane, Queen of all Poisons, Wolf's bane, Women's bane <i>Aconitum</i> L. [Ranunculaceae]
퉁등굴레 (Tung-dung-gul-re)	Inflated solomon's seal <i>Polygonatum inflatum</i> Kom.
퉁퉁마디 (Tung-tung-ma-di)	Marshfire glasswort <i>Salicornia europaea</i> L.
퉁퉁마디속 [명아주과] (Tung-tung-ma-di-sok)	Glasswort, Pickleweed <i>Salicornia</i> L. [Chenopodiaceae]

Korean name (Romanization)	English name Scientific name
II	
파대가리 (Pa-dae-ga-ri)	Short-leaved spikesedge <i>Kyllinga brevifolia</i> Rottb.
파대가리속 [사초과] (Pa-dae-ga-ri-sok)	Spikesedge <i>Kyllinga</i> Rottb. [Cyperaceae]
파드득나물 (Pa-deu-deuk-na-mul)	East Asian wildparsley <i>Cryptotaenia japonica</i> Hassk.
파드득나물속 [산형과] (Pa-deu-deuk-na-mul-sok)	Honewort <i>Cryptotaenia</i> DC. [Apiaceae]
파란여로 (Pa-ran-yeo-ro)	Blue false-hellebore <i>Veratrum maackii</i> var. <i>parviflorum</i> (Maxim. ex Miq.) H.Hara
파리풀 (Pa-ri-pul)	Asian lopseed <i>Phryma leptostachya</i> var. <i>oblongifolia</i> (Koidz.) Honda
파리풀과 (Pa-ri-pul-gwa)	Lopseed family <i>Phrymaceae</i> Schauer
파리풀속 [파리풀과] (Pa-ri-pul-sok)	Lopseed, Phryma <i>Phryma</i> L. [Phrymaceae]
파초일엽 (Pa-cho-il-yeop)	Bird's-nest fern <i>Asplenium antiquum</i> Makino
팔손이 (Pal-son-i)	Glossy-leaf paper plant <i>Fatsia japonica</i> (Thunb.) Decne. & Planch.
팔손이속 [두릅나무과] (Pal-son-i-sok)	Fatsia <i>Fatsia</i> Decne. & Planch. [Araliaceae]
팔꽃나무 (Pat-kkot-na-mu)	Lilac daphne <i>Daphne genkwa</i> Siebold & Zucc.
팔꽃나무과 (Pat-kkot-na-mu-gwa)	Mezereum family <i>Thymelaeaceae</i> Juss.
팔꽃나무속 [팔꽃나무과] (Pat-kkot-na-mu-sok)	Daphne <i>Daphne</i> L. [Thymelaeaceae]
팔배나무 (Pat-bae-na-mu)	Korean mountain ash <i>Sorbus alnifolia</i> (Siebold & Zucc.) K.Koch

Korean name (Romanization)	English name Scientific name
패랭이꽃 (Pae-raeng-i-kkot)	Rainbow pink <i>Dianthus chinensis</i> L.
패랭이꽃속 [석죽과] (Pae-raeng-i-kkot-sok)	Carnation, Pink, Sweet william <i>Dianthus</i> L. [Caryophyllaceae]
패모 (Pae-mo)	Ussuri fritillary <i>Fritillaria ussuriensis</i> Maxim.
패모속 [백합과] (Pae-mo-sok)	Fritillary, Mission bells <i>Fritillaria</i> L. [Liliaceae]
팽나무 (Paeng-na-mu)	East Asian hackberry <i>Celtis sinensis</i> Pers.
팽나무속 [느릅나무과] (Paeng-na-mu-sok)	Hackberry <i>Celtis</i> L. [Ulmaceae]
퍼진고사리 (Peo-jin-go-sa-ri)	Alpine buckler fern <i>Dryopteris expansa</i> (C.Presl) Fraser-Jenk. & Jermy
펠리온나무 (Pel-ri-on-na-mu)	Rough pellionia <i>Pellionia scabra</i> Benth.
펠리온나무속 [쐐기풀과] (Pel-ri-on-na-mu-sok)	Pellionia <i>Pellionia</i> Gaudich. [Urticaceae]
평강노간주 (Pyeong-gang-no-gan-ju)	Pyeonggang juniper <i>Juniperus rigida</i> var. <i>modesta</i> Nakai
평안피나무 (Pyeong-an-pi-na-mu)	Serrate-leaf Amur linden <i>Tilia amurensis</i> var. <i>grosseserrata</i> Nakai
평양대극 (Pyeong-yang-dae-geuk)	Pyeongyang spurge <i>Euphorbia barbellata</i> var. <i>imaii</i> (Hurus.) Kitag.
포기거머리말 (Po-gi-geo-meo-ri-mal)	Tufted eelgrass <i>Zostera caespitosa</i> Miki
포기사초 (Po-gi-sa-cho)	Turfy sedge <i>Carex cespitosa</i> L.
포도과 (Po-do-gwa)	Grape family <i>Vitaceae</i> Juss.
포도속 [포도과] (Po-do-sok)	Grape, Grapevines <i>Vitis</i> L. [Vitaceae]

Korean name (Romanization)	English name Scientific name
포아풀 (Po-a-pul)	Hard bluegrass <i>Poa sphondyloides</i> Trin.
포아풀속 [벼과] (Po-a-pul-sok)	Bluegrass <i>Poa</i> L. [Poaceae]
포천구절초 (Po-cheon-gu-jeol-cho)	Pocheon dendranthema <i>Dendranthema zawadskii</i> var. <i>tenuisectum</i> Kitag.
포천바위솔 (Po-cheon-ba-wi-sol)	Wide-elliptic rock pine <i>Orostachys latielliptica</i> Y.N.Lee
포태사초 (Po-tae-sa-cho)	Potae sedge <i>Carex siromensis</i> Koidz.
포태제비난 (Po-tae-je-bi-nan)	Korean frog orchid <i>Dactylorhiza viridis</i> var. <i>coreana</i> (Nakai) N.S.Lee
포태향기풀 (Po-tae-hyang-gi-pul)	Alpine vernalgrass <i>Anthoxanthum odoratum</i> subsp. <i>alpinum</i> (Å.Löve & D.Löve) B.M.G.Jones & Melderis
포평마름 (Po-pyeong-ma-reum)	Popyeong water-chestnet <i>Trapa natans</i> var. <i>japonica</i> Nakai
폭나무 (Pok-na-mu)	Biond's hackberry <i>Celtis biondii</i> Pamp.
폭이사초 (Pok-i-sa-cho)	Slender-pedicel sedge <i>Carex teinogyna</i> Boott
푸른가막살 (Pu-reun-ga-mak-sal)	Wax-leaf viburnum <i>Viburnum japonicum</i> (Thunb.) Sprengel
푸른각시고사리 (Pu-reun-gak-si-go-sa-ri)	Green-leaf marsh fern <i>Macrothelypteris viridifrons</i> (Tagawa) Ching
푸른개고사리 (Pu-reun-gae-go-sa-ri)	Green tapering glade fern <i>Deparia viridifrons</i> (Makino) M.Kato
푸른갓골풀 (Pu-reun-gaet-gol-pul)	Pale-green stem rush <i>Juncus setchuensis</i> Buchenau
푸른구상 (Pu-reun-gu-sang)	Green-cone Korean fir <i>Abies koreana</i> f. <i>chlorocarpa</i> T.B.Lee

Korean name (Romanization)	English name Scientific name
푸른더덕 (Pu-reun-deo-deok)	Spotless bonnet bellflower <i>Codonopsis lanceolata</i> f. <i>emaculata</i> (Honda) H.Hara
푸른말털이슬 (Pu-reun-mal-teol-i-seul)	Green-calyx enchanter's nightshade <i>Circaeaa quadrifolia</i> f. <i>viridicalyx</i> (H.Hara) Kitag.
푸른미선나무 (Pu-reun-mi-seon-na-mu)	Green-calyx meseonnamu (Green-calyx abeliophyllum) <i>Abeliophyllum distichum</i> f. <i>viridicalycinum</i> T.B.Lee*
푸른박새 (Pu-reun-bak-sae)	Long-petal false-hellebore <i>Veratrum dolichopetalum</i> O.Loes.
푸른방동사니 (Pu-reun-bang-dong-sa-ni)	Whitescale flatsedge <i>Cyperus nipponicus</i> Franch. & Sav.
푸른백미꽃 (Pu-reun-baek-mi-kkot)	Greenish black-end swallow-wort * <i>Cynanchum atratum</i> f. <i>viridescens</i> Ohwi
푸른산들깨 (Pu-reun-san-deul-kkae)	Green large-bract mosla <i>Mosla japonica</i> var. <i>robusta</i> Ohwi
푸른산총총이 (Pu-reun-san-cheung-cheung-i)	Hairless Asian calamint <i>Clinopodium chinense</i> var. <i>glabrescens</i> (Nakai) Ohwi
푸른여로 (Pu-reun-yeo-ro)	Greenish flower false-hellebore <i>Veratrum versicolor</i> f. <i>viride</i> Nakai
푸른잔디 (Pu-reun-jan-di)	Pale Korean lawnglass <i>Zoysia japonica</i> var. <i>pallida</i> Nakai ex Honda
푸른천마 (Pu-reun-cheon-ma)	Green cheon-ma (Green tall gastrodia) <i>Gastrodia elata</i> f. <i>viridis</i> (Makino) Makino
푸른하늘지기 (Pu-reun-ha-neul-ji-gi)	Verrucolose fimbriostylis <i>Fimbristylis dipsacea</i> (Rottb.) C.B.Clarke
푸조나무 (Pu-jo-na-mu)	Scabrous aphananthe <i>Aphananthe aspera</i> (Thunb.) Planch.
푸조나무속 [느릅나무과] (Pu-jo-na-mu-sok)	Aphananthe <i>Aphananthe</i> Planch. [Ulmaceae]
푼지나무 (Pun-ji-na-mu)	Hooked-spine bittersweet <i>Celastrus flagellaris</i> Rupr.
풀거북꼬리 (Pul-geo-buk-kko-ri)	Non-cuspidate false-nettle <i>Boehmeria tricuspidata</i> var. <i>unicuspis</i> Makino

Korean name (Romanization)	English name Scientific name
풀고사리 (Pul-go-sa-ri)	Forked fern <i>Gleichenia japonica</i> Spreng.
풀고사리과 (Pul-go-sa-ri-gwa)	Forking fern family <i>Gleicheniaceae</i> C.Presl
풀고사리속 [풀고사리과] (Pul-go-sa-ri-sok)	Gleichenia <i>Gleichenia</i> Sm. [Gleicheniaceae]
풀또기 (Pul-tto-gi)	Truncate flowering cherry <i>Prunus triloba</i> var. <i>truncata</i> Kom.
풀명자 (Pul-myeong-ja)	Maule's quince <i>Chaenomeles japonica</i> (Thunb.) Lindl. ex Spach
풀산딸나무 (Pul-san-ttal-na-mu)	Bunchberry dogwood <i>Cornus canadensis</i> L.
풀솜나풀 (Pul-som-na-mul)	Father-and-child plant <i>Euchiton japonicus</i> (Thunb.) Holub
풀솜나풀속 (Pul-som-na-mul-sok)	Euchiton <i>Euchiton</i> F.Cuvier [Asteraceae]
풀솜대 (Pul-som-dae)	Snowy false lily of the valley <i>Maianthemum japonicum</i> (A.Gray) LaFrankie
풀싸리 (Pulssa-ri)	Tall lespedeza <i>Lespedeza thunbergii</i> subsp. <i>formosa</i> (Vogel) H.Ohashi
풍게나무 (Pung-ge-na-mu)	Caudate-leaf hackberry <i>Celtis jessoensis</i> Koidz.
풍도대극 (Pung-do-dae-geuk)	Pungdo spurge <i>Euphorbia ebracteolata</i> var. <i>coreana</i> Hurus.
풍도동굴레 (Pung-do-dung-gul-re)	Poongdo solomon's seal <i>Polygonatum odoratum</i> (Mill.) Druce
풍도바람꽃 (Pung-do-ba-ram-kkot)	Poongdo winter aconite <i>Eranthis pungdoensis</i> B.U.Oh
풀란 (Pung-ran)	Sickle neofinetia <i>Neofinetia falcata</i> (Thunb.) Hu
풀란속 [난초과] (Pung-ran-sok)	Neofinetia <i>Neofinetia</i> Hu [Orchidaceae]

Korean name (Romanization)	English name Scientific name
풍산가문비 (Pung-san-ga-mun-bi)	Pungsan spruce <i>Picea pungsanensis</i> Uyeki
풍선난초 (Pung-seon-nan-cho)	Fairy-slipper orchid <i>Calypso bulbosa</i> (L.) Oakes
풍선난초속 [난초과] (Pung-seon-nan-cho-sok)	Fairy slipper <i>Calypso</i> Salisb. [Orchidaceae]
피 (Pi)	Esculent barnyard grass <i>Echinochloa esculenta</i> (A.Braun) H.Scholz
피나무 (Pi-na-mu)	Amur linden <i>Tilia amurensis</i> Rupr.
피나무과 (Pi-na-mu-gwa)	Linden family Tiliaceae Juss.
피나무속 [피나무과] (Pi-na-mu-sok)	Basswood, Lime trees <i>Tilia</i> L. [Tiliaceae]
피나물 (Pi-na-mul)	Forest poppy <i>Hylomecon vernalis</i> Maxim.
피나물속 [양귀비과] (Pi-na-mul-sok)	Forest poppy <i>Hylomecon</i> Maxim. [Papaveraceae]
피막이 (Pi-mak-i)	Lawn marsh pennywort <i>Hydrocotyle sibthorpioides</i> Lam.
피막이속 [산형과] (Pi-mak-i-sok)	Even white rot, Indian pennywort, Marsh penny, Thick-leaf pennywort, Water pennywort <i>Hydrocotyle</i> L. [Apiaceae]
피뿌리풀 (Pi-ppu-ri-pul)	Bloody-root stellera <i>Stellera chamaejasme</i> L.
피뿌리풀속 [팥꽃나무과] (Pi-ppu-ri-pul-sok)	Stellera <i>Stellera</i> L. [Thymelaeaceae]
피사초 (Pi-sa-cho)	Long-rostrate sedge <i>Carex longerostrata</i> C.A.Mey.
피속 [벼과] (Pi-sok)	Barnyard grass, Barnyard millets, Billion-dollar grasses, Cockspur grass <i>Echinochloa</i> P.Beauv. [Poaceae]

Korean name (Romanization)	English name Scientific name
하늘나리	
하늘나리 (Ha-neul-na-ri)	Morning-star lily <i>Lilium concolor</i> Salisb.
하늘말나리 (Ha-neul-mal-na-ri)	Twilight lily <i>Lilium tsingtauense</i> Gilg
하늘매발톱 (Ha-neul-mae-bal-top)	Dwarf fan-shape columbine <i>Aquilegia flabellata</i> Siebold & Zucc.
하늘지기 (Ha-neul-ji-gi)	Two-leaf fimbristylis <i>Fimbristylis dichotoma</i> (L.) Vahl
하늘지기속 [사초과] (Ha-neul-ji-gi-sok)	Fimbrystylis , Fimbrystylis <i>Fimbristylis</i> Vahl [Cyperaceae]
하늘타리 (Ha-neul-ta-ri)	Mongolian snakegourd <i>Trichosanthes kirilowii</i> Maxim.
하늘타리속 [박과] (Ha-neul-ta-ri-sok)	Trichosanthes <i>Trichosanthes</i> L. [Cucurbitaceae]
한계령풀 (Han-gye-ryeong-pul)	Little-beak gymnospermium <i>Gymnospermium microrrhynchum</i> (S.Moore) Takht.
한계령풀속 [매자나무과] (Han-gye-ryeong-pul-sok)	Gymnospermium <i>Gymnospermium</i> Spach [Berberidaceae]
한대리곰취 (Han-dae-ri-gom-chwi)	Handaeri ragwort <i>Ligularia Fischeri</i> var. <i>spiciformis</i> Nakai
한들고사리 (Han-deul-go-sa-ri)	Fragile fern <i>Cystopteris fragilis</i> (L.) Bernh.
한들고사리속 [면마과] (Han-deul-go-sa-ri-sok)	Bladderferns, Fragile ferns <i>Cystopteris</i> Bernh. [Dryopteridaceae]
한라감자난초 (Han-ra-gam-ja-nan-cho)	Halla oreorchis * <i>Oreorchis hallasanensis</i> Y.N.Lee & K.S.Lee
한라개승마 (Han-ra-gae-seung-ma)	Korean goatsbeard <i>Aruncus aethusifolius</i> (H.Lév.) Nakai
한라고들빼기 (Han-ra-go-deul-ppae-gi)	Halla lettuce <i>Lactuca hallasanensis</i> H.Lév.

Korean name (Romanization)	English name Scientific name
한라골풀 (Han-ra-gol-pul)	Halla rush <i>*Juncus hallasanensis</i> T.H.Chung
한라골풀아재비 (Han-ra-gol-pul-a-jae-bi)	Halla beaksedge <i>Rhynchospora malasica</i> C.B.Clarke
한라구절초 (Han-ra-gu-jeol-cho)	Halla dendranthema <i>Dendranthema coreanum</i> (H.Lév. & Vaniot) Vorosch.
한라꽃장포 (Han-ra-kkot-jang-po)	Halla northern asphodel <i>Tofieldia coccinea</i> var. <i>kondoi</i> (Miyabe & Kudô) H.Hara
한라꽃향유 (Han-ra-kkot-hyang-yu)	Halla mint <i>*Elsholtzia hallasanensis</i> Y.N.Lee
한라노루오줌 (Han-ra-no-ru-o-jum)	Halla false goat's beard <i>Astilbe chinensis</i> var. <i>taquetii</i> (L.f.) H.Hara
한라돌찌귀 (Han-ra-dol-jjeo-gwi)	East Asian monk'shood <i>Aconitum japonicum</i> subsp. <i>napiforme</i> (H.Lév. & Vaniot) Kadota
한라물부추 (Han-ra-mul-bu-chu)	Halla quilwort <i>Isoetes hallasanensis</i> H.-K. Choi, C. Kim & J. Jung
한라바늘꽃 (Han-ra-ba-neul-kkot)	Halla willowherb <i>Epilobium pyrricholophum</i> var. <i>curvatopilosum</i> H.Hara
한라부추 (Han-ra-bu-chu)	Halla chive <i>Allium taquetii</i> H.Lév. & Vaniot
한라비비추 (Han-ra-bi-bi-chu)	Halla hosta <i>Hosta venusta</i> F.Maek.
한라사초 (Han-ra-sa-cho)	Red-based leaf sedge <i>Carex erythrobasis</i> H.Lév. & Vaniot
한라산비장이 (Han-ra-san-bi-jang-i)	Alpine coronate sawwort <i>Serratula coronata</i> f. <i>alpina</i> (Nakai) W.T.Lee
한라산진달래 (Han-ra-san-jin-dal-rae)	Slender-fruit Korean rhododendron <i>Rhododendron mucronulatum</i> var. <i>taquetii</i> Nakai
한라산참꽃나무 (Han-ra-san-cham-kkot-na-mu)	Hallasan azalea <i>Rhododendron saisiuense</i> Nakai
한라새등지란 (Han-ra-sae-dung-ji-ran)	Halla leafless bird's nest orchid <i>Neottia kiusiana</i> T.Hashim. & Hatus.

Korean name (Romanization)	English name Scientific name
한라솜다리 (Han-ra-som-da-ri)	Halla edelweiss <i>Leontopodium hallaisanense</i> Hand.-Mazz.
한라송이풀 (Han-ra-song-i-pul)	Halla lousewort <i>Pedicularis hallaisanensis</i> Hurus.
한라여로 (Han-ra-yeo-ro)	Halla false-hellebore <i>Veratrum coreanum</i> O.Loes.
한라옥잠난초 (Han-ra-ok-jam-nan-cho)	Auricled widelip orchid <i>Liparis auriculata</i> Blume ex Miq.
한라잠자리난 (Han-ra-jam-ja-ri-nan)	Little platanthera <i>Platanthera minor</i> (Miq.) Rchb.f.
한라장구채 (Han-ra-jang-gu-chae)	Halla catchfly <i>Silene fasciculata</i> Nakai
한라참나물 (Han-ra-cham-na-mul)	Halla pimpinella <i>Pimpinella hallaisanensis</i> (W.T.Lee & C.G.Jang) C.G.Jang
한라참취 (Han-ra-cham-chwi)	Halla edible aster * <i>Aster scaber</i> var. <i>minor</i> Yabe ex Nakai
한라천마 (Han-ra-cheon-ma)	Halla cheon-ma (Warty tall gastrodia) <i>Gastrodia verrucosa</i> Blume
한라투구꽃 (Han-ra-tu-gu-kkot)	Halla monk'shood <i>Aconitum queelpaertense</i> Nakai
한란 (Han-ran)	Han-ran (Cold-growing cymbidium) <i>Cymbidium kanran</i> Makino
한련초 (Han-ryeon-cho)	False daisy <i>Eclipta prostrata</i> (L.) L.
한련초속 [국화과] (Han-ryeon-cho-sok)	Eclipta <i>Eclipta</i> L. [Asteraceae]
한마디꽃 (Han-ma-di-kkot)	Tall rotala <i>Rotala elatinomorpha</i> Makino
할미꽃 (Hal-mi-kkot)	Korean pasque-flower <i>Pulsatilla koreana</i> (Yabe ex Nakai) Nakai ex Nakai

Korean name (Romanization)	English name Scientific name
할미꽃속 [미나리아재비과] (Hal-mi-kkot-sok)	Easter flower, Meadow anemone, Pasque-flower, Prairie crocus, Wind flower <i>Pulsatilla</i> Mill. [Ranunculaceae]
할미밀망 (Hal-mi-mil-mang)	Three-flower Korean clematis <i>Clematis trichotoma</i> Nakai
함경나비나물 (Ham-gyeong-na-bi-na-mul)	Dense-flower two-leaf vetch <i>Vicia unijuga</i> var. <i>ohwiana</i> (Hosok.) Nakai
함경딸기 (Ham-gyeong-ttal-gi)	Arctic raspberry <i>Rubus arcticus</i> L.
함경백산차 (Ham-gyeong-baek-san-cha)	Greenland labrador tea <i>Ledum palustre</i> subsp. <i>groenlandicum</i> (Oeder) Hultén
함박꽃나무 (Ham-bak-kkot-na-mu)	Korean mountain magnolia <i>Magnolia sieboldii</i> K.Koch
함박이 (Ham-bak-i)	Snake vine <i>Stephania japonica</i> (Thunb.) Miers
함박이속 [새모래덩굴과] (Ham-bak-i-sok)	Stephania <i>Stephania</i> Lour. [Menispermaceae]
함북사초 (Ham-buk-sa-cho)	Star sedge <i>Carex echinata</i> Murray
함북오리나무 (Ham-buk-o-ri-na-mu)	Beard Northeast Asian alder <i>Alnus mandshurica</i> f. <i>barbinervis</i> (Nakai) W.T.Lee
함흥哧바귀 (Ham-heung-sseum-ba-gwi)	Hamheung ixeris <i>Ixeris chinodebilis</i> Kitam.
합다리나무 (Hap-da-ri-na-mu)	Oldham's meliosma <i>Meliosma oldhamii</i> Maxim.
합실리 (Hap-sil-ri)	Korean pear * <i>Pyrus ussuriensis</i> var. <i>viridis</i> T.B.Lee
해국 (Hae-guk)	Seashore spatulate aster <i>Aster spathulifolius</i> Maxim.
해녀콩 (Hae-nyeo-kong)	Asian beach jackbean <i>Canavalia lineata</i> (Thunb.) DC

Korean name (Romanization)	English name Scientific name
해녀콩속 [콩과] (Hae-nyeo-kong-sok)	Jackbean <i>Canavalia</i> Adans. [Fabaceae]
해당화 (Hae-dang-hwa)	Rugose rose <i>Rosa rugosa</i> Thunb.
해란초 (Hae-ran-cho)	Seashore toadflax <i>Linaria japonica</i> Miq.
해란초속 [현삼과] (Hae-ran-cho-sok)	Toadflax <i>Linaria</i> Mill. [Scrophulariaceae]
해변노간주 (Hae-byeon-no-gan-ju)	Shore juniper <i>Juniperus rigida</i> var. <i>conferta</i> (Parl.) Patschke
해변노박덩굴 (Hae-byeon-no-bak-deong-gul)	Coast oriental bittersweet <i>Celastrus orbiculatus</i> var. <i>punctatus</i> Rehder
해변싸리 (Hae-byeon-ssa-ri)	Coastal lespedeza <i>Lespedeza maritima</i> Nakai
해산사초 (Hae-san-sa-cho)	Hancock's sedge <i>Carex hancockiana</i> Maxim.
해오라비난초속 [난초과] (Hae-o-ra-bi-nan-cho-sok)	White-egret flower <i>Habenaria radiata</i> (Thunb.) Spreng.
해오라비난초속 [난초과] (Hae-o-ra-bi-nan-cho-sok)	Bog orchid <i>Habenaria</i> Willd. [Orchidaceae]
해인비비추 (Hae-in-bi-bi-chu)	Late-blooming hosta <i>Hosta tardiva</i> Nakai
해장죽속 [벼과] (Hae-jang-juk-sok)	Cane <i>Arundinaria</i> Michx. [Poaceae]
해호말 (Hae-Ho-Mal)	Sea loving seagrass <i>Halophila nipponica</i> J.Kuo
해호말속 [자라풀과] (Hae-ho-mal-sok)	Seagrass <i>Halophila</i> Thouars [Hydrocharitaceae]
해홍나물 (Hae-hong-na-mul)	Herbaceous seepweed <i>Suaeda maritima</i> (L.) Dumort.
햇사초 (Haet-sa-cho)	False-Chinese sedge <i>Carex pseudochinensis</i> H.Lév. & Vaniot

Korean name (Romanization)	English name Scientific name
향기풀속 [벼과] (Hyang-gi-pul-sok)	Hornwort, Vernal grasses, Vernalgrasses <i>Anthoxanthum L.</i> [Poaceae]
향나무 (Hyang-na-mu)	Chinese juniper <i>Juniperus chinensis L.</i>
향나무속 [촉백나무과] (Hyang-na-mu-sok)	Juniper <i>Juniperus L.</i> [Cupressaceae]
향등골나물 (Hyang-deung-gol-na-mul)	Triparted-leaf eupatorium <i>Eupatorium tripartitum</i> (Makino) Murata & H.Koyama
향모 (Hyang-mo)	Sweetgrass <i>Hierochloe odorata</i> (L.) P.Beauv.
향모속 [벼과] (Hyang-mo-sok)	Sweetgrass <i>Hierochloe R.Br.</i> [Poaceae]
향부자 (Hyang-bu-ja)	Nutgrass flatsedge <i>Cyperus rotundus L.</i>
향유 (Hyang-yu)	Crested late-summer mint <i>Elsholtzia ciliata</i> (Thunb.) Hyl.
향유속 [꼴풀과] (Hyang-yu-sok)	Elsholtzia <i>Elsholtzia Willd.</i> [Lamiaceae]
헐떡이풀 (Heol-tteok-i-pul)	Foam flower <i>Tiarella polypylla</i> D.Don
헐떡이풀속 [범의귀과] (Heol-tteok-i-pul-sok)	Foam flower <i>Tiarella L.</i> [Saxifragaceae]
헛개나무 (Heot-gae-na-mu)	Oriental raisin tree <i>Hovenia dulcis</i> Thunb.
헛개나무속 [갈매나무과] (Heot-gae-na-mu-sok)	Hovenia <i>Hovenia</i> Thunb. [Rhamnaceae]
현삼 (Hyeon-sam)	Buerger's figwort <i>Scrophularia buergeriana</i> Miq.
현삼과 (Hyeon-sam-gwa)	Figwort family <i>Scrophulariaceae</i> Juss.
현삼속 [현삼과] (Hyeon-sam-sok)	Figwort <i>Scrophularia L.</i> [Scrophulariaceae]

Korean name (Romanization)	English name Scientific name
현호색 (Hyeon-ho-saek)	Common corydalis <i>Corydalis remota</i> Fisch. ex Maxim.
현호색과 (Hyeon-ho-saek-gwa)	Fumitory family Fumariaceae Rich. ex DC.
현호색속 [현호색과] (Hyeon-ho-saek-sok)	Fumewort <i>Corydalis</i> DC. [Fumariaceae]
협죽도과 (Hyeop-juk-do-gwa)	Dogbane family Apocynaceae Juss.
형개속 [꿀풀과] (Hyeong-gae-sok)	Japanese catnip <i>Schizonepeta</i> (Benth.) Briq. [Lamiaceae]
호골무꽃 (Ho-gol-mu-kkot)	Ussuri skullcap <i>Scutellaria pekinensis</i> var. <i>ussuriensis</i> (Regel) Hand.-Mazz.
호광대수염 (Ho-gwang-dae-su-yeom)	Cuspidate deadnettle * <i>Lamium cuspidatum</i> Nakai ex T.H.Chung
호노루발 (Ho-no-ru-bal)	Dahurian wintergreen <i>Pyrola dahurica</i> (H.Andres) Kom.
호대황 (Ho-dae-hwang)	Giant dock <i>Rumex gmelinii</i> Turcz. ex Ledeb.
호랑가시나무 (Ho-rang-ga-si-na-mu)	Horned holly <i>Ilex cornuta</i> Lindl. & Paxton
호랑버들 (Ho-rang-beo-deul)	Goat willow <i>Salix caprea</i> L.
호모초 (Ho-mo-cho)	Staunton's bugseed <i>Corispermum stauntonii</i> Moq.
호모초속 [명아주과] (Ho-mo-cho-sok)	Bugseed, Tickseed, Tumbleweed <i>Corispermum</i> L. [Chenopodiaceae]
호밀사초 (Ho-mil-sa-cho)	Ryegrass sedge <i>Carex loliacea</i> L.
호바늘꽃 (Ho-ba-neul-kkot)	Amur willowherb <i>Epilobium amurense</i> Hausskn.
호범꼬리 (Ho-beom-kko-ri)	Hairy bistort <i>Bistorta ochotensis</i> (Petrov ex Kom.) Kom.

Korean name (Romanization)	English name Scientific name
호비수리 (Ho-bi-su-ri)	Dahurian lespedeza <i>Lespedeza daurica</i> (Laxm.) Schindl.
호산장구채 (Ho-san-jang-gu-chae)	Hosan catchfly <i>Silene foliosa</i> Maxim.
호오리새 (Ho-o-ri-sae)	False melic grass <i>Schizachne purpurascens</i> subsp. <i>callosa</i> (Turcz. ex Griseb.) T. Koyama & Kawano
호오리새속 [벼과] (Ho-o-ri-sae-sok)	False melic <i>Schizachne</i> Hack. [Poaceae]
호자나무 (Ho-ja-na-mu)	Indian damnacanthus <i>Damnacanthus indicus</i> C.F.Gaertn.
호자나무속 [꼭두서니과] (Ho-ja-na-mu-sok)	Damnacanthus <i>Damnacanthus</i> C.F.Gaertn. [Rubiaceae]
호자덩굴 (Ho-ja-deong-gul)	Asian mitchella <i>Mitchella undulata</i> Siebold & Zucc.
호자덩굴속 [꼭두서니과] (Ho-ja-deong-gul-sok)	Mitchella <i>Mitchella</i> L. [Rubiaceae]
호장근 (Ho-jang-geun)	Asian knotweed <i>Fallopia japonica</i> (Houtt.) Ronse Decr.
호제비꽃 (Ho-je-be-kkot)	Field purpleflower violet <i>Viola yedoensis</i> Makino
호주명아주 (Ho-ju-myeong-a-ju)	Creeping goosefoot <i>Chenopodium carinatum</i> R.Br.
혹난초 (Hok-nan-cho)	Barley-like orchid <i>Bulbophyllum inconspicuum</i> Maxim.
혹쐐기풀 (Hok-sswae-gi-pul)	Bulbiferous woodnettle <i>Laportea bulbifera</i> (Siebold & Zucc.) Wedd.
홀꽃노루발 (Hol-kkot-no-ru-bal)	Single delight <i>Moneses uniflora</i> (L.) A.Gray
홀꽃노루발속 [노루발과] (Hol-kkot-no-ru-bal-sok)	One-flower wintergreen, Single delight, St. Olaf's candlestick <i>Moneses</i> Salisb. ex Gray [Pyrolaceae]

Korean name (Romanization)	English name Scientific name
흘아비꽃대 (Hol-a-bi-kkot-dae)	Single-spike chloranthus <i>Chloranthus japonicus</i> Siebold
흘아비꽃대과 (Hol-a-bi-kkot-dae-gwa)	Chloranthus family Chloranthaceae R.Br. ex Sims
흘아비꽃대속 [흘아비꽃대과] (Hol-a-bi-kkot-dae-sok)	Chloranthus <i>Chloranthus</i> Sw. [Chloranthaceae]
흘아비바람꽃 (Hol-a-bi-ba-ram-kkot)	Korean anemone <i>Anemone koraiensis</i> Nakai
흘잎노루발 (Hol-ip-no-roo-bal)	Single-leaf wintergreen <i>Pyrola japonica</i> var. <i>subaphylla</i> (Maxim.) Andres
홍괴불나무 (Hong-goe-bul-na-mu)	Reddish honeysuckle <i>Lonicera sachalinensis</i> (F.Schmidt) Nakai
홍노도라지 (Hong-no-do-ra-ji)	Fleshy peracarpa <i>Peracarpa carnosa</i> var. <i>circaeoides</i> (F.Schmidt ex Miq.) Makino
홍노도라지속 [초롱꽃과] (Hong-no-do-ra-ji-sok)	Peracarpa <i>Peracarpa</i> Hook. f. & Thomson [Campanulaceae]
홍도고들빼기 (Hong-do-go-deul-ppae-gi)	Hongdo crepidiastrixeris <i>Crepidiastrixeris denticulato-platiphylla</i> (Makino) Kitam.
홍도고들빼기속 [국화과] (Hong-do-go-deul-ppae-gi-sok)	Crepidiastrixeris <i>Crepidiastrixeris</i> Kitam. [Asteraceae]
홍도까치수염 (Hong-do-kka-chi-su-yeom)	Five-petal loosestife <i>Lysimachia pentapetala</i> Bunge
홍도서덜취 (Hong-do-seo-deol-chwi)	Hongdo saussurea <i>Saussurea polylepis</i> Nakai
홍도원추리 (Hong-do-won-chu-ri)	Hongdo daylily <i>Hemerocallis hongdoensis</i> M.G.Chung & S.S.Kang
홍돌가시나무 (Hong-dol-ga-si-na-mu)	Red-flower Wichura's rose <i>Rosa wichuraiana</i> f. <i>rosiflora</i> Nakai
홍만병초 (Hong-man-byeong-cho)	Red-flower rosebay <i>Rhododendron brachycarpum</i> var. <i>roseum</i> Koidz.
홍월귤 (Hong-wol-gyul)	Red-fruit bearberry <i>Arctous ruber</i> (Rehder & E.H.Wilson) Nakai

Korean name (Romanization)	English name Scientific name
홍월귤속 [진달래과] (Hong-wol-gyul-sok)	Alpine bearberry, Arctous <i>Arctous</i> (A.Gray) Nied. [Ericaceae]
홍지네고사리 (Hong-ji-ne-go-sa-ri)	Autumn fern <i>Dryopteris erythrosora</i> (EAT.) Kuntze
화산곱슬사초 (Hwa-san-gop-seul-sa-cho)	Radde's sedge <i>Carex raddei</i> Kük.
화살곰취 (Hwa-sal-gom-chwi)	Arrowhead-leaf ragwort <i>Ligularia jamesii</i> (Hemsl.) Kom.
화살나무 (Hwa-sal-na-mu)	Burning bush spindletree <i>Euonymus alatus</i> (Thunb.) Siebold
화살나무속 [노박덩굴과] (Hwa-sal-na-mu-sok)	Spindle, Spindletree <i>Euonymus</i> L. [Celastraceae]
화살사초 (Hwa-sal-sa-cho)	Transverse Brown's sedge <i>Carex brownii</i> var. <i>transversa</i> (Boott) Kük.
화엄제비꽃 (Hwa-eom-je-bi-kkot)	Hwaomsa violet <i>Viola ibukiana</i> Makino
화태황벽나무 (Hwa-tae-hwang-byeok-na-mu)	Sakhalin corktree <i>Phellodendron amurense</i> var. <i>sachalinense</i> F.Schmidt
환삼덩굴 (Hwan-sam-deong-gul)	Wild hop <i>Humulus japonicus</i> Siebold & Zucc.
환삼덩굴속 [삼과] (Hwan-sam-deong-gul-sok)	Hop <i>Humulus</i> L. [Cannabaceae]
활나물 (Hwal-na-mul)	Purple-flower rattlebox <i>Crotalaria sessiliflora</i> L.
활나물속 [콩과] (Hwal-na-mul-sok)	Rattlebox, Rattlepods <i>Crotalaria</i> L. [Fabaceae]
활량나물 (Hwal-ryang-na-mul)	David vetchling <i>Lathyrus davidii</i> Hance
황고사리 (Hwang-go-sa-ri)	Wilford's hay-scented fern <i>Dennstaedtia wilfordii</i> (T. Moore) Christ
황근 (Hwang-geun)	Yellow rosemallow <i>Hibiscus hamabo</i> Siebold & Zucc.

Korean name (Romanization)	English name Scientific name
황금송대 (Hwang-geum-som-dae)	Golden-friut solomon's seal <i>Smilacina japonica</i> var. <i>lutecarpa</i> Y.N.Lee
황기 (Hwang-gi)	Hwang-gi (Mongolian milkvetch) <i>Astragalus membranaceus</i> Moench
황기속 [콩과] (Hwang-gi-sok)	Goat's-thorn, Locoweed, Milkvetch <i>Astragalus</i> L. [Fabaceae]
황매화 (Hwang-mae-hwa)	Kerria <i>Kerria japonica</i> (L.) DC.
황매화속 [장미과] (Hwang-mae-hwa-sok)	Kerria <i>Kerria</i> DC. [Rosaceae]
황벽나무 (Hwang-byeok-na-mu)	Amur corktree <i>Phellodendron amurense</i> Rupr.
황벽나무속 [운향과] (Hwang-byeok-na-mu-sok)	Corktree <i>Phellodendron</i> Rupr. [Rutaceae]
황산차 (Hwang-san-cha)	Lapland rosebay <i>Rhododendron lapponicum</i> subsp. <i>parvifolium</i> (Adams) T. Yamaz.
황새고랭이 (Hwang-sae-go-raeng-i)	Few-spike bulrush <i>Scirpus maximowiczii</i> C.B.Clarke
황새냉이 (Hwang-sae-naeng-i)	Wavy bittercress <i>Cardamine flexuosa</i> With.
황새냉이속 [십자화과] (Hwang-sae-naeng-i-sok)	Bittercress, Bitter-cress <i>Cardamine</i> L. [Brassicaceae]
황새승마 (Hwang-sae-seung-ma)	Foetid's bugbane <i>Cimicifuga foetida</i> L.
황새풀 (Hwang-sae-pul)	Tussock cottonsedge <i>Eriophorum vaginatum</i> L.
황새풀속 [사초과] (Hwang-sae-pul-sok)	Cottongrass, Cotton-grass, Cottonsedge <i>Eriophorum</i> L. [Cyperaceae]
황종용 (Hwang-jong-yong)	Yellow-flower broomrape <i>Orobanche pycnostachya</i> Hance
황철나무 (Hwang-cheol-na-mu)	Manchurian poplar <i>Populus maximowiczii</i> A.Henry

Korean name (Romanization)	English name Scientific name
황칠나무 (Hwang-chil-na-mu)	Korean dendropanax <i>Dendropanax morbiferus</i> H.Lév.
황칠나무속 [두릅나무과] (Hwang-chil-na-mu-sok)	Dendropanax <i>Dendropanax Decne. & Planch.</i> [Araliaceae]
황해쑥 (Hwang-hae-ssuk)	Silverly wormwood <i>Artemisia argyi</i> H.Lév. & Vaniot
회나무 (Hoe-na-mu)	Siberian spindletree <i>Euonymus sachalinensis</i> (F.Schmidt) Maxim.
회령바늘꽃 (Hoe-ryeong-ba-neul-kkot)	Fastigiate-branch willowherb <i>Epilobium fastigiato-ramosum</i> Nakai
회령사초 (Hoe-ryeong-sa-cho)	Two-toothed beak sedge <i>Carex gotoi</i> Ohwi
회리바람꽃 (Hoe-ri-ba-ram-kkot)	Reflex-flower anemone <i>Anemone reflexa</i> Steph. ex Willd.
회목나무 (Hoe-mok-na-mu)	Few-flower spindletree <i>Euonymus pauciflorus</i> Maxim.
회색사초 (Hoe-saek-sa-cho)	Ashgrey sedge <i>Carex cinerascens</i> Kük.
회솔나무 (Hoe-sol-na-mu)	Wide-leaf Ulleungdo yew <i>Taxus baccata</i> var. <i>latifolia</i> Pilg.
회양목 (Hoe-yang-mok)	Korean boxwood <i>Buxus koreana</i> Nakai ex Chung & al.
회양목과 (Hoe-yang-mok-gwa)	Boxwood family <i>Buxaceae</i> Dumort.
회양목속 [회양목과] (Hoe-yang-mok-sok)	Box, Boxwood <i>Buxus L.</i> [Buxaceae]
회잎나무 (Hoe-ip-na-mu)	Spindle tree <i>Euonymus alatus</i> f. <i>ciliatodentatus</i> (Franch. & Sav.) Hiyama
후라벨라타사초 (Hu-ra-bel-ra-ta-sa-cho)	Flabellate sedge <i>Carex flabellata</i> H.Lév. & Vaniot
후박나무 (Hu-bak-na-mu)	Thunberg's bay-tree <i>Machilus thunbergii</i> Siebold & Zucc.

Korean name (Romanization)	English name Scientific name
후박나무속 [녹나무과] (Hu-bak-na-mu-sok)	Bay-tree, Machilus <i>Machilus</i> Rumph. ex Nees [Lauraceae]
후추과 (Hu-chu-gwa)	Pepper family <i>Piperaceae</i> Giseke.
후추등 (Hu-chu-deung)	Kadsura pepper <i>Piper kadsura</i> (Choisy) Ohwi
후추속 [후추과] (Hu-chu-sok)	Pepper <i>Piper</i> L. [Piperaceae]
후피향나무 (Hu-pi-hyang-na-mu)	Naked-anther ternstroemia <i>Ternstroemia gymnanthera</i> (Wight & Arn.) Sprague
후피향나무속 [차나무과] (Hu-pi-hyang-na-mu-sok)	Ternstroemia <i>Ternstroemia</i> Mutis ex L.f. [Theaceae]
흑난초 (Heuk-nan-cho)	Black-flower widelip orchid <i>Liparis nervosa</i> (Thunb.) Lindl.
흑박주가리 (Heuk-bak-ju-ga-ri)	Black climbing swallow-wort <i>Cynanchum nipponicum</i> var. <i>glabrum</i> (Nakai) H.Hara
흑산가시 (Heuk-san-ga-si)	Heuksan rose <i>Rosa kokusanensis</i> Nakai
흑산도비비추 (Heuk-san-do-bi-bi-chu)	Heuksando hosta <i>Hosta yingeri</i> S.B.Jones
흑삼릉 (Heuk-sam-reung)	Simple-stem bur-reed <i>Sparganium erectum</i> L.
흑삼릉과 (Heuk-sam-reung-gwa)	Bur-reed family <i>Sparganiaceae</i> Hanin.
흑삼릉속 [흑삼릉과] (Heuk-sam-reung-sok)	Bur-reed <i>Sparganium</i> L. [Sparganiaceae]
흑수마름 (Heuk-su-ma-reum)	Amur water-chestnut <i>Trapa amurensis</i> Flerow
흑쐐기풀속 [쐐기풀과] (Heuk-sswae-gi-pul-sok)	Laportea <i>Laportea</i> Gaudich. [Urticaceae]
흑오미자 (Heuk-o-mi-ja)	Black-berry magnolia vine <i>Schisandra repanda</i> (Siebold & Zucc.) Radlk.

Korean name (Romanization)	English name Scientific name
흰가솔송 (Huin-ga-sol-song)	White mountain-heath <i>Phyllodoce caerulea</i> f. <i>albida</i> Uyeki
흰가시엉겅퀴 (Huin-ga-si-eong-geong-kwi)	White Japanese thistle * <i>Cirsium japonicum</i> var. <i>spinosissimum</i> f. <i>alba</i> T.B.Lee
흰각시붓꽃 (Huin-gak-si-but-kkot)	White long-tail iris <i>Iris rossii</i> f. <i>alba</i> Y.N.Lee
흰각시취 (Huin-gak-si-chwi)	White beatiful-flower saussurea <i>Saussurea pulchella</i> f. <i>albiflora</i> (Kitam.) Kitam.
흰갈퀴 (Huin-gal-kwi)	White Dahurian bedstraw <i>Galium dahuricum</i> var. <i>tokyoense</i> (Makino) Cufod.
흰갈퀴나물 (Huin-gal-kwi-na-mul)	White cheder vetch * <i>Vicia amoena</i> f. <i>albiflora</i> Y.N.Lee
흰갈퀴현호색 (Huin-gal-kwi-hyeon-ho-saek)	White large-sepal corydalis * <i>Corydalis grandicalyx</i> f. <i>albifloris</i> Y.N.Lee
흰갑산제비꽃 (Huin-gap-san-je-bi-kkot)	White Gapsan violet * <i>Viola kapsanensis</i> f. <i>albiflora</i> (Nakai) T.B.Lee
흰개수염 (Huin-gae-su-yeom)	White pipewort <i>Eriocaulon sikokianum</i> Maxim.
흰겨이삭 (Huin-gyeo-i-sak)	Redtop bentgrass <i>Agrostis gigantea</i> Roth
흰겹도라지 (Huin-gyeop-do-ra-ji)	White-double balloon-flower <i>Platycodon grandiflorus</i> var. <i>duplex</i> f. <i>leucanthum</i> H.Hara
흰고려엉겅퀴 (Huin-go-ryeo-eong-geong-kwi)	White-flower Korean thistle * <i>Cirsium setidens</i> f. <i>alba</i> T.B.Lee
흰고양이수염 (Huin-go-yang-i-su-yeom)	White beaksedge <i>Rhynchospora alba</i> (L.) Vahl
흰골무꽃 (Huin-gol-mu-kkot)	White-flower Indian skullcap <i>Scutellaria indica</i> f. <i>albiflora</i> Y.N.Lee
흰골병꽃나무 (Huin-gol-byeong-kkot-na-mu)	Nivea garden weigela <i>Weigela hortensis</i> f. <i>nivea</i> Bonard
흰곰딸기 (Huin-gom-ttal-gi)	White-flower wineberry * <i>Rubus phoenicolasius</i> f. <i>albiflorus</i> (Nakai) T.B.Lee

Korean name (Romanization)	English name Scientific name
흰괭이눈 (Huin-gwaeng-i-nun)	White-hair golden saxifrage <i>Chrysosplenium pilosum</i> var. <i>fulvum</i> (N.Terracc.) H.Hara
흰괴불나무 (Huin-goe-bul-na-mu)	Tatarian honeysuckle <i>Lonicera tatarinowii</i> var. <i>leptantha</i> (Rehder) Nakai
흰구름국화 (Huin-gu-reum-guk-hwa)	White hairless fleabane * <i>Erigeron thunbergii</i> subsp. <i>glabratus</i> f. <i>albiflorus</i> Y.N.Lee
흰귀룽나무 (Huin-gwi-rung-na-mu)	Grayish bird cherry <i>Prunus padus</i> f. <i>glauca</i> (Nakai) Kitag.
흰그늘용담 (Huin-geu-neul-yong-dam)	Choseon gentian <i>Gentiana chosenica</i> Okuyama
흰금강애기나리 (Huin-geum-gang-ae-gi-na-ri)	White-flower twisted-stalk * <i>Streptopus ovalis</i> var. <i>albus</i> Y.N.Lee
흰금강초롱꽃 (Huin-geum-gang-cho-rong-kkot)	White Geumgang bluebell * <i>Hanabusaya asiatica</i> f. <i>alba</i> T.B.Lee
흰꼬리사초 (Huin-kko-ri-sa-cho)	Brown's sedge <i>Carex brownii</i> Tuck.
흰꼬리풀 (Huin-kko-ri-pul)	White linear-leaf spike speedwell * <i>Veronica linariifolia</i> f. <i>alba</i> T.B.Lee
흰꽃고비 (Huin-kkot-go-bi)	White-flower Jacob's ladder * <i>Polemonium kiushianum</i> f. <i>albiflorum</i> Y.N.Lee
흰꽃광대나물 (Huin-kkot-gwang-dae-na-mul)	White-flower lagopsis <i>Lagopsis supina</i> (Steph. ex Willd.) Ikonn.-Gal.
흰꽃광대나물속 [꿀풀과] (Huin-kkot-gwang-dae-na-mul-sok)	Lagopsis <i>Lagopsis</i> Bunge [Lamiaceae]
흰꽃나비나물 (Huin-kkot-na-bi-na-mul)	White-beautiful two-leaf vetch <i>Vicia unijuga</i> f. <i>albiflora</i> Nakai
흰꽃여뀌 (Huin-kkot-yeo-kkwi)	White-flower smartweed <i>Persicaria japonica</i> (Meisn.) H.Gross ex Nakai
흰꽃잎엉겅퀴 (Huin-kkot-ip-eong-geong-kwi)	White-flower vlassoviana thistle <i>Cirsium vlassovianum</i> f. <i>leucanthum</i> Kitam.
흰꽃좀닭의장풀 (Huin-kkot-jom-dak-ui-jang-pul)	White narrow-flower Asian dayflower <i>Commelina communis</i> var. <i>angustifolia</i> f. <i>leucantha</i> Nakai

Korean name (Romanization)	English name Scientific name
흰꽃창포 (Huin-kkot-chang-po)	White-flower water iris * <i>Iris ensata</i> var. <i>spontanea</i> f. <i>alba</i> Y.N.Lee
흰꽃향유 (Huin-kkot-hyang-yu)	White-flower shiny mint * <i>Elsholtzia splendens</i> f. <i>albiflora</i> Y.N.Lee
흰꿀풀 (Huin-kkul-pul)	White-flower self-heal <i>Prunella vulgaris</i> f. <i>albiflora</i> Nakai
흰나리잔대 (Huin-na-ri-jan-dae)	White lilyleaf ladybell <i>Adenophora liliifolia</i> f. <i>alba</i> (Nakai) W.T.Lee
흰노랑무늬붓꽃 (Huin-no-rang-mu-nui-but-kkot)	White-flower Odaesan iris * <i>Iris odaesanensis</i> f. <i>albiflora</i> Y.N.Lee
흰노랑민들레 (Huin-no-rang-min-deul-re)	Yellowish white-flowering Korean dandelion <i>Taraxacum coreanum</i> var. <i>flavescens</i> Kitam.
흰노린재나무 (Huin-no-rin-jae-na-mu)	White Asian sweetleaf <i>Symplocos chinensis</i> var. <i>leucocarpa</i> (Nakai) Ohwi
흰닭의난초 (Huin-dak-ui-nan-cho)	White-flower helleborine * <i>Epipactis albiflora</i> T.H.Chung
흰대극 (Huin-dae-geuk)	Leafy spurge <i>Euphorbia esula</i> L.
흰도깨비엉겅퀴 (Huin-do-kkae-bi-eong-geong-kwi)	White woodland thistle <i>Cirsium schantarensse</i> f. <i>albiflorum</i> Y.N.Lee
흰도라지모시대 (Huin-do-ra-ji-mo-si-dae)	White big-flower ladybell * <i>Adenophora grandiflora</i> f. <i>alba</i> T.B.Lee
흰동백나무 (Huin-dong-baek-na-mu)	White camellia <i>Camellia japonica</i> f. <i>albipetala</i> H.T.Chang
흰동자꽃 (Huin-dong-ja-kkot)	White-flower campion <i>Lychnis cognata</i> f. <i>albiflora</i> W.T.Lee
흰두메양귀비 (Huin-du-me-yang-gwi-bi)	White-flower montane poppy * <i>Papaver radicatum</i> var. <i>pseudoradicatum</i> f. <i>albiflorum</i> Y.N.Lee
흰두메자운 (Huin-du-me-ja-un)	Mountain locoweed * <i>Oxytropis anertii</i> f. <i>alba</i> Y.N.Lee
흰동근이질풀 (Huin-dung-geun-i-jil-pul)	White-flower Korean cranesbill <i>Geranium koreanum</i> f. <i>albidum</i> Kom.

Korean name (Romanization)	English name Scientific name
흰등 (Huin-deung)	White Japanese wisteria <i>Wisteria floribunda</i> f. <i>alba</i> Rehder & E.H.Wilson
흰등고불나무 (Huin-deung-goe-bul-na-mu)	Wide-leaf honeysuckle <i>Lonicera maximowiczii</i> var. <i>latifolia</i> (Ohwi) H.Hara
흰등심붓꽃 (Huin-deung-sim-but-kkot)	White narrow-leaf blue-eye grass <i>Sisyrinchium angustifolium</i> f. <i>album</i> J.K.Sim & Y.S.Kim
흰땃딸기 (Huin-ttat-ttal-gi)	White wild strawberry <i>Fragaria nipponica</i> Makino
흰땅비싸리 (Huin-ttang-bi-ssa-ri)	White-flower Kirilow's indigo <i>Indigofera kirilowii</i> f. <i>albiflora</i> Uyeki
흰말채나무 (Huin-mal-chae-na-mu)	Red-bark dogwood <i>Cornus alba</i> L.
흰메꽃 (Huin-me-kkot)	White-hedge morning glory <i>Calystegia sepium</i> var. <i>japonica</i> f. <i>albiflora</i> (Makino) Yamazaki
흰명아주 (Huin-myeong-a-ju)	White goosefoot <i>Chenopodium album</i> L.
흰모시대 (Huin-mo-si-dae)	White scattered ladybell <i>Adenophora remotiflora</i> f. <i>leucantha</i> Honda
흰뫼제비꽃 (Huin-moe-je-be-kkot)	White Selkirk's violet <i>Viola selkirkii</i> f. <i>albiflora</i> (Nakai) F.Maec. ex H.Hara
흰무릇 (Huin-mu-reut)	White-flower squill <i>Scilla scilloides</i> f. <i>albiflora</i> (Satake) Satake & Okuy.
흰물봉선 (Huin-mul-bong-seon)	White field touch-me-not <i>Impatiens textori</i> var. <i>koreana</i> (Nakai) Nakai
흰물싸리 (Huin-mul-ssa-ri)	Manchurian shrubby cinquefoil <i>Potentilla fruticosa</i> var. <i>mandshurica</i> Maxim.
흰미나리아재비 (Huin-mi-na-ri-a-jae-bi)	White East Asian buttercup * <i>Ranunculus japonicus</i> f. <i>albiflorus</i> Y.N.Lee
흰민들레 (Huin-min-deul-re)	White-flowering Korean dandelion <i>Taraxacum coreanum</i> Nakai
흰바늘골 (Huin-ba-neul-gol)	Margaric spikerush <i>Eleocharis margaritacea</i> (Hultén) Miyabe & Kudô

Korean name (Romanization)	English name Scientific name
흰바늘엉겅퀴 (Huin-ba-neul-eong-geong-kwi)	White prickly thistle <i>Cirsium rhinoceros</i> f. <i>albiflorum</i> Sakata
흰바디나물 (Huin-ba-di-na-mul)	White bristly-margin angelica <i>Angelica cartilaginomarginata</i> var. <i>distans</i> (Nakai) Kitag.
흰바위취 (Huin-ba-wi-chwi)	Manchurian rockfoil <i>Saxifraga manshuriensis</i> (Engl.) Kom.
흰방동사니 (Huin-bang-dong-sa-ni)	White flatsedge <i>Cyperus michelianus</i> var. <i>pacificus</i> Ohwi
흰백리향 (Huin-baek-ri-hyang)	White five-rib thyme * <i>Thymus quinquecostatus</i> f. <i>albus</i> Y.N.Lee
흰별깨덩굴 (Huin-beol-kkae-deong-gul)	White nettle-leaf mint <i>Meehania urticifolia</i> f. <i>leucantha</i> H.Hara
흰범꼬리 (Huin-beom-kko-ri)	White bistort <i>Bistorta incana</i> (Nakai) Nakai ex T.Mori
흰복주머니란 (Huin-bok-ju-meo-ni-ran)	White big-flower lady's slipper <i>Cypripedium macranthos</i> f. <i>albiflorum</i> (Makino) Ohwi
흰분홍두메투구꽃 (Huin-bun-hong-du-me-tu-gu-kot)	Pink high-mountain speedwell * <i>Veronica stelleri</i> var. <i>longistyla</i> f. <i>rufescens</i> Y.N.Lee
흰붓꽃 (Huin-but-kkot)	White-flower blood iris * <i>Iris sanguinea</i> f. <i>albiflora</i> Y.N.Lee
흰비늘고사리 (Huin-bi-neul-go-sa-ri)	White-scale wood fern <i>Dryopsis maximowicziana</i> (Miq.) Holttum & P.J.Edwards
흰비늘고사리속 [면마과] (Huin-bi-neul-go-sa-ri-sok)	Dryopsis <i>Dryopsis</i> Holttum & P.J.Edwards [Dryopteridaceae]
흰비로용담 (Huin-bi-ro-yong-dam)	White-flower Biro gentian <i>Gentiana jamesii</i> f. <i>albiflora</i> (Nakai) Toyok.
흰비비추 (Huin-bi-bi-chu)	White hosta * <i>Hosta longipes</i> f. <i>alba</i> (Nakai) T.B.Lee
흰사초 (Huin-sa-cho)	Don's sedge <i>Carex doniana</i> Spreng.

Korean name (Romanization)	English name Scientific name
흰산쑥 (Huin-san-ssuk)	Whitish Freyn's wormwood <i>Artemisia freyniana</i> f. <i>vestita</i> (Kom.) Kitag.
흰산철쭉 (Huin-san-cheol-jjuk)	White Korean azalea <i>Rhododendron yedoense</i> f. <i>albiflora</i> H.T.Chang
흰상사화 (Huin-sang-sa-hwa)	White-flower surprise lily <i>Lycoris albiflora</i> Koidz.
흰생열구나무 (Huin-saeng-yeol-gwi-na-mu)	White amur rose <i>Rosa davurica</i> f. <i>alba</i> (Nakai) T.B.Lee
흰섬개회나무 (Huin-seom-gae-hoe-na-mu)	White Ulleungdo Miss Kim lilac <i>Syringa patula</i> var. <i>venosa</i> f. <i>lactea</i> M.Kim
흰섬주손이 (Huin-seom-jwi-son-i)	White Hallasan cranesbill <i>Geranium shikokianum</i> var. <i>quelpaertense</i> f. <i>albiflorum</i> Y.N.Lee
흰섬초롱꽃 (Huin-seom-cho-rong-kkot)	White Korean bellflower * <i>Campanula takesimana</i> f. <i>alba</i> T.B.Lee
흰속단 (Huin-sok-dan)	White-flower Jerusalem sage <i>Phlomis umbrosa</i> f. <i>albiflora</i> Y.N.Lee
흰솔나물 (Huin-sol-na-mul)	White-flower lady's bedstraw <i>Galium verum</i> var. <i>trachycarpum</i> f. <i>nikkoense</i> (Nakai) Ohwi
흰솜여뀌 (Huin-som-yeo-kkwi)	Hairy white-flower smartweed <i>Persicaria lapathifolia</i> var. <i>incana</i> (Roth) S.Ekman & T.Knutsson
흰송이풀 (Huin-song-i-pul)	White-flower lousewort <i>Pedicularis resupinata</i> f. <i>albiflora</i> (Nakai) W.T.Lee
흰수꼴무꽃 (Huin-su-gol-mu-kkot)	White alpine dentate skullcap <i>Scutellaria dentata</i> var. <i>alpina</i> f. <i>albida</i> Y.N.Lee
흰수크령 (Huin-su-keu-ryeong)	White foxtail fountaingrass <i>Pennisetum alopecuroides</i> var. <i>albiflorum</i> Y.N.Lee
흰숙은노루오줌 (Huin-suk-eun-no-ru-o-jum)	White Korean false goat's beard * <i>Astilbe koreana</i> f. <i>albiflora</i> Y.N.Lee
흰솔패랭이꽃 (Huin-sul-pae-raeng-i-kkot)	White fringed pink * <i>Dianthus superbus</i> var. <i>longicalycinus</i> f. <i>albiflorus</i> Y.N.Lee

Korean name (Romanization)	English name Scientific name
흰싸리 (Huin-ssa-ri)	White shrub lespedeza <i>Lespedeza bicolor</i> f. <i>alba</i> (Bean) Ohwi
흰쑥 (Huin-ssuk)	Beach wormwood <i>Artemisia stelleriana</i> Besser
흰씀바귀 (Huin-sseum-ba-gwi)	White toothed ikeridium <i>Ikeridium dentatum</i> f. <i>albiflora</i> (Makino) H.Hara
흰알며느리밥풀 (Huin-al-myeo-neu-ri-bap-pul)	White oval-leaf cow-wheat <i>Melampyrum roseum</i> var. <i>ovalifolium</i> f. <i>albiflorum</i> (Nakai) T.B.Lee ex T.B.Lee & T.Yamaz.
흰애기낚시제비꽃 (Huin-ae-gi-nak-si-je-bi-kkot)	White small creeping violet <i>Viola grypoceras</i> var. <i>exilis</i> f. <i>albiflora</i> Nakai
흰애기풀 (Huin-ae-gi-pul)	White-flower dwarf milkwort * <i>Polygala japonica</i> f. <i>leucantha</i> Nakai
흰앵초 (Huin-aeng-cho)	White-flower East Asian primrose * <i>Primula sieboldii</i> f. <i>albiflora</i> Y.N.Lee
흰양귀비 (Huin-yang-gwi-bi)	Amur poppy <i>Papaver amurense</i> (N.Busch) N.Busch ex Tolm.
흰억새 (Huin-eok-sae)	White maiden silvergrass <i>Miscanthus sinensis</i> var. <i>albiflorus</i> Y.N.Lee
흰얼레지 (Huin-eol-re-ji)	White Asian fawnlily * <i>Erythronium japonicum</i> f. <i>album</i> T.B.Lee
흰여뀌 (Huin-yeo-kkwi)	Pale smartweed <i>Persicaria lapathifolia</i> (L.) Delarbre
흰여로 (Huin-yeo-ro)	White false-hellebore <i>Veratrum versicolor</i> Nakai
흰오리방풀 (Huin-o-ri-bang-pul)	White tailed-leaf isodon <i>Isodon excisus</i> f. <i>albiflorus</i> (Sakata) H.Hara
흰오이풀 (Huin-o-i-pul)	White Canadian burnet <i>Sanguisorba stipulata</i> f. <i>alba</i> (Trautv. & C.A.Mey.) Kitam.
흰왕갓속부쟁이 (Huin-wang-gaet-ssuk-bu-jaeng-i)	White magnus aster <i>Aster magnus</i> f. <i>albiflorus</i> Y.N.Lee & C.S.Kim

Korean name (Romanization)	English name Scientific name
흰왜젓가락나물 (Huin-wae-jeot-ga-rak-na-mul)	White-flower Jejudo buttercup <i>*Ranunculus quelpaertensis</i> var. <i>albiflorus</i> Y.N.Lee
흰왜현호색 (Huin-wae-hyeon-ho-saek)	White-flower small corydalis <i>*Corydalis ambigua</i> f. <i>lacticolora</i> Y.N.Lee
흰용담 (Huin-yong-dam)	White-flower Korean gentian <i>*Gentiana scabra</i> var. <i>buergeri</i> f. <i>alba</i> Y.N.Lee
흰용머리 (Huin-yong-meo-ri)	White Fischer's dragon's head <i>*Dracocephalum argunense</i> f. <i>alba</i> T.B.Lee
흰이삭사초 (Huin-i-sak-sa-cho)	White-spike sedge <i>Carex metallica</i> H.Lév.
흰이질풀 (Huin-i-jil-pul)	Pale-flower Thunberg's geranium <i>*Geranium thunbergii</i> f. <i>pallidum</i> (Nakai) Murata
흰인가목 (Huin-in-ga-mok)	Korean rose <i>Rosa koreana</i> Kom.
흰일월비비추 (Huin-il-wol-bi-bi-chu)	White-flower Ilwol hosta <i>*Hosta capitata</i> f. <i>albiflora</i> Y.N.Lee
흰잎고려엉겅퀴 (Huin-ip-go-ryeo-eong-geong-kwi)	White-leaf Korean thistle <i>Cirsium setidens</i> var. <i>niveoaraneum</i> Kitam.
흰잎엉겅퀴 (Huin-ip-eong-geong-kwi)	Vlassoviana thistle <i>Cirsium vlassovianum</i> Fisch. ex DC.
흰자주괴불주머니 (Huin-ja-ju-goe-bul-ju-meo-ni)	White incised corydalis <i>*Corydalis incisa</i> f. <i>albiflora</i> Y.N.Lee
흰자주꽃방망이 (Huin-ja-ju-kkot-bang-mang-i)	White-clustered bellflower <i>Campanula glomerata</i> var. <i>dahurica</i> f. <i>alba</i> Nakai ex T.B.Lee
흰자주쓴풀 (Huin-ja-ju-sseun-pul)	White-flower false Chinese swertia <i>*Swertia pseudochinensis</i> f. <i>alba</i> Y.N.Lee
흰작살나무 (Huin-jak-sal-na-mu)	White beautyberry <i>Callicarpa japonica</i> var. <i>leucocarpa</i> Nakai
흰잔대 (Huin-jan-dae)	White three-leaf ladybell <i>Adenophora triphylla</i> var. <i>japonica</i> f. <i>albiflora</i> Y.N.Lee
흰장구채 (Huin-jang-gu-chae)	White catchfly <i>Silene oliganthella</i> Nakai

Korean name (Romanization)	English name Scientific name
흰장대나물 (Huin-jang-dae-na-mul)	White crown rockcress <i>Arabis coronata f. leucantha</i> Nakai
흰정향나무 (Huin-jeong-hyang-na-mu)	White Korean lilac <i>Syringa patula f. lactea</i> (Nakai) M.Kim
흰젖제비꽃 (Huin-jeot-je-bi-kkot)	Milky-white violet <i>Viola lactiflora</i> Nakai
흰제비고깔 (Huin-je-bi-go-kkal)	White Maack's larkspur <i>Delphinium maackianum f. album</i> (Nakai) W.T.Lee
흰제비꽃 (Huin-je-bi-kkot)	White-flower violet <i>Viola patrinii</i> DC. ex Ging.
흰제비란 (Huin-je-bi-ran)	White Asian platanthera <i>Platanthera hologlossis</i> Maxim.
흰조개나물 (Huin-jo-gae-na-mul)	White Korean pyramid bugle * <i>Ajuga multiflora f. leucantha</i> (Nakai) T.B.Lee
흰조록싸리 (Huin-jo-rok-ssa-ri)	White Korean lespedeza <i>Lespedeza maximowiczii f. albiflora</i> Uyeki
흰조뱅이 (Huin-jo-boaeng-i)	White common breea <i>Breea segeta f. lactiflora</i> (Nakai) W.T.Lee
흰조희풀 (Huin-jo-hui-pul)	White Hyacinth-flower clematis * <i>Clematis heracleifolia f. albiflora</i> Y.N.Lee
흰종바위솔 (Huin-jom-ba-wi-sol)	White minute rock pine * <i>Orostachys minuta f. alba</i> Y.N.Lee
흰종비비추 (Huin-jom-bi-bi-chu)	White minor hosta <i>Hosta minor f. alba</i> (Nakai) F.Maek.
흰종설앵초 (Huin-jom-seol-aeng-cho)	White-flower Baekdusan primrose * <i>Primula sachalinensis f. albida</i> Y.N.Lee
흰종양지꽃 (Huin-jom-yang-ji-kkot)	White-flower high mountain cinquefoil * <i>Potentilla matsumurae f. alba</i> Y.N.Lee
흰종현호색 (Huin-jom-hyeon-ho-saek)	White decumbent corydalis * <i>Corydalis decumbens f. albiflorus</i> Y.N.Lee
흰진달래 (Huin-jin-dal-rae)	White-flower Korean rhododendron <i>Rhododendron mucronulatum f. albiflorum</i> (Nakai) Okuy.

Korean name (Romanization)	English name Scientific name
흰진범 (Huin-jin-beom)	Tall-helmet monk'shood <i>Aconitum longecassidatum</i> Nakai
흰진퍼리잔대 (Huin-jin-peo-ri-jan-dae)	White marsh ladybell <i>Adenophora palustris</i> f. <i>leucantha</i> Nakai
흰참꽃나무 (Huin-cham-kkot-na-mu)	White chick azalea <i>Rhododendron tschonoskii</i> Maxim.
흰참꽃밭이 (Huin-cham-kkot-bat-i)	White many-bract bothriospermum <i>Bothriospermum secundum</i> f. <i>albiflorum</i> Nakai
흰참싸리 (Huin-cham-ssa-ri)	Half-white leafy lespedeza * <i>Lespedeza cyrtobotrya</i> f. <i>semialba</i> T.B.Lee
흰처녀치마 (Huin-cheo-nyeo-chi-ma)	White oriental swamppink <i>Heloniopsis orientalis</i> var. <i>flavida</i> (Nakai) Ohwi
흰철쭉 (Huin-cheol-jjuk)	White-flower royal azalea * <i>Rhododendron schlippenbachii</i> f. <i>albiflorum</i> Y.N.Lee
흰층꽃나무 (Huin-cheung-kkot-na-mu)	White bluebeard <i>Caryopteris incana</i> f. <i>candida</i> (C.K.Schneid.) H.Hara
흰큰구슬봉이 (Huin-keun-gu-seul-bung-i)	White-flower Zollinger's gentian <i>Gentiana zollingeri</i> f. <i>albiflora</i> Tuyama
흰큰나비나물 (Huin-keun-na-bi-na-mul)	White two-leaf vetch <i>Vicia unijuga</i> var. <i>ouensanensis</i> f. <i>albiflora</i> Y.N.Lee
흰큰도둑놈의갈고리 (Huin-keun-do-duk-nom-ui-gal-o-ri)	White Oldham's tick clover <i>Desmodium oldhamii</i> f. <i>alba</i> T.B.Lee
흰큰등갈퀴 (Huin-keun-deung-gal-kwi)	White large-leaf vetch <i>Vicia pseudoorobus</i> f. <i>albiflora</i> (Nakai) T.B.Lee
흰큰메꽃 (Huin-keun-me-kkot)	White-wild morning glory * <i>Calystegia sepium</i> f. <i>album</i> Y.N.Lee
흰큰방울새란 (Huin-keun-bang-ul-sae-ran)	White Asian pogonia * <i>Pogonia japonica</i> f. <i>albiflora</i> Y.N.Lee
흰타래난초 (Huin-ta-rae-nan-cho)	White-flower ladies' tresse * <i>Spiranthes sinensis</i> f. <i>albiflora</i> Y.N.Lee
흰터리풀 (Huin-teo-ri-pul)	White Korean meadowsweet <i>Filipendula koreana</i> f. <i>alba</i> (Nakai) Kitag.

Korean name (Romanization)	English name Scientific name
흰털고광나무 (Huin-teol-go-gwang-na-mu)	Woolly mock orange <i>Philadelphus schrenkii</i> var. <i>lasiogynus</i> (Nakai) W.T.Lee
흰털고사리 (Huin-teol-go-sa-ri)	White tappering glade fern <i>Deparia orientalis</i> (Z.R.Wang & J.J.Chien) Nakaike
흰털귀퉁나무 (Huin-teol-gwi-rung-na-mu)	Hairy bird cherry <i>Prunus padus</i> var. <i>pubescens</i> Regel & Tiling
흰털당마가목 (Huin-teol-dang-ma-ga-mok)	White-hair Amur mountain ash <i>Sorbus amurensis</i> var. <i>lanata</i> Nakai
흰털동자꽃 (Huin-teol-dong-ja-kkot)	Glabrous brilliant campion <i>Lychnis fulgens</i> f. <i>glabra</i> (Nakai) W.T.Lee
흰털민들레 (Huin-teol-min-deul-re)	White-hair dandelion <i>Taraxacum platycephidum</i> Diels
흰털복주머니란 (Huin-teol-bok-ju-meo-ni-ran)	White-hairy spotted lady's slipper * <i>Cypripedium guttatum</i> f. <i>albiflorum</i> Y.N.Lee
흰털솔나물 (Huin-teol-sol-na-mul)	White-hair yellow bedstraw <i>Galium verum</i> var. <i>trachycarpum</i> f. <i>album</i> Nakai
흰털제비꽃 (Huin-teol-je-bi-kkot)	White-hair violet <i>Viola hirtipes</i> S.Moore
흰톱잔대 (Huin-top-jan-dae)	White serrate ladybell * <i>Adenophora curvidens</i> f. <i>alba</i> Y.N.Lee
흰패랭이꽃 (Huin-pae-raeng-i-kkot)	White wild pink * <i>Dianthus chinensis</i> f. <i>albiflora</i> T.B.Lee
흰풀싸리 (Huin-pul-ssa-ri)	White tall lespedeza <i>Lespedeza thunbergii</i> var. <i>intermedia</i> f. <i>alba</i> T.B.Lee
흰한라꽃향유 (Huin-han-ra-kkot-hyang-yu)	White-flower Halla mint * <i>Elsholtzia hallasanensis</i> f. <i>albiflora</i> Y.N.Lee
흰한라돌舛구 (Huin-han-ra-dol-jjeo-gwi)	White-flower East Asian monk'shood <i>Aconitum napiforme</i> f. <i>albiflorum</i> Y.N.Lee
흰향유 (Huin-hyang-yu)	White-flower mint * <i>Elsholtzia ciliata</i> f. <i>leucantha</i> (Nakai) T.B.Lee

Korean name (Romanization)	English name Scientific name
흰현호색 (Huin-hyeon-ho-saek)	White-flower corydalis <i>Corydalis albipetala</i> B.U.Oh
흰황산참꽃 (Huin-hwang-san-cham-kkot)	White lapland rosebay <i>Rhododendron lapponicum</i> subsp. <i>parvifolium</i> f. <i>albiflorum</i> (Herder ex Maxim.) T.Yamaz.
흰흑오미자 (Huin-heuk-o-mi-ja)	Glaucous-black magnolia vine <i>Schisandra nigra</i> var. <i>hypoleuca</i> Makino
히어리 (Hi-eo-ri)	Korean winter hazel <i>Corylopsis coreana</i> Uyeki
히어리속 [조록나무과] (Hi-eo-ri-sok)	Winter hazel <i>Corylopsis</i> Siebold & Zucc. [Hamamelidaceae]

Scientific name	English name Korean name (Romanization)
A	
<i>Abelia</i> R.Br. [Caprifoliaceae]	Abelia 댕강나무속 (Daeng-gang-na-mu-sok) [인동과]
<i>Abelia dielsii</i> (Graebn.) Rehder	Pedunculate abelia 털댕강나무 (Teol-daeng-gang-na-mu)
<i>Abelia biflora</i> Turcz.	Ulleungdo abelia 섬댕강나무 (Seom-daeng-gang-na-mu)
<i>Abelia integrifolia</i> Koidz.	Entire-leaf abelia 바위댕강나무 (Ba-wi-daeng-gang-na-mu)
<i>Abelia mosanensis</i> T.H.Chung ex Nakai	Maengsan abelia 댕강나무 (Daeng-gang-na-mu)
<i>Abelia serrata</i> Siebold & Zucc.	Dwarf abelia 좀댕강나무 (Jom-daeng-gang-na-mu)
<i>Abelia spathulata</i> Siebold & Zucc.	Spatulate-leaf abelia 주걱댕강나무 (Ju-geok-daeng-gang-na-mu)
<i>Abelia tyaihyoni</i> Nakai	Taihyun's abelia 줄댕강나무 (Jul-daeng-gang-na-mu)
<i>Abeliophyllum</i> Nakai [Oleaceae]	Korean abelialeaf, Miseonnamu, White forsythia 미선나무속 (Mi-seon-na-mu-sok) [풀푸레나무과]
<i>Abeliophyllum distichum</i> Nakai	Miseonnamu (Korean abeliophyllum) 미선나무 (Mi-seon-na-mu)
* <i>Abeliophyllum distichum</i> var. <i>rotundicarpum</i> T.B.Lee	Round-fruit miseonnamu (Round-fruit abeliophyllum) 둥근미선나무 (Dung-geun-mi-seon-na-mu)
<i>Abeliophyllum distichum</i> f. <i>eburneum</i> T.B.Lee	Ivory-flower miseonnamu (Ivory-flower abeliophyllum) 상아미선나무 (Sang-a-mi-seon-na-mu)
<i>Abeliophyllum distichum</i> f. <i>lilacinum</i> Nakai	Pink-flower miseonnamu (Pink-flower abeliophyllum) 분홍미선나무 (Bun-hong-mi-seon-na-mu)

Scientific name	English name Korean name (Romanization)
* <i>Abeliophyllum distichum</i> f. <i>viridicalycinum</i> T.B.Lee	Green-calyx miseonnamu (<i>Green-calyx abeliophyllum</i>) 푸른미선나무 (Pu-reun-mi-seon-na-mu)
<i>Abies</i> Mill. [Pinaceae]	Firs 전나무속 (Jeon-na-mu-sok) [소나무과]
<i>Abies holophylla</i> Maxim.	Needle fir 전나무 (Jeon-na-mu)
<i>Abies koreana</i> E.H.Wilson	Korean fir 구상나무 (Gu-sang-na-mu)
<i>Abies koreana</i> f. <i>chlorocarpa</i> T.B.Lee	Green-cone Korean fir 푸른구상 (Pu-reun-gu-sang)
<i>Abies koreana</i> f. <i>nigrocarpa</i> Hatus.	Black-cone Korean fir 검은구상 (Geom-eun-gu-sang)
<i>Abies koreana</i> f. <i>rubrocarpa</i> T.B.Lee	Red-cone Korean fir 붉은구상 (Bul-geun-gu-sang)
<i>Abies nephrolepis</i> (Trautv. ex Maxim.) Maxim.	Khingan fir 분비나무 (Bun-bi-na-mu)
<i>Abies nephrolepis</i> f. <i>chlorocarpa</i> E.H.Wilson	Green-cone Khingan fir 청분비나무 (Cheong-bun-bi-na-mu)
<i>Acalypha</i> L. [Euphorbiaceae]	Copperleaf 깻풀속 (Kkae-pul-sok) [대극과]
<i>Acalypha australis</i> L.	Asian copperleaf 깻풀 (Kkae-pul)
ACANTHACEAE Juss.	Acanthus family 쥐꼬리망초과 (Jwi-kko-ri-mang-cho-gwa)
<i>Acer</i> L. [Aceraceae]	Maple 단풍나무속 (Dan-pung-na-mu-sok) [단풍나무과]
<i>Acer barbinerve</i> Maxim.	Bearded maple 청시닥나무 (Cheong-si-dak-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Acer komarovii</i> Pojark.	Red-twigs maple 시닥나무 (Si-dak-na-mu)
<i>Acer mandshuricum</i> Maxim.	Manchurian maple 복장나무 (Bok-jang-na-mu)
<i>Acer mono</i> var. <i>savatieri</i> (Pax) Nakai	Straight-angle mono maple 왕고로쇠나무 (Wang-go-ro-soe-na-mu)
<i>Acer mono</i> f. <i>connivens</i> (Nichols.) Rehder	Connivent-wing mono maple 집께고로쇠 (Jip-kke-go-ro-soe)
<i>Acer mono</i> f. <i>dissectum</i> (Wesm.) Rehder	Dissected-leaf barved-vein maple 긴고로쇠 (Gin-go-ro-soe)
<i>Acer mono</i> f. <i>rubripes</i> T.B.Lee	Red-petiole mono maple 붉은고로쇠 (Bul-geun-go-ro-soe)
<i>Acer palmatum</i> Thunb.	Palmate maple 단풍나무 (Dan-pung-na-mu)
<i>Acer pictum</i> Thunb.	Yellow-paint maple 털고로쇠나무 (Teol-go-ro-soe-na-mu)
<i>Acer pictum</i> var. <i>mono</i> (Maxim.) Maxim. ex Franch.	Mono maple 고로쇠나무 (Go-ro-soe-na-mu)
<i>Acer pictum</i> var. <i>truncatum</i> (Bunge) C.S.Chang	Manchurian paint maple 만주고로쇠 (Man-ju-go-ro-soe)
<i>Acer pseudosieboldianum</i> (Pax) Kom.	Korean maple 당단풍나무 (Dang-dan-pung-na-mu)
<i>Acer pseudosieboldianum</i> var. <i>ambiguum</i> Nakai	Wide Korean maple 넓은고로실나무 (Neol-beun-go-ro-sil-na-mu)
<i>Acer pseudosieboldianum</i> var. <i>ishidoyanum</i> Uyeki	Mountain Korean maple 산단풍나무 (San-dan-pung-na-mu)
<i>Acer takesimense</i> Nakai	Ulleungdo maple 섬단풍나무 (Seom-dan-pung-na-mu)
<i>Acer tataricum</i> subsp. <i>ginnala</i> (Maxim.) Wesm.	Amur maple 신나무 (Sin-na-mu)
<i>Acer tegmentosum</i> Maxim.	East Asian stripe maple 산겨름나무 (San-gyeo-reup-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Acer triflorum</i> Kom.	Three-flower maple 복자기 (Bok-ja-gi)
<i>Acer truncatum</i> var. <i>barbinerve</i> (Nakai) T.B.Lee	Hairy Manchurian paint maple 털만주고로소 (Teol-man-ju-go-ro-soe)
<i>Acer ukurunduense</i> Trautv. & C.A.Mey.	Candle-shape maple 부개꽃나무 (Bu-ge-kkot-na-mu)
ACERACEAE Juss.	Maple family 단풍나무과 (Dan-pung-na-mu-gwa)
<i>Achillea</i> L. [Asteraceae]	Yarrow 톱풀속 (Top-pul-sok) [국화과]
<i>Achillea alpina</i> L.	Alpine yarrow 톱풀 (Top-pul)
<i>Achillea alpina</i> subsp. <i>rhodoptarmica</i> (Nakai) Kitam.	Reddish alpine yarrow 붉은톱풀 (Bul-geun-top-pul)
<i>Achillea alpina</i> var. <i>discoidea</i> (Regel) Kitam.	Discoid-involucrue alpine yarrow 산톱풀 (San-top-pul)
<i>Achillea ptarmica</i> var. <i>acuminata</i> (Ledeb.) Heim.	Acute-leaf sneezewort yarrow 큰톱풀 (Keun-top-pul)
<i>Achillea setacea</i> Waldst. & Kit.	Bristly yarrow 털톱풀 (Teol-top-pul)
<i>Achlys</i> DC. [Berberidaceae]	Achlys 세잎풀속 (Se-ip-pul-sok) [매자나무과]
<i>Achlys japonica</i> Maxim.	East Asian deer's foot 세잎풀 (Se-ip-pul)
<i>Achyranthes</i> L. [Amaranthaceae]	Chaff flower 쇠무릎속 (Soe-mu-reup-sok) [비름과]
<i>Achyranthes fauriei</i> H.Lév. & Vaniot	Ruderal chaff flower 털쇠무릎 (Teol-soe-mu-reup)
<i>Achyranthes japonica</i> (Miq.) Nakai	Oriental chaff flower 쇠무릎 (Soe-mu-reup)

Scientific name	English name Korean name (Romanization)
<i>Aconitum</i> L. [Ranunculaceae]	Aconite, Blue rocket, Devil's helmet, Leopard's bane, Monk'shood, Mousebane, Queen of all Poisons, Wolf's bane, Women's bane 투구꽃속 (Tu-gu-kkot-sok) [미나리아재비과]
<i>Aconitum alboviolaceum</i> Kom.	Whitish-purple monk'shood 줄바꽃 (Jul-ba-kkot)
<i>Aconitum ambiguum</i> (Regel) Rchb.	Glabrous monk'shood 민바꽃 (Min-ba-kkot)
<i>Aconitum arcuatum</i> Maxim.	Curve monk'shood 키다리바꽃 (Ki-da-ri-ba-kkot)
<i>Aconitum austrokoreense</i> Koidz.	Trilobe monk'shood 세뿔투구꽃 (Se-ppul-tu-gu-kkot)
<i>Aconitum barbatum</i> var. <i>hispidum</i> (DC.) Ser.	Siberian monk'shood 노랑투구꽃 (No-rang-tu-gu-kkot)
<i>Aconitum chiisanense</i> Nakai	Jiri monk'shood 지리바꽃 (Ji-ri-ba-kkot)
<i>Aconitum ciliare</i> DC.	Hairy monk'shood 늦젓가락나물 (Not-jeot-ga-rak-na-mul)
<i>Aconitum coreanum</i> (H.Lév.) Rapaics	Korean monk'shood 백부자 (Baek-bu-ja)
<i>Aconitum jaluense</i> Kom.	Monk'shood 투구꽃 (Tu-gu-kkot)
<i>Aconitum japonicum</i> subsp. <i>nipiforme</i> (H.Lév. & Vaniot) Kadota	East Asian monk'shood 한라돌찌귀 (Han-ra-dol-jjeo-gwi)
<i>Aconitum kusnezoffii</i> Rchb.	Kusnezoff's monk'shood 이삭바꽃 (I-sak-ba-kkot)
<i>Aconitum longecassidatum</i> Nakai	Tall-helmet monk'shood 흰진범 (Huin-jin-beom)
<i>Aconitum macrorhynchum</i> Turcz. ex Ledeb.	Dissected-leaf monk'shood 가는돌찌귀 (Ga-neun-dol-jjeo-gwi)
<i>Aconitum monanthum</i> Nakai	Alpine monk'shood 각시투구꽃 (Gak-si-tu-gu-kkot)

Scientific name	English name Korean name (Romanization)
<i>Aconitum napiforme</i> f. <i>albiflorum</i> Y.N.Lee	White-flower East Asian monk'shood 흰한라돌찌귀 (Huin-han-ra-dol-jjeo-gwi)
<i>Aconitum pseudolaeve</i> Nakai	Upright monk'shood 진범 (Jin-beom)
<i>Aconitum pteropus</i> Nakai	Wing monk'shood 날개진범 (Nal-gae-jin-beom)
<i>Aconitum quelpaertense</i> Nakai	Halla monk'shood 한라투구꽃 (Han-ra-tu-gu-kkot)
<i>Aconitum raddeanum</i> Regel	Big-bract monk'shood 선줄바꽃 (Seon-jul-ba-kkot)
<i>Aconitum sczukinii</i> Turcz.	Wide-leaf monk'shood 넓은잎초오 (Neol-beun-ip-cho-o)
<i>Aconitum triphyllum</i> Nakai	Three-leaf monk'shood 세잎돌찌귀 (Se-ip-dol-jjeo-gwi)
<i>Aconitum umbrosum</i> (Korsh.) Kom.	Meadow monk'shood 선투구꽃 (Seon-tu-gu-kkot)
<i>Aconitum villosum</i> Rchb.	White-villous monk'shood 참줄바꽃 (Cham-jul-ba-kkot)
<i>Aconitum volubile</i> Pall.	Twining monk'shood 가는줄돌찌귀 (Ga-neun-jul-dol-jjeo-gwi)
<i>Aconogonon</i> (Meisn.) Rchb. [Polygonaceae]	<i>Aconogonon</i> 싱아속 (Sing-a-sok) [마디풀과]
<i>Aconogonon ajanense</i> (Regel & Tiling) H.Hara	Long-leaf knotweed 긴개싱아 (Gin-gae-sing-a)
<i>Aconogonon alpinum</i> (All.) Schur	Alpine knotweed 싱아 (Sing-a)
<i>Aconogonon brachytrichum</i> (Ohwi) Soják	Hairy knotweed 털싱아 (Teol-sing-a)
<i>Aconogonon divaricatum</i> (L.) Nakai ex T.Mori	Spreading knotweed 왜개싱아 (Wae-gae-sing-a)
<i>Aconogonon limosum</i> (Kom.) H.Hara	Mountain knotweed 산바위싱아 (San-ba-wi-sing-a)

Scientific name	English name Korean name (Romanization)
* <i>Aconogonon micranthum</i> Nakai ex T.Mori	Small-flower knotweed 개싱아 (Gae-sing-a)
<i>Aconogonon microcarpum</i> (Kitag.) H.Hara	Small-fruit knotweed 참개싱아 (Cham-gae-sing-a)
<i>Aconogonon mollifolium</i> (Kitag.) H.Hara	Thin-leaf knotweed 얇은개싱아 (Yal-beun-gae-sing-a)
<i>Acorus L.</i> [Araceae]	Calamus, Sweet flag 창포속 (Chang-po-sok) [천남성과]
<i>Acorus calamus</i> L.	Common sweet flag 창포 (Chang-po)
<i>Acorus gramineus</i> Sol.	Grass-leaf sweet flag 석창포 (Seok-chang-po)
<i>Actaea L.</i> [Ranunculaceae]	Baneberry, Bugbane 노루삼속 (No-ru-sam-sok) [미나리아재비과]
<i>Actaea asiatica</i> H.Hara	Asian baneberry 노루삼 (No-ru-sam)
<i>Actaea erythrocarpa</i> Fisch.	Red baneberry 붉은노루삼 (Bul-geun-no-ru-sam)
<i>Actinidia Lindl.</i> [Actinidiaceae]	Actinidia , Kiwi 다래나무속 (Da-rae-na-mu-sok) [다래나무과]
<i>Actinidia arguta</i> (Siebold & Zucc.) Planch. ex Miq.	Hardy kiwi 다래 (Da-rae)
<i>Actinidia arguta</i> var. <i>platyphylla</i> (A.Gray) Nakai	Hairy hardy kiwi 털다래 (Teol-da-rae)
<i>Actinidia arguta</i> var. <i>rufinervis</i> Nakai	Red-nerve hardy kiwi 녹다래 (Nok-da-rae)
<i>Actinidia kolomikta</i> (Maxim. & Rupr.) Maxim.	Variegated-leaf hardy kiwi 주다래 (Jwi-da-rae)
<i>Actinidia polygama</i> (Siebold & Zucc.) Planch. ex Maxim.	Silver vine 개다래 (Gae-da-rae)

Scientific name	English name Korean name (Romanization)
<i>Actinidia rufa</i> (Siebold & Zucc.) Planch. ex Miq.	Reddish-brown hardy kiwi 섬다래 (Seom-da-rae)
ACTINIDIACEAE Gilg & Werderm.	Chinese gooseberry family, Kiwi family 다래나무과 (Da-rae-na-mu-gwa)
<i>Actinostemma</i> Griff. [Cucurbitaceae]	Actinostemma 뚜껑덩굴속 (Ttu-kkeong-deong-gul-sok) [박과]
<i>Actinostemma lobatum</i> (Maxim.) Maxim.	Lobed actinostemma 뚜껑덩굴 (Ttu-kkeong-deong-gul)
<i>Adenocaulon</i> Hook. [Asteraceae]	Trailplant 멀가치속 (Myeol-ga-chi-sok) [국화과]
<i>Adenocaulon himalaicum</i> Edgew.	Asian trailplant 멀가치 (Myeol-ga-chi)
<i>Adenophora</i> Fisch. [Campanulaceae]	Ladybells 잔대속 (Jan-dae-sok) [초롱꽃과]
<i>Adenophora coronopifolia</i> Fisch.	Round-leaf ladybell 둥근잔대 (Dung-geun-jan-dae)
<i>Adenophora curvidens</i> Nakai	Serrate ladybell 톱잔대 (Top-jan-dae)
* <i>Adenophora curvidens</i> f. <i>alba</i> Y.N.Lee	White serrate ladybell 흰톱잔대 (Huin-top-jan-dae)
<i>Adenophora divaricata</i> Franch. & Sav.	Spreading-branch ladybell 넓은잔대 (Neol-beun-jan-dae)
<i>Adenophora erecta</i> S.Lee, Joongku Lee & S.Kim	Erect ladybell 선모시대 (Seon-mo-si-dae)
<i>Adenophora gmelinii</i> (Biehler) Fisch.	Narrow-leaf ladybell 솔잎잔대 (Sol-ip-jan-dae)
<i>Adenophora grandiflora</i> Nakai	Big-flower ladybell 도라지모시대 (Do-ra-ji-mo-si-dae)
* <i>Adenophora grandiflora</i> f. <i>alba</i> T.B.Lee	White big-flower ladybell 흰도라지모시대 (Huin-do-ra-ji-mo-si-dae)

Scientific name	English name Korean name (Romanization)
<i>Adenophora kayasanensis</i> Kitam.	Gayasan ladybell 가야산잔대 (Ga-ya-san-jan-dae)
<i>Adenophora koreana</i> Kitam.	Korean ladybell 꽃잔대 (Kkot-jan-dae)
<i>Adenophora lamarckii</i> Fisch.	Lamark's ladybell 두메잔대 (Du-me-jan-dae)
<i>Adenophora liliifolia</i> (L.) Besser	Lilyleaf ladybell 나리잔대 (Na-ri-jan-dae)
<i>Adenophora liliifolia</i> f. <i>alba</i> (Nakai) W.T.Lee	White lilyleaf ladybell 흰나리잔대 (Huin-na-ri-jan-dae)
<i>Adenophora palustris</i> Kom.	Marsh ladybell 진퍼리잔대 (Jin-peo-ri-jan-dae)
<i>Adenophora palustris</i> f. <i>leucantha</i> Nakai	White marsh ladybell 흰진퍼리잔대 (Huin-jin-peo-ri-jan-dae)
<i>Adenophora pereskiaefolia</i> (Fisch. ex Roem. & Schult.) G.Don	Manchurian ladybell 만주잔대 (Man-ju-jan-dae)
<i>Adenophora polyantha</i> Nakai	Many-flower ladybell 수원잔대 (Su-won-jan-dae)
<i>Adenophora pulchra</i> Kitam.	Beautiful ladybell 금강잔대 (Geum-gang-jan-dae)
<i>Adenophora racemosa</i> J.Lee & S.Lee	Racemous ladybell 외대잔대 (Oe-dae-jan-dae)
<i>Adenophora remotidens</i> Hemsl.	Incheon ladybell 인천잔대 (In-cheon-jan-dae)
<i>Adenophora remotiflora</i> (Siebold & Zucc.) Miq.	Scattered ladybell 모시대 (Mo-si-dae)
<i>Adenophora remotiflora</i> f. <i>leucantha</i> Honda	White scattered ladybell 흰모시대 (Huin-mo-si-dae)
<i>Adenophora stricta</i> Miq.	Upright ladybell 당잔대 (Dang-jan-dae)
<i>Adenophora stricta</i> var. <i>lancifolia</i> Honda	Sword-leaf upright ladybell 긴당잔대 (Gin-dang-jan-dae)

Scientific name	English name Korean name (Romanization)
<i>Adenophora taquetii</i> H.Lév.	Jejudo ladybell 섬잔대 (Seom-jan-dae)
<i>Adenophora triphylla</i> var. <i>japonica</i> (Regel) H.Hara	Three-leaf ladybell 잔대 (Jan-dae)
<i>Adenophora triphylla</i> var. <i>japonica</i> f. <i>albiflora</i> Y.N.Lee	White three-leaf ladybell 흰잔대 (Huin-jan-dae)
<i>Adenophora triphylla</i> var. <i>hakusanensis</i> (Nakai) Kitam.	Alpine three-leaf ladybell 고산잔대 (Go-san-jan-dae)
<i>Adenophora triphylla</i> f. <i>linearis</i> (Hayata) Kitam.	Linear three-leaf ladybell 가는잎잔대 (Ga-neun-ip-jan-dae)
* <i>Adenophora tyosensis</i> Nakai ex T.H.Chung	Chosen ladybell 왕잔대 (Wang-jan-dae)
<i>Adenophora verticillata</i> Fisch.	Whorled-leaf ladybell 층층잔대 (Cheung-cheung-jan-dae)
<i>Adenophora verticillata</i> var. <i>abbreviata</i> H.Lév.	Hallasan ladybell 좀층층잔대 (Jom-cheung-cheung-jan-dae)
<i>Adenophora verticillata</i> var. <i>angustifolia</i> Regel	Narrow whorled-leaf ladybell 가는층층잔대 (Ga-neun-cheung-cheung-jan-dae)
<i>Adenophora verticillata</i> var. <i>hirsuta</i> F.Schmidt	Hairy whorled-leaf ladybell 털잔대 (Teol-jan-dae)
<i>Adenostemma</i> J.R.Forst. & G.Forst. [Asteraceae]	Adenostemma, Medicineplant 물머위속 (Mul-meo-wi-sok) [국화과]
<i>Adenostemma lavenia</i> (L.) Kuntze	Common adenostemma 물머위 (Mul-meo-wi)
<i>Adiantum</i> L. [Pteridaceae]	Maidenhair fern 공작고사리속 (Gong-jak-go-sa-ri-sok) [고사리과]
<i>Adiantum capillus-junonis</i> Rupr.	Junos-hair fern 암공작고사리 (Am-gong-jak-go-sa-ri)
<i>Adiantum coreanum</i> Tagawa	Korean maidenhair fern 고려공작고사리 (Go-ryeo-gong-jak-go-sa-ri)

Scientific name	English name Korean name (Romanization)
<i>Adiantum monochlamys</i> D.C.Eaton	Mono-sorus maidenhair fern 섬공작고사리 (Seom-gong-jak-go-sa-ri)
<i>Adiantum pedatum</i> L.	Northern maidenhair fern 공작고사리 (Gong-jak-go-sa-ri)
Adina Salisb. [Rubiaceae]	Adina 구슬꽃나무속 (Gu-seul-kkot-na-mu-sok) [꼭두서니과]
<i>Adina rubella</i> Hance	Glossy adina 구슬꽃나무 (Gu-seul-kkot-na-mu)
Adlumia Raf. [Fumariaceae]	Adlumia 줄꽃주머니속 (Jul-kkot-ju-meo-ni-sok) [현호색과]
<i>Adlumia asiatica</i> Ohwi	Asian mountain fringe 줄꽃주머니 (Jul-kkot-ju-meo-ni)
Adonis L. [Ranunculaceae]	Adonis, Pheasant's eye 복수초속 (Bok-su-cho-sok) [미나리아재비과]
<i>Adonis amurensis</i> Regel & Radde	Amur adonis 복수초 (Bok-su-cho)
* <i>Adonis amurensis</i> subsp. <i>nanus</i> Y.N.Lee	Small Amur adonis 애기복수초 (Ae-gi-bok-su-cho)
<i>Adonis multiflora</i> Nishikawa & Koji Ito	Acute-tip adonis 세복수초 (Se-bok-su-cho)
<i>Adonis ramosa</i> Franch.	Forked-stem adonis 가지복수초 (Ga-ji-bok-su-cho)
Adoxa L. [Adoxaceae]	Adoxa 연복초속 (Yeon-bok-cho-sok) [연복초과]
<i>Adoxa moschatellina</i> L.	Muskroot 연복초 (Yeon-bok-cho)
ADOXACEAE E.Mey.	Moschatel family 연복초과 (Yeon-bok-cho-gwa)

Scientific name	English name Korean name (Romanization)
<i>Aeginetia</i> L. [Orobanchaceae]	Aeginetia 야고속 (Ya-go-sok) [열당과]
<i>Aeginetia indica</i> L.	Indian broomrape 야고 (Ya-go)
<i>Aegopodium</i> L. [Apiaceae]	Goutweed 산미나리속 (San-mi-na-ri-sok) [산형과]
<i>Aegopodium alpestre</i> Ledeb.	Alpine goutweed 웨방풀 (Wae-bang-pung)
<i>Aegopodium podagraria</i> L.	Goutweed 산미나리 (San-mi-na-ri)
<i>Aeschynomene</i> L. [Fabaceae]	Jointvetch 자귀풀속 (Ja-gwi-pul-sok) [콩과]
<i>Aeschynomene indica</i> L.	Indian jointvetch 자귀풀 (Ja-gwi-pul)
<i>Agastache</i> J.Clayton ex Gronov. [Lamiaceae]	Giant hyssop 배초향속 (Bae-cho-hyang-sok) [꿀풀과]
<i>Agastache rugosa</i> (Fisch. & C.A.Mey.) Kuntze	Korean mint 배초향 (Bae-cho-hyang)
<i>Agrimonia</i> L. [Rosaceae]	Agrimony 짚신나물속 (Jip-sin-na-mul-sok) [장미과]
<i>Agrimonia coreana</i> Nakai	Korean agrimony 산짚신나물 (San-jip-sin-na-mul)
<i>Agrimonia nipponica</i> Koidz.	Small hairy agrimony 좁짚신나물 (Jom-jip-sin-na-mul)
<i>Agrimonia pilosa</i> Ledeb.	Hairy agrimony 짚신나물 (Jip-sin-na-mul)
<i>Agrostis</i> L. [Poaceae]	Bent, Bentgrass 겨이삭속 (Gyeo-i-sak-sok) [벼과]

Scientific name	English name Korean name (Romanization)
<i>Agrostis canina</i> L.	Velvet bentgrass 검은거이삭 (Geom-eun-gyeo-i-sak)
* <i>Agrostis canina</i> var. <i>mutica</i> G.Sinclair	Awn-less velvet bentgrass 민매기이삭 (Min-me-gi-i-sak)
<i>Agrostis clavata</i> Trin.	Clavate bentgrass 산겨이삭 (San-gyeo-i-sak)
<i>Agrostis clavata</i> var. <i>nukabo</i> Ohwi	Asian bentgrass 겨이삭 (Gyeo-i-sak)
<i>Agrostis divaricatissima</i> Mez	Many-fold sequence bentgrass 엉성거이삭 (Eong-seong-gyeo-i-sak)
<i>Agrostis flaccida</i> Hack.	Trin's bentgrass 검정거이삭 (Geom-jeong-gyeo-i-sak)
<i>Agrostis gigantea</i> Roth	Redtop bentgrass 흰겨이삭 (Huin-gyeo-i-sak)
<i>Agrostis scabra</i> Willd.	Rough bentgrass 긴겨이삭 (Gin-gyeo-i-sak)
<i>Agrostis stolonifera</i> L.	Creeping bentgrass 애기겨이삭 (Ae-gi-gyeo-i-sak)
<i>Ainsliaea</i> DC. [Asteraceae]	<i>Ainsliaea</i> 단풍취속 (Dan-pung-chwi-sok) [국화과]
<i>Ainsliaea acerifolia</i> Sch.Bip.	Maple-leaf ainsliaea 단풍취 (Dan-pung-chwi)
<i>Ainsliaea acerifolia</i> var. <i>subapoda</i> Nakai	Shallow maple-leaf ainsliaea 가야단풍취 (Ga-ya-dan-pung-chwi)
<i>Ainsliaea apiculata</i> Sch.Bip.	Small maple-leaf ainsliaea 좀딱취 (Jom-ttak-chwi)
AIZOACEAE Martinov	Fig-marigold family, Ice plant family 번행초과 (Beon-haeng-cho-gwa)
<i>Ajania</i> Poljakov [Asteraceae]	<i>Ajania</i> 솔인진속 (Sol-in-jin-sok) [국화과]

Scientific name	English name Korean name (Romanization)
<i>Ajania pallasiana</i> (Fisch. ex Besser) Poljakov	Northeast Asian ajania 솔인진 (Sol-in-jin)
<i>Ajuga</i> L. [Lamiaceae]	Bugle, Bugleweed, Carpet bugle, Ground pine 조개나물속 (Jo-gae-na-mul-sok) [꼴풀과]
<i>Ajuga decumbens</i> Thunb.	Decumbent bugle 금창초 (Geum-chang-cho)
<i>Ajuga decumbens</i> var. <i>rosa</i> Y.N.Lee	Pink-flower bugle 내장금란초 (Nae-jang-geum-ran-cho)
<i>Ajuga multiflora</i> Bunge	Korean pyramid bugle 조개나물 (Jo-gae-na-mul)
* <i>Ajuga multiflora</i> f. <i>leucantha</i> (Nakai) T.B.Lee	White Korean pyramid bugle 흰조개나물 (Huin-jo-gae-na-mul)
<i>Ajuga multiflora</i> f. <i>rosea</i> Y.N.Lee	Red Korean pyramid bugle 붉은조개나물 (Bul-geun-jo-gae-na-mul)
<i>Ajuga spectabilis</i> Nakai	Korean bugle 자란초 (Ja-ran-cho)
<i>Akebia</i> Decne. [Lardizabalaceae]	Akebia, Chocolate vine 으름덩굴속 (Eu-reum-deong-gul-sok) [으름덩굴과]
<i>Akebia quinata</i> (Houtt.) Decne.	Five-leaf chocolate vine 으름덩굴 (Eu-reum-deong-gul)
<i>Akebia quinata</i> f. <i>polyphylla</i> (Nakai) Hiyama	Eight-leaf chocolate vine 여덟잎으름 (Yeo-deol-ip-eu-reum)
ALANGIACEAE DC.	Alangium family 박쥐나무과 (Bak-jwi-na-mu-gwa)
<i>Alangium</i> Lam. [Alangiaceae]	Alangium 박쥐나무속 (Bak-jwi-na-mu-sok) [박쥐나무과]
<i>Alangium platanifolium</i> (Siebold & Zucc.) Harms	Palmate-leaf alangium 단풍박쥐나무 (Dan-pung-bak-jwi-na-mu)
<i>Alangium platanifolium</i> var. <i>trilobum</i> (Miq.) Ohwi	Trilobed-leaf alangium 박쥐나무 (Bak-jwi-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Albizia Durazz.</i> [Fabaceae]	Albizia, Albizzias, East Indian walnut, Mimosa, Silk plants, Silk trees, Sirises 자귀나무속 (Ja-gwi-na-mu-sok) [종과]
<i>Albizia julibrissin</i> Durazz.	Silk tree 자귀나무 (Ja-gwi-na-mu)
<i>Albizia kalkora</i> Prain	Kalkora mimosa 왕자귀나무 (Wang-ja-gwi-na-mu)
<i>Aldrovanda L.</i> [Droseraceae]	Waterwheel plant 벌레먹이말속 (Beol-re-meok-i-mal-sok) [끈끈이귀개과]
<i>Aldrovanda vesiculosa</i> L.	Waterwheel plant 벌레먹이말 (Beol-re-meok-i-mal)
<i>Aletris L.</i> [Liliaceae]	Colicroot, Colicweed, Crow corn, Unicorn root 쥐꼬리풀속 (Jwi-kko-ri-pul-sok) [백합과]
<i>Aletris foliata</i> (Maxim.) Makino & Nemoto	Stiky colicroot 끈적쥐꼬리풀 (Kkeun-jeok-jwi-kko-ri-pul)
<i>Aletris glabra</i> Bureau & Franch.	Glabrous colicroot 여우꼬리풀 (Yeo-u-kko-ri-pul)
<i>Aletris spicata</i> (Thunb.) Franch.	Spike colicroot 쥐꼬리풀 (Jwi-kko-ri-pul)
<i>Alisma L.</i> [Alismataceae]	Water plantain 택사속 (Taek-sa-sok) [택사과]
<i>Alisma canaliculatum</i> A.Braun & C.D.Bouché	Channelled water plantain 택사 (Taek-sa)
<i>Alisma plantago-aquatica</i> subsp. <i>orientale</i> (Sam.) Sam.	Asian water plantain 질경이택사 (Jil-gyeong-i-taek-sa)
ALISMATACEAE Vent.	Water-plantain family 택사과 (Taek-sa-gwa)

Scientific name	English name Korean name (Romanization)
<i>Allium L.</i> [Liliaceae]	Ornamental onion, Onion 부추속 (Bu-chu-sok) [백합과]
<i>Allium anisopodium</i> Ledeb.	Thread-leaf chive 실부추 (Sil-bu-chu)
<i>Allium anisopodium</i> var. <i>zimmermannianum</i> (Gilg) F.T.Wang & T.Tang	Hairy thread-leaf chive 털실부추 (Teol-sil-bu-chu)
<i>Allium condensatum</i> Turcz.	Oriental yellow chive 노랑부추 (No-rang-bu-chu)
<i>Allium deltoideifistulosum</i> S.O.Yu et al.	Triangular chive 세모부추 (Se-mo-bu-chu)
<i>Allium koreanum</i> H.J.Choi & B.U.Oh	Korean rocky chive 돌부추 (Dol-bu-chu)
<i>Allium linearifolium</i> H.J.Choi & B.U.Oh	Linear-leaf chive 선부추 (Seon-bu-chu)
<i>Allium longistylum</i> Baker	Riverside chive 강부추 (Gang-bu-chu)
<i>Allium macrostemon</i> Bunge	Long-stamen chive 산달래 (San-dal-rae)
<i>Allium maximowiczii</i> Regel	Oriental chive 산파 (San-pa)
<i>Allium minus</i> (S.O.Yu, S.Lee & W.Lee) H.J.Choi & B.U.Oh	Manchurian aging chive 좀부추 (Jom-bu-chu)
<i>Allium monanthum</i> Maxim.	Korean wild chive 달래 (Dal-rae)
<i>Allium ochotense</i> Prokh.	Myeong-yi (Siberian onion) 울릉산마늘 (Ul-reung-san-ma-neul)
<i>Allium pseudojaponicum</i> Makino	Coastal chive 갯부추 (Gaet-bu-chu)
<i>Allium sacciferum</i> Maxim.	Northern plain chive 참산부추 (Cham-san-bu-chu)

Scientific name	English name Korean name (Romanization)
<i>Allium scorodoprasum</i> var. <i>multibilosum</i> Y.N.Lee	Korean pickled-peel garlic 조선마늘 (Jo-seon-ma-neul)
<i>Allium senescens</i> L.	Aging chive 두메부추 (Du-me-bu-chu)
<i>Allium spirale</i> Willd.	Korean aging chive 참두메부추 (Cham-du-me-bu-chu)
<i>Allium splendens</i> Willd. ex Schult. & Schult.f.	Glittering chive 가는산부추 (Ga-neun-san-bu-chu)
<i>Allium taquetii</i> H.Lév. & Vaniot	Halla chive 한라부추 (Han-ra-bu-chu)
<i>Allium thunbergii</i> G.Don	Thunberg's chive 산부추 (San-bu-chu)
<i>Allium thunbergii</i> var. <i>deltoides</i> (S.O.Yu, S.Lee & W.T.Lee) H.J.Choi & B.U.Oh	Triangular-leaf Thunberg's chive 세모산부추 (Se-mo-san-bu-chu)
<i>Allium thunbergii</i> var. <i>teretifolium</i> H.J.Choi & B.U.Oh	Terete-leaf Thunberg's chive 등근산부추 (Dung-geun-san-bu-chu)
<i>Allium victorialis</i> L.	Alpine broad-leaf allium 산마늘 (San-ma-neul)
<i>Alnus</i> Mill. [Betulaceae]	Alder 오리나무속 (O-ri-na-mu-sok) [자작나무과]
<i>Alnus borealis</i> Koidz.	Northern alder 떡오리나무 (Tteok-o-ri-na-mu)
<i>Alnus hirsuta</i> (Spach) Rupr.	Manchurian alder 풀오리나무 (Mul-o-ri-na-mu)
* <i>Alnus hirsuta</i> f. <i>glabra</i> T.B.Lee	Glabrous Manchurian alder 민물오리나무 (Min-mul-o-ri-na-mu)
<i>Alnus japonica</i> (Thunb.) Steud.	East Asian alder 오리나무 (O-ri-na-mu)
<i>Alnus japonica</i> var. <i>koreana</i> Callier	Hairy East Asian alder 털오리나무 (Teol-o-ri-na-mu)
<i>Alnus japonica</i> var. <i>resinosa</i> Nakai	Sticky East Asian alder 웅기오리나무 (Ung-gi-o-ri-na-mu)

Scientific name	English name Korean name (Romanization)
* <i>Alnus japonica</i> var. <i>serrata</i> Nakai	Ulleungdo alder 섬오리나무 (Seom-o-ri-na-mu)
<i>Alnus mandshurica</i> (Callier) Hand.-Mazz.	Northeast Asian alder 덤불오리나무 (Deom-bul-o-ri-na-mu)
<i>Alnus mandshurica</i> f. <i>barbinervis</i> (Nakai) W.T.Lee	Beard Northeast Asian alder 함북오리나무 (Ham-buk-o-ri-na-mu)
<i>Alnus mandshurica</i> f. <i>pubescens</i> (Nakai) Kitag.	Hairy Northeast Asian alder 털만주오리나무 (Teol-man-ju-o-ri-na-mu)
<i>Alnus maximowiczii</i> Callier	Montane alder 두메오리나무 (Du-me-o-ri-na-mu)
<i>Alnus × mayrii</i> Callier	Downy East Asian alder 잔털오리나무 (Jan-teol-o-ri-na-mu)
<i>Alopecurus</i> L. [Poaceae]	Foxtail, Foxtail grass 똑새풀속 (Ttuk-sae-pul-sok) [벼과]
<i>Alopecurus aequalis</i> Sobol.	Short-awn foxtail grass 똑새풀 (Ttuk-sae-pul)
AMARANTHACEAE Juss.	Amaranth family 비름과 (Bi-reum-gwa)
<i>Amaranthus</i> L. [Amaranthaceae]	Amaranth, Pigweed 비름속 (Bi-reum-sok) [비름과]
<i>Amaranthus deflexus</i> L.	Large-fruit amaranth 눈비름 (Nun-bi-reum)
<i>Amaranthus mangostanus</i> L.	Edible amaranth 비름 (Bi-reum)
AMARYLLIDACEAE J. St.-Hil.	Amaryllis family 수선화과 (Su-seon-hwa-gwa)
<i>Amelanchier</i> Medik. [Rosaceae]	Chuckley pear, Juneberry, Sarvis, Sarvisberry, Saskatoon, Serviceberry, Shadblow, Shadbush, Shadwood, Sugarplum, Wild pear, Wild-plum 채진목속 (Chae-jin-mok-sok) [장미과]

Scientific name	English name Korean name (Romanization)
<i>Amelanchier asiatica</i> (Siebold & Zucc.) Endl. ex Walp.	Asian serviceberry 채진목 (Chae-jin-mok)
<i>Amethystea</i> L. [Lamiaceae]	Amethystea 개차즈기속 (Gae-cha-jeu-gi-sok) [꼽풀과]
<i>Amethystea caerulea</i> L.	Blue amethystea 개차즈기 (Gae-cha-jeu-gi)
<i>Amitostigma</i> Schltr. [Orchidaceae]	Amitostigma 병아리난초속 (Byeong-a-ri-nan-cho-sok) [난초과]
<i>Amitostigma gracile</i> (Blume) Schltr.	Delicate amitostigma 병아리난초 (Byeong-a-ri-nan-cho)
<i>Ammannia</i> L. [Lythraceae]	Redstem, Ammannia omboktuk꽃속 (Jom-bu-cheo-kkot-sok) [부처꽃과]
<i>Ammannia multiflora</i> Roxb.	Many-flower ammannia omboktuk꽃 (Jom-bu-cheo-kkot)
<i>Ampelopsis</i> Michx. [Vitaceae]	Peppervine, Porcelainberry 개머루속 (Gae-meo-ru-sok) [포도과]
<i>Ampelopsis brevipedunculata</i> f. <i>ciliata</i> (Nakai) T.B.Lee	Hairy porcelainberry 털개머루 (Teol-gae-meo-ru)
<i>Ampelopsis brevipedunculata</i> f. <i>citrulloides</i> (Lebas) Rehder	Dissected-leaf porcelainberry 가새잎개머루 (Ga-sae-ip-gae-meo-ru)
<i>Ampelopsis brevipedunculata</i> f. <i>elegans</i> (K.Koch) Rehder	Purple-fruit porcelainberry 자주개머루 (Ja-ju-gae-meo-ru)
<i>Ampelopsis heterophylla</i> (Thunb.) Siebold & Zucc.	Porcelainberry 개머루 (Gae-meo-ru)
<i>Ampelopsis japonica</i> (Thunb.) Makino	East Asian peppervine 가회톱 (Ga-hoe-top)
<i>Amphicarpaea</i> Elliott ex Nutt. [Fabaceae]	Hogpeanut 새콩속 (Sae-kong-sok) [콩과]

Scientific name	English name Korean name (Romanization)
<i>Amphicarpa bracteata</i> subsp. <i>edgeworthii</i> (Benth.) H.Ohashi	Edgeworth's hogpeanut 새콩 (Sae-kong)
<i>Amsonia</i> Walter [Apocynaceae]	Bluestar 정향풀속 (Jeong-hyang-pul-sok) [협죽도과]
<i>Amsonia elliptica</i> (Thunb.) Roem. & Schult.	Asian bluestar 정향풀 (Jeong-hyang-pul)
ANACARDIACEAE R.Br.	Cashew family 옻나무과 (Ot-na-mu-gwa)
<i>Anagallidium</i> Griseb. [Gentianaceae]	Anagallidium 대성쓴풀속 (Dae-seong-sseun-pul-sok) [용담과]
<i>Anagallidium dichotomum</i> (L.) Griseb.	Dichotomous swertia 대성쓴풀 (Dae-seong-sseun-pul)
<i>Anagallis</i> L. [Primulaceae]	Pimpernel 뚜껑별꽃속 (Ttu-kkeong-byeol-kkot-sok) [앵초과]
<i>Anagallis arvensis</i> L.	Blue-scarlet pimpernel 뚜껑별꽃 (Ttu-kkeong-byeol-kkot)
<i>Anaphalis</i> DC. [Asteraceae]	Pearly everlasting 다북떡쑥속 (Da-buk-tteok-ssuk-sok) [국화과]
<i>Anaphalis margaritacea</i> (L.) Benth. & Hook.f.	Pearly everlasting 산떡쑥 (San-tteok-ssuk)
<i>Anaphalis sinica</i> Hance	Asian pearly everlasting 다북떡쑥 (Da-buk-tteok-ssuk)
<i>Anaphalis sinica</i> var. <i>morii</i> (Nakai) Ohwi	Alpine pearly everlasting 구름떡쑥 (Gu-reum-tteok-ssuk)
<i>Andromeda</i> L. [Ericaceae]	Bog rosemary 장지석남속 (Jang-ji-seok-nam-sok) [진달래과]
<i>Andromeda polifolia</i> L.	Common bog rosemary 애기석남 (Ae-gi-seok-nam)

Scientific name	English name Korean name (Romanization)
<i>Andromeda polifolia</i> f. <i>acerosa</i> C.Hartm.	Needle-leaf bog rosemary 장지석남 (Jang-ji-seok-nam)
<i>Androsace</i> L. [Primulaceae]	Rockjasmine 봄맞이꽃속 (Bom-mat-i-kkot-sok) [앵초과]
<i>Androsace cortusifolia</i> Nakai	Geumgang rockjasmine 금강봄맞이 (Geum-gang-bom-mat-i)
<i>Androsace filiformis</i> Retz.	Filiform rockjasmine 애기봄맞이 (Ae-gi-bom-mat-i)
<i>Androsace lehmanniana</i> Spreng.	Dry rockjasmine 고산봄맞이 (Go-san-bom-mat-i)
<i>Androsace septentrionalis</i> L.	Northern rockjasmine 명천봄맞이 (Myeong-cheon-bom-mat-i)
<i>Androsace umbellata</i> (Lour.) Merr.	Umbelled rockjasmine 봄맞이 (Bom-mat-i)
<i>Anemone</i> L. [Ranunculaceae]	Anemone 바람꽃속 (Ba-ram-kkot-sok) [미나리아재비과]
<i>Anemone amurensis</i> (Korsh.) Kom.	Amur anemone 들바람꽃 (Deul-ba-ram-kkot)
<i>Anemone dichotoma</i> L.	Dichotomous anemone 가래바람꽃 (Ga-rae-ba-ram-kkot)
<i>Anemone baicalensis</i> var. <i>glabrata</i> Maxim.	Glabrous Baical anemone 바이칼바람꽃 (Ba-i-kal-ba-ram-kkot)
<i>Anemone koraiensis</i> Nakai	Korean anemone 홀아비바람꽃 (Hol-a-bi-ba-ram-kkot)
<i>Anemone narcissiflora</i> L.	Narcissus anemone 바람꽃 (Ba-ram-kkot)
<i>Anemone nikoensis</i> Maxim.	Single-flower anemone 외대바람꽃 (Oe-dae-ba-ram-kkot)
<i>Anemone pseudoaltaica</i> H.Hara	Chrysanthemum anemone 국화바람꽃 (Guk-hwa-ba-ram-kkot)

Scientific name	English name Korean name (Romanization)
<i>Anemone raddeana</i> Regel	Many-sepal anemone 평의바람꽃 (Kkwong-ui-ba-ram-kkot)
<i>Anemone reflexa</i> Steph. ex Willd.	Reflex-flower anemone 회리바람꽃 (Hoe-ri-ba-ram-kkot)
<i>Anemone rossii</i> S.Moore	Twin-flower anemone 쌍동바람꽃 (Ssang-dong-ba-ram-kkot)
<i>Anemone stolonifera</i> Maxim.	Stolon-bearing anemone 세바람꽃 (Se-ba-ram-kkot)
<i>Anemone umbrosa</i> C.A.Mey.	Shady anemone 숲바람꽃 (Sup-ba-ram-kkot)
<i>Angelica</i> L. [Apiaceae]	Angelica 당귀속 (Dang-gwi-sok) [산형과]
<i>Angelica amurensis</i> Schischk.	Amur angelica 지리강활 (Ji-ri-gang-hwal)
<i>Angelica anomala</i> Avé-Lall.	Eumenol angelica 개구릿대 (Gae-gu-rit-dae)
<i>Angelica cartilaginomarginata</i> (Makino) Nakai	Bristly-margin angelica 처녀바디 (Cheo-nyeo-ba-di)
<i>Angelica cartilaginomarginata</i> var. <i>distans</i> (Nakai) Kitag.	White bristly-margin angelica 흰바디나물 (Huin-ba-di-na-mul)
<i>Angelica czernaevia</i> (Fisch. & C.A.Mey.) Kitag.	Diverse-petal angelica 잔잎바디 (Jan-ip-ba-di)
<i>Angelica dahurica</i> (Fisch. ex Hoffm.) Benth. & Hook.f. ex Franch. & Sav.	Dahurian angelica 구릿대 (Gu-rit-dae)
<i>Angelica decursiva</i> (Miq.) Franch. & Sav.	Purple-flower angelica 바디나물 (Ba-di-na-mul)
<i>Angelica florenti</i> Franch. & Sav. ex Maxim.	Montane angelica 두메당근 (Du-me-dang-geun)
<i>Angelica genuflexa</i> Nutt. ex Torr. & A.Gray	Kneeling angelica 왜천궁 (Wae-cheon-gung)

Scientific name	English name Korean name (Romanization)
<i>Angelica gigas</i> Nakai	Korean angelica 참당귀 (Cham-dang-gwi)
<i>Angelica jaluana</i> Nakai	Amrok angelica 삼수구릿대 (Sam-su-gu-rit-dae)
<i>Angelica japonica</i> A.Gray	Japanese angelica 갯강활 (Gaet-gang-hwal)
<i>Angelica polymorpha</i> Maxim.	Polymorphic angelica 궁궁이 (Gung-gung-i)
<i>Angelica tenuissima</i> Nakai	Korean go-bon (Slender angelica) 고본 (Go-bon)
<i>Antennaria</i> Gaertn. [Asteraceae]	Catsfoot, Cat's-foot, Everlasting, Pussytoes 백두산떡속속 (Baek-du-san-tteok-ssuk-sok) [국화과]
<i>Antennaria dioica</i> (L.) Gaertn.	Mountain everlasting 백두산떡속 (Baek-du-san-tteok-ssuk)
<i>Anthoxanthum</i> L. [Poaceae]	Hornwort, Vernal grasses, Vernalgrasses 향기풀속 (Hyang-gi-pul-sok) [벼과]
<i>Anthoxanthum odoratum</i> subsp. <i>alpinum</i> (A.Löve & D.Löve) B.M.G.Jones & Melderis	Alpine vernalgrass 포태향기풀 (Po-tae-hyang-gi-pul)
<i>Anthoxanthum aristatum</i> Boiss.	Awned vernalgrass 까락향기풀 (Kka-rak-hyang-gi-pul)
<i>Anthriscus</i> Pers. [Apiaceae]	Chervil 전호속 (Jeon-ho-sok) [산형과]
<i>Anthriscus sylvestris</i> (L.) Hoffm.	Wild chervil 전호 (Jeon-ho)
<i>Anthriscus sylvestris</i> f. <i>hirtifructus</i> (Ohwi) H.Ohba	Hairy wild chervil 틸전호 (Teol-jeon-ho)
<i>Aphananthe</i> Planch. [Ulmaceae]	Aphananthe 푸조나무속 (Pu-jo-na-mu-sok) [느릅나무과]

Scientific name	English name Korean name (Romanization)
<i>Aphananthe aspera</i> (Thunb.) Planch.	Scabrous aphananthe 푸조나무 (Pu-jo-na-mu)
APIACEAE Lindl. (=Umbelliferae Juss.)	Celery family, Carrot family, Parsley family 산형과 (San-hyeong-gwa)
APOCYNACEAE Juss.	Dogbane family 협죽도과 (Hyeop-juk-do-gwa)
<i>Apocynum</i> L. [Apocynaceae]	Dogbane, Indian hemp 수궁초속 (Su-gung-cho-sok) [협죽도과]
<i>Apocynum cannabinum</i> L.	Hemp dogbane 수궁초 (Su-gung-cho)
<i>Apocynum lancifolium</i> Russanov	Sword-leaf dogbane 개정향풀 (Gae-jeong-hyang-pul)
AQUIFOLIACEAE Bercht. & J.Presl	Holly family 감탕나무과 (Gam-tang-na-mu-gwa)
<i>Aquilegia</i> L. [Ranunculaceae]	Granny's bonnet, Columbine 매발톱속 (Mae-bal-top-sok) [미나리아재비과]
<i>Aquilegia buergeriana</i> var. <i>oxysepala</i> (Trautv. & Meyer) Kitam.	Oriental columbine 매발톱 (Mae-bal-top)
* <i>Aquilegia buergeriana</i> var. <i>oxysepala</i> f. <i>pallidiflora</i> (Nakai) M.K.Park	Yellow oriental columbine 노랑매발톱 (No-rang-mae-bal-top)
<i>Aquilegia flabellata</i> Siebold & Zucc.	Dwarf fan-shape columbine 하늘매발톱 (Ha-neul-mae-bal-top)
<i>Arabidopsis</i> Heynh. [Brassicaceae]	Arabidopsis 애기장대속 (Ae-gi-jang-dae-sok) [십자화과]
<i>Arabidopsis thaliana</i> (L.) Heynh.	Arabidopsis 애기장대 (Ae-gi-jang-dae)
<i>Arabis</i> L. [Brassicaceae]	Rockcress 장대나물속 (Jang-dae-na-mul-sok) [십자화과]

Scientific name	English name Korean name (Romanization)
<i>Arabis columnalis</i> Nakai	Cylindrical rockcress 참장대나물 (Cham-jang-dae-na-mul)
<i>Arabis coronata</i> Nakai	Crown rockcress 자주장대나물 (Ja-ju-jang-dae-na-mul)
<i>Arabis coronata</i> f. <i>leucantha</i> Nakai	White crown rockcress 흰장대나물 (Huin-jang-dae-na-mul)
<i>Arabis gemmifera</i> (Matsum.) Makino	Budding rockcress 산장대 (San-jang-dae)
<i>Arabis glabra</i> (L.) Bernh.	Tower rockcress 장대나물 (Jang-dae-na-mul)
<i>Arabis hirsuta</i> (L.) Scop.	Hairy rockcress 털장대 (Teol-jang-dae)
<i>Arabis ligulifolia</i> Nakai	Spatulate-leaf rockcress 주걱장대 (Ju-geok-jang-dae)
<i>Arabis lyrata</i> L.	Lyrate-leaf rockcress 뭣장대 (Moet-jang-dae)
<i>Arabis pendula</i> L.	Pendulous rockcress 느러진장대 (Neu-reo-jin-jang-dae)
<i>Arabis serrata</i> Franch. & Sav.	Serrate-leaf rockcress 바위장대 (Ba-wi-jang-dae)
<i>Arabis stelleri</i> DC.	Coastal rockcress 갯장대 (Gaet-jang-dae)
<i>Arabis takesimana</i> Nakai	Ulleungdo rockcress 섬장대 (Seom-jang-dae)
ARACEAE Juss.	Arum family 천남성과 (Cheon-nam-seong-gwa)
<i>Arachniodes</i> Blume [Dryopteridaceae]	Hollyfern 쇠고사리속 (Soe-go-sa-ri-sok) [면마과]
<i>Arachniodes amabilis</i> (Blume) Tindale	Attractive hollyfern 쇠고사리 (Soe-go-sa-ri)

Scientific name	English name Korean name (Romanization)
<i>Arachniodes aristata</i> (G.Forst.) Tindale	East Indian hollyfern 가는쇠고사리 (Ga-neun-soe-go-sa-ri)
<i>Arachniodes caudata</i> (Tagawa) Ching	Big-caudate hollyfern 큰쇠고사리 (Keun-soe-go-sa-ri)
<i>Arachniodes mutica</i> (Franch. et Sav.) Ohwi	Asian hairy-scale hollyfern 털비늘고사리 (Teol-bi-neul-go-sa-ri)
<i>Arachniodes simplicior</i> (Makino) Ohwi	Caudate hollyfern 꼬리쇠고사리 (Kko-ri-soe-go-sa-ri)
<i>Arachniodes sporadosora</i> (Kunze) Nakaike	Short-rhizome hollyfern 좁쇠고사리 (Jom-soe-go-sa-ri)
<i>Arachniodes standishii</i> (T.Moore) Ohwi	Upside-down hollyfern 일색고사리 (Il-saeck-go-sa-ri)
Aralia L. [Araliaceae]	Spikenard 두릅나무속 (Du-reup-na-mu-sok) [두릅나무과]
<i>Aralia cordata</i> var. <i>continentalis</i> (Kitag.) Y.C.Chu	Manchurian angelica 독활 (Dok-hwal)
<i>Aralia elata</i> (Miq.) Seem.	Korean angelica tree 두릅나무 (Du-reup-na-mu)
<i>Aralia elata</i> f. <i>canescens</i> (Siebold & Zucc.) T.Yamaz.	Small-leaf Korean angelica tree 애기두릅나무 (Ae-gi-du-reup-na-mu)
ARALIACEAE Juss.	Aralia family 두릅나무과 (Du-reup-na-mu-gwa)
Arctous (A.Gray) Nied. [Ericaceae]	Alpine bearberry, Arctous 홍월귤속 (Hong-wol-gyul-sok) [진달래과]
<i>Arctous ruber</i> (Rehder & E.H.Wilson) Nakai	Red-fruit bearberry 홍월귤 (Hong-wol-gyul)
Ardisia Sw. [Myrsinaceae]	Marlberry 자금우속 (Ja-geum-u-sok) [자금우과]
<i>Ardisia crispa</i> (Thunb.) A.DC.	Coralberry 백량금 (Baek-ryang-geum)

Scientific name	English name Korean name (Romanization)
<i>Ardisia japonica</i> (Thunb.) Blume	Marlberry 자금우 (Ja-geum-u)
<i>Ardisia pusilla</i> A.DC.	Tiny ardisia 산호수 (San-ho-su)
<i>Arenaria</i> L. [Caryophyllaceae]	Arenaria 벼룩이자리속 (Byeo-ruk-i-ja-ri-sok) [석죽과]
<i>Arenaria capillaris</i> Poir.	Slender mountain sandwort 관모개미자리 (Gwan-mo-gae-mi-ja-ri)
<i>Arenaria juncea</i> M.Bieb.	Rush sandwort 벼룩이울타리 (Byeo-ruk-i-ul-ta-ri)
<i>Arenaria serpyllifolia</i> L.	Thyme-leaf sandwort 벼룩이자리 (Byeo-ruk-i-ja-ri)
<i>Argusia</i> Boehm. [Boraginaceae]	Sea rosemary 모래지치속 (Mo-rae-ji-chi-sok) [지치과]
<i>Argusia sibirica</i> (L.) Dandy	Siberian sea rosemary 모래지치 (Mo-rae-ji-chi)
<i>Arisaema</i> Mart. [Araceae]	Jack-in-the-pulpit 천남성속 (Cheon-nam-seong-sok) [천남성과]
<i>Arisaema amurense</i> Maxim.	Amur jack-in-the-pulpit 둥근잎천남성 (Dung-geun-ip-cheon-nam-seong)
<i>Arisaema amurense</i> f. <i>serratum</i> (Nakai) Kitag.	Serrate Amur jack-in-the-pulpit 천남성 (Cheon-nam-seong)
<i>Arisaema heterophyllum</i> Blume	Diversileaf jack-in-the-pulpit 두루미천남성 (Du-ru-mi-cheon-nam-seong)
<i>Arisaema negishii</i> Makino	Island jack-in-the-pulpit 섬천남성 (Seom-cheon-nam-seong)
<i>Arisaema peninsulae</i> f. <i>convolutum</i> (Nakai) Y.S.Kim & S.C.Ko	Spiral-leaf jack-in-the-pulpit 눌맥이천남성 (Nul-mack-i-cheon-nam-seong)
<i>Arisaema ringens</i> (Thunb.) Schott	Ringen's jack-in-the-pulpit 큰천남성 (Keun-cheon-nam-seong)

Scientific name	English name Korean name (Romanization)
<i>Arisaema serratum</i> (Thunb.) Schott	Variegated jack-in-the-pulpit 점박이천남성 (Jeom-bak-i-cheon-nam-seong)
<i>Arisaema takesimense</i> Nakai	Ulleungdo jack-in-the-pulpit 섬남성 (Seom-nam-seong)
<i>Arisaema thunbergii</i> Blume	Asian jack-in-the-pulpit 무늬천남성 (Mu-nui-cheon-nam-seong)
<i>Arisaema thunbergii</i> subsp. <i>geomundoense</i> S.C.Ko	Geumun jack-in-the-pulpit 거문천남성 (Geo-mun-cheon-nam-seong)
<i>Aristolochia</i> L. [Aristolochiaceae]	Birthwort, Dutchman's pipe, Pipevine 쥐방울덩굴속 (Jwi-bang-ul-deong-gul-sok) [쥐방울덩굴과]
<i>Aristolochia contorta</i> Bunge	Northern pipevine 쥐방울덩굴 (Jwi-bang-ul-deong-gul)
<i>Aristolochia manshuriensis</i> Kom.	Manchurian pipevine 등칡 (Deung-chik)
ARISTOLOCHIACEAE Juss.	Birthwort family 쥐방울덩굴과 (Jwi-bang-ul-deong-gul-gwa)
<i>Artemisia</i> L. [Asteraceae]	Mugwort, Sagebrush, Wormwood 쑥속 (Ssuk-sok) [국화과]
<i>Artemisia annua</i> L.	Sweet wormwood 개똥쑥 (Gae-ttong-ssuk)
<i>Artemisia apiacea</i> Hance ex Walp.	Celery-sand wormwood 개사철쑥 (Gae-sa-cheol-ssuk)
<i>Artemisia argyi</i> H.Lév. & Vaniot	Silverly wormwood 황해쑥 (Hwang-hae-ssuk)
<i>Artemisia argyi</i> f. <i>microcephala</i> Pamp.	Small-head silverly wormwood 좀황해쑥 (Jom-hwang-hae-ssuk)
<i>Artemisia aurata</i> Kom.	Golden-yellow wormwood 금쑥 (Geum-ssuk)
<i>Artemisia borealis</i> var. <i>ledebourii</i> Besser	Northern wormwood 증산쑥 (Jeung-san-ssuk)

Scientific name	English name Korean name (Romanization)
<i>Artemisia brachyphylla</i> Kitam.	Short-leaf wormwood 금강쑥 (Geum-gang-ssuk)
<i>Artemisia capillaris</i> Thunb.	Capillary wormwood 사철쑥 (Sa-cheol-ssuk)
<i>Artemisia dubia</i> Wall.	Cham-ssuk (True wormwood) 참쑥 (Cham-ssuk)
<i>Artemisia feddei</i> H.Lév. & Vaniot	Fedde's wormwood 뗏쑥 (Ppaeng-ssuk)
<i>Artemisia freyniana</i> f. <i>discolor</i> (Kom.) Kitag.	Hairy Freyn's wormwood 털산쑥 (Teol-san-ssuk)
<i>Artemisia freyniana</i> f. <i>vestita</i> (Kom.) Kitag.	Whitish Freyn's wormwood 흰산쑥 (Huin-san-ssuk)
<i>Artemisia fukudo</i> Makino	Asian coastal wormwood 큰비쑥 (Keun-bi-ssuk)
<i>Artemisia gmelinii</i> Weber ex Stechm.	Gmelin's wormwood 더위지기 (Deo-wi-ji-gi)
<i>Artemisia integrifolia</i> f. <i>subulata</i> (Nakai) Kitag.	Slender-leaf wormwood 가는잎쑥 (Ga-neun-ip-ssuk)
<i>Artemisia japonica</i> Thunb.	Oriental wormwood 제비쑥 (Je-bi-ssuk)
<i>Artemisia japonica</i> subsp. <i>littoralis</i> (Kitam.) Kitam.	Seashore oriental wormwood 갯제비쑥 (Gaet-je-bi-ssuk)
<i>Artemisia japonica</i> var. <i>angustissima</i> (Nakai) Kitam.	Narrow oriental wormwood 실제비쑥 (Sil-je-bi-ssuk)
<i>Artemisia japonica</i> var. <i>hallaisanensis</i> (Nakai) Kitam.	Hallasan wormwood 섬쑥 (Seom-ssuk)
<i>Artemisia keiskeana</i> Miq.	False wormwood 맑은대쑥 (Mal-geun-dae-ssuk)
<i>Artemisia koidzumii</i> Nakai	Job's tears wormwood 율무쑥 (Yul-mu-ssuk)
<i>Artemisia laciniata</i> Will.	Siberian wormwood 구와쑥 (Gu-wa-ssuk)

Scientific name	English name Korean name (Romanization)
<i>Artemisia lagocephala</i> f. <i>triloba</i> (Ledeb.) Pamp.	White-mountain wormwood 비단쑥 (Bi-dan-ssuk)
<i>Artemisia latifolia</i> Ledeb.	Wide-leaf wormwood 넓은잎쑥 (Neol-beun-ip-ssuk)
<i>Artemisia leucophylla</i> (Turcz.) Turcz. ex C.B.Clarke	Myeongcheon wormwood 명천쑥 (Myeong-cheon-ssuk)
<i>Artemisia montana</i> (Nakai) Pamp.	Montane wormwood 산쑥 (San-ssuk)
<i>Artemisia nakaii</i> Pamp.	Incheon wormwood 애기비쑥 (Ae-gi-bi-ssuk)
<i>Artemisia orthobotrys</i> Kitam.	High-mountain wormwood 산개쑥 (San-gae-ssuk)
<i>Artemisia princeps</i> Pamp.	Ssuk (Korean wormwood) 쑥 (Ssuk)
<i>Artemisia rubripes</i> Nakai	Red-foot wormwood 덤불쑥 (Deom-bul-ssuk)
<i>Artemisia scoparia</i> Waldst. & Kit.	Virgate wormwood 비쑥 (Bi-ssuk)
<i>Artemisia scoparia</i> f. <i>villosa</i> Korsh.	Hairy virgate wormwood 털비쑥 (Teol-bi-ssuk)
<i>Artemisia selengensis</i> Turcz. ex Besser	Riverside wormwood 물쑥 (Mul-ssuk)
<i>Artemisia selengensis</i> f. <i>subintegra</i> (Pamp.) Kitag.	Simple-leaf riverside wormwood 외잎물쑥 (Oe-ip-mul-ssuk)
<i>Artemisia sieversiana</i> Ehrh. ex Willd.	Sievers wormwood 산흰쑥 (San-huin-ssuk)
<i>Artemisia stelleriana</i> Besser	Beach wormwood 흰쑥 (Huin-ssuk)
<i>Artemisia stolonifera</i> (Maxim.) Kom.	Stolon-bearing wormwood 넓은잎외잎쑥 (Neol-beun-ip-oe-ip-ssuk)
<i>Artemisia stolonifera</i> f. <i>dissecta</i> (Pamp.) Kitam.	Dissected-leaf wormwood 국화잎쑥 (Guk-hwa-ip-ssuk)

Scientific name	English name Korean name (Romanization)
<i>Artemisia sylvatica</i> Maxim.	Woodland wormwood 그늘쑥 (Geu-neul-ssuk)
<i>Artemisia viridissima</i> (Kom.) Pamp.	Green wormwood 외잎쑥 (Oe-ip-ssuk)
<i>Arthraxon</i> P.Beauv. [Poaceae]	Carpetgrass 조개풀속 (Jo-gae-pul-sok) [벼과]
<i>Arthraxon hispidus</i> (Thunb.) Makino	Small carpetgrass 조개풀 (Jo-gae-pul)
<i>Aruncus</i> L. [Rosaceae]	Aruncus, Goatsbeard 개승마속 (Gae-seung-ma-sok) [장미과]
<i>Aruncus aethusifolius</i> (H.Lév.) Nakai	Korean goatsbeard 한라개승마 (Han-ra-gae-seung-ma)
<i>Aruncus dioicus</i> var. <i>kamtschaticus</i> (Maxim.) H.Hara	Kamchatka goatsbeard 눈개승마 (Nun-gae-seung-ma)
<i>Arundinaria</i> Michx. [Poaceae]	Cane 해장죽속 (Hae-jang-juk-sok) [벼과]
* <i>Arundinaria munsuensis</i> Y.N.Lee	Munsu bamboo 문수조릿대 (Mun-su-jo-rit-dae)
<i>Arundinella</i> Raddi [Poaceae]	Arundinella 털새속 (Teol-sae-sok) [벼과]
<i>Arundinella hirta</i> (Thunb.) Tanaka	Hairy arundinella 털새 (Teol-sae)
<i>Arundinella hirta</i> var. <i>ciliara</i> (Thunb.) Koidz.	Ciliate hairy arundinella 새 (Sae)
<i>Asarum</i> L. [Aristolochiaceae]	Wildginger 족도리풀속 (Jok-do-ri-pul-sok) [쥐방울덩굴과]
<i>Asarum glabratum</i> (C.S.Yook & J.G.Kim) B.U.Oh	Glabrate wildginger 각시족도리풀 (Gak-si-jok-do-ri-pul)

Scientific name	English name Korean name (Romanization)
<i>Asarum heterotropoides</i> var. <i>mandshuricum</i> (Maxim.) Kitag.	Manchurian wildginger 만주족도리풀 (Man-ju-jok-do-ri-pul)
<i>Asarum heterotropoides</i> var. <i>seoulense</i> (Nakai) Kitag.	Seoul wildginger 서울족도리풀 (Seo-ul-jok-do-ri-pul)
<i>Asarum koreanum</i> (J.Kim & C.Yook) B.U.Oh & J.K.Kim	Korean wildginger 자주족도리풀 (Ja-ju-jok-do-ri-pul)
<i>Asarum maculatum</i> Nakai	Spotted wildginger 개족도리풀 (Gae-jok-do-ri-pul)
<i>Asarum patens</i> (K.Yamaki) B.U.Oh	Spreading wildginger 금오족도리풀 (Geum-o-jok-do-ri-pul)
<i>Asarum sieboldii</i> Miq.	Wildginger 족도리풀 (Jok-do-ri-pul)
<i>Asarum versicolor</i> (K.Yamaki) Y.N.Lee	Coloured wildginger 무늬족도리풀 (Mu-nui-jok-do-ri-pul)
ASCLEPIADACEAE Borkh.	Milkweed family 박주가리과 (Bak-ju-ga-ri-gwa)
<i>Asparagus</i> L. [Liliaceae]	Asparagus, Garden asparagus 비짜루속 (Bi-jja-ru-sok) [백합과]
<i>Asparagus brachyphyllus</i> Turcz.	Short-leaf asparagus 갯천문동 (Gaet-cheon-mun-dong)
<i>Asparagus cochinchinensis</i> (Lour.) Merr.	Lucid asparagus 천문동 (Cheon-mun-dong)
<i>Asparagus dauricus</i> Fisch. ex Link	Dahurian asparagus 망적천문동 (Mang-jeok-cheon-mun-dong)
<i>Asparagus oligoclonos</i> Maxim.	Few-twigs asparagus 방울비짜루 (Bang-ul-bi-jja-ru)
<i>Asparagus schoberioides</i> Kunth	Schoberia-like asparagus 비짜루 (Bi-jja-ru)
<i>Asperula</i> L. [Rubiaceae]	Woodruff 개갈퀴속 (Gae-gal-kwi-sok) [꼭두서니과]

Scientific name	English name Korean name (Romanization)
<i>Asperula lasiantha</i> Nakai	Korean woodruff 갈퀴아재비 (Gal-kwi-a-jae-bi)
<i>Asperula maximowiczii</i> Kom.	Maximowicz's woodruff 개갈퀴 (Gae-gal-kwi)
<i>Asperula maximowiczii</i> f. <i>latifolia</i> (Nakai) W.T.Lee	Wide-leaf Maximowicz's woodruff 넓은잎개갈퀴 (Neol-beun-ip-gae-gal-kwi)
<i>Asperula odorata</i> L.	Sweet woodruff 선갈퀴 (Seon-gal-kwi)
<i>Asperula platygallum</i> Maxim.	Asian montane woodruff 산개갈퀴 (San-gae-gal-kwi)
ASPLENIACEAE Newman	Spleenwort family 꼬리고사리과 (Kko-ri-go-sa-ri-gwa)
<i>Asplenium</i> L. [Aspleniaceae]	Spleenwort 꼬리고사리속 (Kko-ri-go-sa-ri-sok) [꼬리고사리과]
<i>Asplenium antiquum</i> Makino	Bird's-nest fern 파조일엽 (Pa-cho-il-yeop)
<i>Asplenium boreale</i> (Ohwi ex Kurata) Nakaike	Northern spleenwort 반들깃고사리 (Ban-deul-git-go-sa-ri)
<i>Asplenium × castaneoviride</i> Baker	Hybrid spleenwort 거미꼬리고사리 (Geo-mi-kko-ri-go-sa-ri)
<i>Asplenium curtidens</i> (Christ) Koidz.	see <i>Asplenium wilfordii</i> Mett. ex Kuhn
<i>Asplenium incisum</i> Thunb.	Long-tail spleenwort 꼬리고사리 (Kko-ri-go-sa-ri)
<i>Asplenium normale</i> D.Don	Rainforest spleenwort 깃고사리 (Git-go-sa-ri)
<i>Asplenium oligophlebium</i> Baker	Big-ear spleenwort 개차고사리 (Gae-cha-go-sa-ri)
<i>Asplenium pekinense</i> Hance	Evergreen spleenwort 사철고사리 (Sa-cheol-go-sa-ri)
<i>Asplenium prolongatum</i> Hook.	Protruding spleenwort 솟돌담고사리 (Sut-dol-dam-go-sa-ri)

Scientific name	English name Korean name (Romanization)
<i>Asplenium ritoense</i> Hayata	Asian single-sorus spleenwort 쪽잔고사리 (Jjok-jan-go-sa-ri)
<i>Asplenium ruta-muraria</i> L.	Wall-rue 돌倨고사리 (Dol-jom-go-sa-ri)
<i>Asplenium sarelii</i> Hook.	Stone-wall spleenwort 돌담고사리 (Dol-dam-go-sa-ri)
<i>Asplenium sarelii</i> var. <i>anogrammoides</i> (H.Christ) Tagawa	Small stone-wall spleenwort 바위倨고사리 (Ba-wi-jom-go-sa-ri)
<i>Asplenium shikokianum</i> Makino	Slightly-asymmetric spleenwort 잔눈썹고사리 (Jan-nun-sseop-go-sa-ri)
<i>Asplenium tenerum</i> G.Forst.	Shallow-teeth spleenwort 선녀고사리 (Seon-nyeo-go-sa-ri)
<i>Asplenium trichomanes</i> L.	Maidenhair spleenwort 차꼬리고사리 (Cha-kko-ri-go-sa-ri)
<i>Asplenium tripteropus</i> Nakai	Tri-wing maidenhair spleenwort 개차꼬리고사리 (Gae-cha-kko-ri-go-sa-ri)
<i>Asplenium varians</i> Wall. ex Hook. & Grev.	Variable spleenwort 애기꼬리고사리 (Ae-gi-kko-ri-go-sa-ri)
<i>Asplenium wilfordii</i> Mett. ex Kuhn	Wilford's spleenwort 수수고사리 (Su-su-go-sa-ri)
<i>Asplenium wrightii</i> D.C.Eaton ex Hook.	Asymmetric spleenwort 눈썹고사리 (Nun-sseop-go-sa-ri)
Aster L. [Asteraceae]	Aster 참취속 (Cham-chwi-sok) [국화과]
<i>Aster ageratoides</i> Turcz.	Rough surface aster 까실쑥부쟁이 (Kka-sil-ssuk-bu-jaeng-i)
<i>Aster altaicus</i> var. <i>uchiyamae</i> Kitam.	Danyang aster 단양쑥부쟁이 (Dan-yang-ssuk-bu-jaeng-i)
<i>Aster arenarius</i> (Kitam.) Nemoto	Beach-sand aster 섬갓쑥부쟁이 (Seom-gaet-ssuk-bu-jaeng-i)
<i>Aster associatus</i> Kitag.	Connected aster 민쑥부쟁이 (Min-ssuk-bu-jaeng-i)

Scientific name	English name Korean name (Romanization)
<i>Aster chezuensis</i> (Kitam.) Nakai	Jeju aster 제주국화 (Je-ju-guk-hwa)
<i>Aster fastigiatus</i> Fisch.	Highly-branch aster 옹긋나물 (Ong-gut-na-mul)
<i>Aster glehnii</i> F.Schmidt	Ulleungdo aster 섬쑥부쟁이 (Seom-ssuk-bu-jaeng-i)
<i>Aster hayatae</i> H.Lév. & Vaniot	Korean montane aster 눈가쑥부쟁이 (Nun-gae-ssuk-bu-jaeng-i)
<i>Aster hispidus</i> Thunb.	Bristle-hair aster 갓쑥부쟁이 (Gaet-ssuk-bu-jaeng-i)
<i>Aster incisus</i> Fisch.	Incised-leaf aster 가새쑥부쟁이 (Ga-sae-ssuk-bu-jaeng-i)
<i>Aster koraiensis</i> Nakai	Montane aster 벌개미취 (Beol-gae-mi-chwi)
<i>Aster latureanus</i> (Debeaux) Franch.	Mountain aster 산쑥부쟁이 (San-ssuk-bu-jaeng-i)
<i>Aster maackii</i> Regel	Maack's aster 좀개미취 (Jom-gae-mi-chwi)
<i>Aster magnus</i> Y.N.Lee & C.S.Kim	Magnus aster 왕갓쑥부쟁이 (Wang-gaet-ssuk-bu-jaeng-i)
<i>Aster magnus</i> f. <i>albiflorus</i> Y.N.Lee & C.S.Kim	White magnus aster 흰왕갓쑥부쟁이 (Huin-wang-gaet-ssuk-bu-jaeng-i)
<i>Aster meyendorfii</i> (Regel & Maack) Voss	Meyendorf's aster 개쑥부쟁이 (Gae-ssuk-bu-jaeng-i)
<i>Aster integrifolius</i> (Turcz. ex DC.) Franch.	Thick-stem aster 가는쑥부쟁이 (Ga-neun-ssuk-bu-jaeng-i)
<i>Aster scaber</i> Thunb.	Edible aster 참취 (Cham-chwi)
* <i>Aster scaber</i> var. <i>minor</i> Yabe ex Nakai	Halla edible aster 한라참취 (Han-ra-cham-chwi)
<i>Aster spathulifolius</i> Maxim.	Seashore spatulate aster 해국 (Hae-guk)

Scientific name	English name Korean name (Romanization)
<i>Aster tataricus</i> L.f.	Tartarian aster 개미취 (Gae-mi-chwi)
<i>Aster tripolium</i> L.	Seashore aster 갯개미취 (Gaet-gae-mi-chwi)
<i>Aster yomena</i> (Kitam.) Honda	Field aster 쑥부쟁이 (Ssuk-bu-jaeng-i)
ASTERACEAE Bercht. & J.Presl (=Compositae Giseke)	Sunflower family 국화과 (Guk-hwa-gwa)
<i>Astilbe</i> Buch.-Ham. ex D.Don [Saxifragaceae]	False goat's beard, False spirea 노루오줌속 (No-ru-o-jum-sok) [범의귀과]
<i>Astilbe chinensis</i> (Maxim.) Franch. & Sav	False goat's beard 노루오줌 (No-ru-o-jum)
<i>Astilbe chinensis</i> var. <i>divaricata</i> Nakai	Spreading false goat's beard 진퍼리노루오줌 (Jin-peo-ri-no-ru-o-jum)
<i>Astilbe chinensis</i> var. <i>taquetii</i> (L.f.) H.Hara	Halla false goat's beard 한라노루오줌 (Han-ra-no-ru-o-jum)
<i>Astilbe koreana</i> (Kom.) Nakai	Korean false goat's beard 숙은노루오줌 (Suk-eun-no-ru-o-jum)
* <i>Astilbe koreana</i> f. <i>albiflora</i> Y.N.Lee	White Korean false goat's beard 흰숙은노루오줌 (Huin-suk-eun-no-ru-o-jum)
<i>Astilbe simplicifolia</i> Makino	Entire-leaf false goat's beard 외잎승마 (Oe-ip-seung-ma)
<i>Astilboides</i> Engl. [Saxifragaceae]	<i>Astilboides</i> 개병풍속 (Gae-byeong-pung-sok) [범의귀과]
<i>Astilboides tabularis</i> (Hemsl.) Engl.	Common astilboides 개병풍 (Gae-byeong-pung)
<i>Astragalus</i> L. [Fabaceae]	Goat's-thorn, Locoweed, Milkvetch 황기속 (Hwang-gi-sok) [콩과]
<i>Astragalus adsurgens</i> Pall.	Rattle milkvetch 자주개황기 (Ja-ju-gae-hwang-gi)

Scientific name	English name Korean name (Romanization)
<i>Astragalus dahuricus</i> (Pall.) DC.	Dahurian milkvetch 자주황기 (Ja-ju-hwang-gi)
<i>Astragalus koraiensis</i> Y.N.Lee	Korean milkvetch 정선황기 (Jeong-seon-hwang-gi)
<i>Astragalus membranaceus</i> var. <i>alpinus</i> Nakai	Jeju membranous milkvetch 제주황기 (Je-ju-hwang-gi)
<i>Astragalus membranaceus</i> Moench	Hwang-gi (Mongolian milkvetch) 황기 (Hwang-gi)
<i>Astragalus schelichowii</i> Turcz.	Long-pedicel milkvetch 긴꽃대황기 (Gin-kkot-dae-hwang-gi)
<i>Astragalus setsureianus</i> Nakai	Alpine milkvetch 설령황기 (Seol-ryeong-hwang-gi)
<i>Astragalus sikokianus</i> Nakai	Seashore milkvetch 갯황기 (Gaet-hwang-gi)
<i>Astragalus uliginosus</i> L.	Fen milkvetch 개황기 (Gae-hwang-gi)
<i>Asyneuma</i> Griseb. & Schenk [Campanulaceae]	Harebell 영아자속 (Yeong-a-ja-sok) [초롱꽃과]
<i>Asyneuma japonicum</i> (Miq.) Briq.	East Asian harebell 영아자 (Yeong-a-ja)
<i>Athyrium</i> Roth [Dryopteridaceae]	Ladyfern 개고사리속 (Gae-go-sa-ri-sok) [면마과]
<i>Athyrium acutipinnulum</i> Kodama ex Nakai	Ulleungdo ladyfern 섬고사리 (Seom-go-sa-ri)
<i>Athyrium alpestre</i> (Hoppe) Clairv.	Mountain ladyfern 산고사리 (San-go-sa-ri)
<i>Athyrium brevifrons</i> Kodama ex Nakai	Glandular ladyfern 침새발고사리 (Cham-sae-bal-go-sa-ri)
<i>Athyrium clivicola</i> Tagawa	Shady ladyfern 암뱀고사리 (Am-baem-go-sa-ri)

Scientific name	English name Korean name (Romanization)
<i>Athyrium concinnum</i> Nakai	Elegant ladyfern 광릉개고사리 (Gwang-reung-gae-go-sa-ri)
<i>Athyrium deltoidofrons</i> Makino	Triangular-leaf ladyfern 구슬개고사리 (Gu-seul-gae-go-sa-ri)
<i>Athyrium epirachis</i> (H.Christ) Ching	Montane ladyfern 산중개고사리 (San-jung-gae-go-sa-ri)
<i>Athyrium excelsius</i> Nakai	Jirisan ladyfern 자리산고사리 (Ji-ri-san-go-sa-ri)
<i>Athyrium fallaciosum</i> Milde	False ladyfern 물뱀고사리 (Mul-baem-go-sa-ri)
<i>Athyrium fauriei</i> (Christ) Makino	Faurie's ladyfern 산뱀고사리 (San-baem-go-sa-ri)
<i>Athyrium iseanum</i> Rosenst.	Narrow-leaf ladyfern 가는잎개고사리 (Ga-neun-ip-gae-go-sa-ri)
<i>Athyrium koryoense</i> Tagawa	Gwangneung ladyfern 그늘개고사리 (Geu-neul-gae-go-sa-ri)
<i>Athyrium melanolepis</i> (Franch. & Sav.) Christ	Black-scale ladyfern 북새발고사리 (Buk-sae-bal-go-sa-ri)
<i>Athyrium nakaii</i> Tagawa	Gangwon ladyfern 강원고사리 (Gang-won-go-sa-ri)
<i>Athyrium niponicum</i> (Mett.) Hance	Oriental ladyfern 개고사리 (Gae-go-sa-ri)
<i>Athyrium otophorum</i> (Miq.) Koidz.	Eared ladyfern 골개고사리 (Gol-gae-go-sa-ri)
<i>Athyrium reflexipinnum</i> Hayata	Downward-leaf ladyfern 거꾸리개고사리 (Geo-kku-ri-gae-go-sa-ri)
<i>Athyrium sheareri</i> (Baker) Ching	Shallow-tooth ladyfern 개톱날고사리 (Gae-top-nal-go-sa-ri)
<i>Athyrium spinulosum</i> (Maxim.) Milde	High-mountain ladyfern 두메개고사리 (Du-me-gae-go-sa-ri)
<i>Athyrium vidalii</i> (Franch. & Sav.) Nakai	Vidal's ladyfern 산개고사리 (San-gae-go-sa-ri)

Scientific name	English name Korean name (Romanization)
<i>Athyrium wardii</i> (Hook.) Makino	Wide-leaf ladyfern 넓은잎개고사리 (Neol-beun-ip-gae-go-sa-ri)
<i>Athyrium yokoscense</i> (Franch. & Sav.) Christ	Asian common ladyfern 뱀고사리 (Baem-go-sa-ri)
<i>Atractylodes</i> DC. [Asteraceae]	Atractylodes 삽주속 (Sap-ju-sok) [국화과]
<i>Atractylodes koreana</i> (Nakai) Kitam.	Korean atractylodes 당삽주 (Dang-sap-ju)
<i>Atractylodes ovata</i> (Thunb.) DC.	Ovate-leaf atractylodes 삽주 (Sap-ju)
<i>Atriplex</i> L. [Chenopodiaceae]	Orach, Orache, Saltbush 깻는쟁이속 (Gaet-neun-jaeng-i-sok) [명아주과]
<i>Atriplex gmelinii</i> C.A.Mey. ex Bong.	Gmelin's saltbush 가는깻는쟁이 (Ga-neun-gaet-neun-jaeng-i)
<i>Atriplex subcordata</i> Kitag.	Asian seashore saltbush 깻는쟁이 (Gaet-neun-jaeng-i)
<i>Aucuba</i> Thunb. [Cornaceae]	Aucuba 식나무속 (Sik-na-mu-sok) [총총나무과]
<i>Aucuba japonica</i> Thunb.	Spotted laurel 식나무 (Sik-na-mu)
<i>Axyris</i> L. [Chenopodiaceae]	Russian pigweed 나도덥싸리속 (Na-do-daep-ssa-ri-sok) [명아주과]
<i>Axyris amaranthoides</i> L.	Russian pigweed 나도덥싸리 (Na-do-daep-ssa-ri)
<i>Axyris koreana</i> Nakai	Korean pigweed 틸나도덥싸리 (Teol-na-do-daep-ssa-ri)
<i>Azolla</i> Lam. [Salviniales]	Duckweed fern, Fairy moss, Mosquito fern, Mosquitofern, Water fern 물개구리밥속 (Mul-gae-gu-ri-bap-sok) [생이가래과]

Scientific name**English name
Korean name (Romanization)***Azolla japonica* Franch. et Sav.**Pacific mosquitofern**

큰풀개구리밥 (Keun-mul-gae-gu-ri-bap)

Azolla pinnata R.Br.**Mosquitofern**

물개구리밥 (Mul-gae-gu-ri-bap)

B**BALSAMINACEAE A.Rich.****Balsam family**

봉선화과 (Bong-seon-hwa-gwa)

***Barbarea* W.T.Aiton
[Brassicaceae]****Winter cress, Yellow rocket**

나도냉이속 (Na-do-naeng-i-sok)

[십자화과]

Barbarea orthoceras Ledeb.**American yellowrocket**

나도냉이 (Na-do-naeng-i)

Barbarea verna (Mill.) Asch.**Early yellowrocket**

봄나도냉이 (Bom-na-do-naeng-i)

***Beckmannia* Host
[Poaceae]****Sloughgrass**

개피속 (Gae-pi-sok)

[벼과]

Beckmannia syzigachne (Steud.) Fernald**American sloughgrass**

개피 (Gae-pi)

***Belamcanda* Adans.
[Iridaceae]****Belamcanda**

범부채속 (Beom-bu-chae-sok)

[붓꽃과]

Belamcanda chinensis (L.) DC.**Leopard lily**

범부채 (Beom-bu-chae)

BERBERIDACEAE Juss.**Barberry family**

매자나무과 (Mae-ja-na-mu-gwa)

***Berberis* L.
[Berberidaceae]****Barberry**

매자나무속 (Mae-ja-na-mu-sok)

[매자나무과]

Berberis amurensis Rupr.**Amur barberry**

매발톱나무 (Mae-bal-top-na-mu)

Berberis amurensis var. *latifolia* Nakai**Ulleungdo barberry**

왕매발톱나무 (Wang-mae-bal-top-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Berberis amurensis</i> var. <i>quelpaertensis</i> (Nakai) Nakai	Jejudo barberry 섬매발톱나무 (Seom-mae-bal-top-na-mu)
<i>Berberis koreana</i> Palib.	Korean barberry 매자나무 (Mae-ja-na-mu)
<i>Berberis koreana</i> var. <i>angustifolia</i> Nakai	Narrow-leaf Korean barberry 좁은잎매자 (Jop-eun-ip-mae-ja)
<i>Berberis koreana</i> var. <i>elliptoides</i> Nakai	Elongate-fruit Korean barberry 연밥매자나무 (Yeon-bap-mae-ja-na-mu)
<i>Berberis poiretii</i> C.K.Schneid.	Chinese barberry 당매자나무 (Dang-mae-ja-na-mu)
<i>Berchemia</i> Neck. ex DC. [Rhamnaceae]	Supplejack 망개나무속 (Mang-gae-na-mu-sok) [갈매나무과]
<i>Berchemia berchemiifolia</i> (Makino) Koidz.	Asian supplejack 망개나무 (Mang-gae-na-mu)
<i>Berchemia racemosa</i> Siebold & Zucc.	Paniculous supplejack 청사조 (Cheong-sa-jo)
<i>Berchemia floribunda</i> (Wall.) Brongn.	Large-leaf paniculous supplejack 먹년출 (Meok-neon-chul)
<i>Bergenia</i> Moench [Saxifragaceae]	Elephant-ear, Elephant-eared saxifrage, Elephant's ears 돌부채속 (Dol-bu-chae-sok) [범의귀과]
<i>Bergenia coreana</i> Nakai	Korean elephant-ear 돌부채 (Dol-bu-chae)
<i>Berteroella</i> O.E.Schulz [Brassicaceae]	Berteroella 장대냉이속 (Jang-dae-naeng-i-sok) [십자화과]
<i>Berteroella maximowiczii</i> (Palib.) O.E. Schulz	Maximowicz's berteroella 장대냉이 (Jang-dae-naeng-i)
<i>Betula</i> L. [Betulaceae]	Birch 자작나무속 (Ja-jak-na-mu-sok) [자작나무과]

Scientific name	English name Korean name (Romanization)
<i>Betula chinensis</i> Maxim.	Dwarf small-leaf birch 개박달나무 (Gae-bak-dal-na-mu)
<i>Betula costata</i> Trautv.	Korean birch 거제수나무 (Geo-je-su-na-mu)
<i>Betula davurica</i> Pall.	Asian black birch 물박달나무 (Mul-bak-dal-na-mu)
<i>Betula ermanii</i> Cham.	Erman's birch 사스래나무 (Sa-seu-rae-na-mu)
<i>Betula fruticosa</i> Pall.	Dwarf bog birch 좀자작나무 (Jom-ja-jak-na-mu)
<i>Betula ovalifolia</i> Rupr.	Baedusun birch 백두산자작나무 (Baek-du-san-ja-jak-na-mu)
<i>Betula platyphylla</i> Sukaczev	<u>see</u> <i>Betula platyphylla</i> Roth
<i>Betula pendula</i> Roth	East Asian white birch 자작나무 (Ja-jak-na-mu)
<i>Betula schmidtii</i> Regel	Bakdal birch 박달나무 (Bak-dal-na-mu)
BETULACEAE Gray	Birch family 자작나무과 (Ja-jak-na-mu-gwa)
<i>Bidens</i> L. [Asteraceae]	Beggarticks, Black jack, Burr marigolds, Cobbler's pegs, Spanish needles, Stickseeds, Tickseeds, Tickseed sunflowers 도깨비바늘속 (Do-kkae-bi-ba-neul-sok) [국화과]
<i>Bidens bipinnata</i> L.	Spanish needle 도깨비바늘 (Do-kkae-bi-ba-neul)
<i>Bidens biternata</i> (Lour.) Merr. & Sherff ex Sherff	Yellow-flower spanish needle 털도깨비바늘 (Teol-do-kkae-bi-ba-neul)
<i>Bidens cernua</i> L.	Nodding beggartick 좁은잎가막사리 (Jop-eun-ip-ga-mak-sa-ri)
<i>Bidens parviflora</i> Willd.	Small-flower beggartick 까치발 (Kka-chi-bal)

Scientific name	English name Korean name (Romanization)
<i>Bidens radiata</i> Thuill.	Radiate beggartick 삼잎구와가막사리 (Sam-ip-gu-wa-ga-mak-sa-ri)
<i>Bidens radiata</i> var. <i>pinnatifida</i> (Turcz. ex DC.) Kitam.	Pinnatifid-radiate beggartick 구와가막사리 (Gu-wa-ga-mak-sa-ri)
<i>Bidens tripartita</i> L.	Three-lobe beggartick 가막사리 (Ga-mak-sa-ri)
<i>Bidens tripartita</i> var. <i>repens</i> (D.Don) Sherff	Creeping three-lobe beggartick 눈가막사리 (Nun-ga-mak-sa-ri)
<i>Bistorta</i> (L.) Scop. [Polygonaceae]	Bistort 범꼬리속 (Beom-kko-ri-sok) [마디풀과]
<i>Bistorta alopecuroides</i> (Turcz. ex Besser) Kom.	Slender bistort 가는범꼬리 (Ga-neun-beom-kko-ri)
<i>Bistorta globispica</i> Nakai	Global-spike bistort 등근범꼬리 (Dung-geun-beom-kko-ri)
<i>Bistorta incana</i> (Nakai) Nakai ex T.Mori	White bistort 흰범꼬리 (Huin-beom-kko-ri)
<i>Bistorta manshuriensis</i> (Petrov ex Kom.) Kom.	Asian bistort 범꼬리 (Beom-kko-ri)
<i>Bistorta ochotensis</i> (Petrov ex Kom.) Kom.	Hairy bistort 호범꼬리 (Ho-beom-kko-ri)
<i>Bistorta pacifica</i> (Petrov ex Kom.) Kom.	Common bistort 참범꼬리 (Cham-beom-kko-ri)
<i>Bistorta pacifica</i> f. <i>velutina</i> Kitag.	Velvety common bistort 털참범꼬리 (Teol-cham-beom-kko-ri)
<i>Bistorta suffulta</i> (Maxim.) Greene ex H.Gross	Ovate-leaf bistort 눈범꼬리 (Nun-beom-kko-ri)
<i>Bistorta tenuicaulis</i> (Bisset & S.Moore) Nakai	Early-blooming bistort 이른범꼬리 (I-reun-beom-kko-ri)
<i>Bistorta vivipara</i> (L.) Delarbre	Alpine bistort 씨범꼬리 (Ssi-beom-kko-ri)

Scientific name	English name Korean name (Romanization)
<i>Bistorta vivipara</i> var. <i>angustifolia</i> Nakai	Narrow-leaf alpine bistort 애기씨 범꼬리 (Ae-gi-ssi-beom-kko-ri)
<i>Bistorta vivipara</i> f. <i>roessleri</i> (G.B.Mannagetta) Kitag.	Hairy alpine bistort 털씨 범꼬리 (Teol-ssi-beom-kko-ri)
BLECHNACEAE Newman	Chain fern family 새깃아재비과 (Sae-git-a-jae-bi-gwa)
<i>Bletilla</i> Rchb.f. [Orchidaceae]	<i>Bletilla</i>, Urn orchid 자란속 (Ja-ran-sok) [난초과]
<i>Bletilla striata</i> (Thunb.) Rchb.f.	Hyacinth orchid 자란 (Ja-ran)
<i>Blyxa</i> Noronha ex Thouars [Hydrocharitaceae]	Blyxa 올챙이자리속 (Ol-chaeng-i-ja-ri-sok) [자라풀과]
<i>Blyxa aubertii</i> Rich.	Round-fruit blyxa 올챙이자리 (Ol-chaeng-i-ja-ri)
<i>Blyxa aubertii</i> var. <i>echinosperma</i> (C.B.Clarke) C.D.K.Cook & Luond	Linear-fruit blyxa 올챙이풀 (Ol-chaeng-i-pul)
<i>Blyxa japonica</i> (Miq.) Maxim. ex Asch. & Gürke	Oriental bamboo plant 올챙이술 (Ol-chaeng-i-sol)
<i>Boehmeria</i> Jacq. [Urticaceae]	Falsenettle 모시풀속 (Mo-si-pul-sok) [쐐기풀과]
<i>Boehmeria hirtella</i> Satake	Hairy long-leaf falsenettle 털긴잎모시풀 (Teol-gin-ip-mo-si-pul)
<i>Boehmeria longispica</i> Steud.	Large-leaf falsenettle 왜모시풀 (Wae-mo-si-pul)
<i>Boehmeria nakaiana</i> Satake	Jeju long-leaf falsenettle 제주긴잎모시풀 (Je-ju-gin-ip-mo-si-pul)
<i>Boehmeria nivea</i> (L.) Gaudich.	Ramie 모시풀 (Mo-si-pul)
<i>Boehmeria nivea</i> var. <i>nippononivea</i> (Koidz.) W.T.Wang	Island ramie 섬모시풀 (Seom-mo-si-pul)

Scientific name	English name Korean name (Romanization)
<i>Boehmeria pannosa</i> Nakai & Satake ex Oka	Seashore falsenettle 왕모시풀 (Wang-mo-si-pul)
<i>Boehmeria platanifolia</i> (Franch. & Sav.) C.H.Wright	Sycamore-leaf falsenettle 개모시풀 (Gae-mo-si-pul)
<i>Boehmeria quelpaertense</i> Satake	Jeju falsenettle 제주모시풀 (Je-ju-mo-si-pul)
<i>Boehmeria sieboldiana</i> Blume	Siebold's falsenettle 긴잎모시풀 (Gin-ip-mo-si-pul)
<i>Boehmeria spicata</i> (Thunb.) Thunb.	Spicate falsenettle 좀깨잎나무 (Jom-kkae-ip-na-mu)
<i>Boehmeria taquetii</i> Nakai	Hallasan falsenettle 섬거북꼬리 (Seom-geo-buk-kko-ri)
<i>Boehmeria tricuspis</i> (Hance) Makino	Tricuspidate falsenettle 거북꼬리 (Geo-buk-kko-ri)
<i>Boehmeria tricuspis</i> var. <i>unicuspis</i> Makino	Non-cuspidate falsenettle 풀거북꼬리 (Pul-geo-buk-kko-ri)
BORAGINACEAE Juss.	Borage family 지치과 (Ji-chi-gwa)
<i>Boschniakia</i> C.A.Mey. ex Bong. [Orobanchaceae]	Groundcone 오리나무더부살이속 (O-ri-na-mu-deo-bu-sal-i-sok) [열당과]
<i>Boschniakia rossica</i> (Cham. & Schltdl.) B.Fedtsch.	Northern groundcone 오리나무더부살이 (O-ri-na-mu-deo-bu-sal-i)
<i>Bothriochloa</i> Kuntze [Poaceae]	Beardgrass, Bluestem 바랭이새속 (Ba-raeng-i-sae-sok) [벼과]
<i>Bothriochloa ischaemum</i> (L.) Keng	Yellow bluestem 바랭이새 (Ba-raeng-i-sae)
<i>Bothriospermum</i> Bunge [Boraginaceae]	Bothriospermum 꽃밭이속 (Kkot-bat-i-sok) [지치과]
<i>Bothriospermum secundum</i> Maxim.	Many-bract bothriospermum 참꽃밭이 (Cham-kkot-bat-i)

Scientific name	English name Korean name (Romanization)
<i>Bothriospermum secundum</i> f. <i>albiflorum</i> Nakai	White many-bract bothriospermum 흰참꽃받이 (Huin-cham-kkot-bat-i)
<i>Bothriospermum tenellum</i> (Hornem.) Fisch. & C.A.Mey.	Leaf between flower 꽃받이 (Kkot-bat-i)
<i>Botrychium</i> Sw. [Ophioglossaceae]	Grapefern, Moonwort 백두산고사리삼속 (Baek-du-san-go-sa-ri-sam-sok) [고사리삼과]
<i>Botrychium boreale</i> J.Milde	Northern moonwort 메고사리삼 (Me-go-sa-ri-sam)
<i>Botrychium lunaria</i> (L.) Sw.	Common moonwort 백두산고사리삼 (Baek-du-san-go-sa-ri-sam)
<i>Botrychium ramosum</i> (Roth) Asch.	Tiny moonwort 난장이고사리삼 (Nan-jang-i-go-sa-ri-sam)
<i>Botrychium simplex</i> E.Hitchc.	Little moonwort 줌고사리삼 (Jom-go-sa-ri-sam)
<i>Botrypus</i> Michx. [Ophioglossaceae]	Botrypus 늦고사리삼속 (Neut-go-sa-ri-sam-sok) [고사리삼과]
<i>Botrychium strictum</i> Underw.	Straight fern 긴꽃고사리삼 (Gin-kkot-go-sa-ri-sam)
<i>Botrychium virginianum</i> (L.) Sw.	Rattlesnake fern 늦고사리삼 (Neut-go-sa-ri-sam)
<i>Brachybotrys</i> Maxim. ex Oliv. [Boraginaceae]	Brachybotrys 당개지치속 (Dang-gae-ji-chi-sok) [지치과]
<i>Brachybotrys paridiformis</i> Maxim. ex Oliv.	Dropping bell flower 당개지치 (Dang-gae-ji-chi)
<i>Brachyelytrum</i> P.Beauv. [Poaceae]	Shorthusk 담상이삭풀속 (Dam-sang-i-sak-pul-sok) [벼과]
<i>Brachyelytrum japonicum</i> (Hack.) Matsum. ex Honda	East Asian shorthusk 담상이삭풀 (Dam-sang-i-sak-pul)

Scientific name	English name Korean name (Romanization)
<i>Brachypodium</i> P.Beauv. [Poaceae]	False brome 술개밀속 (Sup-gae-mil-sok) [벼과]
<i>Brachypodium sylvaticum</i> (Huds.) P.Beauv.	Wood false brome 술개밀 (Sup-gae-mil)
<i>Brachypodium sylvaticum</i> var. <i>miserum</i> (Thunb.) Koidz.	Smooth wood false brome 민술개밀 (Min-sup-gae-mil)
<i>Brasenia</i> Schreb. [Nymphaeaceae]	Brasenia 순채속 (Sun-chae-sok) [수련과]
<i>Brasenia schreberi</i> J.F.Gmelin	Watershield 순채 (Sun-chae)
BRASSICACEAE Burnett (Cruciferae Juss.)	Cabbage family, Crucifers family, Mustards family, Mustard flowers family 십자화과 (Sip-ja-hwa-gwa)
<i>Breea</i> Less. [Asteraceae]	Breea 조뱅이속 (Jo-baeng-i-sok) [국화과]
<i>Breea segeta</i> (Bunge) Kitam.	Common breea 조뱅이 (Jo-baeng-i)
<i>Breea segeta</i> f. <i>lactiflora</i> (Nakai) W.T.Lee	White common breea 흰조뱅이 (Huin-jo-baeng-i)
<i>Breea setosa</i> (Willd.) Kitam.	Big breea 큰조뱅이 (Keun-jo-baeng-i)
<i>Bromus</i> L. [Poaceae]	Brome, Brome grasses, Cheat grasses, Chess grasses 참새귀리속 (Cham-sae-gwi-ri-sok) [벼과]
<i>Bromus canadensis</i> subsp. <i>yekoensis</i> (Ohwi) V.N.Voroshilov	Fringed brome 립새귀리 (Bip-sae-gwi-ri)
<i>Bromus japonicus</i> Houtt.	Common brome 참새귀리 (Cham-sae-gwi-ri)
<i>Bromus remotiflorus</i> (Steud.) Ohwi	Few-flower brome 꼬리새 (Kko-ri-sae)

Scientific name	English name Korean name (Romanization)
<i>Bromus richardsonii</i> Link	Richardson's brome 개밥새귀리 (Gae-bip-sae-gwi-ri)
<i>Broussonetia</i> L'Hér. ex Vent. [Moraceae]	Broussonetia 닭나무속 (Dak-na-mu-sok) [뽕나무과]
* <i>Broussonetia kazinoki</i> var. <i>humilis</i> Uyeki	Small paper mulberry 애기닭나무 (Ae-gi-dak-na-mu)
<i>Broussonetia papyrifera</i> (L.) L'Hér. ex Vent.	Paper mulberry 꾸지나무 (Kku-ji-na-mu)
<i>Broussonetia papyrifera</i> f. <i>lucida</i> (Hatus.) T.B.Lee	Shining paper mulberry 민꾸지나무 (Min-kku-ji-na-mu)
<i>Broussonetia papyrifera</i> f. <i>oppositifolia</i> Nakai	Opposite-leaf paper mulberry 마주잎꾸지나무 (Ma-ju-ip-kku-ji-na-mu)
<i>Bulbophyllum</i> Thouars [Orchidaceae]	Bulbophyllum 콩짜개란속 (Kong-jja-gae-ran-sok) [난초과]
<i>Bulbophyllum drymoglossum</i> Maxim. ex Ökubo	Small-bean-like orchid 콩짜개란 (Kong-jja-gae-ran)
<i>Bulbophyllum inconspicuum</i> Maxim.	Barley-like orchid 흑난초 (Hok-nan-cho)
<i>Bulbostylis</i> Kunth [Cyperaceae]	Hairsedge 모기골속 (Mo-gi-gol-sok) [사초과]
<i>Bulbostylis barbata</i> (Rottb.) C.B.Clarke	Watergrass 모기골 (Mo-gi-gol)
<i>Bulbostylis densa</i> (Wall.) Hand.-Mazz.	Dense watergrass 꽃하늘지기 (Kkot-ha-neul-ji-gi)
<i>Bupleurum</i> L. [Apiaceae]	Bupleurum 시호속 (Si-ho-sok) [산형과]
<i>Bupleurum euphorbioides</i> Nakai	Big-bract hare's ear 등대시호 (Deung-dae-si-ho)

Scientific name	English name Korean name (Romanization)
<i>Bupleurum falcatum</i> var. <i>scorzoneraefolium</i> (Willd.) Ledeb.	Sickle-leaf hare's ear 참시호 (Cham-si-ho)
<i>Bupleurum latissimum</i> Nakai	Ulleungdo hare's ear 섬시호 (Seom-si-ho)
<i>Bupleurum longiradiatum</i> Turcz.	Big-leaf hare's ear 개시호 (Gae-si-ho)
<i>Bupleurum longiradiatum</i> f. <i>leveillei</i> (H.Boissieu) Kitag.	Leveille's big-leaf hare's ear omboksiho (Jom-si-ho)
<i>Burmannia</i> L. [Burmanniaceae]	Bluethread 벼어먼초속 (Beo-eo-meon-cho-sok) [벼어먼초과]
<i>Burmannia championii</i> Thwaites	Champion's bluethread 애기벼어먼초 (Ae-gi-beo-eo-meon-cho)
<i>Burmannia cryptopetala</i> Makino	Hidden-petal bluethread 벼어먼초 (Beo-eo-meon-cho)
BURMANNIACEAE Blume	<i>Burmannia</i> family 벼어먼초과 (Beo-eo-meon-cho-gwa)
BUXACEAE Dumort.	Boxwood family 회양목과 (Hoe-yang-mok-gwa)
<i>Buxus</i> L. [Buxaceae]	Box, Boxwood 회양목속 (Hoe-yang-mok-sok) [회양목과]
<i>Buxus koreana</i> Nakai ex Chung & al.	Korean boxwood 회양목 (Hoe-yang-mok)
<i>Buxus koreana</i> f. <i>elongata</i> (Nakai) Y.S.Kim & J.H.Kim	Long-leaf Korean boxwood 긴잎회양목 (Gin-ip-hoe-yang-mok)
<i>Buxus koreana</i> f. <i>insularis</i> (Nakai) Y.S.Kim & J.H.Kim	Glabrous Korean boxwood 섬회양목 (Seom-hoe-yang-mok)

C

Scientific name	English name Korean name (Romanization)
<i>Caesalpinia</i> L. [Fabaceae]	Nicker 실거리나무속 (Sil-geo-ri-na-mu-sok) [콩과]
<i>Caesalpinia decapetala</i> (Roth) Alston	Mysore thorn 실거리나무 (Sil-geo-ri-na-mu)
<i>Cakile</i> Mill. [Brassicaceae]	Searocket 서양갓냉이속 (Seo-yang-gaet-naeng-i-sok) [십자화과]
<i>Cakile edentula</i> (Bigelow) Hook.	American searocket 서양갓냉이 (Seo-yang-gaet-naeng-i)
<i>Calamagrostis</i> Adans. [Poaceae]	Small reed, Reed grass 산새풀속 (San-sae-pul-sok) [벼과]
<i>Calamagrostis angustifolia</i> Kom.	Narrow-leaf reedgrass 백산새풀 (Baek-san-sae-pul)
<i>Calamagrostis brachytricha</i> Steud.	Purple reedgrass 실새풀 (Sil-sae-pul)
<i>Calamagrostis brachytricha</i> var. <i>inaequata</i> (Hack. ex Honda) Yonek.	Jeju purple reedgrass 제주새풀 (Je-ju-sae-pul)
<i>Calamagrostis bungeana</i> V.Petrov	Bunge's reedgrass 봉겐새풀 (Bung-gen-sae-pul)
<i>Calamagrostis epigeios</i> (L.) Roth	Wood small reed 산조풀 (San-jo-pul)
<i>Calamagrostis heterogluma</i> (Nakai) Honda	Heteroglumous reedgrass 들새풀 (Deul-sae-pul)
<i>Calamagrostis hymenoglossa</i> Ohwi	Alpine reedgrass 북선매뛰기피 (Buk-seon-me-ttwi-gi-pi)
<i>Calamagrostis langsdorffii</i> (Link) Trin.	Langsdorf's reedgrass 산새풀 (San-sae-pul)
<i>Calamagrostis langsdorffii</i> var. <i>ramosa</i> Nakai	see <i>Calamagrostis langsdorffii</i> (Link) Trin.
<i>Calamagrostis lapponica</i> (Wahlenb.) Hartm.	Lapland reedgrass 라프랜드새풀 (Ra-peu-raen-deu-sae-pul)

C

Scientific name	English name Korean name (Romanization)
<i>Calamagrostis pseudophragmites</i> (Haller f.) Koeler	Coastal small reedgrass 갯조풀 (Gaet-jo-pul)
<i>Calamagrostis sachalinensis</i> F.Schmidt	Sakhalin reedgrass 사할린새풀 (Sa-hal-rin-sae-pul)
<i>Calamagrostis stricta</i> (Timm) Koeler	Slim-stem reedgrass 야지피 (Ya-ji-pi)
<i>Calamagrostis subacrochaeta</i> Nakai	Nangrim reedgrass 낭림새풀 (Nang-rim-sae-pul)
<i>Calanthe</i> R.Br. [Orchidaceae]	Calanthe 새우난초속 (Sae-u-nan-cho-sok) [난초과]
<i>Calanthe aristulifera</i> Rchb.f.	Sinan calanthe 신안새우난초 (Sin-an-sae-u-nan-cho)
<i>Calanthe coreana</i> Nakai	Korean calanthe 섬새우난초 (Seom-sae-u-nan-cho)
<i>Calanthe discolor</i> Lindl.	Common calanthe 새우난초 (Sae-u-nan-cho)
<i>Calanthe reflexa</i> Maxim.	Summer-flowering calanthe 여름새우난초 (Yeo-reum-sae-u-nan-cho)
<i>Calanthe sieboldii</i> Decne. ex Regel	Island golden calanthe 금새우난초 (Geum-sae-u-nan-cho)
<i>Caldesia</i> Parl. [Alismataceae]	Caldesia 등근잎택사속 (Dung-geun-ip-taek-sa-sok) [택사과]
<i>Caldesia parnassifolia</i> (Bassi ex L.) Parl.	Parnassus-leaf caldesia 등근잎택사 (Dung-geun-ip-taek-sa)
<i>Calla</i> L. [Araceae]	Bog arum, Callalily, Marsh calla, Water-arum, Wild calla 산부채속 (San-bu-chae-sok) [천남성과]
<i>Calla palustris</i> L.	Water-arum 산부채 (San-bu-chae)

Scientific name	English name Korean name (Romanization)
<i>Callianthemum</i> C.A.Mey. [Ranunculaceae]	Callianthemum 매화바람꽃속 (Mae-hwa-ba-ram-kkot-sok) [미나리아재비과]
<i>Callianthemum insigne</i> (Nakai) Nakai	Remarkable callianthemum 매화바람꽃 (Mae-hwa-ba-ram-kkot)
<i>Callicarpa</i> L. [Verbenaceae]	Beautyberry 작살나무속 (Jak-sal-na-mu-sok) [마편초과]
<i>Callicarpa dichotoma</i> (Lour.) K.Koch	Purple beautyberry 좀작살나무 (Jom-jak-sal-na-mu)
<i>Callicarpa japonica</i> Thunb.	East Asian beautyberry 작살나무 (Jak-sal-na-mu)
<i>Callicarpa japonica</i> var. <i>glabra</i> Nakai	Glabrous beautyberry 민작살나무 (Min-jak-sal-na-mu)
<i>Callicarpa japonica</i> var. <i>leucocarpa</i> Nakai	White beautyberry 흰작살나무 (Huin-jak-sal-na-mu)
<i>Callicarpa japonica</i> var. <i>luxurians</i> Rehder	Robust beautyberry 왕작살나무 (Wang-jak-sal-na-mu)
<i>Callicarpa japonica</i> var. <i>taquetii</i> (L.f.) Nakai	Small-leaf beautyberry 송금나무 (Song-geum-na-mu)
<i>Callicarpa mollis</i> Siebold & Zucc.	Jejudo beautyberry 새비나무 (Sae-bi-na-mu)
<i>Callicarpa mollis</i> f. <i>ramosissima</i> (Nakai) W.T.Lee	Many-stem Jejudo beautyberry 좀새비나무 (Jom-sae-bi-na-mu)
<i>Callicarpa</i> × <i>shirasawana</i> Makino	Hybrid beautyberry 개새비나무 (Gae-sae-bi-na-mu)
CALLITRICHACEAE Link	Water-starwort family 별이끼과 (Byeol-i-kki-gwa)
<i>Callitricha</i> L. [Callitrichaceae]	Water-starwort 별이끼속 (Byeol-i-kki-sok) [별이끼과]
<i>Callitricha japonica</i> Engelm. ex Hegelm.	Oriental water-starwort 별이끼 (Byeol-i-kki)

C

Scientific name	English name Korean name (Romanization)
<i>Callitrichace palustris</i> L.	Vernal water-starwort 물별이끼 (Mul-byeol-i-kki)
<i>Caltha</i> L. [Ranunculaceae]	Marsh marigold 동의나물속 (Dong-ui-na-mul-sok) [미나리아재비과]
<i>Caltha natans</i> Pall.	Floating marsh marygold 애기동의나물 (Ae-gi-dong-ui-na-mul)
<i>Caltha palustris</i> L.	Marsh marigold 동의나물 (Dong-ui-na-mul)
<i>Calypso</i> Salisb. [Orchidaceae]	Fairy slipper 풍선난초속 (Pung-seon-nan-cho-sok) [난초과]
<i>Calypso bulbosa</i> (L.) Oakes	Fairy slipper orchid 풍선난초 (Pung-seon-nan-cho)
<i>Calystegia</i> R.Br. [Convolvulaceae]	Bindweed, False bindweed, Morning glory 메꽃속 (Me-kkot-sok) [메꽃과]
<i>Calystegia dahurica</i> (Herb.) Choisy	Dahurian morning glory 선메꽃 (Seon-me-kkot)
<i>Calystegia hederacea</i> Wall.	Ivy morning glory 애기메꽃 (Ae-gi-me-kkot)
<i>Calystegia sepium</i> (L.) R.Br.	Wild morning glory 큰메꽃 (Keun-me-kkot)
<i>Calystegia pubescens</i> Lindl.	Hairy-false mornig glory 메꽃 (Me-kkot)
<i>Calystegia sepium</i> var. <i>japonica</i> f. <i>albiflora</i> (Makino) Yamazaki	White-hedge morning glory 흰메꽃 (Huin-me-kkot)
* <i>Calystegia sepium</i> f. <i>album</i> Y.N.Lee	White-wild morning glory 흰큰메꽃 (Huin-keun-me-kkot)
<i>Calystegia soldanella</i> (L.) R.Br	Beach morning glory 갯메꽃 (Gaet-me-kkot)
<i>Camellia</i> L. [Theaceae]	Camellia 동백나무속 (Dong-baek-na-mu-sok) [차나무과]

Scientific name	English name Korean name (Romanization)
<i>Camellia japonica</i> L.	Common camellia 동백나무 (Dong-baek-na-mu)
<i>Camellia japonica</i> f. <i>albipetala</i> H.T.Chang	White camellia 흰동백나무 (Huin-dong-baek-na-mu)
<i>Camellia sinensis</i> L.	Tea camellia 차나무 (Cha-na-mu)
<i>Campanula</i> L. [<i>Campanulaceae</i>]	Bellflower 초롱꽃속 (Cho-rong-kkot-sok) [초롱꽃과]
<i>Campanula glomerata</i> var. <i>dahurica</i> Fisch. ex Ker Gawl.	Dahurian clustered bellflower 자주꽃방망이 (Ja-ju-kkot-bang-mang-i)
<i>Campanula glomerata</i> var. <i>dahurica</i> f. <i>alba</i> Nakai ex T.B.Lee	White-clustered bellflower 흰자주꽃방망이 (Huin-ja-ju-kkot-bang-mang-i)
<i>Campanula punctata</i> Lam.	Spotted bellflower 초롱꽃 (Cho-rong-kkot)
<i>Campanula takesimana</i> Nakai	Korean bellflower 섬초롱꽃 (Seom-cho-rong-kkot)
* <i>Campanula takesimana</i> f. <i>alba</i> T.B.Lee	White Korean bellflower 흰섬초롱꽃 (Huin-seom-cho-rong-kkot)
CAMPANULACEAE Juss.	Bellflower family 초롱꽃과 (Cho-rong-kkot-gwa)
<i>Camptosorus</i> Link [<i>Aspleniaceae</i>]	Camptosorus 거미고사리속 (Geo-mi-go-sa-ri-sok) [꼬리고사리과]
<i>Camptosorus sibiricus</i> Rupr.	Asian walking fern 거미고사리 (Geo-mi-go-sa-ri)
<i>Campylotropis</i> Bunge [<i>Fabaceae</i>]	Campylotropis 꽃싸리속 (Kkot-ssa-ri-sok) [콩과]
<i>Campylotropis macrocarpa</i> (Bunge) Rehder	False bush-clover 꽃싸리 (Kkot-ssa-ri)
<i>Campylotropis macrocarpa</i> f. <i>rosea</i> Uyeki	Red false bush-clover 붉은꽃싸리 (Bul-geun-kkot-ssa-ri)

Scientific name	English name Korean name (Romanization)
Canavalia Adans. [Fabaceae]	Jackbean 해녀콩속 (Hae-nyeo-kong-sok) [콩과]
<i>Canavalia lineata</i> (Thunb.) DC.	Asian beach jackbean 해녀콩 (Hae-nyeo-kong)
CANNABACEAE Martinov	Dagga family, Hemp family, Hop family 삼과 (Sam-gwa)
Capillipedium Stapf [Poaceae]	Scented-tops 나도기름새속 (Na-do-gi-reum-sae-sok) [벼과]
<i>Capillipedium parviflorum</i> (R.Br.) Stapf	Small-flower scented-tops 나도기름새 (Na-do-gi-reum-sae)
CAPRIFOLIACEAE Juss.	Honeysuckle family 인동과 (In-dong-gwa)
Capsella Medik. [Brassicaceae]	Capsella 냉이속 (Naeng-i-sok) [십자화과]
<i>Capsella bursa-pastoris</i> (L.) Medik.	Naeng-i (Shepherd's purse) 냉이 (Naeng-i)
Caragana Fabr. [Fabaceae]	Peashrub 골담초속 (Gol-dam-cho-sok) [콩과]
<i>Caragana fruticosa</i> (Pall.) Besser	Manchurian peashrub 참골담초 (Cham-gol-dam-cho)
<i>Caragana microphylla</i> Lam.	Little-leaf peashrub 줌골담초 (Jom-gol-dam-cho)
<i>Caragana sinica</i> (Buc'hoz) Rehder	Chinese peashrub 골담초 (Gol-dam-cho)
<i>Caragana sinica</i> var. <i>megalantha</i> C.K.Schneid.	Large-flower Chinese peashrub 반용골담초 (Ban-yong-gol-dam-cho)
Cardamine L. [Brassicaceae]	Bittercress, Bitter-cress 황새냉이속 (Hwang-sae-naeng-i-sok) [십자화과]

Scientific name	English name Korean name (Romanization)
<i>Cardamine amaraeformis</i> Nakai	Beautiful-woodland bittercress 꽃황새냉이 (Kkot-hwang-sae-naeng-i)
<i>Cardamine bellidifolia</i> L.	Alpine bittercress 애기냉이 (Ae-gi-naeng-i)
<i>Cardamine changbaiana</i> Al-Shehbaz	Baedusun bittercress 두메냉이 (Du-me-naeng-i)
<i>Cardamine fallax</i> L.	False bittercress 좁쌀냉이 (Jop-ssal-naeng-i)
<i>Cardamine flexuosa</i> With.	Wavy bittercress 황새냉이 (Hwang-sae-naeng-i)
<i>Cardamine glechomifolia</i> H.Lév.	Hallasan bittercress 별깨냉이 (Beol-kkae-naeng-i)
<i>Cardamine impatiens</i> L.	Narrow-leaf bittercress 싸리냉이 (Ssa-ri-naeng-i)
<i>Cardamine impatiens</i> var. <i>eriocarpa</i> DC.	Woolly narrow-leaf bittercress 털싸리냉이 (Teol-ssa-ri-naeng-i)
<i>Cardamine impatiens</i> var. <i>fumaria</i> H.Lév.	Jeju narrow-leaf bittercress 제주싸리냉이 (Je-ju-ssa-ri-naeng-i)
<i>Cardamine impatiens</i> var. <i>obutusifolia</i> Knaf	Island narrow-leaf bittercress 섬싸리냉이 (Seom-ssa-ri-naeng-i)
<i>Cardamine komarovii</i> Nakai	Asian bittercress 는쟁이냉이 (Neun-jaeng-i-naeng-i)
<i>Cardamine komarovii</i> f. <i>macrophylla</i> (T.H.Chung) W.T.Lee	Large Komarov's bittercress 큰는쟁이냉이 (Keun-neun-jaeng-i-naeng-i)
<i>Cardamine koreana</i> (Nakai) Nakai	Korean bittercress 참고추냉이 (Cham-go-chu-naeng-i)
<i>Cardamine leucantha</i> (Tausch) O.E.Schulz	White-flower bittercress 미나리냉이 (Mi-na-ri-naeng-i)
* <i>Cardamine leucantha</i> var. <i>toensis</i> (Nakai) T.B.Lee	Tongyeong bittercress 통영미나리냉이 (Tong-yeong-mi-na-ri-naeng-i)
<i>Cardamine lyrata</i> Bunge	Paddy bittercress 논냉이 (Non-naeng-i)

Scientific name	English name Korean name (Romanization)
<i>Cardamine manshurica</i> (Kom.) Nakai	Minute bittercress 애기황새냉이 (Ae-gi-hwang-sae-naeng-i)
<i>Cardamine parviflora</i> L.	Small-flower bittercress 좀냉이 (Jom-naeng-i)
<i>Cardamine prorepens</i> Fisch. ex DC.	Northern meadow bittercress 산냉이 (San-naeng-i)
<i>Cardamine regeliana</i> var. <i>manshurica</i> (Kom.) Kitag.	Manchurian bittercress 만주논냉이 (Man-ju-non-naeng-i)
<i>Cardamine trifida</i> (Lam. ex Poir.) B.M.G.Jones	Schulz's bittercress 좁은잎미나리냉이 (Jop-eun-ip-mi-na-ri-naeng-i)
<i>Cardamine scutata</i> Thunb.	Big-flower bittercress 큰황새냉이 (Keun-hwang-sae-naeng-i)
<i>Cardamine tanakae</i> Franch. & Sav.	Dwarf bittercress 꼬마냉이 (Kko-ma-naeng-i)
<i>Cardamine yezoensis</i> Maxim.	Northern mountain bittercress 왜갓냉이 (Wae-gat-naeng-i)
<i>Carex</i> L. [Cyperaceae]	Sedge 사초속 (Sa-cho-sok) [사초과]
<i>Carex accrescens</i> Ohwi	Seoul sedge 경성사초 (Gyeong-seong-sa-cho)
<i>Carex albata</i> Boott ex Franch. & Sav.	Ditch sedge 도랭이사초 (Do-raeng-i-sa-cho)
<i>Carex aphanolepis</i> Franch. & Sav.	Nerved-scale sedge 골사초 (Gol-sa-cho)
* <i>Carex aphanolepis</i> var. <i>mixta</i> Nakai	Mixed nerved-scale sedge 잡골사초 (Jap-gol-sa-cho)
<i>Carex arenicola</i> F.Schmidt	Wet-sand sedge 진퍼리사초 (Jin-peo-ri-sa-cho)
<i>Carex arnellii</i> Christ	Musan sedge 무산사초 (Mu-san-sa-cho)

Scientific name	English name Korean name (Romanization)
<i>Carex atrata</i> L.	Black-spike sedge 감동사초 (Gam-dung-sa-cho)
<i>Carex austrogracilis</i> Menish. ex Korsh.	Augustinowicz's sedge 북사초 (Buk-sa-cho)
<i>Carex autumnalis</i> Ohwi	Autumnal-sand sedge 논두렁사초 (Non-du-reong-sa-cho)
<i>Carex bigelowii</i> Torr. ex Schwein.	Gwanmo sedge 갈미사초 (Gal-mi-sa-cho)
<i>Carex biwensis</i> Franch.	Pine-leaf sedge 솔잎사초 (Sol-ip-sa-cho)
<i>Carex blepharicarpa</i> Franch.	Ciliated-fruit sedge 여우꼬리사초 (Yeo-u-kko-ri-sa-cho)
<i>Carex boottiana</i> Hook. & Arn.	Coastal rock sedge 밀사초 (Mil-sa-cho)
<i>Carex bostrychostigma</i> Maxim.	Curled-stigma sedge 길뚝사초 (Gil-ttuk-sa-cho)
<i>Carex breviculmis</i> R.Br.	Short-stem sedge 청사초 (Cheong-sa-cho)
<i>Carex breviculmis</i> var. <i>fibrillosa</i> (Franch. & Sav.) Matsum. & Hayata	Fibrillose short-stem sedge 갯청사초 (Gaet-cheong-sa-cho)
<i>Carex brownii</i> Tuck.	Brown's sedge 흰꼬리사초 (Huini-kko-ri-sa-cho)
<i>Carex brownii</i> var. <i>transversa</i> (Boott) Kük.	Transverse Brown's sedge 화살사초 (Hwa-sal-sa-cho)
<i>Carex buxbaumii</i> Wahlenb.	Marsh sedge 늪사초 (Neup-sa-cho)
<i>Carex cespitosa</i> L.	Turfy sedge 포기사초 (Po-gi-sa-cho)
<i>Carex canescens</i> L.	Silvery sedge 산사초 (San-sa-cho)
<i>Carex capillacea</i> Boott	Tiny sedge 잔솔잎사초 (Jan-sol-ip-sa-cho)

C

Scientific name	English name Korean name (Romanization)
<i>Carex capillacea</i> var. <i>sachalinensis</i> (F.Schmidt) Ohwi	Sakhalin tiny sedge 노끈사초 (No-kkeun-sa-cho)
<i>Carex capillaris</i> L.	Hair-like sedge 뭣풀사초 (Moet-pul-sa-cho)
<i>Carex capricornis</i> Meinhsh. ex Maxim.	Capricornis sedge 양뿔사초 (Yang-ppul-sa-cho)
<i>Carex caryophyllea</i> var. <i>microtricha</i> (Franch.) Kük.	Short-hair spring sedge 갈색사초 (Gal-saek-sa-cho)
<i>Carex chordorrhiza</i> L.f.	Creeping sedge 대암사초 (Dae-am-sa-cho)
<i>Carex chosenica</i> Ohwi	Korean sedge 조선사초 (Jo-seon-sa-cho)
<i>Carex ciliatomarginata</i> Nakai	Hairy creeping broad-leaf sedge 털대사초 (Teol-dae-sa-cho)
<i>Carex cinerascens</i> Kük.	Ashgrey sedge 회색사초 (Hoe-saek-sa-cho)
<i>Carex conica</i> Boott	Miniature sedge 애기사초 (Ae-gi-sa-cho)
<i>Carex dickinsii</i> Franch. & Sav.	Dickin's sedge 도깨비사초 (Do-kkae-bi-sa-cho)
<i>Carex dimorpholepis</i> Steud.	Dimorphous-spike sedge 이삭사초 (I-sak-sa-cho)
<i>Carex dispalata</i> Boott	Curved-utricle sedge 삿갓사초 (Sat-gat-sa-cho)
<i>Carex disperma</i> Dewey	Two-seed sedge 가는사초 (Ga-neun-sa-cho)
<i>Carex doniana</i> Spreng.	Don's sedge 흰사초 (Huin-sa-cho)
<i>Carex drymophila</i> Turcz.	Forest-live sedge 숲이삭사초 (Sup-i-sak-sa-cho)
<i>Carex drymophila</i> var. <i>abbreviata</i> (Kük.) Ohwi	Short forest-live sedge 민숲이삭사초 (Min-sup-i-sak-sa-cho)

Scientific name	English name Korean name (Romanization)
<i>Carex drymophila</i> var. <i>pilifera</i> Kük.	Hairy forest-live sedge 모래사초 (Mo-rae-sa-cho)
<i>Carex duriuscula</i> C.A.Mey.	Needle-leaf sedge 들사초 (Deul-sa-cho)
<i>Carex echinata</i> Murray	Star sedge 함복사초 (Ham-buk-sa-cho)
<i>Carex eleusinoides</i> Turcz. ex Kunth	Goosegrass sedge 엷은갈미사초 (Yeol-beun-gal-mi-sa-cho)
<i>Carex erythrobasis</i> H.Lév. & Vaniot	Red-based leaf sedge 한라사초 (Han-ra-sa-cho)
<i>Carex filipes</i> Franch. & Sav.	Fishing-rod-like sedge 낚시사초 (Nak-si-sa-cho)
<i>Carex filipes</i> var. <i>oligostachys</i> Kük.	Papilose sedge 쇠낚시사초 (Soe-nak-si-sa-cho)
<i>Carex flabellata</i> H.Lév. & Vaniot	Flabellate sedge 후라벨라타사초 (Hu-ra-bel-ra-ta-sa-cho)
<i>Carex forficula</i> Franch. & Sav.	Scissors-like sedge 산뚝사초 (San-ttuk-sa-cho)
<i>Carex forficula</i> var. <i>scabrida</i> Kük.	Scabrous scissors-like sedge 금강산뚝사초 (Geum-gang-san-ttuk-sa-cho)
<i>Carex formosensis</i> H.Lév. & Vaniot	Long Mokpo sedge 긴목포사초 (Gin-mok-po-sa-cho)
<i>Carex fusanensis</i> Ohwi	Black-tiny sedge 애기감등사초 (Ae-gi-gam-dung-sa-cho)
<i>Carex genkaiensis</i> Ohwi	Mokpo sedge 목포사초 (Mok-po-sa-cho)
<i>Carex gibba</i> Wahlenb.	Gibbous sedge 나도별사초 (Na-do-byeol-sa-cho)
<i>Carex glabrescens</i> (Kük.) Ohwi	Glabrate sedge 곱슬사초 (Gop-seul-sa-cho)
<i>Carex glauciformis</i> Meinh.	Pseudo-glaucous sedge 쌀사초 (Ssal-sa-cho)

C

Scientific name	English name Korean name (Romanization)
<i>Carex globularis</i> L.	Globular-spike sedge 진들사초 (Jin-deul-sa-cho)
<i>Carex gmelinii</i> Hook. & Arn.	Gmelin's sedge 덕진사초 (Deok-jin-sa-cho)
<i>Carex gotoi</i> Ohwi	Two-toothed beak sedge 회령사초 (Hoe-ryeong-sa-cho)
<i>Carex hakonensis</i> Franch. & Sav.	Small-needle sedge 애기바늘사초 (Ae-gi-ba-neul-sa-cho)
<i>Carex hancockiana</i> Maxim.	Hancock's sedge 해산사초 (Hae-san-sa-cho)
<i>Carex hebecarpa</i> subsp. <i>ligulata</i> (Nees) T.Koyama	Ligulate sedge 갈사초 (Gal-sa-cho)
<i>Carex heterolepis</i> Bunge	Different-scale sedge 산비늘사초 (San-bi-neul-sa-cho)
<i>Carex heterostachya</i> Bunge	Different-spike sedge 인제사초 (In-je-sa-cho)
<i>Carex holotricha</i> Ohwi	Woolly-scale sedge 난사초 (Nan-sa-cho)
<i>Carex hondoensis</i> Ohwi	Hondo sedge 일본사초 (Il-bon-sa-cho)
<i>Carex humbertiana</i> Ohwi	Humbert's sedge 큰뚝사초 (Keun-ttuk-sa-cho)
<i>Carex humilis</i> var. <i>nana</i> (H.Lév. & Vaniot) Ohwi	Low sedge 가는잎그늘사초 (Ga-neun-ip-geu-neul-sa-cho)
<i>Carex idzuroei</i> Franch. & Sav.	Small Dickin's sedge 좀도깨비사초 (Jom-do-kkae-bi-sa-cho)
<i>Carex incisa</i> Boott	Digitaria-like sedge 바랭이사초 (Ba-raeng-i-sa-cho)
<i>Carex ischnostachya</i> Steud.	Thin-spiculate sedge 염주사초 (Yeom-ju-sa-cho)
<i>Carex jackiana</i> var. <i>macroglossa</i> (Franch. & Sav.) Kük.	Big-tongue jack sedge 애기염주사초 (Ae-gi-yeom-ju-sa-cho)

Scientific name	English name Korean name (Romanization)
<i>Carex jaluensis</i> Kom.	Amrokgang sedge 침삿갓사초 (Cham-sat-gat-sa-cho)
<i>Carex japonica</i> Thunb.	East Asian sedge 개찌버리사초 (Gae-jji-beo-ri-sa-cho)
<i>Carex kirganica</i> Kom.	Seosura sedge 서수라사초 (Seo-su-ra-sa-cho)
<i>Carex kobomugi</i> Ohwi	Asian sand sedge 통보리사초 (Tong-bo-ri-sa-cho)
<i>Carex korshinskyi</i> Kom.	Korshinsky's sedge 유성사초 (Yu-seong-sa-cho)
<i>Carex kujuzana</i> Ohwi	Jangseong sedge 장성사초 (Jang-seong-sa-cho)
<i>Carex lachenalii</i> Schkuhr	Two-tip sedge 산타래사초 (San-ta-rae-sa-cho)
<i>Carex laevissima</i> Nakai	Small nerved-fruit sedge 애괭이사초 (Ae-gwaeng-i-sa-cho)
<i>Carex lanceolata</i> Boott	Lanceolate sedge 그늘사초 (Geu-neul-sa-cho)
<i>Carex lasiocarpa</i> Ehrh.	Woolly-fruit sedge 별사초 (Beol-sa-cho)
<i>Carex laticeps</i> C.B.Clarke ex Franch.	Bent-beak sedge 갯보리사초 (Gaet-bo-ri-sa-cho)
<i>Carex latisquamea</i> Kom.	Woolly-leaf sedge 털잎사초 (Teol-ip-sa-cho)
<i>Carex laxa</i> Wahlenb.	Loosely-spike sedge 실이삭사초 (Sil-i-sak-sa-cho)
<i>Carex lehmannii</i> Drejer	Lehman's sedge 레만사초 (Re-man-sa-cho)
<i>Carex leiorthyncha</i> C.A.Mey.	Mountain cat-tail sedge 산괭이사초 (San-gwaeng-i-sa-cho)
<i>Carex lenta</i> D.Don	Sluggish sedge 줄사초 (Jul-sa-cho)

C

Scientific name	English name Korean name (Romanization)
<i>Carex leucochlora</i> Bunge	Mountain nerved-fruit sedge 이삼사초 (I-sam-sa-cho)
<i>Carex limosa</i> L.	Mud sedge 대택사초 (Dae-tae-ka-sa-cho)
<i>Carex lithophila</i> Turcz.	Rock-loving sedge 바위사초 (Ba-wi-sa-cho)
<i>Carex livida</i> (Wahlenb.) Willd.	Livid sedge 등백사초 (Dong-bae-ka-sa-cho)
<i>Carex loliacea</i> L.	Ryegrass sedge 호밀사초 (Ho-mil-sa-cho)
<i>Carex longerostrata</i> C.A.Mey.	Long-rostrate sedge 피사초 (Pi-sa-cho)
<i>Carex longerostrata</i> var. <i>pallida</i> (Kitag.) Ohwi	Pallid long-rostrate sedge 실피사초 (Sil-pi-sa-cho)
<i>Carex lyngbyei</i> Hornem.	Lyngbye's sedge 산이삭사초 (San-i-sak-sa-cho)
<i>Carex maackii</i> Maxim.	Maack's sedge 타래사초 (Ta-rae-sa-cho)
<i>Carex mackenziei</i> V.I.Krecz.	Mackenzie's sedge 큰산사초 (Keun-san-sa-cho)
<i>Carex macrandrolepis</i> H.Lév.	Big male-scale sedge 청피사초 (Cheong-pi-sa-cho)
<i>Carex maculata</i> Boott	Maculate sedge 무늬사초 (Mu-nui-sa-cho)
<i>Carex makinoensis</i> Franch.	Tufted rock-loving sedge 바위포기사초 (Ba-wi-po-gi-sa-cho)
<i>Carex mandshurica</i> Meinh.	Manchurian sedge 만주사초 (Man-ju-sa-cho)
<i>Carex matsumurae</i> Franch.	Big-wheat sedge 왕밀사초 (Wang-mil-sa-cho)
<i>Carex maximowiczii</i> Miq.	Maximowicz's sedge 왕비늘사초 (Wang-bi-neul-sa-cho)

Scientific name	English name Korean name (Romanization)
<i>Carex maximowiczii</i> var. <i>levisaccus</i> Ohwi	Smooth Maximowicz's sedge 별풍경사초 (Byeo-l-pung-gyeong-sa-cho)
<i>Carex metallica</i> H.Lév.	White-spike sedge 흰이삭사초 (Huin-i-sak-sa-cho)
<i>Carex meyeriana</i> Kunth	Meyer's sedge 진들검정사초 (Jin-deul-geom-jeong-sa-cho)
<i>Carex micrantha</i> Kük.	Small-flower sedge 좁쌀사초 (Jop-ssal-sa-cho)
<i>Carex mira</i> Kük.	Remarkable sedge 꼬랑사초 (Kko-rang-sa-cho)
<i>Carex misandra</i> R.Br.	Short-leaf sedge 얼룩사초 (Eol-ruk-sa-cho)
<i>Carex mitrata</i> Franch.	Mitra sedge 거사초 (Gyeo-sa-cho)
<i>Carex mitrata</i> var. <i>aristata</i> Ohwi	Aristate mitra sedge 거락거사초 (Gyeo-rak-gyeo-sa-cho)
<i>Carex mollicula</i> Boott	Small mucronate sedge 애기흰사초 (Ae-gi-huin-sa-cho)
<i>Carex mollissima</i> Christ ex Scheutz	Softest sedge 염낭사초 (Yeom-nang-sa-cho)
<i>Carex nervata</i> Franch. & Sav.	Nerved-mitra sedge 양지사초 (Yang-ji-sa-cho)
<i>Carex neurocarpa</i> Maxim.	Nerved-fruit sedge 괭이사초 (Gwaeng-i-sa-cho)
<i>Carex norvegica</i> Retz.	Norway sedge 검정타래사초 (Geom-jeong-ta-rae-sa-cho)
<i>Carex ochrochlamys</i> Ohwi	Yellow-mantle sedge 애기이삭사초 (Ae-gi-i-sak-sa-cho)
<i>Carex okamotoi</i> Ohwi	Creeping narrow-leaf sedge 자리대사초 (Ji-ri-dae-sa-cho)
<i>Carex okamotoi</i> f. <i>variegata</i> Y.N.Lee	Variegate creeping narrow-leaf sedge 무늬자리대사초 (Mu-nui-ji-ri-dae-sa-cho)

C

Scientific name	English name Korean name (Romanization)
<i>Carex omiana</i> Franch. & Sav.	Suwon sedge 수원사초 (Su-won-sa-cho)
<i>Carex onoei</i> Franch. & Sav.	Needle sedge 바늘사초 (Ba-neul-sa-cho)
<i>Carex oxyandra</i> (Franch. & Sav.) Kudô	Hill sedge 언덕사초 (Eon-deok-sa-cho)
<i>Carex pauciflora</i> Lightf.	Few-flower sedge 산바늘사초 (San-ba-neul-sa-cho)
<i>Carex paxii</i> Kük.	Pax's sedge 대구사초 (Dae-gu-sa-cho)
<i>Carex pediformis</i> C.A.Mey.	Wide-leaf low sedge 넓은잎그늘사초 (Neol-beun-ip-geu-neul-sa-cho)
<i>Carex pediformis</i> var. <i>pedunculata</i> Maxim.	Peduncled wide-leaf low sedge 왕그늘사초 (Wang-geu-neul-sa-cho)
<i>Carex peikthusani</i> Kom.	Baekdu sedge 백두사초 (Baek-du-sa-cho)
<i>Carex phacota</i> Spreng.	Lentoid sedge 비늘사초 (Bi-neul-sa-cho)
<i>Carex phaeothrix</i> Ohwi	Brown-spike sedge 조이삭사초 (Jo-i-sak-sa-cho)
<i>Carex pilosa</i> Scop.	Pilose-leaf sedge 털사초 (Teol-sa-cho)
<i>Carex pisiformis</i> Boott	Thread sedge 실사초 (Sil-sa-cho)
<i>Carex planiculmis</i> Kom.	Shady mucronate sedge 그늘흰사초 (Geu-neul-huin-sa-cho)
<i>Carex poculiflora</i> Kük.	Bowl-shape-scale sedge 장군대사초 (Jang-gun-dae-sa-cho)
<i>Carex polyschoena</i> H.Lév. & Vaniot	Sakhalin mitra sedge 가지청사초 (Ga-ji-cheong-sa-cho)
<i>Carex pseudochinensis</i> H.Lév. & Vaniot	False-Chinese sedge 햇사초 (Haet-sa-cho)

Scientific name	English name Korean name (Romanization)
<i>Carex pseudocuraica</i> F.Schmidt	Creeper-like sedge 덩굴사초 (Deong-gul-sa-cho)
<i>Carex pumila</i> Thunb.	Dwarf sand sedge 좀보리사초 (Jom-bo-ri-sa-cho)
<i>Carex quadriflora</i> (Kük.) Ohwi	Four-flower sedge 녹빛사초 (Nok-bit-sa-cho)
<i>Carex raddei</i> Kük.	Radde's sedge 화산곱슬사초 (Hwa-san-gop-seul-sa-cho)
<i>Carex remotiuscula</i> Wahlenb.	Minute-gibbous sedge 충실사초 (Cheung-sil-sa-cho)
<i>Carex rhynchophysa</i> Fisch., C.A.Mey. & Avé-Lall	Large-spike sedge 왕삿갓사초 (Wang-sat-gat-sa-cho)
<i>Carex rigescens</i> (Franch.) V.I.Krecz.	Rigescent sedge 진남포사초 (Jin-nam-po-sa-cho)
<i>Carex rostrata</i> Stokes	Beak sedge 큰물사갓사초 (Keun-mul-sa-gat-sa-cho)
<i>Carex rostrata</i> var. <i>borealis</i> (Hartm.) Kük	Northern beak sedge 물삿갓사초 (Mul-sat-gat-sa-cho)
<i>Carex rotundata</i> Wahlenb.	Round sedge 물사초 (Mul-sa-cho)
<i>Carex rugulosa</i> Kük.	Thick-nerve sedge 큰천일사초 (Keun-cheon-il-sa-cho)
<i>Carex rugulosa</i> var. <i>graciliculmis</i> (Ohwi) Kitag.	Slender-culm thick-nerve sedge 주름사초 (Ju-reum-sa-cho)
<i>Carex rupestris</i> All.	Curly sedge 눈사초 (Nun-sa-cho)
<i>Carex sabynensis</i> Less. ex Kunth	Narrow mitra sedge 실청사초 (Sil-cheong-sa-cho)
<i>Carex sabynensis</i> var. <i>leiosperma</i> Ohwi	Smooth-fruit narrow mitra sedge 자리실청사초 (Ji-ri-sil-cheong-sa-cho)
<i>Carex sabynensis</i> var. <i>rostrata</i> (Maxim.) Ohwi	Beaked-fruit narrow mitra sedge 부리실청사초 (Bu-ri-sil-cheong-sa-cho)

C

Scientific name	English name Korean name (Romanization)
<i>Carex sachalinensis</i> var. <i>alterniflora</i> (Franch.) Ohwi	Alternate-flower thread sedge 선사초 (Seon-sa-cho)
<i>Carex sachalinensis</i> var. <i>sikokiana</i> (Franch. & Sav.) Ohwi	Green thread sedge 녹빛실사초 (Nok-bit-sil-sa-cho)
<i>Carex scabrifolia</i> Steud.	Scabrous-leaf sedge 천일사초 (Cheon-il-sa-cho)
<i>Carex schmidtii</i> Meinh.	Schmidt's sedge 침뚝사초 (Cham-ttuk-sa-cho)
<i>Carex sedakovii</i> C.A.Mey. ex Meinh.	Sedakov's sedge 난쟁이사초 (Nan-jaeng-i-sa-cho)
<i>Carex shimidzensis</i> Franch.	Long-tail-spike sedge 산꼬리사초 (San-kko-ri-sa-cho)
<i>Carex siderosticta</i> Hance	Creeping broad-leaf sedge 대사초 (Dae-sa-cho)
<i>Carex siroumensis</i> Koidz.	Potae sedge 포태사초 (Po-tae-sa-cho)
<i>Carex stipata</i> Muhl. ex Willd.	Awl-fruit sedge 양덕사초 (Yang-deok-sa-cho)
<i>Carex subspathacea</i> Wormsk. ex Hornem.	Hoppner's sedge 애기천일사초 (Ae-gi-cheon-il-sa-cho)
<i>Carex subumbellata</i> Meinh.	Subumbellate sedge 구름사초 (Gu-reum-sa-cho)
<i>Carex suifunensis</i> Kom.	Narrow-scale sedge 가는비늘사초 (Ga-neun-bi-neul-sa-cho)
<i>Carex tegulata</i> H.Lév. et Vaniot	Orbicular sedge 구슬사초 (Gu-seul-sa-cho)
<i>Carex teinogyna</i> Boott	Slender-pedicel sedge 폭이사초 (Pok-i-sa-cho)
<i>Carex tenuiflora</i> Wahlenb.	Sparse-flower sedge 별사초 (Byeol-sa-cho)
<i>Carex tenuiformis</i> H.Lév. & Vaniot	Shadow sedge 나도그늘사초 (Na-do-geu-neul-sa-cho)

Scientific name	English name Korean name (Romanization)
<i>Carex tenuiformis</i> var. <i>neofilipes</i> (Nakai) Ohwi ex Hatus.	Slender shadow sedge 그늘실사초 (Geu-neul-sil-sa-cho)
<i>Carex thunbergii</i> var. <i>appendiculata</i> (Trautv. & C.A.Mey.) Ohwi	Appendicular sedge 뚝사초 (Ttuk-sa-cho)
<i>Carex tristachya</i> Thunb.	Shiny-spike sedge 반들사초 (Ban-deul-sa-cho)
<i>Carex tristachya</i> var. <i>pocilliformis</i> (Boott) Kük.	Small shiny-spike sedge 애기반들사초 (Ae-gi-ban-deul-sa-cho)
<i>Carex tuminensis</i> Kom.	Doomangang sedge 중삿갓사초 (Jung-sat-gat-sa-cho)
<i>Carex uda</i> Maxim.	Uda needle sedge 개바늘사초 (Gae-ba-neul-sa-cho)
<i>Carex ulobasis</i> V.I.Krecz.	Montane sedge 산양지사초 (San-yang-ji-sa-cho)
<i>Carex ussuriensis</i> Kom.	Ussuri sedge 싸라기사초 (Ssa-ra-gi-sa-cho)
<i>Carex vaginata</i> Tausch	Sheathed sedge 집사초 (Jip-sa-cho)
<i>Carex vanheurckii</i> Müll. Arg.	Northern meadow sedge 망사초 (Mang-sa-cho)
<i>Carex vesicaria</i> L.	Blister sedge 새방울사초 (Sae-bang-ul-sa-cho)
<i>Carex xiphium</i> Kom.	Sword-like sedge 넓은잎피사초 (Neol-beun-ip-pi-sa-cho)
Carlesia Dunn [Apiaceae]	Carlesia 돌방풍속 (Dol-bang-pung-sok) [산형과]
<i>Carlesia sinensis</i> Dunn	Rock carlesia 돌방풍 (Dol-bang-pung)
Carpesium L. [Asteraceae]	Carpesium 담배풀속 (Dam-bae-pul-sok) [국화과]

C

Scientific name	English name Korean name (Romanization)
<i>Carpesium abrotanoides</i> L.	Common carpesium 담배풀 (Dam-bae-pul)
<i>Carpesium cernuum</i> L.	Drooping carpesium 좀담배풀 (Jom-dam-bae-pul)
<i>Carpesium divaricatum</i> Siebold & Zucc.	Divaricate carpesium 긴담배풀 (Gin-dam-bae-pul)
<i>Carpesium glossophyllum</i> Maxim.	Glossy-leaf carpesium 천일담배풀 (Cheon-il-dam-bae-pul)
<i>Carpesium macrocephalum</i> Franch. & Sav.	Bighead carpesium 여우오줌 (Yeo-u-o-jum)
<i>Carpesium rosulatum</i> Miq.	Rosette carpesium 애기담배풀 (Ae-gi-dam-bae-pul)
<i>Carpesium triste</i> Maxim.	Alpine carpesium 두메담배풀 (Du-me-dam-bae-pul)
<i>Carpinus</i> L. [Betulaceae]	Hornbeam 서어나무속 (Seo-eo-na-mu-sok) [자작나무과]
<i>Carpinus cordata</i> Blume	Heart-leaf hornbeam 까치박딜 (Kka-chi-bak-dal)
<i>Carpinus laxiflora</i> (Siebold & Zucc.) Blume	Loose-flower hornbeam 서어나무 (Seo-eo-na-mu)
<i>Carpinus laxiflora</i> var. <i>longispica</i> Uyeki	Long loose-flower hornbeam 긴서어나무 (Gin-seo-eo-na-mu)
<i>Carpinus tschonoskii</i> Maxim.	Asian hornbeam 개서어나무 (Gae-seo-eo-na-mu)
* <i>Carpinus tschonoskii</i> var. <i>brevicalycina</i> Nakai ex Kawamoto	Short-calyx Asian hornbeam 당개서어나무 (Dang-gae-seo-eo-na-mu)
<i>Carpinus turczaninowii</i> Hance	Korean hornbeam 소사나무 (So-sa-na-mu)
* <i>Carpinus turczaninovii</i> var. <i>arguta</i> Uyeki	Small-leaf Korean hornbeam 좁산서어나무 (Jom-san-seo-eo-na-mu)

Scientific name	English name Korean name (Romanization)
CARYOPHYLLACEAE Juss.	Pink family, Carnation family 석죽과 (Seok-juk-gwa)
<i>Caryopteris</i> Bunge [Verbenaceae]	Bluebeard, Caryopteris 총꽃나무속 (Cheung-kkot-na-mu-sok) [마편초과]
<i>Caryopteris incana</i> (Thunb. ex Houtt.) Miq.	Common bluebeard 총꽃나무 (Cheung-kkot-na-mu)
<i>Caryopteris incana</i> f. <i>candida</i> (C.K.Schneid.) H.Hara	White bluebeard 흰총꽃나무 (Huin-cheung-kkot-na-mu)
<i>Castanea</i> Mill. [Fagaceae]	Chestnut 밤나무속 (Bam-na-mu-sok) [참나무과]
<i>Castanea crenata</i> Siebold & Zucc.	Korean castanea 밤나무 (Bam-na-mu)
<i>Castanea crenata</i> var. <i>kusakuri</i> (Blume) Nakai	Korean mountain castanea 산밤나무 (San-bam-na-mu)
<i>Castanopsis</i> (D.Don) Spach [Fagaceae]	Chinquapin, Chinkapin 모밀잣밤나무속 (Mo-mil-jat-bam-na-mu-sok) [참나무과]
<i>Castanopsis cuspidata</i> (Thunb.) Schottky	Japanese chinquapin 모밀잣밤나무 (Mo-mil-jat-bam-na-mu)
<i>Castanea mollissima</i> Blume	Chinese castanea 악밤나무 (Yak-bam-na-mu)
<i>Castanopsis sieboldii</i> (Makino) Hatus.	Siebold's chinquapin 구실잣밤나무 (Gu-sil-jat-bam-na-mu)
<i>Caulophyllum</i> Michx. [Berberidaceae]	Blue cohosh, Cohosh, Papoose root, Squaw root 꿩의다리아재비속 (Kkwong-ui-da-ri-a-jae-bi-sok) [매자나무과]
<i>Caulophyllum robustum</i> Maxim.	Asian blue cohosh 꿩의다리아재비 (Kkwong-ui-da-ri-a-jae-bi)
<i>Cayratia</i> Juss. [Vitaceae]	Cayratia 거지덩굴속 (Geo-ji-deong-gul-sok) [포도과]

Scientific name	English name Korean name (Romanization)
<i>Cayratia japonica</i> (Thunb.) Gagnep.	Bushkiller 거지덩굴 (Geo-ji-deong-gul)
CELASTRACEAE R.Br.	Staff vine family, Bittersweet family 노박덩굴과 (No-bak-deong-gul-gwa)
<i>Celastrus</i> L. [Celastraceae]	Bittersweet, Staff tree, Staff vine 노박덩굴속 (No-bak-deong-gul-sok) [노박덩굴과]
<i>Celastrus flagellaris</i> Rupr.	Hooked-spine bittersweet 문지나무 (Pun-ji-na-mu)
<i>Celastrus orbiculatus</i> Thunb.	Oriental bittersweet 노박덩굴 (No-bak-deong-gul)
<i>Celastrus orbiculatus</i> var. <i>punctatus</i> Rehder	Coast oriental bittersweet 해변노박덩굴 (Hae-byeon-no-bak-deong-gul)
<i>Celastrus orbiculatus</i> var. <i>strigillosus</i> (Nakai) Makino	Bristle oriental bittersweet 개노박덩굴 (Gae-no-bak-deong-gul)
<i>Celastrus orbiculatus</i> var. <i>sylvestris</i> (Siebold) Nakai ex T.Mori	Bush oriental bittersweet 덤불노박덩굴 (Deom-bul-no-bak-deong-gul)
<i>Celastrus stephanotifolius</i> (Makino) Makino	Hairy oriental bittersweet 털노박덩굴 (Teol-no-bak-deong-gul)
<i>Celtis</i> L. [Ulmaceae]	Hackberry 팽나무속 (Paeng-na-mu-sok) [느릅나무과]
<i>Celtis aurantiaca</i> Nakai	Orange-fruit hackberry 산팽나무 (San-paeng-na-mu)
<i>Celtis biondii</i> Pamp.	Biond's hackberry 폭나무 (Pok-na-mu)
<i>Celtis bungeana</i> Blume	Bunge's hackberry ombokge나무 (Jom-pung-ge-na-mu)
<i>Celtis choseniana</i> Nakai	Black-fruit hackberry 검팽나무 (Geom-paeng-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Celtis cordifolia</i> Nakai	Broad-leaf hackberry 장수팽나무 (Jang-su-paeng-na-mu)
<i>Celtis edulis</i> Nakai	Yellow-fruit hackberry 노랑팽나무 (No-rang-paeng-na-mu)
<i>Celtis jessoensis</i> Koidz.	Caudate-leaf hackberry 풍게나무 (Pung-ge-na-mu)
<i>Celtis koraiensis</i> Nakai	Korean hackberry 왕팽나무 (Wang-paeng-na-mu)
<i>Celtis sinensis</i> Pers.	East Asian hackberry 팡나무 (Paeng-na-mu)
Centella L. [Apiaceae]	Centella 병풀속 (Byeong-pul-sok) [산형과]
<i>Centella asiatica</i> (L.) Urb.	Asian pennywort 병풀 (Byeong-pul)
Centipeda Lour. [Asteraceae]	Centipeda 중대가리풀속 (Jung-dae-ga-ri-pul-sok) [국화과]
<i>Centipeda minima</i> (L.) A.Braun & Asch	Spreading sneezeweed 중대가리풀 (Jung-dae-ga-ri-pul)
Centranthera R.Br. [Serpophulariaceae]	Centranthera 성주풀속 (Seong-ju-pul-sok) [현삼과]
<i>Centranthera cochinchinensis</i> var. <i>lutea</i> (H.Hara) H.Hara	Yellow-swamp foxglove 성주풀 (Seong-ju-pul)
Cephalanthera Rich. [Orchidaceae]	Cephalanthera 은대난초속 (Eun-dae-nan-cho-sok) [난초과]
<i>Cephalanthera erecta</i> (Thunb.) Blume	Erect cephalanthera 은난초 (Eun-nan-cho)

C

Scientific name	English name Korean name (Romanization)
<i>Cephalanthera erecta</i> var. <i>oblanceolata</i> N.Pearce & P.J.Cribb.	Oblanceolate erect cephalanthera 민은난초 (Min-eun-nan-cho)
<i>Cephalanthera erecta</i> var. <i>subaphylla</i> (Miyabe & Kudô) Ohwi	Short erect cephalanthera 꼬마은난초 (Kko-ma-eun-nan-cho)
<i>Cephalanthera falcata</i> (Thunb.) Blume	Golden cephalanthera 금난초 (Geum-nan-cho)
<i>Cephalanthera longibracteata</i> Blume	Long-bract cephalanthera 은대난초 (Eun-dae-nan-cho)
CEPHALOTAXACEAE Neger	Plum yew family 개비자나무과 (Gae-bi-ja-na-mu-gwa)
<i>Cephalotaxus</i> Siebold & Zucc. ex Endl. [Cephalotaxaceae]	Cephalotaxus, Cowtail pine, Plum yew 개비자나무속 (Gae-bi-ja-na-mu-sok) [개비자나무과]
<i>Cephalotaxus koreana</i> Nakai	Plum yew 개비자나무 (Gae-bi-ja-na-mu)
<i>Cephalotaxus harringtonia</i> (Knight) K.Koch	Korean plum yew 큰개비자나무 (Keun-gae-bi-ja-na-mu)
<i>Cephalotaxus harringtonia</i> var. <i>nana</i> (Nakai) Rehder	Dwarf Korean plum yew 눈개비자나무 (Nun-gae-bi-ja-na-mu)
<i>Cerastium</i> L. [Caryophyllaceae]	Mouse-ear chickweed 점나도나물속 (Jeom-na-do-na-mul-sok) [석죽과]
<i>Cerastium fischerianum</i> Ser.	Fischer's mouse-ear chickweed 큰점나도나물 (Keun-jeom-na-do-na-mul)
<i>Cerastium holosteoides</i> Fries	Eurasian mouse-ear chickweed 북점나도나물 (Buk-jeom-na-do-na-mul)
<i>Cerastium holosteoides</i> var. <i>hallaisanense</i> (Nakai) Mizush.	Common mouse-ear chickweed 점나도나물 (Jeom-na-do-na-mul)
<i>Cerastium pauciflorum</i> Stev. ex Ser.	Hairy mouse-ear chickweed 털점나도나물 (Teol-jeom-na-do-na-mul)
<i>Cerastium pauciflorum</i> var. <i>amurensis</i> (Regel) Mizush.	Amur mouse-ear chickweed 각시통점나도나물 (Gak-si-tong-jeom-na-do-na-mul)

Scientific name	English name Korean name (Romanization)
<i>Cerastium rubescens</i> var. <i>koreanum</i> (Nakai) Miki	Korean mouse-ear chickweed 북선점나도나물 (Buk-seon-jeom-na-do-na-mul)
CERATOPHYLLACEAE Gray	Hornwort family 붕어마름과 (Bung-eo-ma-reum-gwa)
<i>Ceratophyllum</i> L. [Ceratophyllaceae]	Coon's tail, Hornwort 붕어마름속 (Bung-eo-ma-reum-sok) [붕어마름과]
<i>Ceratophyllum demersum</i> L.	Coon's tail 붕어마름 (Bung-eo-ma-reum)
<i>Ceratophyllum demersum</i> var. <i>quadrispinum</i> Makino	Four-spin coon's tail 오성붕어마름 (O-seong-bung-eo-ma-reum)
<i>Ceratopteris</i> Brongn. [Parkeriaceae]	Antlerfern 풀고사리속 (Mul-go-sa-ri-sok) [풀고사리과]
<i>Ceratopteris thalictroides</i> (L.) Brongn.	Oriental waterfern 풀고사리 (Mul-go-sa-ri)
<i>Chaenomeles</i> Lindl. [Rosaceae]	Flowering quince 명자나무속 (Myeong-ja-na-mu-sok) [장미과]
<i>Chaenomeles japonica</i> (Thunb.) Lindl. ex Spach	Maule's quince 풀명자 (Pul-myeong-ja)
<i>Chamaecrista</i> Moench [Fabaceae]	Sensitive pea 차풀속 (Cha-pul-sok) [콩과]
<i>Chamaecrista nomame</i> (Siebold) H.Ohashi	Field sensitive pea 차풀 (Cha-pul)
<i>Chamaedaphne</i> Moench [Ericaceae]	Leatherleaf 진퍼리꽃나무속 (Jin-peo-ri-kkot-na-mu-sok) [진달래과]
<i>Chamaedaphne calyculata</i> (L.) Moench	Leatherleaf 진퍼리꽃나무 (Jin-peo-ri-kkot-na-mu)
<i>Chamaegastrodia</i> Makino & F.Mack. [Orchidaceae]	Chamaegastrodia 애기천마속 (Λ e-gi-cheon-ma-sok) [난초과]

C

Scientific name	English name Korean name (Romanization)
<i>Chamaegastrodia shikokiana</i> Makino & F.Maek.	Sweet cheon-ma 애기천마 (Ae-gi-cheon-ma)
<i>Chamaerhodos</i> Bunge [Rosaceae]	Little rose ombokchot (Jom-nang-a-cho-sok) [장미과]
<i>Chamaerhodos erecta</i> (L.) Bunge	Ground little rose ombokchot (Jom-nang-a-cho)
<i>Cheilanthes</i> Sw. [Pteridaceae]	Lip ferns, Lipfern 개부싯깃고사리속 (Gae-bu-sit-git-go-sa-ri-sok) [고사리과]
<i>Cheilanthes argentea</i> (S.G.Gmel.) Kunze	Silver clockfern 부싯깃고사리 (Bu-sit-git-go-sa-ri)
<i>Cheilanthes argentea</i> f. <i>obscura</i> (Christ) Kitag.	see <i>Cheilanthes argentea</i> (S.G.Gmel.) Kunze
<i>Cheilanthes fordii</i> Baker	Ford's clockfern 개부싯깃고사리 (Gae-bu-sit-git-go-sa-ri)
<i>Cheilanthes kuhnii</i> Milde	Northern lipfern 산부싯깃고사리 (San-bu-sit-git-go-sa-ri)
<i>Cheilanthes kuhnii</i> f. <i>gracilis</i> Kitag.	Thin Northern lipfern 북부싯깃고사리 (Buk-bu-sit-git-go-sa-ri)
<i>Chelidonium</i> L. [Papaveraceae]	Celandine, Greater celandine, Nipplewort, Swallowwort, Tetterwort 애기똥풀속 (Ae-gi-ttong-pul-sok) [양귀비과]
<i>Chelidonium majus</i> var. <i>asiaticum</i> (H.Hara) Ohwi	Asian greater celandine 애기똥풀 (Ae-gi-ttong-pul)
CHENOPODIACEAE Vent.	Goosefoot family 명아주과 (Myeong-a-ju-gwa)
<i>Chenopodium</i> L. [Chenopodiaceae]	Goosefoot 명아주속 (Myeong-a-ju-sok) [명아주과]
<i>Chenopodium acuminatum</i> Willd.	Acuminate goosefoot 둥근잎명아주 (Dung-geun-ip-myeong-a-ju)

Scientific name	English name Korean name (Romanization)
<i>Chenopodium album</i> L.	White goosefoot 흰명아주 (Huin-myeong-a-ju)
<i>Chenopodium album</i> var. <i>centrorubrum</i> Makino	Red-center goosefoot 명아주 (Myeong-a-ju)
<i>Chenopodium album</i> var. <i>stenophyllum</i> Makino	Narrow-leaf goosefoot 가는명아주 (Ga-neun-myeong-a-ju)
<i>Chenopodium aristatum</i> L.	Aristate goosefoot 바늘명아주 (Ba-neul-myeong-a-ju)
<i>Chenopodium bryoniifolium</i> Bunge	Rhombic-leaf goosefoot 청명아주 (Cheong-myeong-a-ju)
<i>Chenopodium carinatum</i> R.Br.	Creeping goosefoot 호주명아주 (Ho-ju-myeong-a-ju)
<i>Chenopodium ficifolium</i> Sm.	Figleaf goosefoot 좀명아주 (Jom-myeong-a-ju)
<i>Chenopodium glaucum</i> L.	Oak-leaf goosefoot 취명아주 (Chwi-myeong-a-ju)
<i>Chenopodium koraiense</i> Nakai	Korean goosefoot 참명아주 (Cham-myeong-a-ju)
<i>Chenopodium virgatum</i> Thunb.	see <i>Chenopodium acuminatum</i> Willd.
<i>Chimaphila</i> Pursh [Pyrolaceae]	Prince's pine, Wintergreen 매화노루발속 (Mae-hwa-no-ru-bal-sok) [노루발과]
<i>Chimaphila japonica</i> Miq.	Asian prince's pine 매화노루발 (Mae-hwa-no-ru-bal)
<i>Chionanthus</i> L. [Oleaceae]	Fringetree 이팝나무속 (I-pap-na-mu-sok) [풀푸레나무과]
<i>Chionanthus retusus</i> Lindl. & Paxton	Retusa fringetree 이팝나무 (I-pap-na-mu)
<i>Chionanthus retusus</i> var. <i>coreana</i> (H.Lév.) Nakai	Long-leaf fringetree 긴잎이팝나무 (Gin-ip-i-pap-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Chionographis</i> Maxim. [Liliaceae]	Chionographis 실꽃풀속 (Sil-kkot-pul-sok) [백합과]
<i>Chionographis japonica</i> (Willd.) Maxim.	White stringflower 실꽃풀 (Sil-kkot-pul)
CHLORANTHACEAE R.Br. ex Sims	Chloranthus family 홀아비꽃대과 (Hol-a-bi-kkot-dae-gwa)
<i>Chloranthus</i> Sw. [Chloranthaceae]	Chloranthus 홀아비꽃대속 (Hol-a-bi-kkot-dae-sok) [홀아비꽃대과]
<i>Chloranthus fortunei</i> (A.Gray) Solms	Maiden chloranthus 옥녀꽃대 (Ok-nyeo-kkot-dae)
<i>Chloranthus japonicus</i> Siebold	Single-spike chloranthus 홀아비꽃대 (Hol-a-bi-kkot-dae)
<i>Chloranthus serratus</i> (Thunb.) Roem. & Schult.	Serrate-leaf chloranthus 꽃대 (Kkot-dae)
<i>Chosenia</i> Nakai [Salicaceae]	Chosenia, Chosen-willow 새양버들속 (Sae-yang-beo-deul-sok) [버드나무과]
<i>Chosenia arbutifolia</i> (Pall.) A.K.Skvortsov	Riparian Chosen-willow 새양버들 (Sae-yang-beo-deul)
<i>Chosenia arbutifolia</i> f. <i>adenantha</i> (Kimura) Kimura	False Chosen-willow 나도새양버들 (Na-do-sae-yang-beo-deul)
<i>Chrysosplenium</i> L. [Saxifragaceae]	Golden saxifrage, Golden-saxifrage 괭이눈속 (Gwaeng-i-nun-sok) [범의귀과]
<i>Chrysosplenium alternifolium</i> var. <i>sibiricum</i> Ser. ex DC.	Odaesan golden saxifrage 오대산괭이눈 (O-dae-san-gwaeng-i-nun)
<i>Chrysosplenium flagelliferum</i> F.Schmidt	Stolon golden saxifrage 애기괭이눈 (Ae-gi-gwaeng-i-nun)
<i>Chrysosplenium flaviflorum</i> Ohwi	Yellow golden saxifrage 누른괭이눈 (Nu-reun-gwaeng-i-nun)

Scientific name	English name Korean name (Romanization)
<i>Chrysosplenium grayanum</i> Maxim.	Gray's golden saxifrage 괭이눈 (Gwaeng-i-nun)
<i>Chrysosplenium japonicum</i> (Maxim.) Makino	Mountain golden saxifrage 산괭이눈 (San-gwaeng-i-nun)
<i>Chrysosplenium macrostemon</i> Maxim. ex Franch. & Sav.	Big-leaf golden saxifrage 바위괭이눈 (Ba-wi-gwaeng-i-nun)
<i>Chrysosplenium pilosum</i> Maxim.	Hairy golden saxifrage 털괭이눈 (Teol-gwaeng-i-nun)
<i>Chrysosplenium pilosum</i> var. <i>fulvum</i> (N.Terracc.) H.Hara	White-hair golden saxifrage 흰괭이눈 (Huin-gwaeng-i-nun)
<i>Chrysosplenium pilosum</i> var. <i>sphaerospermum</i> (A.Terracc.) H.Hara	Global-fruit golden saxifrage 금괭이눈 (Geum-gwaeng-i-nun)
<i>Chrysosplenium pseudofauriei</i> H.Lév.	Upright golden saxifrage 선괭이눈 (Seon-gwaeng-i-nun)
<i>Chrysosplenium ramosum</i> Maxim.	Many-branch golden saxifrage 가지괭이눈 (Ga-ji-gwaeng-i-nun)
<i>Cicuta</i> L. [Apiaceae]	Cowbane, Poison parsnip, Water hemlock 독미나리속 (Dok-mi-na-ri-sok) [산형과]
<i>Cicuta virosa</i> L.	Northern water hemlock 독미나리 (Dok-mi-na-ri)
<i>Cicuta virosa</i> var. <i>stricta</i> K.F.Schultz	Upright water hemlock 가는잎독미나리 (Ga-neun-ip-dok-mi-na-ri)
<i>Cimicifuga</i> L. ex Wernisch. [Ranunculaceae]	Bugbane, Cohosh 승마속 (Seung-ma-sok) [미나리아재비과]
<i>Cimicifuga biternata</i> (Siebold & Zucc.) Miq.	Southern bugbane 개승마 (Gae-seung-ma)
<i>Cimicifuga dahurica</i> (Turcz. ex Fisch. & C.A.Mey.) Maxim.	Dahurian bugbane 눈빛승마 (Nun-bit-seung-ma)
<i>Cimicifuga foetida</i> L.	Foetid's bugbane 황새승마 (Hwang-sae-seung-ma)

Scientific name	English name Korean name (Romanization)
<i>Cimicifuga heracleifolia</i> Kom.	Komarov's bugbane 승마 (Seung-ma)
<i>Cimicifuga heracleifolia</i> var. <i>bifida</i> Nakai	Three-leaf Komarov's bugbane 세잎승마 (Se-ip-seung-ma)
<i>Cimicifuga japonica</i> (Thunb.) Spreng.	Jejudo bugbane 왜승마 (Wae-seung-ma)
<i>Cimicifuga simplex</i> Wormsk. ex DC.	Simple bugbane 총대승마 (Chot-dae-seung-ma)
<i>Cinna</i> L. [Poaceae]	Woodreed 나도딸기광이속 (Na-do-ttal-gi-gwang-i-sok) [벼과]
<i>Cinna latifolia</i> (Trevir. ex Göpp.) Griseb.	Drooping woodreed 나도딸기광이 (Na-do-ttal-gi-gwang-i)
<i>Cinnamomum</i> Schaeff. [Lauraceae]	Cinnamon 녹나무속 (Nok-na-mu-sok) [녹나무과]
<i>Cinnamomum camphora</i> (L.) J.Presl	Camphor tree 녹나무 (Nok-na-mu)
<i>Cinnamomum camphora</i> var. <i>cyclophyllum</i> Nakai	Round-leaf camphor tree 둥근잎녹나무 (Dung-geun-ip-nok-na-mu)
<i>Cinnamomum yabunikkei</i> H.Ohba	Japanese camphor tree 생달나무 (Saeng-dal-na-mu)
<i>Circaeae</i> L. [Onagraceae]	Enchanter's nightshade 털이슬속 (Teol-i-seul-sok) [바늘꽃과]
<i>Circaeae alpina</i> L.	Alpine enchanter's nightshade 주털이슬 (Jwi-teol-i-seul)
<i>Circaeae alpina</i> subsp. <i>caulescens</i> (Kom.) Tatew.	Pilose enchanter's nightshade 개털이슬 (Gae-teol-i-seul)
<i>Circaeae cordata</i> Royle	Cordata enchanter's nightshade 쇠털이슬 (Soe-teol-i-seul)
<i>Circaeae erubescens</i> Franch. & Sav.	Red-hair enchanter's nightshade 붉은털이슬 (Bul-geun-teol-i-seul)

Scientific name	English name Korean name (Romanization)
<i>Circaeа mollis</i> Slebold & Zucc.	South enchanter's nightshade 털이슬 (Teol-i-seul)
<i>Circaeа quadrisulcata</i> (Maxim.) Franch. & Sav.	Four-angle enchanter's nightshade 말털이슬 (Mal-teol-i-seul)
<i>Circaeа quadrisulcata</i> f. <i>viridicalyx</i> (H.Hara) Kitag.	Green-calyx enchanter's nightshade 푸른말털이슬 (Pu-reun-mal-teor-i-seul)
<i>Cirsium</i> Mill. [Asteraceae]	Thistle 엉겅퀴속 (Eong-geong-kwi-sok) [국화과]
<i>Cirsium chanroenicum</i> (L.) Nakai	Jeongyeong thistle 정영엉겅퀴 (Jeong-yeong-eong-geong-kwi)
<i>Cirsium chanroenicum</i> var. <i>lanceolata</i> Kitam.	Sword-leaf Jeongyeong thistle 가는정영엉겅퀴 (Ga-neun-jeong-yeong-eong-geng-kwi)
<i>Cirsium chinense</i> Gardner & Cham.	Chinese thistle 제주엉겅퀴 (Je-ju-eong-geong-kwi)
<i>Cirsium japonicum</i> (Thunb.) Fisch. ex DC.	Japanese thistle 개엉겅퀴 (Gae-eong-geong-kwi)
<i>Cirsium japonicum</i> var. <i>maackii</i> (Maxim.) Matsum.	Ussuri thistle 엉겅퀴 (Eong-geong-kwi)
* <i>Cirsium japonicum</i> var. <i>spinossimum</i> f. <i>alba</i> T.B.Lee	White Japanese thistle 흰가시엉겅퀴 (Huin-ga-si-eong-geong-kwi)
<i>Cirsium japonicum</i> var. <i>spinossimum</i> Kitam.	Spined Japanese thistle 가시엉겅퀴 (Ga-si-eong-geong-kwi)
<i>Cirsium japonicum</i> f. <i>nakaianum</i> (H.Lév. & Vaniot) W.T.Lee	Narrow-leaf Japanese thistle 좁은잎엉겅퀴 (Jop-eun-ip-eong-geong-kwi)
<i>Cirsium lineare</i> (Thunb.) Sch.Bip.	Linear-leaf thistle 벼들잎엉겅퀴 (Beo-deul-ip-eong-geong-kwi)
<i>Cirsium nipponicum</i> (Maxim.) Makino	Island thistle 물엉겅퀴 (Mul-eong-geong-kwi)
<i>Cirsium pendulum</i> Fisch. ex DC.	Pendulate thistle 큰엉겅퀴 (Keun-eong-geong-kwi)

Scientific name	English name Korean name (Romanization)
<i>Cirsium rhinoceros</i> (H.Lév. & Vaniot) Nakai	Korean prickly thistle 바늘엉겅퀴 (Ba-neul-eong-geong-kwi)
<i>Cirsium rhinoceros</i> f. <i>albiflorum</i> Sakata	White prickly thistle 흰바늘엉겅퀴 (Huin-ba-neul-eong-geong-kwi)
<i>Cirsium schantarens</i> e Trautv. & C.A.Mey.	Woodland thistle 도깨비엉겅퀴 (Do-kkae-bi-eong-geong-kwi)
<i>Cirsium schantarens</i> e f. <i>albiflorum</i> Y.N.Lee	White woodland thistle 흰도깨비엉겅퀴 (Huin-do-kkae-bi-eong-geong-kwi)
<i>Cirsium setidens</i> (Dunn) Nakai	Gondre (Korean thistle) 고려엉겅퀴 (Go-ryeo-eong-geong-kwi)
<i>Cirsium setidens</i> var. <i>niveoaraneum</i> Kitam.	White-leaf Korean thistle 흰잎고려엉겅퀴 (Huin-ip-go-ryeo-eong-geong-kwi)
* <i>Cirsium setidens</i> f. <i>alba</i> T.B.Lee	White-flower Korean thistle 흰고려엉겅퀴 (Huin-go-ryeo-eong-geong-kwi)
<i>Cirsium toraiense</i> Nakai ex Kitam.	Dongrae thistle 동래엉겅퀴 (Dong-rae-eong-geong-kwi)
<i>Cirsium vlassovianum</i> Fisch. ex DC.	Vlassoviana thistle 흰잎엉겅퀴 (Huin-ip-eong-geong-kwi)
<i>Cirsium vlassovianum</i> var. <i>album</i> Nakai	Glabrous vlassoviana thistle 민흰잎엉겅퀴 (Min-huin-ip-eong-geong-kwi)
<i>Cirsium vlassovianum</i> f. <i>leucanthum</i> Kitam.	White-flower vlassoviana thistle 흰꽃잎엉겅퀴 (Huin-kkot-ip-eong-geong-kwi)
<i>Cirsium zenii</i> Nakai	Jeombongsan thistle 점봉산엉겅퀴 (Jeom-bong-san-eong-geong-kwi)
Cladium P.Browne [Cyperaceae]	Fen-sedge, Sawgrass, Twig-sedge 층층고랭이속 (Cheung-cheung-go-raeng-i-sok) [사초과]
<i>Cladium chinense</i> Nees	Strata fen-sedge 층층고랭이 (Cheung-cheung-go-raeng-i)
<i>Clausia</i> Korn.-Trotzky ex Hayek [Brassicaceae]	<i>Clausia</i> 큰장대속 (Keun-jang-dae-sok) [십자화과]

Scientific name	English name Korean name (Romanization)
<i>Clausia trichosepala</i> (Turcz.) F.Dvorák	Hairy-sepal clausia 큰장대 (Keun-jang-dae)
<i>Cleisostoma</i> Blume [Orchidaceae]	Cleisostoma 지네발란속 (Ji-ne-bal-ran-sok) [난초과]
<i>Cleisostoma scolopendrifolia</i> (Makino) Garay	Centipede's foot orchid 지네발란 (Ji-ne-bal-ran)
<i>Cleistogenes</i> Keng [Poaceae]	Cleistogenes 대새풀속 (Dae-sae-pul-sok) [벼과]
<i>Cleistogenes hackelii</i> (Honda) Honda	Hackel's cleistogenes 대새풀 (Dae-sae-pul)
<i>Cleistogenes hackelii</i> var. <i>nakaii</i> (Keng) Ohwi	Beard Hackel's cleistogenes 수염대새풀 (Su-yeom-dae-sae-pul)
<i>Clematis</i> L. [Ranunculaceae]	Clematis, Leather flower, Old man's beard, Traveller's joy, Vase vine, Virgin's bower 으아리속 (Eu-a-ri-sok) [미나리아재비과]
<i>Clematis alpina</i> var. <i>ochotensis</i> (Pall.) S.Watson	Purple alpine clematis 자주종덩굴 (Ja-ju-jong-deong-gul)
<i>Clematis apiifolia</i> DC.	Three-leaf clematis 사위질빵 (Sa-wi-jil-ppang)
<i>Clematis brachyura</i> Maxim.	Unifloral clematis 외대으아리 (Oe-dae-eu-a-ri)
<i>Clematis brachyura</i> var. <i>hexasepala</i> Y.N.Lee	Six-sepal clematis 조령으아리 (Jo-ryeong-eu-a-ri)
<i>Clematis brevicaudata</i> DC.	Short plumous clematis 줌사위질빵 (Jom-sa-wi-jil-ppang)
<i>Clematis calcicola</i> J.S.Kim	Rock clematis 바위종덩굴 (Ba-wi-jong-deong-gul)
<i>Clematis crassisepala</i> Ohwi	Thick-sepal clematis ombokongdennggul (Jom-jong-deong-gul)

C

Scientific name	English name Korean name (Romanization)
<i>Clematis fusca</i> Turcz.	Stanavoi clematis 검은종덩굴 (Geom-eun-jong-deong-gul)
<i>Clematis fusca</i> var. <i>coreana</i> Nakai	Black-flower Korean clematis 요강나물 (Yo-gang-na-mul)
<i>Clematis fusca</i> var. <i>violacea</i> Maxim.	Violet Stanavoi clematis 종덩굴 (Jong-deong-gul)
<i>Clematis heracleifolia</i> DC.	Hyacinth-flower clematis 병조희풀 (Byeong-jo-hui-pul)
<i>Clematis heracleifolia</i> var. <i>tubulosa</i> (Turcz.) Kuntze	Purple Hyacinth-flower clematis 자주조희풀 (Ja-ju-jo-hui-pul)
* <i>Clematis heracleifolia</i> f. <i>albiflora</i> Y.N.Lee	White Hyacinth-flower clematis 흰조희풀 (Huin-jo-hui-pul)
<i>Clematis hexapetala</i> Pall.	Six-petal clematis 좁은잎사위질빵 (Jop-eun-ip-sa-wi-jil-ppang)
<i>Clematis koreana</i> Kom.	Korean clematis 세잎종덩굴 (Se-ip-jong-deong-gul)
* <i>Clematis mankiensis</i> Y.N.Lee	Mankyu's clematis 구례종덩굴 (Gu-rye-jong-deong-gul)
<i>Clematis patens</i> C.Morren & Decne.	Big-flower clematis 큰꽃으아리 (Keun-kkot-eu-a-ri)
<i>Clematis pierotii</i> Miq.	Small-virgin's bower clematis 작은사위질빵 (Jak-eun-sa-wi-jil-ppang)
<i>Clematis serratifolia</i> Rehder	Hermitgold clematis 개버무리 (Gae-beo-mu-ri)
<i>Clematis taeguensis</i> Y.N.Lee	Daegu clematis 대구으아리 (Dae-gu-eu-a-ri)
<i>Clematis terniflora</i> DC.	Sweet-autumn clematis 참으아리 (Cham-eu-a-ri)
<i>Clematis terniflora</i> var. <i>mandshurica</i> (Rupr.) Ohwi	Manchurian clematis 으아리 (Eu-a-ri)
<i>Clematis trichotoma</i> Nakai	Three-flower Korean clematis 할미밀망 (Hal-mi-mil-mang)

Scientific name	English name Korean name (Romanization)
<i>Clerodendrum</i> L. [Verbenaceae]	Bagflower, Bleeding-heart, Glorybower 누리장나무속 (Nu-ri-jang-na-mu-sok) [마편초과]
<i>Clerodendrum trichotomum</i> Thunb.	Harlequin glorybower 누리장나무 (Nu-ri-jang-na-mu)
<i>Clerodendrum trichotomum</i> var. <i>esculentum</i> Makino	Glabrous harlequin glorybower 거문누리장나무 (Geo-mun-nu-ri-jang-na-mu)
<i>Clerodendrum trichotomum</i> var. <i>ferrugineum</i> Nakai	Hairy harlequin glorybower 털누리장나무 (Teol-nu-ri-jang-na-mu)
<i>Clethra</i> L. [Clethraceae]	Sweetpepperbush 매화오리속 (Mae-hwa-o-ri-sok) [매화오리과]
<i>Clethra barbinervis</i> Siebold & Zucc.	Tree clethra 매화오리나무 (Mae-hwa-o-ri-na-mu)
<i>Cleyera</i> Thunb. [Theaceae]	Cleyera 비쭈기나무속 (Bi-jju-gi-na-mu-sok) [차나무과]
<i>Cleyera japonica</i> Thunb.	Japanese cleyera 비쭈기나무 (Bi-jju-gi-na-mu)
CLETHRACEAE Klotzsch	White alder family 매화오리과 (Mae-hwa-o-ri-gwa)
<i>Clinopodium</i> L. [Lamiaceae]	Clinopodium 총총이꽃속 (Cheung-cheung-i-kkot-sok) [꿀풀과]
<i>Clinopodium chinense</i> var. <i>glabrescens</i> (Nakai) Ohwi	Hairless Asian calamint 푸른산총총이 (Pu-reun-san-cheung-cheung-i)
<i>Clinopodium chinense</i> var. <i>grandiflorum</i> (Maxim.) Kitag.	Large-flower Asian calamint 꽃총총이꽃 (Kkot-cheung-cheung-i-kkot)
<i>Clinopodium chinense</i> var. <i>parviflorum</i> (Kudô) H.Hara	Small-flower Asian calamint 총총이꽃 (Cheung-cheung-i-kkot)
<i>Clinopodium chinense</i> var. <i>shibetchense</i> (H.Lév.) Koidz.	Mountain Asian calamint 산총총이 (San-cheung-cheung-i)

C

Scientific name	English name Korean name (Romanization)
<i>Clinopodium gracile</i> (Benth.) Kuntze	Slender wild calamint 애기탑꽃 (Ae-gi-tap-kkot)
<i>Clinopodium gracile</i> var. <i>multicaule</i> (Maxim.) Ohwi	Many-stem wild calamint 탑꽃 (Tap-kkot)
<i>Clinopodium micranthum</i> (Regel) H.Hara	Small-flower mountain calamint 두메총총이 (Du-me-cheung-cheung-i)
<i>Clinopodium sachalinense</i> (F.Schmidt) Koidz.	Alpine calamint 두메탑풀 (Du-me-tap-pul)
Clintonia Raf. [Liliaceae]	Bluebead 나도옥잠화속 (Na-do-ok-jam-hwa-sok) [백합과]
<i>Clintonia udensis</i> Trautv. & C.A.Mey.	Common bluebead lily 나도옥잠화 (Na-do-ok-jam-hwa)
CLUSIACEAE Lindl. (=Guttiferae Juss.)	Mangosteen family 물레나물과 (Mul-re-na-mul-gwa)
Cnidium Cusson [Apiaceae]	Snowparsley 천궁속 (Cheon-gung-sok) [산형과]
<i>Cnidium dauricum</i> (Jacq.) Fisch. & C.A.Mey	Dahurian snowparsley 사동미나리 (Sa-dong-mi-na-ri)
<i>Cnidium japonicum</i> Miq.	Seashore snowparsley 갯사상자 (Gaet-sa-sang-ja)
<i>Cnidium monnierii</i> (L.) Cusson	Monnier's snowparsley 별사상자 (Beol-sa-sang-ja)
Cocculus DC. [Menispermaceae]	Coralbead 댕댕이덩굴속 (Daeng-daeng-i-deong-gul-sok) [새모래덩굴과]
<i>Cocculus orbiculatus</i> (L.) DC.	Queen coralbead 댕댕이덩굴 (Daeng-daeng-i-deong-gul)
Codonopsis Wall. [Campanulaceae]	Codonopsis 더덕속 (Deo-deok-sok) [초롱꽃과]

Scientific name	English name Korean name (Romanization)
<i>Codonopsis lanceolata</i> (Siebold & Zucc.) Benth. & Hook.f. ex Trautv.	Deodeok (Lance Asiabell, Bonnet bellflower) 더덕 (Deo-deok)
<i>Codonopsis lanceolata</i> f. <i>emaculata</i> (Honda) H.Hara	Spotless bonnet bellflower 푸른더덕 (Pu-reun-deo-deok)
<i>Codonopsis minima</i> Nakai	Sweet bonnet bellflower 애기더덕 (Ae-gi-deo-deok)
<i>Codonopsis pilosula</i> (Franch.) Nannf.	Pilose bellflower 만삼 (Man-sam)
<i>Codonopsis ussuriensis</i> (Rupr. & Maxim.) Hemsl.	Ussuri bellflower 소경불알 (So-gyeong-bul-al)
<i>Coelachne</i> R.Br. [Poaceae]	Coelachne ombokpulsuk (Jom-jo-gae-pul-sok) [벼과]
<i>Coelachne japonica</i> Hack.	East Asian basketgrass ombokpul (Jom-jo-gae-pul)
<i>Coelopleurum</i> Ledeb. [Apiaceae]	Coelopleurum 부전바디속 (Bu-jeon-ba-di-sok) [산형과]
<i>Coelopleurum nakaianum</i> (Kitag.) Kitag.	Bujeon angelica 부전바디 (Bu-jeon-ba-di)
<i>Coelopleurum saxatile</i> (Turcz. ex Ledeb.) Drude	High-mountain angelica 고산바디 (Go-san-ba-di)
<i>Colysis</i> C.Presl [Polypodiaceae]	Colysis 손고비속 (Son-go-bi-sok) [고란초과]
<i>Colysis decurrentis</i> (Wall.) C.Presl	Decurrent colysis fern 큰손고비 (Keun-son-go-bi)
<i>Colysis elliptica</i> (Thunb.) Ching	Elliptic colysis fern 손고비 (Son-go-bi)
<i>Colysis wrightii</i> (Hook.) Ching	Chestnut-leaf colysis fern 밤잎고사리 (Bam-ip-go-sa-ri)
<i>Colysis × shintenensis</i> (Hayata) H.Ito	Jeju spear colysis fern 제주창고사리 (Je-ju-chang-go-sa-ri)

C

Scientific name	English name Korean name (Romanization)
<i>Colysis × simplicifrons</i> (Christ) Tagawa	Lance colysis fern 창고사리 (Chang-go-sa-ri)
Commelina L. [Commelinaceae]	Dayflowers, Widow's tears 닭의장풀속 (Dak-ui-jang-pul-sok) [닭의장풀과]
<i>Commelina communis</i> L.	Asian dayflower 닭의장풀 (Dak-ui-jang-pul)
<i>Commelina communis</i> var. <i>angustifolia</i> Nakai	Narrow-flower Asian dayflower 좁닭의장풀 (Jom-dak-ui-jang-pul)
<i>Commelina communis</i> var. <i>angustifolia</i> f. <i>leucantha</i> Nakai	White narrow-flower Asian dayflower 흰꽃좁닭의장풀 (Huin-kkot-jom-dak-ui-jang-pul)
<i>Commelina communis</i> var. <i>hortensis</i> Makino	Garden Asian dayflower 큰닭의장풀 (Keun-dak-ui-jang-pul)
<i>Commelina mina</i> Y.N.Lee & Y.J.Oh	Minute blue dayflower 애기닭의장풀 (Ae-gi-dak-ui-jang-pul)
COMMELINACEAE Mirb.	Dayflower family, Spiderwort family 닭의장풀과 (Dak-ui-jang-pul-gwa)
Coniogramme Féé [Pteridaceae]	Coniogramme 고비고사리속 (Go-bi-go-sa-ri-sok) [고사리과]
<i>Coniogramme intermedia</i> Hieron	Oriental bamboo fern 고비고사리 (Go-bi-go-sa-ri)
<i>Coniogramme × fauriei</i> Hieron	Faurie's bamboo fern 개가지고비고사리 (Gae-ga-ji-go-bi-go-sa-ri)
<i>Coniogramme japonica</i> (Thunb.) Diels	Bamboo fern 가지고비고사리 (Ga-ji-go-bi-go-sa-ri)
Conioselinum Fisch. ex Hoffm. [Apiaceae]	Hemlock parsley 산천궁속 (San-cheon-gung-sok) [산형과]
<i>Conioselinum kamtschaticum</i> Rupr.	Kamchatka hemlock parsley 산천궁 (San-cheon-gung)
Convallaria L. [Liliaceae]	Convallaria 은방울꽃속 (Eun-bang-ul-kkot-sok) [백합과]

Scientific name	English name Korean name (Romanization)
<i>Convallaria keiskei</i> Miq.	Lily of the valley 은방울꽃 (Eun-bang-ul-kkot)
CONVOLVULACEAE Juss.	Bindweed family, Morning glory family 메꽃과 (Me-kkot-gwa)
<i>Corallorrhiza Gagnebin</i> [Orchidaceae]	Coralroot 산호란속 (San-ho-ran-sok) [난초과]
<i>Corallorrhiza trifida</i> Châtel.	Early coralroot 산호란 (San-ho-ran)
<i>Corchoropsis Siebold & Zucc.</i> [Sterculiaceae]	Corchoropsis 까치깨속 (Kka-chi-kkae-sok) [벽오동과]
<i>Corchoropsis intermedia</i> Nakai	Intermediate corchoropsis 암까치깨 (Am-kka-chi-kkae)
<i>Corchoropsis psilocarpa</i> Harms & Loes.	Glabrous-fruit corchoropsis 까치깨 (Kka-chi-kkae)
<i>Corchoropsis tomentosa</i> (Thunb.) Makino	Tomentose corchoropsis 수까치깨 (Su-kka-chi-kkae)
<i>Coreanomecon Nakai</i> [Papaveraceae]	Coreanomecon 매미꽃속 (Mae-mi-kkot-sok) [양귀비과]
<i>Coreanomecon hylomeconoides</i> Nakai	Korean forest poppy 매미꽃 (Mae-mi-kkot)
<i>Corispermum L.</i> [Chenopodiaceae]	Bugseed, Tickseed, Tumbleweed 호모초속 (Ho-mo-cho-sok) [명아주과]
<i>Corispermum chinganicum</i> Iljin	Chingan mountain bugseed 이삭호모초 (I-sak-ho-mo-cho)
<i>Corispermum declinatum</i> Steph. ex Iljin	Declinate bugseed 긴호모초 (Gin-ho-mo-cho)
<i>Corispermum elongatum</i> Bunge ex Maxim.	Elongate-leaf bugseed 긴잎장다리풀 (Gin-ip-jang-da-ri-pul)

C

Scientific name	English name Korean name (Romanization)
<i>Corispermum platypteronum</i> Kitag.	Broad-wing bugseed 꼬리호모초 (Kko-ri-ho-mo-cho)
<i>Corispermum puberulum</i> f. <i>lissocarpum</i> (Kitag.) Kitag.	Tall bugseed 장다리나물 (Jang-da-ri-na-mul)
<i>Corispermum stauntonii</i> Moq.	Staunton's bugseed 호모초 (Ho-mo-cho)
CORNACEAE Bercht. ex J.Presl	Dogwood family 총총나무과 (Cheung-cheung-na-mu-gwa)
<i>Cornopteris</i> Nakai [Drypteridaceae]	Cornopteris 뿔고사리속 (Ppul-go-sa-ri-sok) [면마과]
<i>Cornopteris × christenseniana</i> (Koidz.) Tagawa	Jirisan horn fern 지리산숲고사리 (Ji-ri-san-sup-go-sa-ri)
<i>Cornopteris crenulato-serrulata</i> (Makino) Nakai	Shady horn fern 응달고사리 (Eung-dal-go-sa-ri)
<i>Cornopteris decurrenti-alata</i> (Hook.) Nakai	Horn fern 뿔고사리 (Ppul-go-sa-ri)
<i>Cornopteris decurrenti-alata</i> var. <i>pilosella</i> H.Ito	Hairy horn fern 털숲고사리 (Teol-sup-go-sa-ri)
<i>Cornus</i> L. [Cornaceae]	Dogwood 총총나무속 (Cheung-cheung-na-mu-sok) [총총나무과]
<i>Cornus alba</i> L.	Red-bark dogwood 흰말채나무 (Huin-mal-chae-na-mu)
<i>Cornus canadensis</i> L.	Bunchberry dogwood 풀산딸나무 (Pul-san-ttal-na-mu)
<i>Cornus controversa</i> Hemsl.	Wedding cake tree 총총나무 (Cheung-cheung-na-mu)
<i>Cornus kousa</i> F.Buerger ex Hance	Korean dogwood 산딸나무 (San-ttal-na-mu)
<i>Cornus macrophylla</i> Wall.	Large-leaf dogwood 곰의말채나무 (Gom-ui-mal-chae-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Cornus walteri</i> Wangerin	Walter's dogwood 밀채나무 (Mal-chae-na-mu)
<i>Cortusa</i> L. [Primulaceae]	Cortusa 종다리꽃속 (Jong-da-ri-kkot-sok) [앵초과]
* <i>Cortusa matthioli</i> var. <i>pekinensis</i> (V.A.Richt.) T.B.Lee	Dentate-lobe alpine bell 종다리꽃 (Jong-da-ri-kkot)
<i>Corydalis</i> DC. [Fumariaceae]	Fumewort 현호색속 (Hyeon-ho-saek-sok) [현호색과]
<i>Corydalis alata</i> B.U.Oh & W.R.Lee	Winged corydalis 날개현호색 (Nal-gae-hyeon-ho-saek)
<i>Corydalis albipetala</i> B.U.Oh	White-flower corydalis 흰현호색 (Huin-hyeon-ho-saek)
<i>Corydalis ambigua</i> Cham. & Schlecht.	Small corydalis 왜현호색 (Wae-hyeon-ho-saek)
* <i>Corydalis ambigua</i> f. <i>lacticolora</i> Y.N.Lee	White-flower small corydalis 흰왜현호색 (Huin-wae-hyeon-ho-saek)
<i>Corydalis bungeana</i> Turcz.	Bunge's corydalis 줄현호색 (Jul-hyeon-ho-saek)
<i>Corydalis buschii</i> Nakai	Busch's corydalis 진펄현호색 (Jin-peol-hyeon-ho-saek)
<i>Corydalis caudata</i> (Lam.) Pers.	Tailed corydalis 수염현호색 (Su-yeom-hyeon-ho-saek)
<i>Corydalis cornupetala</i> Y.H.Kim et J.H.Jeong	Bull's-horn corydalis 쇠뿔현호색 (Soe-ppul-hyeon-ho-saek)
<i>Corydalis decumbens</i> (Thunb.) Pers.	Decumbent corydalis 좀현호색 (Jom-hyeon-ho-saek)
* <i>Corydalis decumbens</i> f. <i>albiflorus</i> Y.N.Lee	White decumbent corydalis 흰좀현호색 (Huin-jom-hyeon-ho-saek)
<i>Corydalis filistipes</i> Nakai	Island corydalis 섬현호색 (Seom-hyeon-ho-saek)

C

Scientific name	English name Korean name (Romanization)
<i>Corydalis × gigantea</i> Trautv. & C.A.Mey	Giant corydalis 큰괴불주머니 (Keun-goe-bul-ju-meo-ni)
<i>Corydalis grandicalyx</i> B.U.Oh & Y.S.Kim	Large-sepal corydalis 갈퀴현호색 (Gal-kwi-hyeon-ho-saek)
* <i>Corydalis grandicalyx</i> f. <i>albifloris</i> Y.N.Lee	White large-sepal corydalis 흰갈퀴현호색 (Huin-gal-kwi-hyeon-ho-saek)
<i>Corydalis hallaisanensis</i> H.Lév.	Hallasan corydalis 탐라현호색 (Tam-ra-hyeon-ho-saek)
<i>Corydalis heterocarpa</i> Siebold & Zucc.	Beaded yellow corydalis 염주괴불주머니 (Yeom-ju-goe-bul-ju-meo-ni)
<i>Corydalis hirtipes</i> B.U.Oh & J.G.Kim	Hairy corydalis 털현호색 (Teol-hyeon-ho-saek)
<i>Corydalis humilis</i> B.U.Oh & Y.S.Kim	Dwarf corydalis 난쟁이현호색 (Nan-jaeng-i-hyeon-ho-saek)
<i>Corydalis incisa</i> (Thunb.) Pers.	Incised corydalis 자주괴불주머니 (Ja-ju-goe-bul-ju-meo-ni)
* <i>Corydalis incisa</i> f. <i>albiflora</i> Y.N.Lee	White incised corydalis 흰자주괴불주머니 (Huin-ja-ju-goe-bul-ju-meo-ni)
<i>Corydalis lineariloba</i> Siebold & Zucc.	Thin-lobe corydalis 선현호색 (Seon-hyeon-ho-saek)
<i>Corydalis maculata</i> B.U.Oh & Y.S.Kim	Spotted corydalis 점현호색 (Jeom-hyeon-ho-saek)
<i>Corydalis misandra</i> B.U.Oh	Bride corydalis 각시현호색 (Gak-si-hyeon-ho-saek)
<i>Corydalis namdoensis</i> B.U.Oh & J.G.Kim	Namdo corydalis 남도현호색 (Nam-do-hyeon-ho-saek)
<i>Corydalis ochotensis</i> Turcz.	Prostrate corydalis 눈괴불주머니 (Nun-goe-bul-ju-meo-ni)
<i>Corydalis pallida</i> (Thunb.) Pers.	Pale yellow corydalis 괴불주머니 (Goe-bul-ju-meo-ni)
<i>Corydalis pauciovulata</i> Ohwi	Upright yellow corydalis 선괴불주머니 (Seon-goe-bul-ju-meo-ni)

Scientific name	English name Korean name (Romanization)
<i>Corydalis platycarpa</i> (Maxim. ex Palib.) Makino	Seashore yellow corydalis 갯고불주머니 (Gaet-goe-bul-ju-meo-ni)
<i>Corydalis raddeana</i> Regel	Dissected-leaf yellow corydalis 가는고불주머니 (Ga-neun-goe-bul-ju-meo-ni)
<i>Corydalis remota</i> Fisch. ex Maxim.	Common corydalis 현호색 (Hyeon-ho-saek)
<i>Corydalis speciosa</i> Maxim.	Beautiful corydalis 산고불주머니 (San-goe-bul-ju-meo-ni)
<i>Corydalis ternata</i> (Nakai) Nakai	Pink corydalis 들현호색 (Deul-hyeon-ho-saek)
<i>Corydalis turtschaninovii</i> Besser	Korean corydalis 조선현호색 (Jo-seon-hyeon-ho-saek)
<i>Corydalis wandoensis</i> Y.N.Lee	Wando corydalis 완도현호색 (Wan-do-hyeon-ho-saek)
<i>Corylopsis</i> Siebold & Zucc. [Hamamelidaceae]	Winter hazel 히어리속 (Hi-eo-ri-sok) [조록나무과]
<i>Corylopsis coreana</i> Uyeki	Korean winter hazel 히어리 (Hi-eo-ri)
<i>Corylus</i> L. [Betulaceae]	Hazelnut 개암나무속 (Gae-am-na-mu-sok) [자작나무과]
<i>Corylus hallaisanensis</i> Nakai	Short-beak hazel 병개암나무 (Byeong-gae-am-na-mu)
<i>Corylus heterophylla</i> Fisch. ex Trautv.	Asian hazel 개암나무 (Gae-am-na-mu)
<i>Corylus sieboldiana</i> Blume	Asian beaked hazel 참개암나무 (Cham-gae-am-na-mu)
<i>Corylus sieboldiana</i> var. <i>brevirostris</i> C.K.Schneid.	Short Asian beaked hazel 병물개암나무 (Byeong-mul-gae-am-na-mu)
<i>Corylus sieboldiana</i> var. <i>mandshurica</i> (Maxim.) C.K.Schneid.	Manchurian hazel 물개암나무 (Mul-gae-am-na-mu)

C

Scientific name	English name Korean name (Romanization)
<i>Cotoneaster</i> Medik. [Rosaceae]	Cotoneaster 섬개야광나무속 (Seom-gae-ya-gwang-na-mu-sok) [장미과]
<i>Cotoneaster integerrima</i> Medik.	Common cotoneaster 둥근잎개야광 (Dung-geun-ip-gae-ya-gwang)
<i>Cotoneaster wilsonii</i> Nakai	Ulleungdo cotoneaster 섬개야광나무 (Seom-gae-ya-gwang-na-mu)
CRASSULACEAE J.St.-Hil.	Stonecrop family 돌나물과 (Dol-na-mul-gwa)
<i>Crataegus</i> L. [Rosaceae]	Hawberry, Hawthorn, May-tree, Thornapple, Whitethorn 산사나무속 (San-sa-na-mu-sok) [장미과]
<i>Crataegus komarovii</i> Sarg.	Komarov's hawthorn 이노리나무 (I-no-ri-na-mu)
<i>Crataegus maximowiczii</i> C.K.Schneid.	Maximowicz's hawthorn 아광나무 (A-gwang-na-mu)
<i>Crataegus pinnatifida</i> Bunge	Mountain hawthorn 산사나무 (San-sa-na-mu)
<i>Crataegus pinnatifida</i> var. <i>major</i> N.E.Br.	Wide-leaf mountain hawthorn 넓은잎산사 (Neol-beun-ip-san-sa)
* <i>Crataegus pinnatifida</i> var. <i>partita</i> Nakai ex T.H.Chung	Dissected-leaf mountain hawthorn 가새잎산사 (Ga-sae-ip-san-sa)
<i>Crataegus pinnatifida</i> f. <i>bracteata</i> Nakai	Large-bract mountain hawthorn 일월산사나무 (Il-wol-san-sa-na-mu)
<i>Crataegus pinnatifida</i> f. <i>pilosa</i> (C.K.Schneid.) Kitag.	Hairy Korean hawthorn 털산사 (Teol-san-sa)
<i>Cremastra</i> Lindl. [Orchidaceae]	Cremastra 약난초속 (Yak-nan-cho-sok) [난초과]
<i>Cremastra appendiculata</i> var. <i>variabilis</i> (Blume) I.D.Lund	Single-leaf cremastra 약난초 (Yak-nan-cho)

Scientific name	English name Korean name (Romanization)
<i>Cremastra unguiculata</i> (Finet) Finet	Two-leaf cremastra 두잎약난초 (Du-ip-yak-nan-cho)
<i>Crepidiastrixeric</i> Kitam. [Asteraceae]	Crepidiastrixeric 홍도고들빼기속 (Hong-do-go-deul-ppae-gi-sok) [국화과]
<i>Crepidiastrixeric denticulato-platyphylla</i> (Makino) Kitam.	Hongdo crepidiastrixeric 홍도고들빼기 (Hong-do-go-deul-ppae-gi)
<i>Crepidiastrum</i> Nakai [Asteraceae]	Crepidiastrum 고들빼기속 (Go-deul-ppae-gi-sok) [국화과]
<i>Crepidiastrum chelidoniifolium</i> (Makino) Pak & Kawano	Pinnate-compound crepidiastrum 까치고들빼기 (Kka-chi-go-deul-ppae-gi)
<i>Crepidiastrum denticulatum</i> (Houtt.) Pak & Kawano	Teeth-margin crepidiastrum 이고들빼기 (I-go-deul-ppae-gi)
<i>Crepidiastrum koidzumianum</i> (Kitam.) Pak & Kawano	Jiri crepidiastrum 자리고들빼기 (Ji-ri-go-deul-ppae-gi)
<i>Crepidiastrum lanceolatum</i> (Houtt.) Nakai	Sword-leaf crepidiastrum 갓고들빼기 (Gaet-go-deul-ppae-gi)
<i>Crepidiastrum platyphyllum</i> (Franch. & Sav.) Kitam.	Broad-leaf crepidiastrum 절영풀 (Jeol-yeong-pul)
<i>Crepidiastrum sonchifolium</i> (Maxim.) Pak & Kawano	Sonchus-leaf crepidiastrum 고들빼기 (Go-deul-ppae-gi)
<i>Crepidomanes</i> C.Presl [Hymenophyllaceae]	Crepidomanes 괴불이끼속 (Goe-bul-i-kki-sok) [쳐녀이끼과]
<i>Crepidomanes latealatum</i> (Bosch) Copel.	Insignificant bristle fern 괴불이끼 (Goe-bul-i-kki)
<i>Crepidomanes minutum</i> (Blume) K.Iwats.	Tiny bristle fern 부채괴불이끼 (Bu-chae-goe-bul-i-kki)
<i>Crinum</i> L. [Amaryllidaceae]	Swamplily 문주란속 (Mun-ju-ran-sok) [수선화과]

C

Scientific name	English name Korean name (Romanization)
<i>Crinum asiaticum</i> var. <i>japonicum</i> Baker	Poison-bulb 문주란 (Mun-ju-ran)
<i>Crotalaria</i> L. [Fabaceae]	Rattlebox, Rattlepods 활나물속 (Hwal-na-mul-sok) [콩과]
<i>Crotalaria sessiliflora</i> L.	Purple-flower rattlebox 활나물 (Hwal-na-mul)
<i>Crypsinus</i> C.Presl [Polypodiaceae]	Crypsinus 고란초속 (Go-ran-cho-sok) [고란초과]
<i>Crypsinus engleri</i> (Luerss.) Fraser-Jenk.	Engler's selliquea fern 큰고란초 (Keun-go-ran-cho)
<i>Crypsinus hastatus</i> (Thunb.) Copel.	Spear-leaf selliquea fern 고란초 (Go-ran-cho)
<i>Crypsinus veitchii</i> (Baker) Copel.	Multi-lobe selliquea fern 층층고란초 (Cheung-cheung-go-ran-cho)
<i>Crypsis</i> Aiton [Poaceae]	Pricklegrass 갯율무속 (Gaet-yul-mu-sok) [벼과]
<i>Crypsis aculeata</i> (L.) Aiton	Common prickleglass 갯율무 (Gaet-yul-mu)
<i>Cryptogramma</i> R.Br. [Pteridaceae]	Rockbrake 북바위고사리속 (Buk-ba-wi-go-sa-ri-sok) [고사리과]
<i>Cryptogramma crispa</i> (L.) R.Br. ex Rich.	Parsley fern 북바위고사리 (Buk-ba-wi-go-sa-ri)
<i>Cryptotaenia</i> DC. [Apiaceae]	Honestort 파드득나물속 (Pa-deu-deuk-na-mul-sok) [산형과]
<i>Cryptotaenia japonica</i> Hassk.	East Asian wildparsley 파드득나물 (Pa-deu-deuk-na-mul)
<i>Ctenitis</i> (C.Chr.) C.Chr. [Dryopteridaceae]	Lacefern 남방고사리속 (Nam-bang-go-sa-ri-sok) [면마과]

Scientific name	English name Korean name (Romanization)
<i>Ctenitis sinii</i> (Ching) Ohwi	Southern lacefern 남방고사리 (Nam-bang-go-sa-ri)
<i>Cucubalus</i> L. [Caryophyllaceae]	Cucubalus 덩굴별꽃속 (Deong-gul-byeol-kkot-sok) [석죽과]
<i>Cucubalus baccifer</i> f. <i>atropurpureus</i> Nakai	Purple-stem berry catchfly 자주덩굴별꽃 (Ja-ju-deong-gul-byeol-kkot)
CUCURBITACEAE Juss.	Gourd family 박과 (Bak-gwa)
<i>Cudrania</i> Trécul [Moraceae]	Cudrania 꾸지뽕나무속 (Kku-ji-ppong-na-mu-sok) [뽕나무과]
<i>Cudrania tricuspidata</i> (Carrière) Bureau ex Lavallée	Silkworm thorn 꾸지뽕나무 (Kku-ji-ppong-na-mu)
CUPRESSACEAE Gray	Cypress family 측백나무과 (Cheuk-baek-na-mu-gwa)
<i>Cuscuta</i> L. [Convolvulaceae]	Dodder 새삼속 (Sae-sam-sok) [매꽃과]
<i>Cuscuta australis</i> R.Br.	Australian dodder 실새삼 (Sil-sae-sam)
<i>Cuscuta chinensis</i> Lam.	Chinese dodder 겟실새삼 (Gaet-sil-sae-sam)
<i>Cuscuta japonica</i> Choisy	Japanese dodder 새삼 (Sae-sam)
<i>Cyclogramma</i> Tagawa [Dryopteridaceae]	Cyclogramma 나도진퍼리고사리속 (Na-do-jin-peo-ri-go-sa-ri-sok) [면마과]
<i>Cyclogramma leveillei</i> (Christ) Ching	Leveille's swamp fern 나도진퍼리고사리 (Na-do-jin-peo-ri-go-sa-ri)
<i>Cyclosorus</i> Link [Dryopteridaceae]	Cyclosorus 별고사리속 (Byeol-go-sa-ri-sok) [면마과]

C

Scientific name	English name Korean name (Romanization)
<i>Cyclosorus acuminata</i> (Houtt.) Nakai ex H.Ito	Sail fern 별고사리 (Byeol-go-sa-ri)
<i>Cyclosorus dentatus</i> (Forssk.) Ching	Downy shield-fern 탐라별고사리 (Tam-ra-byeol-go-sa-ri)
<i>Cyclosorus interruptus</i> (Willd.) H.Ito	Swamp shield-fern 검은별고사리 (Geom-eun-byeol-go-sa-ri)
<i>Cyclosorus parasiticus</i> (L.) Farw.	Parasitic maiden fern 털별고사리 (Teol-byeol-go-sa-ri)
<i>Cymbidium</i> Sw. [Orchidaceae]	Boat orchid 보춘화속 (Bo-chun-hwa-sok) [난초과]
<i>Cymbidium ensifolium</i> (L.) Sw.	Four-season orchid 소란 (So-ran)
<i>Cymbidium goeringii</i> (Rchb.f.) Rchb.f.	Goering's cymbidium 보춘화 (Bo-chun-hwa)
<i>Cymbidium kanran</i> Makino	Han-ran (Cold-growing cymbidium) 한란 (Han-ran)
<i>Cymbidium lancifolium</i> Hook.	White bamboo-leaf orchid 죽백란 (Juk-baek-ran)
<i>Cymbidium lancifolium</i> var. <i>aspidistrifolium</i> (Fukuy.) S.S.Ying	Green-flower bamboo-leaf orchid 녹화죽백란 (Nok-hwa-juk-baek-ran)
<i>Cymbidium macrorhizon</i> Lindl.	Big-root cymbidium 대흉란 (Dae-heung-ran)
<i>Cymbopogon</i> Spreng. [Poaceae]	Lemon grass 개솔새속 (Gae-sol-sae-sok) [벼과]
<i>Cymbopogon goeringii</i> (Steud.) A.Camus	Georing's lemon grass 개솔새 (Gae-sol-sae)
<i>Cymopterus</i> Raf. [Apiaceae]	Springparsley 큰참나물속 (Keun-cham-na-mul-sok) [산형과]
<i>Cymopterus melanotilingia</i> (H.Boissieu) C.Y.Yoon	Big springparsley 큰참나물 (Keun-cham-na-mul)

Scientific name	English name Korean name (Romanization)
<i>Cynanchum</i> L. [Asclepiadaceae]	Dog-strangling vine, Swallow-wort 백미꽃속 (Baek-mi-kkot-sok) [박주가리과]
<i>Cynanchum amplexicaule</i> (Siebold & Zucc.) Hemsl.	Amplexicaul swallow-wort 솜아마존 (Som-a-ma-jon)
<i>Cynanchum amplexicaule</i> f. <i>castaneum</i> (Makino) C.Y.Li	Black amplexicaul swallow-wort 검은솜아마존 (Geom-eun-som-a-ma-jon)
<i>Cynanchum ascyrifolium</i> (Franch. & Sav.) Matsum.	Asian white swallow-wort 민백미꽃 (Min-baek-mi-kkot)
<i>Cynanchum atratum</i> Bunge	Black-end swallow-wort 백미꽃 (Baek-mi-kkot)
* <i>Cynanchum atratum</i> f. <i>viridescens</i> Ohwi	Greenish black-end swallow-wort 푸른백미꽃 (Pu-reun-baek-mi-kkot)
<i>Cynanchum chinense</i> R.Brown	Hairy swallow-wort 가는털백미 (Ga-neun-teol-baek-mi)
<i>Cynanchum inamoenum</i> (Maxim.) Loes. ex Gilg & Loes.	Upright Asian swallow-wort 선백미꽃 (Seon-baek-mi-kkot)
<i>Cynanchum japonicum</i> (C.Morren & Decne.) Hemsl.	Japanese swallow-wort 덩굴민백미꽃 (Deong-gul-min-baek-mi-kkot)
<i>Cynanchum nipponicum</i> Matsum.	Climbing swallow-wort 덩굴박주가리 (Deong-gul-bak-ju-ga-ri)
<i>Cynanchum nipponicum</i> var. <i>glabrum</i> (Nakai) H.Hara	Black climbing swallow-wort 흑박주가리 (Heuk-bak-ju-ga-ri)
<i>Cynanchum paniculatum</i> (Bunge) Kitag.	Paniculate swallow-wort 산해박 (San-hae-bak)
<i>Cynanchum purpureum</i> (Pall.) K.Schum.	Purple swallow-wort 자주박주가리 (Ja-ju-bak-ju-ga-ri)
<i>Cynanchum sibiricum</i> (L.) R.Br.	Siberian swallow-wort 양반풀 (Yang-ban-pul)
<i>Cynanchum volubile</i> (Maxim.) Hemsl.	Twining swallow-wort 세포큰조롱 (Se-po-keun-jo-rong)

C

Scientific name	English name Korean name (Romanization)
<i>Cynanchum wilfordii</i> (Maxim.) Hemsl.	Wilford's swallow-wort 큰조롱 (Keun-jo-rong)
<i>Cynodon</i> Rich. [Poaceae]	Bermuda grass, Dog's tooth grass 우산잔디속 (U-san-jan-di-sok) [벼과]
<i>Cynodon dactylon</i> (L.) Pers.	Bermuda grass 우산잔디 (U-san-jan-di)
<i>Cynoglossum</i> L. [Boraginaceae]	Hound's tongue 섬꽃마리속 (Seom-kkot-ma-ri-sok) [지치과]
<i>Cynoglossum aspernum</i> Nakai	Rough-hair hound's tongue 왕꽃마리 (Wang-kkot-ma-ri)
<i>Cynoglossum zeylanicum</i> (Vahl ex Hornem.) Thunb. ex Lehm.	Ceylon hound's tongue 섬꽃마리 (Seom-kkot-ma-ri)
<i>Cynosurus</i> L. [Poaceae]	Dogstail grass 빗살새속 (Bit-sal-sae-sok) [벼과]
<i>Cynosurus cristatus</i> L.	Crested dogstail grass 빗살새 (Bit-sal-sae)
CYPERACEAE Juss.	Sedges 사초과 (Sa-cho-gwa)
<i>Cyperus</i> L. [Cyperaceae]	Flatsedges, Galingales, Nutsedges, Papyrus sedges, Umbrella-sedges 방동사니속 (Bang-dong-sa-ni-sok) [사초과]
<i>Cyperus amuricus</i> Maxim.	Asian flatsedge 방동사니 (Bang-dong-sa-ni)
<i>Cyperus cyperoides</i> (L.) Kuntze	Pacific island flatsedge 방동사니아재비 (Bang-dong-sa-ni-a-jae-bi)
<i>Cyperus diaphanus</i> Schrad. ex Roem. & Schult.	Diaphanous flatsedge 껄끔방동사니 (Kkeol-kkeum-bang-dong-sa-ni)
<i>Cyperus difformis</i> L.	Difformed flatsedge 알방동사니 (Al-bang-dong-sa-ni)

Scientific name	English name Korean name (Romanization)
<i>Cyperus exaltatus</i> Retz.	Great flatsedge 왕골 (Wang-gol)
<i>Cyperus flavidus</i> (Retz.) T.Koyama	Yellow flatsedge 드렁방동사니 (Deu-reong-bang-dong-sa-ni)
<i>Cyperus glomeratus</i> L.	glomerate flatsedge 풀방동사니 (Mul-bang-dong-sa-ni)
<i>Cyperus hakonensis</i> Franch. & Sav.	Small flatsedge 병아리방동사니 (Byeong-a-ri-bang-dong-sa-ni)
<i>Cyperus haspan</i> L.	Haspan flatsedge 모기방동사니 (Mo-gi-bang-dong-sa-ni)
<i>Cyperus iria</i> L.	Ricefield flatsedge 참방동사니 (Cham-bang-dong-sa-ni)
<i>Cyperus michelianus</i> var. <i>pacificus</i> Ohwi	White flatsedge 흰방동사니 (Huini-bang-dong-sa-ni)
<i>Cyperus microiria</i> Steud.	Awned rice flatsedge 금방동사니 (Geum-bang-dong-sa-ni)
<i>Cyperus nipponicus</i> Franch. & Sav.	Whitescale flatsedge 푸른방동사니 (Pu-reun-bang-dong-sa-ni)
<i>Cyperus orthostachyus</i> Franch. & Sav.	Upright-spike flatsedge 쇠방동사니 (Soe-bang-dong-sa-ni)
* <i>Cyperus orthostachyus</i> var. <i>pinnateformis</i> Y.C.Oh & Y.B.Lee	Pinnate rice flatsedge 우산쇠방동사니 (U-san-soe-bang-dong-sa-ni)
* <i>Cyperus orthostachyus</i> var. <i>umbellus</i> Y.C.Oh & Y.B.Lee	Umbel rice flatsedge 산형쇠방동사니 (San-hyeong-soe-bang-dong-sa-ni)
<i>Cyperus polystachyos</i> Rottb.	Many-spike flatsedge 갯방동사니 (Gaet-bang-dong-sa-ni)
<i>Cyperus rotundus</i> L.	Nutgrass flatsedge 향부자 (Hyang-bu-ja)
<i>Cyperus sanguinolentus</i> Vahl	Purple glume flatsedge 방동사니대가리 (Bang-dong-sa-ni-dae-ga-ri)
<i>Cyperus serotinus</i> Rottb.	Tidal-marsh flatsedge 너도방동사니 (Neo-do-bang-dong-sa-ni)

C

Scientific name	English name Korean name (Romanization)
<i>Cyperus tenuispica</i> Steud.	Narrow-spiculate flatsedge 우산방동사니 (U-san-bang-dong-sa-ni)
<i>Cypripedium L.</i> [Orchidaceae]	Camel's foot, Lady's slipper orchids, Moccasin flower, Slipper orchids, Squirrel foot, Steeple cap, Venus' shoes, Whippoorwill shoe 복주머니란속 (Bok-ju-meo-ni-ran-sok) [난초과]
<i>Cypripedium calceolus</i> L.	Lady's slipper orchid 노랑복주머니란 (No-rang-bok-ju-meo-ni-ran)
<i>Cypripedium guttatum</i> Sw.	Spotted lady's slipper 털복주머니란 (Teol-bok-ju-meo-ni-ran)
* <i>Cypripedium guttatum</i> f. <i>albiflorum</i> Y.N.Lee	White-hairy spotted lady's slipper 흰털복주머니란 (Huin-teol-bok-ju-meo-ni-ran)
<i>Cypripedium guttatum</i> f. <i>punicum</i> Y.N.Lee	Pink hairy spotted lady's slipper 분홍털복주머니란 (Bun-hong-teol-bok-ju-meo-ni-ran)
<i>Cypripedium japonicum</i> Thunb.	Korean lady's slipper 광릉요강꽃 (Gwang-reung-yo-gang-kkot)
<i>Cypripedium macranthos</i> Sw.	Big-flower lady's slipper 복주머니란 (Bok-ju-meo-ni-ran)
* <i>Cypripedium macranthos</i> var. <i>hoteiatsumorianum</i> Sadovsky	Big lady's slipper orchid 왕복주머니란 (Wang-bok-ju-meo-ni-ran)
<i>Cypripedium macranthos</i> f. <i>rebunense</i> (Kudô) Ohwi	Rebun big-flower lady's slipper 레분복주머니란 (Re-bun-bok-ju-meo-ni-ran)
<i>Cypripedium macranthos</i> f. <i>albiflorum</i> (Makino) Ohwi	White big-flower lady's slipper 흰복주머니란 (Huin-bok-ju-meo-ni-ran)
<i>Cypripedium morinanthum</i> Y.N.Lee	Purple lady's slipper orchid 자주복주머니란 (Ja-ju-bok-ju-meo-ni-ran)
<i>Cypripedium neoparviflorum</i> Y.N.Lee	Ivory lady's slipper 미색복주머니란 (Mi-saek-bok-ju-meo-ni-ran)
<i>Cypripedium roseum</i> Y.N.Lee	Rosy lady's slipper 장미빛복주머니란 (Jang-mi-bit-bok-ju-meo-ni-ran)
<i>Cypripedium sinapoides</i> Y.N.Lee	Mustard-color lady's slipper 겨자복주머니란 (Gyeo-ja-bok-ju-meo-ni-ran)

Scientific name	English name Korean name (Romanization)
<i>Cypripedium × venticosum</i> Sw.	Eol-chi-gi lady's slipper (Hybrid complex) 얼치기복주머니란 (Eol-chi-gi-bok-ju-meo-ni-ran)
<i>Cyrtomium</i> C.Presl [Dryopteridaceae]	Netvein hollyfern 쇠고비속 (Soe-go-bi-sok) [면마과]
* <i>Cyrtomium caryotideum</i> var. <i>coreanum</i> Nakai	Korean caryota-leaf hollyfern 참쇠고비 (Cham-soe-go-bi)
<i>Cyrtomium devexiscapulae</i> (Koidz.) Koidz. & Ching	Long-leaf Asian hollyfern 긴잎도깨비쇠고비 (Gin-ip-do-kkae-bi-soe-go-bi)
<i>Cyrtomium falcatum</i> (L.f.) C.Presl	Hollyfern 도깨비쇠고비 (Do-kkae-bi-soe-go-bi)
<i>Cyrtomium fortunei</i> J.Sm.	Fortune's hollyfern 쇠고비 (Soe-go-bi)
<i>Cyrtomium fortunei</i> var. <i>clivicola</i> (Makino) Tagawa	Arching hollyfern 산쇠고비 (San-soe-go-bi)
<i>Cyrtosia</i> Blume [Orchidaceae]	Cyrtosia 으름난초속 (Eu-reum-nan-cho-sok) [난초과]
<i>Cyrtosia septentrionalis</i> (Rchb.f.) Garay	Akebian fruit orchid 으름난초 (Eu-reum-nan-cho)
<i>Cystopteris</i> Bernh. [Dryopteridaceae]	Bladderferns, Fragile ferns 한들고사리속 (Han-deul-go-sa-ri-sok) [면마과]
<i>Cystopteris fragilis</i> (L.) Bernh.	Fragile fern 한들고사리 (Han-deul-go-sa-ri)
<i>Cystopteris sudetica</i> A.Braun. & Milde	Bladderfern 바람고사리 (Ba-ram-go-sa-ri)
D	
<i>Dactylorhiza</i> Neck. ex Nevski [Orchidaceae]	<i>Coeloglossum viride</i>, <i>Dactylorhiza viridis</i>, The frog orchid 개제비난속 (Gae-je-bi-nan-sok) [난초과]

Scientific name	English name Korean name (Romanization)
<i>Dactylorhiza aristata</i> (Fisch. ex Lindl.) Soó	Spiked dactylorhiza 손바닥나비난초 (Son-ba-dak-na-bi-nan-cho)
<i>Dactylorhiza viridis</i> (L.) R.M.Bateman, Prigdon & M.W.Chase	Frog orchid 개제비난 (Gae-je-bi-nan)
<i>Dactylorhiza viridis</i> var. <i>coreana</i> (Nakai) N.S.Lee	Korean frog orchid 포태제비난 (Po-tae-je-bi-nan)
Damnacanthus C.F.Gaertn. [Rubiaceae]	Damnacanthus 호자나무속 (Ho-ja-na-mu-sok) [꼭두서니과]
<i>Damnacanthus indicus</i> C.F.Gaertn.	Indian damnacanthus 호자나무 (Ho-ja-na-mu)
<i>Damnacanthus major</i> Siebold & Zucc.	Big-leaf damnacanthus 수정목 (Su-jeong-mok)
Daphne L. [Thymelaeaceae]	Daphne 팔꽃나무속 (Pat-kkot-na-mu-sok) [팔꽃나무과]
<i>Daphne genkwa</i> Siebold & Zucc.	Lilac daphne 팔꽃나무 (Pat-kkot-na-mu)
<i>Daphne kiusiana</i> Miq.	White daphne 백서향 (Baek-seo-hyang)
<i>Daphne pseudomezereum</i> var. <i>koreana</i> (Nakai) Hamaya	Mountain daphne 두메닥나무 (Du-me-dak-na-mu)
DAPHNIPHYLACEAE Müll.Arg.	Daphniphyllum family 굴거리나무과 (Gul-geo-ri-na-mu-gwa)
Daphniphyllum Blume [Daphniphyllaceae]	Daphniphyllum 굴거리나무속 (Gul-geo-ri-na-mu-sok) [굴거리나무과]
<i>Daphniphyllum macropodum</i> Miq.	Macropodous daphniphyllum 굴거리나무 (Gul-geo-ri-na-mu)
<i>Daphniphyllum teijsmannii</i> Zoll. ex Teijsm. & Binn	Common daphniphyllum 좀굴거리나무 (Jom-gul-geo-ri-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Daucus</i> L. [Apiaceae]	Wild carrot 당근속 (Dang-geun-sok) [산형과]
<i>Daucus littoralis</i> Sm.	Sea-shore carrot 갯당근 (Gaet-dang-geun)
<i>Davallia</i> Sm. [Davalliaceae]	Deersfoot fern, Hare's foot fern 넉줄고사리속 (Neok-jul-go-sa-ri-sok) [넉줄고사리과]
<i>Davallia mariesii</i> T.Moore ex Baker	Squirrel's-foot fern 넉줄고사리 (Neok-jul-go-sa-ri)
DAVALLIACEAE M.R.Schomb. ex A.B.Frank	Rabbit's foot ferns 넉줄고사리과 (Neok-jul-go-sa-ri-gwa)
<i>Deinostema</i> T.Yamaz. [Scrophulariaceae]	Deinostema 진땅고추풀속 (Jin-ttang-go-chu-pul-sok) [현삼과]
<i>Deinostema adenocaulum</i> (Maxim.) T.Yamaz.	Ovate-leaf deinostema 등근잎고추풀 (Dung-geun-ip-go-chu-pul)
<i>Deinostema violacea</i> (Maxim.) T.Yamaz.	Violet deinostema 진땅고추풀 (Jin-ttang-go-chu-pul)
<i>Delphinium</i> L. [Ranunculaceae]	Larkspur 제비고깔속 (Je-bi-go-kkal-sok) [미나리아재비과]
<i>Delphinium grandiflorum</i> L.	Siberian larkspur 제비고깔 (Je-bi-go-kkal)
<i>Delphinium maackianum</i> Regel	Maack's larkspur 큰제비고깔 (Keun-je-bi-go-kkal)
<i>Delphinium maackianum</i> var. <i>lasiophyllum</i> Nakai	Bujeon larkspur 부전제비고깔 (Bu-jeon-je-bi-go-kkal)
<i>Delphinium maackianum</i> f. <i>album</i> (Nakai) W.T.Lee	White Maack's larkspur 흰제비고깔 (Huin-je-bi-go-kkal)
<i>Delphinium maackianum</i> f. <i>lasiocarpum</i> (Regel) Kitag.	Hairy Maack's larkspur 털제비고깔 (Teol-je-bi-go-kkal)

D

Scientific name	English name Korean name (Romanization)
<i>Delphinium ornatum</i> C.D.Bouché	Oriental knight's larkspur 참제비고깔 (Cham-je-bi-go-kkal)
Dendranthema (DC.) Des Moul. [Asteraceae]	Arctic daisy, Dendranthema 산국속 (San-guk-sok) [국화과]
<i>Dendranthema boreale</i> (Makino) Ling ex Kitam.	Northern dendranthema 산국 (San-guk)
<i>Dendranthema coreanum</i> (H.Lév. & Vaniot) Vorosch.	Halla dendranthema 한라구절초 (Han-ra-gu-jeol-cho)
<i>Dendranthema indicum</i> (L.) Des Moul.	Indian dendranthema 감국 (Gam-guk)
<i>Dendranthema indicum</i> var. <i>acuta</i> (Uyeki) Kitam.	Acute-leaf Indian dendranthema 가는잎감국 (Ga-neun-ip-gam-guk)
* <i>Dendranthema × intermedium</i> (Y.N.Lee) Y.N.Lee	Intermediate dendranthema 이화구절초 (I-hwa-gu-jeol-cho)
<i>Dendranthema sichotense</i> Tzvelev	Rocky dendranthema 바위구절초 (Ba-wi-gu-jeol-cho)
<i>Dendranthema sinchangense</i> (Uyeki) Kitam.	Sinchang dendranthema 신창구절초 (Sin-chang-gu-jeol-cho)
<i>Dendranthema zawadskii</i> (Herb.) Tzvelev	Korean dendranthema 산구절초 (San-gu-jeol-cho)
<i>Dendranthema zawadskii</i> var. <i>latilobum</i> (Maxim.) Kitam.	White-lobe Korean dendranthema 구절초 (Gu-jeol-cho)
<i>Dendranthema zawadskii</i> var. <i>lucidum</i> (Nakai) J.H.Park	Ulleung dendranthema 울릉국화 (Ul-reung-guk-hwa)
<i>Dendranthema zawadskii</i> var. <i>tenuisectum</i> Kitag	Pocheon dendranthema 포천구절초 (Po-cheon-gu-jeol-cho)
* <i>Dendranthema zawadskii</i> var. <i>yezoense</i> (Maek.) Y.M.Lee & H.J.Choi	Bluish dendranthema 남구절초 (Nam-gu-jeol-cho)
<i>Dendrobium</i> Sw. [Orchidaceae]	<i>Dendrobium</i> 석곡속 (Seok-gok-sok) [난초과]

Scientific name	English name Korean name (Romanization)
<i>Dendrobium moniliforme</i> (L.) Sw.	Seok-gok (Moniliform dendrobium) 석곡 (Seok-gok)
<i>Dendropanax</i> Decne. & Planch. [Araliaceae]	Dendropanax 황칠나무속 (Hwang-chil-na-mu-sok) [두릅나무과]
<i>Dendropanax morbiferus</i> H.Lév.	Korean dendropanax 황칠나무 (Hwang-chil-na-mu)
<i>Dennstaedtia</i> Bernh. [Pteridaceae]	Hayscented fern 잔고사리속 (Jan-go-sa-ri-sok) [고사리과]
<i>Dennstaedtia hirsuta</i> (Sw.) Mett. ex Miq.	Hairy hayscented fern 잔고사리 (Jan-go-sa-ri)
<i>Dennstaedtia scabra</i> (Wall. ex Hook.) T.Moore	Rough hayscented fern 사철잔고사리 (Sa-cheol-jan-go-sa-ri)
<i>Dennstaedtia wilfordii</i> (T. Moore) Christ	Wilford's hayscented fern 황고사리 (Hwang-go-sa-ri)
<i>Deparia</i> Hook. & Grev. [Dryopteridaceae]	False spleenwort 진고사리속 (Jin-go-sa-ri-sok) [면마과]
<i>Deparia × angustata</i> (Nakai) Nakaike	Hybrid false spleenwort 개줌진고사리 (Gae-jom-jin-go-sa-ri)
<i>Deparia coniliifera</i> (Franch. & Sav.) M.Kato	Small false spleenwort 좁진고사리 (Jom-jin-go-sa-ri)
<i>Deparia coreana</i> (Christ) M.Kato	Korean tapping glade fern 곱새고사리 (Gop-sae-go-sa-ri)
<i>Deparia dimorphophylla</i> (Koidz.) M.Kato	Large false spleenwort 큰진고사리 (Keun-jin-go-sa-ri)
<i>Deparia japonica</i> (Thunb.) M.Kato	False spleenwort 진고사리 (Jin-go-sa-ri)
<i>Deparia kiusiana</i> (Koidz.) M.Kato	Hairy false spleenwort 털진고사리 (Teol-jin-go-sa-ri)
<i>Deparia okuboana</i> (Makino) M.Kato	Marsh false spleenwort 진퍼리개고사리 (Jin-peo-ri-gae-go-sa-ri)

D

Scientific name	English name Korean name (Romanization)
<i>Deparia orientalis</i> (Z.R.Wang & J.J.Chien) Nakaike	White tapering glade fern 흰털고사리 (Huin-teol-go-sa-ri)
<i>Deparia petersenii</i> (Kunze) M.Kato	Petersen's false spleenwort 탐라진고사리 (Tam-ra-jin-go-sa-ri)
<i>Deparia pseudoconilii</i> (Seriz.) Seriz.	Long false spleentwort 나도줌진고사리 (Na-do-jom-jin-go-sa-ri)
<i>Deparia pterorachis</i> (Christ) M.Kato	Giant tapering glade fern 왕고사리 (Wang-go-sa-ri)
<i>Deparia pycnosora</i> (Christ) M.Kato	Tapering glade fern 털고사리 (Teol-go-sa-ri)
<i>Deparia viridifrons</i> (Makino) M.Kato	Green tapering glade fern 푸른개고사리 (Pu-reun-gae-go-sa-ri)
<i>Deschampsia</i> P.Beauv. [Poaceae]	Hairgrass, Tussock grass omboksul (Jom-sae-pul-sok) [벼과]
<i>Deschampsia cespitosa</i> (L.) P.Beauv.	Tufted hairgrass 좀새풀 (Jom-sae-pul)
<i>Descurainia</i> Webb & Berthel. [Brassicaceae]	Tansymustard 재쑥속 (Jae-ssuk-sok) [십자화과]
<i>Descurainia sophia</i> (L.) Webb ex Prantl	Herb-sophia 재쑥 (Jae-ssuk)
<i>Desmodium</i> Desv. [Fabaceae]	Beggar lice, Hitch hikers, Tick clover, Tick-trefoil 도둑놈의갈고리속 (Do-duk-nom-ui-gal-go-ri-sok) [콩과]
<i>Desmodium caudatum</i> (Thunb.) DC.	Caudate tick clover 된장풀 (Doen-jang-pul)
<i>Desmodium heterocarpon</i> (L.) DC.	Heterocarpous tick clover 잔디갈고리 (Jan-di-gal-go-ri)
<i>Desmodium oldhamii</i> Oliv.	Oldham's tick clover 큰도둑놈의갈고리 (Keun-do-duk-nom-ui-gal-go-ri)

Scientific name	English name Korean name (Romanization)
<i>Desmodium oldhamii</i> f. <i>alba</i> T.B.Lee	White Oldham's tick clover 흰큰도둑놈의갈고리 (Huin-keun-do-duk-nom-ui-gal-o-ri)
<i>Desmodium podocarpum</i> DC.	Common tick clover 개도둑놈의갈고리 (Gae-do-duk-nom-ui-gal-go-ri)
<i>Desmodium podocarpum</i> subsp. <i>fallax</i> (Schindl.) H.Ohashi	Long-fruit tick clover 긴도둑놈의갈고리 (Gin-do-duk-nom-ui-gal-go-ri)
<i>Desmodium podocarpum</i> var. <i>mandshuricum</i> Maxim.	Manchurian tick clover 애기도둑놈의갈고리 (Ae-gi-do-duk-nom-ui-gal-go-ri)
<i>Desmodium podocarpum</i> var. <i>oxyphyllum</i> (DC.) H.Ohashi	Big-leaf tick clover 도둑놈의갈고리 (Do-duk-nom-ui-gal-go-ri)
Deutzia Thunb. [Saxifragaceae]	Pride-of-rochester 말발도리속 (Mal-bal-do-ri-sok) [범의귀과]
<i>Deutzia glabrata</i> Kom.	Glabrous deutzia 물참대 (Mul-cham-dae)
<i>Deutzia grandiflora</i> var. <i>baroniana</i> Diels	Large-flower deutzia 바위말발도리 (Ba-wi-mal-bal-do-ri)
<i>Deutzia paniculata</i> Nakai	Paniced Korean deutzia 꼬리말발도리 (Kko-ri-mal-bal-do-ri)
<i>Deutzia parviflora</i> Bunge	Mongolian deutzia 말발도리 (Mal-bal-do-ri)
<i>Deutzia parviflora</i> var. <i>amurensis</i> Regel	Hairy Mongolian deutzia 털말발도리 (Teol-mal-bal-do-ri)
<i>Deutzia uniflora</i> Shirai	Korean deutzia 매화말발도리 (Mae-hwa-mal-bal-do-ri)
Dianthus L. [Caryophyllaceae]	Carnation, Pink, Sweet william 패랭이꽃속 (Pae-raeng-i-kkot-sok) [석죽과]
<i>Dianthus barbatus</i> var. <i>asiaticus</i> Nakai	Asian pink 수염패랭이꽃 (Su-yeom-pae-raeng-i-kkot)
<i>Dianthus chinensis</i> L.	Rainbow pink 패랭이꽃 (Pae-raeng-i-kkot)

Scientific name	English name Korean name (Romanization)
<i>Dianthus chinensis</i> var. <i>morii</i> (Nakai) Y.C.Chu	Dwarf rainbow pink 난쟁이패랭이꽃 (Nan-jaeng-i-pae-raeng-i-kkot)
* <i>Dianthus chinensis</i> f. <i>albiflora</i> T.B.Lee	White wild pink 흰패랭이꽃 (Huin-pae-raeng-i-kkot)
<i>Dianthus japonicus</i> Thunb.	Seashore pink 갯패랭이꽃 (Gaet-pae-raeng-i-kkot)
* <i>Dianthus litorosus</i> Makino ex Nakai	Beach pink 섬패랭이꽃 (Seom-pae-raeng-i-kkot)
<i>Dianthus longicalyx</i> Miq.	Longcalyx pink 슬퍼랭이꽃 (Sul-pae-raeng-i-kkot)
<i>Dianthus repens</i> Willd.	Northern pink 장백패랭이꽃 (Jang-baek-pae-raeng-i-kkot)
<i>Dianthus superbus</i> var. <i>alpestris</i> Kablik. ex Celak.	Alpine pink 구름패랭이꽃 (Gu-reum-pae-raeng-i-kkot)
* <i>Dianthus superbus</i> var. <i>longicalycinus</i> f. <i>albiflorus</i> Y.N.Lee	White fringed pink 흰술패랭이꽃 (Huin-sul-pae-raeng-i-kkot)
* <i>Dianthus superbus-chinensis</i> Y.N.Lee	Intermediate fringed pink 꽃패랭이꽃 (Kkot-pae-raeng-i-kkot)
Diapensia L. [Diapensiaceae]	Diapensia 암매속 (Am-mae-sok) [암매과]
<i>Diapensia lapponica</i> var. <i>obovata</i> F.Schmidt	Pincushion plant 암매 (Am-mae)
DIAPENSIACEAE Lindl.	Diapensia family 암매과 (Am-mae-gwa)
Diarrhena P.Beauv. [Poaceae]	Beakgrain 용수염속 (Yong-su-yeom-sok) [벼과]
<i>Diarrhena fauriei</i> (Hack.) Ohwi	Gwangneung beakgrain 광릉용수염 (Gwang-reung-yong-su-yeom)
<i>Diarrhena japonica</i> Franch. & Sav.	East Asian beakgrain 용수염 (Yong-su-yeom)

Scientific name	English name Korean name (Romanization)
<i>Diarrhena mandshurica</i> Maxim.	Manchurian beakgrain 껍질용수염 (Kkeop-jil-yong-su-yeom)
<i>Diarthron</i> Turcz. [Thymelaeaceae]	Diarthron 아마풀속 (A-ma-pul-sok) [팔꽃나무과]
<i>Diarthron linifolium</i> Turcz.	Flaxleaf Diarthron 아마풀 (A-ma-pul)
<i>Dicentra</i> Bernh. [Fumariaceae]	Bleeding heart 금낭화속 (Geum-nang-hwa-sok) [현호색과]
<i>Dicentra spectabilis</i> (L.) Lem.	Bleeding heart 금낭화 (Geum-nang-hwa)
<i>Dichondra</i> J.R.Forst. & G.Forst. [Convolvulaceae]	Ponyfoot 아욱메풀속 (A-uk-me-pul-sok) [매꽃과]
<i>Dichondra micrantha</i> Urb.	Kidney weed 아욱메풀 (A-uk-me-pul)
<i>Dicliptera</i> Juss. [Acanthaceae]	Foldwing 입술망초속 (Ip-sul-mang-cho-sok) [쥐꼬리망초과]
<i>Dicliptera japonica</i> (Thunb.) Makino	Small magenta plant 입술망초 (Ip-sul-mang-cho)
<i>Dicranopteris</i> Bernh. [Gleicheniaceae]	Forked fern 발풀고사리속 (Bal-pul-go-sa-ri-sok) [풀고사리과]
<i>Dicranopteris linearis</i> (Burm.f.) Underw.	Old world forked fern 발풀고사리 (Bal-pul-go-sa-ri)
<i>Dictamnus</i> L. [Rutaceae]	Burning bush, Dictamnus, Dittany, Fraxinella, Gas plant 백선속 (Baek-seon-sok) [운향과]
<i>Dictamnus dasycarpus</i> Turcz.	Dense-fruit dittany 백선 (Baek-seon)

D

Scientific name	English name Korean name (Romanization)
<i>Dictamnus dasycarpus</i> f. <i>velutinus</i> (Nakai) W.T.Lee	Hairy-leaf dense-fruit dittany 털백선 (Teol-baek-seon)
<i>Digitaria</i> Haller [Poaceae]	Crabgrass, Finger-grass 바랭이속 (Ba-raeng-i-sok) [벼과]
<i>Digitaria ciliaris</i> (Retz.) Koeler	Southern crabgrass 바랭이 (Ba-raeng-i)
<i>Digitaria radicosa</i> (J. Presl) Miq.	Trailing crabgrass 좀바랭이 (Jom-ba-raeng-i)
<i>Digitaria violascens</i> Link	Violet crabgrass 민바랭이 (Min-ba-raeng-i)
<i>Digitaria violascens</i> var. <i>intersita</i> (Ohwi) Ohwi	Seoul violet crabgrass 서울민바랭이 (Seo-ul-min-ba-raeng-i)
<i>Digitaria violascens</i> var. <i>lasiophylla</i> (Honda) Tuyama	Jeju violet crabgrass 탐라민바랭이 (Tam-ra-min-ba-raeng-i)
<i>Dimeria</i> R.Br. [Poaceae]	Dimeria 잔디바랭이속 (Jan-di-ba-raeng-i-sok) [벼과]
<i>Dimeria ornithopoda</i> Trin.	Birdleg dimeria 잔디바랭이 (Jan-di-ba-raeng-i)
<i>Dimeria ornithopoda</i> var. <i>subrobusta</i> Hack.	Coastal dimeria 갯바랭이 (Gaet-ba-raeng-i)
<i>Dioscorea</i> L. [Dioscoreaceae]	Yam 마속 (Ma-sok) [마과]
<i>Dioscorea japonica</i> Thunb.	East Asian mountain yam 참마 (Cham-ma)
<i>Dioscorea nipponica</i> Makino	Fan-leaf mountain yam 부채마 (Bu-chae-ma)
<i>Dioscorea polystachya</i> Turcz.	Chinese yam 마 (Ma)
<i>Dioscorea quinqueloba</i> Thunb.	Maple-leaf mountain yam 단풍마 (Dan-pung-ma)

Scientific name	English name Korean name (Romanization)
<i>Dioscorea septemloba</i> Thunb.	Chrysanthemum-leaf mountain yam 국화마 (Guk-hwa-ma)
<i>Dioscorea tenuipes</i> Franch. & Sav.	Sweet mountain yam 각시마 (Gak-si-ma)
<i>Dioscorea tokoro</i> Makino ex Miyabe	Tokoro mountain yam 도꼬로마 (Do-kko-ro-ma)
DIOSCOREACEAE R.Br.	Yam family 마과 (Ma-gwa)
<i>Diospyros</i> L. [Ebenaceae]	Diospyros, Ebony, Persimmon trees 감나무속 (Gam-na-mu-sok) [감나무과]
<i>Diospyros kaki</i> Thunb.	Oriental persimmon 감나무 (Gam-na-mu)
<i>Diospyros lotus</i> L.	Date-plum 고욤나무 (Go-yom-na-mu)
<i>Diplazium</i> Sw. [Dryopteridaceae]	Twinsorus fern 주름고사리속 (Ju-reum-go-sa-ri-sok) [면마과]
<i>Diplazium chinense</i> (Baker) C.Chr.	Asian twinsorus fern 암고사리 (Am-go-sa-ri)
<i>Diplazium hachijoense</i> Nakai	Jejudo twinsorus fern 섬잔고사리 (Seom-jan-go-sa-ri)
<i>Diplazium mesosorum</i> (Makino) Koidz.	Big twinsorus fern 큰개고사리 (Keun-gae-go-sa-ri)
<i>Diplazium nipponicum</i> Tagawa	Large Jejudo twinsorus fern 큰섬잔고사리 (Keun-seom-jan-go-sa-ri)
<i>Diplazium okudairai</i> Makino	East Asian twinsorus fern 개톱고사리 (Gae-top-go-sa-ri)
<i>Diplazium sibiricum</i> (Turcz. ex Kunze) Sa.Kurata	Mountain twinsorus fern 두메고사리 (Du-me-go-sa-ri)
<i>Diplazium sibiricum</i> var. <i>glabrum</i> (Tagawa) Sa.Kurata	Smooth mountain twinsorus fern 민두메고사리 (Min-du-me-go-sa-ri)

Scientific name	English name Korean name (Romanization)
<i>Diplazium squamigerum</i> (Mett.) Matsum.	Naejang twinsorus fern 내장고사리 (Nae-jang-go-sa-ri)
<i>Diplazium virescens</i> Kunze	Green twinsorus fern 검정비늘고사리 (Geom-jeong-bi-neul-go-sa-ri)
<i>Diplazium wichurae</i> (Mett.) Diels	Big-ear twinsorus fern 주름고사리 (Ju-reum-go-sa-ri)
DIPSACACEAE Juss.	Teasel family 산토끼꽃과 (San-to-kki-kkot-gwa)
<i>Dipsacus</i> L. [Dipsacaceae]	Teasel, Teazel, Teazole 산토끼꽃속 (San-to-kki-kkot-sok) [산토끼꽃과]
<i>Dipsacus japonicus</i> Miq.	East Asian teasel 산토끼꽃 (San-to-kki-kkot)
Disporum Salisb. [Liliaceae]	Disporum 애기나리속 (Ae-gi-na-ri-sok) [백합과]
<i>Disporum sessile</i> (Thunb.) D.Don ex Schult. & Schult.f.	Common fairybell 윤판나물아재비 (Yun-pan-na-mul-a-jae-bi)
<i>Disporum smilacinum</i> A.Gray	Star-flower fairybell 애기나리 (Ae-gi-na-ri)
<i>Disporum uniflorum</i> Baker	Korean fairybell 윤판나물 (Yun-pan-na-mul)
<i>Disporum viridescens</i> (Maxim.) Nakai	Green fairybell 큰애기나리 (Keun-ae-gi-na-ri)
Distylium Siebold & Zucc. [Hamamelidaceae]	Winter-hazel 조록나무속 (Jo-rok-na-mu-sok) [조록나무과]
<i>Distylium racemosum</i> Siebold & Zucc.	Evergreen witch hazel 조록나무 (Jo-rok-na-mu)
* <i>Distylium racemosum</i> f. <i>latifolia</i> Nakai	Broad evergreen witch hazel 넓은잎조록나무 (Neol-beun-ip-jo-rok-na-mu)
Dontostemon Andrz. ex Ledeb. [Brassicaceae]	Dontostemon 가는장대속 (Ga-neun-jang-dae-sok) [심자화과]

Scientific name	English name Korean name (Romanization)
<i>Dontostemon dentatus</i> (Bunge) C.A.Mey. ex Ledeb.	Dentate dontostemon 가는장대 (Ga-neun-jang-dae)
<i>Dontostemon hispidus</i> Maxim.	Bristle dontostemon 큰꽃장대 (Keun-kkot-jang-dae)
<i>Dopatrium</i> Buch.-Ham. ex Benth. [Scrophulariaceae]	Dopatrium 등에풀속 (Deung-e-pul-sok) [현삼과]
<i>Dopatrium junceum</i> (Roxb.) Buch.-Ham. ex Benth.	Horsefly's eye 등에풀 (Deung-e-pul)
<i>Draba</i> L. [Brassicaceae]	Draba, Whitlow-grasses 꽃다지속 (Kkot-da-ji-sok) [십자화과]
<i>Draba daurica</i> var. <i>ramosa</i> Pohl & Bush	Many-branch whitlow-grass 구름꽃다지 (Gu-reum-kkot-da-ji)
<i>Draba glabella</i> Pursh	Rock whitlow-grass 산꽃다지 (San-kkot-da-ji)
<i>Draba nemorosa</i> L.	Wood whitlow-grass 꽃다지 (Kkot-da-ji)
<i>Draba nemorosa</i> f. <i>leiocarpa</i> (Lindb.) Kitag.	Smooth wood whitlow-grass 민꽃다지 (Min-kkot-da-ji)
<i>Draba nipponica</i> Makino	Hairy whitlow-grass 털꽃다지 (Teol-kkot-da-ji)
<i>Dracocephalum</i> L. [Lamiaceae]	Dragonhead 용머리속 (Yong-meo-ri-sok) [꿀풀과]
<i>Dracocephalum argunense</i> Fisch. ex Link	Fischer's dragonhead 용머리 (Yong-meo-ri)
* <i>Dracocephalum argunense</i> f. <i>alba</i> T.B.Lee	White Fischer's dragon's head 흰용머리 (Huin-yong-meo-ri)
<i>Dracocephalum rupestre</i> Hance	Rupestrine dragon's head 벌깨풀 (Beol-kkae-pul)
<i>Drosera</i> L. [Droseraceae]	Sundew 끈끈이귀개속 (Kkeun-kkeun-i-gwi-gae-sok) [끈끈이귀개과]

D

Scientific name	English name Korean name (Romanization)
<i>Drosera anglica</i> Huds.	English sundew 긴잎끈끈이주걱 (Gin-ip-kkeun-kkeun-i-ju-geok)
<i>Drosera peltata</i> var. <i>nipponica</i> (Masam.) Ohwi ex E.Walker	East Asian shield sundew 끈끈이귀개 (Kkeun-kkeun-i-gwi-gae)
<i>Drosera rotundifolia</i> L.	Round-leaf sundew 끈끈이주걱 (Kkeun-kkeun-i-ju-geok)
DROSERACEAE Salisb.	Sundew family 끈끈이귀개과 (Kkeun-kkeun-i-gwi-gae-gwa)
<i>Dryas</i> L. [Rosaceae]	Mountain-avens 담자리꽃나무속 (Dam-ja-ri-kkot-na-mu-sok) [장미과]
<i>Dryas octopetala</i> var. <i>asiatica</i> (Nakai) Nakai	Asian eightpetal dryas 담자리꽃나무 (Dam-ja-ri-kkot-na-mu)
<i>Dryopsis</i> Holttum & P.J.Edwards [Dryopteridaceae]	Dryopsis 흰비늘고사리속 (Huin-bi-neul-go-sa-ri-sok) [면마과]
<i>Dryopsis maximowicziana</i> (Miq.) Holttum & P.J.Edwards	White-scale wood fern 흰비늘고사리 (Huin-bi-neul-go-sa-ri)
DRYOPTERIDACEAE Herter	Wood fern family 면마과 (Myeon-ma-gwa)
<i>Dryopteris</i> Adans. [Dryopteridaceae]	Buckler fern, Male fern, Wood fern 관중속 (Gwan-jung-sok) [면마과]
<i>Dryopteris amurensis</i> (Milde) Christ	Amur wood fern 아물고사리 (A-mul-go-sa-ri)
<i>Dryopteris bissetiana</i> (Baker) C.Chr.	Mountain buckler fern 산족제비고사리 (San-jok-je-bi-go-sa-ri)
<i>Dryopteris caudipinna</i> Nakai	Caudate autumn fern 가는흉지네고사리 (Ga-neun-hong-ji-ne-go-sa-ri)
<i>Dryopteris championii</i> (Benth.) C. Chr. ex Ching	Champion autumn fern 제주지네고사리 (Je-ju-ji-ne-go-sa-ri)
<i>Dryopteris chinensis</i> (Baker) Koidz.	Narrow-leaf buckler fern 가는잎족제비고사리 (Ga-neun-ip-jok-je-bi-go-sa-ri)

Scientific name	English name Korean name (Romanization)
<i>Dryopteris commixta</i> Tagawa	Little shaggy shield fern 애기톱지네고사리 (Ae-gi-top-ji-ne-go-sa-ri)
<i>Dryopteris coreano-montana</i> Nakai	Northern shield fern 북관중 (Buk-gwan-jung)
<i>Dryopteris crassirhizoma</i> Nakai	Shield fern 관중 (Gwan-jung)
<i>Dryopteris cycadina</i> (Franch. & Sav.) C.Chr.	Shaggy shield fern 톱지네고사리 (Top-ji-ne-go-sa-ri)
<i>Dryopteris decipiens</i> var. <i>diplozioides</i> (Christ) Ching	Baby-saw autumn fern 애기자네고사리 (Ae-gi-ji-ne-go-sa-ri)
<i>Dryopteris dickinsii</i> (Franch. & Sav.) C.Chr.	Big shaggy wood fern 큰톱지네고사리 (Keun-top-ji-ne-go-sa-ri)
<i>Dryopteris erythrosora</i> (Eat.) Kuntze	Autumn fern 홍지네고사리 (Hong-ji-ne-go-sa-ri)
<i>Dryopteris erythrosora</i> f. <i>viridisora</i> (Nakai ex H.Ito) H.Ito	Green autumn fern 청지네고사리 (Cheong-ji-ne-go-sa-ri)
<i>Dryopteris expansa</i> (C.Presl) Fraser-Jenk. & Jermy	Alpine buckler fern 페진고사리 (Peo-jin-go-sa-ri)
<i>Dryopteris formosana</i> (Christ) C.Chr.	Limelight wood fern 꼬리족제비고사리 (Kko-ri-jok-je-bi-go-sa-ri)
<i>Dryopteris fragrans</i> (L.) Schott	Fragrant fern 주저리고사리 (Ju-jeo-ri-go-sa-ri)
<i>Dryopteris fuscipes</i> C.Chr.	Big autumn fern 큰지네고사리 (Keun-ji-ne-go-sa-ri)
<i>Dryopteris goeringiana</i> (Kunze) Koidz.	Goering's wood fern 바위톱고사리 (Ba-wi-teum-go-sa-ri)
<i>Dryopteris gymnophylla</i> (Baker) C.Chr.	Golden buckler fern 금족제비고사리 (Geum-jok-je-bi-go-sa-ri)
<i>Dryopteris hondoensis</i> Koidz.	Larger red autumn fern 큰홍지네고사리 (Keun-hong-ji-ne-go-sa-ri)
<i>Dryopteris lacera</i> (Thunb.) Kuntze	Leatherly wood fern 비늘고사리 (Bi-neul-go-sa-ri)

D

Scientific name	English name Korean name (Romanization)
<i>Dryopteris lunanensis</i> (H.Christ) C.Chr.	Southern shaggy shield fern 남도톱지네고사리 (Nam-do-top-ji-ne-go-sa-ri)
<i>Dryopteris maximowiczii</i> (Baker) Kuntz.	East Asian wood fern 진저리고사리 (Jin-jeo-ri-go-sa-ri)
<i>Dryopteris kinkiensis</i> Koidz. ex Tagawa	Thin autumn fern 얇은잎지네고사리 (Yeol-beun-ip-ji-ne-go-sa-ri)
<i>Dryopteris medioxima</i> Koidz.	Shiny autumn fern 반들지네고사리 (Ban-deul-ji-ne-go-sa-ri)
<i>Dryopteris monticola</i> (Makino) C.Chr.	King wood fern 왕지네고사리 (Wang-ji-ne-go-sa-ri)
<i>Dryopteris nipponensis</i> Koidz.	True autumn fern 참지네고사리 (Cham-ji-ne-go-sa-ri)
<i>Dryopteris pacifica</i> (Nakai) Tagawa	Big buckler fern 큰족제비고사리 (Keun-jok-je-bi-go-sa-ri)
<i>Dryopteris polylepis</i> (Franch. & Sav.) C.Chr.	Japanese shield fern 산비늘고사리 (San-bi-neul-go-sa-ri)
<i>Dryopteris purpurella</i> Tagawa	Purple autumn fern 자주지네고사리 (Ja-ju-ji-ne-go-sa-ri)
<i>Dryopteris sabaei</i> (Franch. & Sav.) C.Chr.	Montane buckler fern 뫼족제비고사리 (Moe-jok-je-bi-go-sa-ri)
<i>Dryopteris sacrosanta</i> Koidz.	Baby buckler fern 애기족제비고사리 (Ae-gi-jok-je-bi-go-sa-ri)
<i>Dryopteris saxifraga</i> H.Itô	Rock buckler fern 바위족제비고사리 (Ba-wi-jok-je-bi-go-sa-ri)
<i>Dryopteris saxifragi-varia</i> Nakai	Gwangneung buckler fern 광릉족제비고사리 (Gwang-reung-jok-je-bi-go-sa-ri)
<i>Dryopteris subexaltata</i> (Christ) C.Chr.	Valley wood fern 계곡고사리 (Gye-gok-go-sa-ri)
<i>Dryopteris tokyoensis</i> (Matsum. ex Makino) C.Chr.	Sword-leaf wood fern 느리미고사리 (Neu-ri-mi-go-sa-ri)
<i>Dryopteris uniformis</i> (Makino) Makino	Uniform wood fern 곰비늘고사리 (Gom-bi-neul-go-sa-ri)

Scientific name	English name Korean name (Romanization)
<i>Dryopteris uniformis</i> f. <i>coreana</i> H.Ito	Korean uniform wood fern 참곰비늘고사리 (Cham-gom-bi-neul-go-sa-ri)
<i>Dryopteris varia</i> (L.) Kuntze	Apricot fern 족제비고사리 (Jok-je-bi-go-sa-ri)
<i>Dryopteris woodsiirosa</i> Hayata	Glandular wood fern 장수고사리 (Jang-su-go-sa-ri)
<i>Duchesnea</i> Sm. [Rosaceae]	<i>Duchesnea</i> 뱀딸기속 (Baem-ttal-gi-sok) [장미과]
<i>Duchesnea chrysanthia</i> (Zoll. & Mor.) Miq.	Wrinkled mock strawberry 뱀딸기 (Baem-ttal-gi)
<i>Duchesnea indica</i> (Andrews) Focke	Mock strawberry 민뱀딸기 (Min-baem-ttal-gi)
<i>Dumasia</i> DC. [Fabaceae]	<i>Dumasia</i> 비진도콩속 (Bi-jin-do-kong-sok) [콩과]
<i>Dumasia truncata</i> Siebold & Zucc.	Bijindo bean 비진도콩 (Bi-jin-do-kong)
<i>Dunbaria</i> Wight & Arn. [Fabaceae]	<i>Dunbaria</i> 여우풀속 (Yeo-u-pat-sok) [콩과]
<i>Dunbaria villosa</i> (Thunb.) Makino	Villous dunbaria 여우풀 (Yeo-u-pat)
<i>Dysophylla</i> Blume [Lamiaceae]	<i>Dysophylla</i> 물꼬리풀속 (Mul-kko-ri-pul-sok) [꿀풀과]
<i>Dysophylla stellata</i> (Lour.) Benth.	Water star 물꼬리풀 (Mul-kko-ri-pul)
<i>Dysophylla yatabeana</i> Makino	Jeonju pogostemon 전주물꼬리풀 (Jeon-ju-mul-kko-ri-pul)
<i>Dystaenia</i> Kitag. [Apiaceae]	<i>Dystaenia</i> 섬바디속 (Seom-ba-di-sok) [산형과]

D

Scientific name	English name Korean name (Romanization)
<i>Dystaenia takesimana</i> (Nakai) Kitag.	Ulleungdo dystaenia 섬바디 (Seom-ba-di)
E	
EBENACEAE Gürke	Ebony family 감나무과 (Gam-na-mu-gwa)
<i>Echinochloa</i> P.Beauv. [Poaceae]	Barnyard grass, Barnyard millets, Billion-dollar grasses, Cockspur grass 피속 (Pi-sok) [벼과]
<i>Echinochloa crus-galli</i> (L.) P.Beauv.	Barnyard grass 돌피 (Dol-pi)
<i>Echinochloa crus-galli</i> var. <i>praticola</i> Ohwi	Meadow barnyard grass 좀돌피 (Jom-dol-pi)
<i>Echinochloa esculenta</i> (A.Braun) H.Scholz	Esculent barnyard grass 피 (Pi)
<i>Echinochloa glabrescens</i> Munro ex Hook.f.	Hairless barnyard grass 대만피 (Dae-man-pi)
<i>Echinochloa oryzoides</i> (Ard.) Fritsch	Early barnyard grass 논피 (Non-pi)
<i>Echinops</i> L. [Asteraceae]	Globe thistles 절굿대속 (Jeol-gut-dae-sok) [국화과]
<i>Echinops latifolius</i> Tausch	Broad-leaf globe thistle 큰절굿대 (Keun-jeol-gut-dae)
<i>Echinops setifer</i> Iljin	Purple globe thistle 절굿대 (Jeol-gut-dae)
<i>Echinosophora</i> Nakai [Fabaceae]	Echinosophora 개느삼속 (Gae-neu-sam-sok) [콩과]
<i>Echinosophora koreensis</i> (Nakai) Nakai	Korean necklace pod 개느삼 (Gae-neu-sam)

Scientific name	English name Korean name (Romanization)
<i>Eclipta</i> L. [Asteraceae]	Eclipta 한련초속 (Han-ryeon-cho-sok) [국화과]
<i>Eclipta prostrata</i> (L.) L.	False daisy 한련초 (Han-ryeon-cho)
<i>Ehretia</i> P.Browne [Boraginaceae]	Ehretia 송양나무속 (Song-yang-na-mu-sok) [지치과]
<i>Ehretia acuminata</i> var. <i>obovata</i> (Lindl.) I.M.Johnst.	Oboval-leaf ehretia 송양나무 (Song-yang-na-mu)
ELAEAGNACEAE Juss.	Oleaster family 보리수나무과 (Bo-ri-su-na-mu-gwa)
<i>Elaeagnus</i> L. [Elaeagnaceae]	Oleaster, Silverberry 보리수나무속 (Bo-ri-su-na-mu-sok) [보리수나무과]
<i>Elaeagnus glabra</i> Thunb.	Autumn-flower olive 보리장나무 (Bo-ri-jang-na-mu)
<i>Elaeagnus glabra</i> f. <i>oxyphylla</i> (Servett.) W.T.Lee	Narrow-leaf autumn-flower olive 좁은잎보리장 (Jop-eun-ip-bo-ri-jang)
<i>Elaeagnus macrophylla</i> Thunb.	Broad-leaf olive 보리밥나무 (Bo-ri-bap-na-mu)
<i>Elaeagnus × maritima</i> Koidz.	Coastal olive 녹보리똥나무 (Nok-bo-ri-ttong-na-mu)
<i>Elaeagnus × submacrophylla</i> Servett.	Hybrid broad-leaf olive 큰보리장나무 (Keun-bo-ri-jang-na-mu)
<i>Elaeagnus umbellata</i> Thunb.	Autumn olive 보리수나무 (Bo-ri-su-na-mu)
<i>Elaeagnus umbellata</i> var. <i>coreana</i> (H.Lév.) H.Lév.	Korean autumn olive 왕보리수나무 (Wang-bo-ri-su-na-mu)
<i>Elaeagnus umbellata</i> var. <i>longicarpa</i> (Uye-ki) T.B.Lee	Long-fruit autumn olive 긴보리수나무 (Gin-bo-ri-su-na-mu)

E

Scientific name	English name Korean name (Romanization)
<i>Elaeagnus umbellata</i> var. <i>parvifolia</i> (Royle) C.K.Schneid.	Small-leaf autumn olive 민보리수나무 (Min-bo-ri-su-na-mu)
<i>Elaeagnus umbellata</i> var. <i>prematura</i> (Koidz.) T.B.Lee	Prematured autumn olive 을보리수나무 (Ol-bo-ri-su-na-mu)
ELAEOCARPACEAE Juss.	Elaeocarpus family 담팔수과 (Dam-pal-su-gwa)
<i>Elaeocarpus</i> L. [Elaeocarpaceae]	Elaeocarpus 담팔수속 (Dam-pal-su-sok) [담팔수과]
<i>Elaeocarpus sylvestris</i> var. <i>ellipticus</i> (Thunb.) H.Hara	Wild dampalsu trees 담팔수 (Dam-pal-su)
ELATINACEAE Dumort.	Waterwort family 물별과 (Mul-byeol-gwa)
<i>Elatine</i> L. [Elatinaceae]	Waterwort 물별속 (Mul-byeol-sok) [물별과]
<i>Elatine triandra</i> Schkuhr	Three-stamen waterwort 물벼룩이자리 (Mul-byeo-ruk-i-ja-ri)
<i>Elatine triandra</i> var. <i>pedicellata</i> Krylov	Pedicellate three-stamen waterwort 물별 (Mul-byeol)
<i>Elatostema</i> J.R.Forst. & G.Forst. [Urticaceae]	Elatostema 명울풀속 (Meong-ul-pul-sok) [쐐기풀과]
<i>Elatostema densiflorum</i> Franch. & Sav.	Densiflora elatostema 몽울풀 (Mong-ul-pul)
<i>Elatostema umbellata</i> (Siebold & Zucc.) Blume	Umbrella elatostema 우산물통이 (U-san-mul-tong-i)
<i>Eleocharis</i> R.Br. [Cyperaceae]	Spikerushes, Spikesedges 바늘골속 (Ba-neul-gol-sok) [사초과]
<i>Eleocharis acicularis</i> subsp. <i>yokoscensis</i> (Franch. & Sav.) T.V.Egorova	Wonsan spikerush 원산쇠털골 (Won-san-soe-teol-gol)

Scientific name	English name Korean name (Romanization)
<i>Eleocharis acicularis</i> f. <i>longiseta</i> (Svenson) T.Koyama	Needle spikerush 쇠털골 (Soe-teol-gol)
<i>Eleocharis attenuata</i> (Franch. & Sav.) Palla	True needle spikerush 참바늘골 (Cham-ba-neul-gol)
* <i>Eleocharis changchaensis</i> Y.C.Oh & G.Y.Lee	Changchaen spikerush 돌기네모골 (Dol-gi-ne-mo-gol)
<i>Eleocharis congesta</i> D.Don	Dense-flower spikerush 바늘골 (Ba-neul-gol)
<i>Eleocharis dulcis</i> (Burm.f.) Trin. ex Hensch.	Water chestnut 남방개 (Nam-bang-gae)
<i>Eleocharis equisetiformis</i> (Meinsh.) B.Fedtsch.	Horsetail-like spikerush 까락골 (Kka-rak-gol)
<i>Eleocharis kamtschatica</i> (C.A.Mey.) Korn.	Bristleless spikerush 올방개아재비 (Ol-bang-gae-a-jae-bi)
<i>Eleocharis kamtschatica</i> f. <i>reducta</i> (Ohwi) Ohwi	Non-perianth bristleless spikerush 무화피올방개아재비 (Mu-hwa-pi-ol-bang-gae-a-jae-bi)
<i>Eleocharis kuroguwai</i> Ohwi	East Asian spikerush 올방개 (Ol-bang-gae)
<i>Eleocharis mamillata</i> var. <i>cyclocarpa</i> Kitag.	Ussuri spikerush 물꼬챙이골 (Mul-kko-chaeng-i-gol)
<i>Eleocharis margaritacea</i> (Hultén) Miyabe & Kudô	Margaric spikerush 흰바늘골 (Huin-ba-neul-gol)
<i>Eleocharis ovata</i> (Roth) Roem. & Schult.	Ovate spikerush 둥근검바늘골 (Dung-geun-geom-ba-neul-gol)
<i>Eleocharis pellucida</i> J.Presl & C.Presl	Pellucid spikerush 원산바늘골 (Won-san-ba-neul-gol)
<i>Eleocharis tetraquetra</i> Nees	Square-stem spikerush 네모골 (Ne-mo-gol)
<i>Eleocharis wichurae</i> Boeckeler	Small-square spikerush 줌네모골 (Jom-ne-mo-gol)

E

Scientific name	English name Korean name (Romanization)
<i>Eleusine Gaertn.</i> [Poaceae]	Goosegrass 왕바랭이속 (Wang-ba-raeng-i-sok) [벼과]
<i>Eleusine indica</i> (L.) Gaertn.	Indian goosegrass 왕바랭이 (Wang-ba-raeng-i)
<i>Eleutherococcus Maxim.</i> [Araliaceae]	Eleuthero, Ginseng, Siberian ginseng 오갈피나무속 (O-gal-pi-na-mu-sok) [두릅나무과]
<i>Eleutherococcus divaricatus</i> (Siebold & Zucc.) S.Y.Hu	Spreading-hair eleuthero 털오갈피나무 (Teol-o-gal-pi-na-mu)
<i>Eleutherococcus divaricatus</i> var. <i>chiisanensis</i> (Nakai) C.H.Kim & B.Y.Sun	Jirisan spreading-hair eleuthero 지리산오갈피 (Ji-ri-san-o-gal-pi)
<i>Eleutherococcus gracilistylus</i> (W.W.Sm.) S.Y.Hu	Hairy-style eleuthero 섬오갈피나무 (Seom-o-gal-pi-na-mu)
<i>Eleutherococcus senticosus</i> (Rupr. & Maxim.) Maxim.	Devil's bush 가시오갈피 (Ga-si-o-gal-pi)
<i>Eleutherococcus sessiliflorus</i> (Rupr. & Maxim.) S.Y.Hu	Stalkless-flower eleuthero 오갈피나무 (O-gal-pi-na-mu)
<i>Elsholtzia Willd.</i> [Lamiaceae]	Elsholtzia 향유속 (Hyang-yu-sok) [꿀풀과]
<i>Elsholtzia angustifolia</i> (Loes.) Kitag.	Narrow-leaf mint 가는잎향유 (Ga-neun-ip-hyang-yu)
<i>Elsholtzia ciliata</i> (Thunb.) HyL.	Crested late-summer mint 향유 (Hyang-yu)
* <i>Elsholtzia ciliata</i> f. <i>leucantha</i> (Nakai) T.B.Lee	White-flower mint 흰향유 (Huin-hyang-yu)
* <i>Elsholtzia hallasanensis</i> Y.N.Lee	Halla mint 한라꽃향유 (Han-ra-kkot-hyang-yu)
* <i>Elsholtzia hallasanensis</i> f. <i>albiflora</i> Y.N.Lee	White-flower Halla mint 흰한라꽃향유 (Huin-han-ra-kkot-hyang-yu)
<i>Elsholtzia minima</i> Nakai	Smallest mint 좀향유 (Jom-hyang-yu)

Scientific name	English name Korean name (Romanization)
<i>Elsholtzia saxatilis</i> (Kom.) Nakai ex Kitag.	Rocky mint 애기향유 (Ae-gi-hyang-yu)
<i>Elsholtzia splendens</i> Nakai	Shiny mint 꽃향유 (Kkot-hyang-yu)
* <i>Elsholtzia splendens</i> f. <i>albiflora</i> Y.N.Lee	White-flower shiny mint 흰꽃향유 (Huin-kkot-hyang-yu)
* <i>Elsholtzia splendens</i> f. <i>roseola</i> Y.N.Lee	Pink-flower shiny mint 분홍꽃향유 (Bun-hong-kkot-hyang-yu)
<i>Elymus</i> L. [Poaceae]	Wildrye, Wheatgrass 갓보리속 (Gaet-bo-ri-sok) [벼과]
<i>Elymus ciliaris</i> (Trin.) Tzvelev	Ciliate wheatgrass 속털개밀 (Sok-teol-gae-mil)
<i>Elymus ciliaris</i> var. <i>hackelianus</i> (Honda) G.Zhu & S.L.Chen	Slender wheatgrass 가는개밀 (Ga-neun-gae-mil)
<i>Elymus coreanus</i> Honda	Korean wheatgrass 고려개보리 (Go-ryeo-gae-bo-ri)
<i>Elymus dahuricus</i> Turcz. ex Griseb.	Dahurian wheatgrass 갯보리 (Gaet-bo-ri)
<i>Elymus dahuricus</i> var. <i>villosulus</i> (Ohwi) Ohwi	Velvety Dahurian wheatgrass 산갓보리 (San-gaet-bo-ri)
<i>Elymus gmelinii</i> (Ledeb.) Tzvelev	Hairy wheatgrass 털개밀 (Teol-gae-mil)
<i>Elymus nipponicus</i> Jaaska	Purplish wheatgrass 자주개밀 (Ja-ju-gae-mil)
<i>Elymus sibiricus</i> L.	Siberian wheatgrass 개보리 (Gae-bo-ri)
<i>Elymus tsukushiensis</i> var. <i>transiens</i> (Hack.) Osada	Wheatgrass 개밀 (Gae-mil)
<i>Elymus yezoensis</i> var. <i>koryoensis</i> (Honda) Osada	Gwangneung wheatgrass 광릉개밀 (Gwang-reung-gae-mil)
EMPETRACEAE Hook. & Lindl.	Crowberry family 시로미과 (Si-ro-mi-gwa)

Scientific name	English name Korean name (Romanization)
<i>Empetrum</i> L. [Empetraceae]	Crowberry 시로미속 (Si-ro-mi-sok) [시로미과]
<i>Empetrum nigrum</i> var. <i>japonicum</i> K.Koch	Korean crowberry 시로미 (Si-ro-mi)
<i>Enemion</i> Raf. [Ranunculaceae]	False rue anemone 나도바람꽃속 (Na-do-ba-ram-kkot-sok) [미나리아재비과]
<i>Enemion raddeanum</i> Regel	East Asian false rue anemone 나도바람꽃 (Na-do-ba-ram-kkot)
<i>Epilobium</i> L. [Onagraceae]	Willowherb 바늘꽃속 (Ba-neul-kkot-sok) [바늘꽃과]
<i>Epilobium amurense</i> Hausskn.	Amur willowherb 호바늘꽃 (Ho-ba-neul-kkot)
<i>Epilobium angulatum</i> Kom.	Angular willowherb 두메바늘꽃 (Du-me-ba-neul-kkot)
<i>Epilobium angustifolium</i> L.	Rosebay willowherb 분홍바늘꽃 (Bun-hong-ba-neul-kkot)
<i>Epilobium cephalostigma</i> var. <i>nudicarpum</i> (Kom.) H.Hara	Broad-leaf willowherb 넓은잎바늘꽃 (Neol-beun-ip-ba-neul-kkot)
<i>Epilobium cylindrostigma</i> Kom.	Cylindrical-stigma willowherb 명천바늘꽃 (Myeong-cheon-ba-neul-kkot)
<i>Epilobium fastigiato-ramosum</i> Nakai	Fastigiate-branch willowherb 회령바늘꽃 (Hoe-ryeong-ba-neul-kkot)
<i>Epilobium glandulosum</i> var. <i>asiaticum</i> H.Hara	Asian northern willowherb 줄바늘꽃 (Jul-ba-neul-kkot)
<i>Epilobium hirsutum</i> L.	Great hairy willowherb 큰바늘꽃 (Keun-ba-neul-kkot)
<i>Epilobium palustre</i> L.	Marsh willowherb 버들바늘꽃 (Beo-deul-ba-neul-kkot)
<i>Epilobium palustre</i> var. <i>fischerianum</i> Hausskn.	Small marsh willowherb 애기바늘꽃 (Ae-gi-ba-neul-kkot)

Scientific name	English name Korean name (Romanization)
<i>Epilobium pyrricholophum</i> Franch. & Sav.	Long-seed willowherb 바늘꽃 (Ba-neul-kkot)
<i>Epilobium pyrricholophum</i> var. <i>curvatopilosum</i> H.Hara	Halla willowherb 한라바늘꽃 (Han-ra-ba-neul-kkot)
<i>Epilobium tenue</i> Kom.	Slender willowherb 좀바늘꽃 (Jom-ba-neul-kkot)
<i>Epimedium</i> L. [Berberidaceae]	Barrenwort, Bishop's hat, Epimedium, Fairy wings, Horny goat weed, Randy beef grass, Rowdy lamb herb, Yin yang huo 삼지구엽초속 (Sam-ji-gu-yeop-cho-sok) [매자나무과]
<i>Epimedium koreanum</i> Nakai	Korean epimedium 삼지구엽초 (Sam-ji-gu-yeop-cho)
<i>Epipactis</i> Zinn [Orchidaceae]	Helleborine 닭의난초속 (Dak-ui-nan-cho-sok) [난초과]
* <i>Epipactis albiflora</i> T.H.Chung	White-flower helleborine 흰닭의난초 (Huin-dak-ui-nan-cho)
<i>Epipactis papillosa</i> Franch. & Sav.	Green-flower helleborine 청닭의난초 (Cheong-dak-ui-nan-cho)
<i>Epipactis papillosa</i> var. <i>imkoeensis</i> Y.N.Lee & K.S.Lee	Imgye green-flower helleborine 임계청닭의난초 (Im-gye-cheong-dak-ui-nan-cho)
<i>Epipactis puzenensis</i> T.H.Chung	Bujeon helleborine 부전란 (Bu-jeon-ran)
<i>Epipactis thunbergii</i> A.Gray	Thunberg's helleborine 닭의난초 (Dak-ui-nan-cho)
<i>Epipogium</i> J.F.Gmel. ex Borkh. [Orchidaceae]	Epipogium 유령란속 (Yu-ryeong-ran-sok) [난초과]
<i>Epipogium aphyllum</i> Sw.	Leafless epipogium 유령란 (Yu-ryeong-ran)
EQUISETACEAE Michx. ex DC.	Horsetail family 속새과 (Sok-sae-gwa)

Scientific name	English name Korean name (Romanization)
<i>Equisetum</i> L. [Equisetaceae]	Horsetail, Puzzleglass, Snake grass 속새속 (Sok-sae-sok) [속새과]
<i>Equisetum arvense</i> L.	Field horsetail 쇠뜨기 (Soe-tteu-gi)
<i>Equisetum arvense</i> var. <i>boreale</i> (Bong.) Rupr.	Northern field horsetail 북쇠뜨기 (Buk-soe-tteu-gi)
<i>Equisetum fluviatile</i> L.	Water horsetail 물속새 (Mul-sok-sae)
<i>Equisetum hyemale</i> L.	Scouringrush horsetail 속새 (Sok-sae)
<i>Equisetum palustre</i> L.	Marsh horsetail 개쇠뜨기 (Gae-soe-tteu-gi)
<i>Equisetum pratense</i> Ehrh.	Meadow horsetail 풀쇠뜨기 (Mul-soe-tteu-gi)
<i>Equisetum ramosissimum</i> Desf.	Branched horsetail 개속새 (Gae-sok-sae)
<i>Equisetum scirpoides</i> Michx.	Dwarf horsetail 줌속새 (Jom-sok-sae)
<i>Equisetum sylvaticum</i> L.	Woodland horsetail 능수쇠뜨기 (Neung-su-soe-tteu-gi)
<i>Eragrostis</i> Wolf [Poaceae]	Lovegrass, Canegrass 참새그령속 (Cham-sae-geu-ryeong-sok) [벼과]
<i>Eragrostis ciliaris</i> (Bellardi) Vignolo ex Janch.	Lovegrass 참새그령 (Cham-sae-geu-ryeong)
<i>Eragrostis ferruginea</i> (Thunb.) P.Beauv.	Korean lovegrass 그령 (Geu-ryeong)
<i>Eragrostis japonica</i> (Thunb.) Trin.	Pond lovegrass 각시그령 (Gak-si-geu-ryeong)
<i>Eragrostis minor</i> Host	Little lovegrass 줌새그령 (Jom-sae-geu-ryeong)

Scientific name	English name Korean name (Romanization)
<i>Eragrostis multicaulis</i> Steud.	Multi-stem lovegrass 비노리 (Bi-no-ri)
<i>Eragrostis pilosa</i> (L.) P.Beauv.	Indian lovegrass 큰비노리 (Keun-bi-no-ri)
<i>Eranthis</i> Salisb. [Ranunculaceae]	Eranthis, Winter aconite 너도바람꽃속 (Neo-do-ba-ram-kkot-sok) [미나리아재비과]
<i>Eranthis byunsanensis</i> B.Y.Sun	Byeonsan winter aconite 변산바람꽃 (Beyon-san-ba-ram-kkot)
<i>Eranthis pungdoensis</i> B.U.Oh	Poongdo winter aconite 풍도바람꽃 (Pung-do-ba-ram-kkot)
<i>Eranthis stellata</i> Maxim.	White snowdrop 너도바람꽃 (Neo-do-ba-ram-kkot)
ERICACEAE Juss.	Heath family 진달래과 (Jin-dal-rae-gwa)
<i>Erigeron</i> L. [Asteraceae]	Fleabane 개망초속 (Gae-mang-cho-sok) [국화과]
<i>Erigeron acris</i> L.	Bitter fleabane 민망초 (Min-mang-cho)
<i>Erigeron acris</i> var. <i>kamtschaticus</i> (DC.) Herder	Kamchatka fleabane 산민망초 (San-min-mang-cho)
<i>Erigeron thunbergii</i> subsp. <i>glabratus</i> (A.Gray) H.Hara	Korean alpine fleabane 구름국화 (Gu-reum-guk-hwa)
* <i>Erigeron thunbergii</i> subsp. <i>glabratus</i> f. <i>albiflorus</i> Y.N.Lee	White hairless fleabane 흰구름국화 (Huin-gu-reum-guk-hwa)
ERIOCAULACEAE Martinov	Pipewort family 곡정초과 (Gok-jeong-cho-gwa)
<i>Eriocaulon</i> L. [Eriocaulaceae]	Pipewort 곡정초속 (Gok-jeong-cho-sok) [곡정초과]
<i>Eriocaulon alpestre</i> Hook.f. & Thomson ex Körn.	Robust pipewort 넓은잎개수염 (Neol-beun-ip-gae-su-yeom)

E

Scientific name	English name Korean name (Romanization)
<i>Eriocaulon atrum</i> Nakai	Dark-flower pipewort 검은곡정초 (Geom-eun-gok-jeong-cho)
<i>Eriocaulon buergerianum</i> Körn.	Buerger's pipewort 장흥곡정초 (Jang-heung-gok-jeong-cho)
<i>Eriocaulon cinereum</i> R.Br.	Ashy pipewort 곡정초 (Gok-jeong-cho)
<i>Eriocaulon decemflorum</i> Maxim.	Small pipewort 좀개수염 (Jom-gae-su-yeom)
<i>Eriocaulon decemflorum</i> var. <i>nipponicum</i> (Maxim.) Nakai	Thread pipewort 실개수염 (Sil-gae-su-yeom)
<i>Eriocaulon glaberrimum</i> var. <i>platypetalum</i> (Satake) Satake	Jeju pipewort 제주검정곡정초 (Je-ju-geom-jeong-gok-jeong-cho)
<i>Eriocaulon hondoense</i> Satake	Big pipewort 큰개수염 (Keun-gae-su-yeom)
<i>Eriocaulon latipetalum</i> Y.C.Oh & C.S.Heo	Wide-petal pipewort 넓은꽃잎개수염 (Neol-beun-kkot-ip-gae-su-yeom)
<i>Eriocaulon miquelianum</i> Körn.	Miquel's pipewort 개수염 (Gae-su-yeom)
<i>Eriocaulon parvum</i> Körn.	Black pipewort 검은개수염 (Geom-eun-gae-su-yeom)
<i>Eriocaulon setaceum</i> L.	Setaceous-leaf pipewort 가지곡정초 (Ga-ji-gok-jeong-cho)
<i>Eriocaulon sikokianum</i> Maxim.	White pipewort 흰개수염 (Huin-gae-su-yeom)
<i>Eriocaulon sphagnicolum</i> Ohwi	Moss pipewort 애기곡정초 (Ae-gi-gok-jeong-cho)
<i>Eriocaulon tenuissimum</i> Nakai	Slender pipewort 가는개수염 (Ga-neun-gae-su-yeom)
<i>Eriochloa</i> Kunth [Poaceae]	Cupgrass 나도개피속 (Na-do-gae-pi-sok) [벼과]

Scientific name	English name Korean name (Romanization)
<i>Eriochloa villosa</i> (Thunb.) Kunth	Hairy cupgrass 나도개피 (Na-do-gae-pi)
<i>Eriophorum</i> L. [Cyperaceae]	Cottongrass, Cotton-grass, Cottonsedge 황새풀속 (Hwang-sae-pul-sok) [사초과]
<i>Eriophorum angustifolium</i> Honck.	Common cottonsedge 참황새풀 (Cham-hwang-sae-pul)
<i>Eriophorum brachyantherum</i> Trautv. & C.A.Mey.	Northland cottonsedge 설령황새풀 (Seol-ryeong-hwang-sae-pul)
<i>Eriophorum gracile</i> Koch	Slender cottonsedge 작은황새풀 (Jak-eun-hwang-sae-pul)
<i>Eriophorum japonicum</i> Maxim.	Mountain cottonsedge 두메황새풀 (Du-me-hwang-sae-pul)
<i>Eriophorum latifolium</i> Hoppe	Broad-leaf cottonsedge 큰황새풀 (Keun-hwang-sae-pul)
<i>Eriophorum vaginatum</i> L.	Tussock cottonsedge 황새풀 (Hwang-sae-pul)
<i>Eritrichium</i> Schrad. ex Gaudin [Boraginaceae]	Alpine forget-me-not 산지치속 (San-ji-chi-sok) [지치과]
<i>Eritrichium sitchensense</i> Popov	East Asian alpine forget-me-not 산지치 (San-ji-chi)
<i>Erodium</i> L'Hér. ex Aiton [Geraniaceae]	Filarees, Heron's bill, Stork's bill 국화쥐손이속 (Guk-hwa-jwi-son-i-sok) [쥐손이풀과]
<i>Erodium stephannianum</i> Willd.	Stephen's stork's bill 국화쥐손이 (Guk-hwa-jwi-son-i)
<i>Erysimum</i> L. [Brassicaceae]	Wallflower 쑥부지깽이속 (Ssuk-bu-ji-kkaeng-i-sok) [십자화과]
<i>Erysimum amurense</i> Kitag.	Amur wallflower 부지깽이나물 (Bu-ji-kkaeng-i-na-mul)

E

Scientific name	English name Korean name (Romanization)
<i>Erysimum cheiranthoides</i> L.	Wormseed wallflower 쑥부지깽이 (Ssuk-bu-ji-kkaeng-i)
<i>Erythronium</i> L. [Liliaceae]	Fawn lily, Trout lily, Dog's-tooth violet, Adder's tongue 얼레지속 (Eol-re-ji-sok) [백합과]
<i>Erythronium japonicum</i> Decne.	Asian fawnlily 얼레지 (Eol-re-ji)
* <i>Erythronium japonicum</i> f. <i>album</i> T.B.Lee	White Asian fawnlily 흰얼레지 (Huin-eol-re-ji)
<i>Euchiton</i> F.Cuvier [Asteraceae]	Euchiton 풀솜나물속(Pul-som-na-mul-sok)
<i>Euchiton japonicus</i> (Thunb.) Holub	Father-and-child plant 풀솜나물 (Pul-som-na-mul)
<i>Euchresta</i> Benn. [Fabaceae]	Euchresta 만년콩속 (Man-nyeon-kong-sok) [콩과]
<i>Euchresta japonica</i> Hook.f. ex Regel	East Asian euchresta 만년콩 (Man-nyeon-kong)
<i>Eulalia</i> Kunth [Poaceae]	Eulalia 개억새속 (Gae-eok-sae-sok) [벼과]
<i>Eulalia quadrinervis</i> (Hack.) Kuntze	Four-nerve eulalia 틸개억새 (Teol-gae-eok-sae)
<i>Eulalia speciosa</i> (Debeaux) Kuntze	Beautiful eulalia 개억새 (Gae-eok-sae)
<i>Euonymus</i> L. [Celastraceae]	Spindle, Spindletree 화살나무속 (Hwa-sal-na-mu-sok) [노박덩굴과]
<i>Euonymus alatus</i> (Thunb.) Siebold	Burning bush spindletree 화살나무 (Hwa-sal-na-mu)
<i>Euonymus alatus</i> f. <i>apterus</i> (Regel) Rehder	Cork spindletree 당회잎나무 (Danghoe-ip-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Euonymus alatus</i> f. <i>ciliatodentatus</i> (Franch. & Sav.) Hiyama	Spindle tree 회잎나무 (Hoe-ip-na-mu)
<i>Euonymus alatus</i> f. <i>pilosus</i> (O.Loes. & Rehder) Ohwi	Hairy burning bush spindletree 털화살나무 (Teol-hwa-sal-na-mu)
<i>Euonymus bungeanus</i> Maxim.	Winter-berry spindletree 좀참빗살나무 (Jom-cham-bit-sal-na-mu)
<i>Euonymus chibae</i> Makino	Geomundo evergreen spindletree 섬회나무 (Seomhoe-na-mu)
<i>Euonymus fortunei</i> (Turcz.) Hand.-Mazz.	Winter creeper spindletree 좀사철나무 (Jom-sa-cheol-na-mu)
<i>Euonymus fortunei</i> var. <i>radicans</i> (Miq.) Rehder	Radicans winter creeper spindletree 줄사철나무 (Jul-sa-cheol-na-mu)
<i>Euonymus hamiltonianus</i> Wall.	Hamilton's spindletree 참빗살나무 (Cham-bit-sal-na-mu)
<i>Euonymus hamiltonianus</i> var. <i>maackii</i> (Rupr.) Kom.	Maack's spindletree 좁은잎참빗살나무 (Jop-eun-ip-cham-bit-sal-na-mu)
<i>Euonymus japonicus</i> Thunb.	Evergreen spindletree 사철나무 (Sa-cheol-na-mu)
<i>Euonymus japonicus</i> var. <i>acutus</i> Rehder	Acute-leaf evergreen spindletree 뾰족잎사철나무 (Ppyo-jok-ip-sa-cheol-na-mu)
<i>Euonymus macropterus</i> Rupr.	Ussuri spindletree 나래회나무 (Na-rae-hoe-na-mu)
<i>Euonymus oligospermus</i> Ohwi	<u>see</u> <i>Euonymus pauciflorus</i> Maxim.
<i>Euonymus oxyphyllus</i> Miq.	Korean spindletree 참회나무 (Chamhoe-na-mu)
<i>Euonymus pauciflorus</i> Maxim.	Few-flower spindletree 회목나무 (Hoe-mok-na-mu)
<i>Euonymus quelpaertensis</i> Nakai	Jejudo spindletree 동근잎참빗살나무 (Dung-geun-ip-cham-bit-sal-na-mu)
<i>Euonymus sachalinensis</i> (F.Schmidt) Maxim.	Siberian spindletree 회나무 (Hoe-na-mu)

E

Scientific name	English name Korean name (Romanization)
<i>Euonymus trapococca</i> Nakai	Willow spindletree 벼들회나무 (Beo-deul-hoe-na-mu)
<i>Eupatorium</i> L. [Asteraceae]	Boneset, Snakeroot, Thoroughwort 등골나물속 (Deung-gol-na-mul-sok) [국화과]
<i>Eupatorium chinense</i> var. <i>angustatum</i> H.Hara	Smooth eupatorium 민등골나물 (Min-deung-gol-na-mul)
<i>Eupatorium chinense</i> var. <i>dissectum</i> (Makino) H.Hara	Dissected eupatorium 갈래등골나물 (Gal-lae-deung-gol-na-mul)
<i>Eupatorium japonicum</i> Thunb.	Fragrant eupatorium 등골나물 (Deung-gol-na-mul)
<i>Eupatorium lindleyanum</i> DC.	Lindley eupatorium 골등골나물 (Gol-deung-gol-na-mul)
<i>Eupatorium makinoi</i> var. <i>oppositifolium</i> (Koidz.) Kawahara & Yahara	Opposite-leaf eupatorium 벌등골나물 (Beol-deung-gol-na-mul)
<i>Eupatorium tripartitum</i> (Makino) Murata & H.Koyama	Triparted-leaf eupatorium 향등골나물 (Hyang-deung-gol-na-mul)
<i>Euphorbia</i> L. [Euphorbiaceae]	Spurge 대극속 (Dae-geuk-sok) [대극과]
<i>Euphorbia barbellata</i> var. <i>imaii</i> (Hurus.) Kitag.	Pyeongyang spurge 평양대극 (Pyeong-yang-dae-geuk)
<i>Euphorbia ebracteolata</i> Hayata	Red spurge 붉은대극 (Bul-geun-dae-geuk)
<i>Euphorbia ebracteolata</i> var. <i>coreana</i> Hurus.	Pungdo spurge 풍도대극 (Pung-do-dae-geuk)
<i>Euphorbia ebracteolata</i> f. <i>magna</i> Y.N.Lee	Seorak spurge 설악대극 (Seol-ak-dae-geuk)
<i>Euphorbia esula</i> L.	Leafy spurge 흰대극 (Huin-dae-geuk)
<i>Euphorbia fauriei</i> H.Lév. & Vaniot ex H.Lév.	Korean mountain spurge 두메대극 (Du-me-dae-geuk)

Scientific name	English name Korean name (Romanization)
<i>Euphorbia fischeriana</i> Steud.	Pallas' spurge 낭독 (Nang-dok)
<i>Euphorbia hakutosanensis</i> Hurus.	Baedususan spurge 백두산대극 (Baek-du-san-dae-geuk)
<i>Euphorbia helioscopia</i> L.	Madwoman's milk 등대풀 (Deung-dae-pul)
<i>Euphorbia humifusa</i> Willd. ex Schltld.	Humifuse spurge 땅빈대 (Ttang-bin-dae)
<i>Euphorbia hytonoma</i> Hand.-Mazz.	Short-style spurge 단주대극 (Dan-ju-dae-geuk)
<i>Euphorbia jolkinii</i> Boiss.	Jolkin's spurge 암대극 (Am-dae-geuk)
<i>Euphorbia lucorum</i> Rupr.	Shiny spurge 참대극 (Cham-dae-geuk)
<i>Euphorbia lucorum</i> f. <i>glabrata</i> (Maxim.) Hurus.	Glabrous shiny spurge 민참대극 (Min-cham-dae-geuk)
<i>Euphorbia octoradiata</i> H.Lév. & Vaniot ex H.Lév.	Jeju spurge 제주대극 (Je-ju-dae-geuk)
<i>Euphorbia pekinensis</i> Rupr.	Common spurge 대극 (Dae-geuk)
* <i>Euphorbia pekinensis</i> var. <i>subulatifolius</i> (Hurus.) T.B.Lee	Mokpo spurge 목포대극 (Mok-po-dae-geuk)
<i>Euphorbia sieboldiana</i> Morren & Decne.	Siebold's spurge 개감수 (Gae-gam-su)
<i>Euphorbia togakusensis</i> Hayata	Jiri spurge 지리대극 (Ji-ri-dae-geuk)
EUPHORBIACEAE Juss.	Spurge family 대극과 (Dae-geuk-gwa)
<i>Euphrasia</i> L. [Scrophulariaceae]	Eyebright 좁쌀풀속 (Jop-ssal-pul-sok) [현삼과]
<i>Euphrasia coreana</i> W.Becker	Korean eyebright 깔끔좁쌀풀 (Kkal-kkeum-jop-ssal-pul)

E

Scientific name	English name Korean name (Romanization)
<i>Euphrasia coreanalpina</i> Nakai ex Y.Kimura	Korean alpine eyebright 애기좁쌀풀 (Ae-gi-jop-ssal-pul)
<i>Euphrasia hirtella</i> Jord. ex Reut.	Long-glandular eyebright 큰산좁쌀풀 (Keun-san-jop-ssal-pul)
<i>Euphrasia maximowiczii</i> Wettst.	Maximowicz's eyebright 았은좁쌀풀 (An-jeun-jop-ssal-pul)
<i>Euphrasia retrotricha</i> Nakai ex T.H.Chung	Downward-hairy eyebright 털좁쌀풀 (Teol-jop-ssal-pul)
<i>Eurya</i> Thunb. [Theaceae]	Eurya 사스레피나무속 (Sa-seu-re-pi-na-mu-sok) [차나무과]
<i>Eurya emarginata</i> (Thunb.) Makino	Emarginate eurya 우뚝사스레피 (U-muk-sa-seu-re-pi)
<i>Eurya japonica</i> Thunb.	East Asian eurya 사스레피나무 (Sa-seu-re-pi-na-mu)
<i>Eurya japonica</i> var. <i>aurescens</i> Redde & E.H.Wilson	Yellow East Asian eurya 떡사스레피나무 (Tteok-sa-seu-re-pi-na-mu)
<i>Eurya japonica</i> f. <i>integra</i> (Nakai) T.B.Lee	East Asian island eurya 섬사스레피나무 (Seom-sa-seu-re-pi-na-mu)
<i>Euryale</i> Salisb. [Nymphaeaceae]	Euryale 가시연속 (Ga-si-yeon-sok) [수련과]
<i>Euryale ferox</i> Salisb.	Prickly waterlily 가시연 (Ga-si-yeon)
<i>Euscaphis</i> Siebold & Zucc. [Staphyleaceae]	Euscaphis 말오줌때속 (Mal-o-jum-itae-sok) [고추나무과]
<i>Euscaphis japonica</i> (Thunb.) Kanitz	Korean sweetheart tree 말오줌때 (Mal-o-jum-itae)
<i>Eutrema</i> R.Br. [Brassicaceae]	Eutrema 고추냉이속 (Go-chu-naeng-i-sok) [십자화과]
<i>Eutrema japonicum</i> (Miq.) Koidz.	Wild wasabi 고추냉이 (Go-chu-naeng-i)

Scientific name	English name Korean name (Romanization)
<i>Exochorda</i> Lindl. [Rosaceae]	Pearl bush 가침박달속 (Ga-chim-bak-dal-sok) [장미과]
<i>Exochorda serratifolia</i> S.Moore	Korean pearl bush 가침박달 (Ga-chim-bak-dal)
<i>Exochorda serratifolia</i> var. <i>oligantha</i> Nakai	Hairy Korean pearl bush 털가침박달 (Teol-ga-chim-bak-dal)

F

FABACEAE Lindl. (Leguminosae Juss.)	Pea family 콩과 (Kong-gwa)
FAGACEAE Dumort.	Beech family, Oak family 참나무과 (Cham-na-mu-gwa)
Fagus L. [Fagaceae]	Beech 너도밤나무속 (Neo-do-bam-na-mu-sok) [참나무과]
<i>Fagus engleriana</i> Seemen ex Diels	Engler's beech 너도밤나무 (Neo-do-bam-na-mu)
Fallopia Adans. [Polygonaceae]	Fallopia 닭의덩굴속 (Dak-ui-deong-gul-sok) [마디풀과]
<i>Fallopia ciliinervis</i> (Nakai) K.Hammer	Hairy-vein knotweed 나도하수오 (Na-do-ha-su-o)
<i>Fallopia forbesii</i> (Hance) K.Yonekura & Ohashi	Forbes' knotweed 감절대 (Gam-jeol-dae)
<i>Fallopia japonica</i> (Houtt.) Ronse Decr.	Asian knotweed 호장근 (Ho-jang-geun)
* <i>Fallopia japonica</i> f. <i>elata</i> Y.M.Lee & H.J.Choi	Red Asian knotweed 붉은호장근 (Bul-geun-ho-jang-geun)
<i>Fallopia koreana</i> B.U.Oh & J.G.Kim	Korean knotweed 삼도하수오 (Sam-do-ha-su-o)
<i>Fallopia pauciflora</i> (Maxim.) Kitag.	Small copse knotweed 애기닭의덩굴 (Ae-gi-dak-ui-deong-gul)

F

Scientific name	English name Korean name (Romanization)
<i>Fallopia sachalinensis</i> (F.Schmidt) Ronse Decr.	Giant knotweed 왕호장근 (Wang-ho-jang-geun)
<i>Farfugium</i> Lindl. [Asteraceae]	Farfugium 털머위속 (Teol-meo-wi-sok) [국화과]
<i>Farfugium japonicum</i> (L.) Kitam.	Leopard plant 털머위 (Teol-meo-wi)
<i>Fatoua</i> Gaudich. [Moraceae]	Fatoua 뽕모시풀속 (Ppong-mo-si-pul-sok) [뽕나무과]
<i>Fatoua villosa</i> (Thunb.) Nakai	Hairy crabweed 뽕모시풀 (Ppong-mo-si-pul)
<i>Fatsia</i> Decne. & Planch. [Araliaceae]	Fatsia 팔손이속 (Pal-son-i-sok) [두릅나무과]
<i>Fatsia japonica</i> (Thunb.) Decne. & Planch.	Glossy-leaf paper plant 팔손이 (Pal-son-i)
<i>Festuca</i> L. [Poaceae]	Fescue 김의털속 (Gim-ui-teol-sok) [벼과]
<i>Festuca extremiorientalis</i> Ohwi	Asian subulate fescue 왕김의털아재비 (Wang-gim-ui-teol-a-jae-bi)
<i>Festuca japonica</i> Makino	Oriental fescue 산목새 (San-muk-sae)
<i>Festuca ovina</i> L.	Sheep's fescue 김의털 (Gim-ui-teol)
<i>Festuca ovina</i> var. <i>chiisanensis</i> Ohwi	Jirisan sheep's fescue 지리산김의털 (Ji-ri-san-gim-ui-teol)
<i>Festuca ovina</i> var. <i>chosonica</i> Ohwi	Choseon sheep's fescue 수염김의털 (Su-yeom-gim-ui-teol)
<i>Festuca ovina</i> var. <i>coreana</i> St.-Yves	Korean sheep's fescue 참김의털 (Cham-gim-ui-teol)

Scientific name	English name Korean name (Romanization)
<i>Festuca ovina</i> var. <i>duriuscula</i> (L.) W.D.J. Koch	Seoul sheep's fescue 서울김의털 (Seo-ul-gim-ui-teol)
<i>Festuca ovina</i> var. <i>koreanoalpina</i> Ohwi	Alpine sheep's fescue 두메김의털 (Du-me-gim-ui-teol)
<i>Festuca parvifluma</i> Steud.	Small-glum fescue 김의털아재비 (Gim-ui-teol-a-jae-bi)
<i>Festuca rubra</i> L.	Red fescue 왕김의털 (Wang-gim-ui-teol)
<i>Festuca takedana</i> Ohwi	Smooth Asian fescue 개목새 (Gae-muk-sae)
<i>Ficus</i> L. [Moraceae]	Fig 무화과나무속 (Mu-hwa-gwa-na-mu-sok) [뽕나무과]
<i>Ficus erecta</i> Thunb.	Erecta fig 천선과나무 (Cheon-seon-gwa-na-mu)
<i>Ficus erecta</i> var. <i>sieboldii</i> (Miq.) King	Narrow-leaf erecta fig 좁은잎천선과 (Jop-eun-ip-cheon-seon-gwa)
<i>Ficus oxyphylla</i> Miq. ex Zoll.	Oriental vining fig 모람 (Mo-ram)
<i>Ficus thunbergii</i> Maxim.	Climbing fig 왕모람 (Wang-mo-ram)
<i>Filifolium</i> Kitam. [Asteraceae]	Filifolium 실쑥속 (Sil-ssuk-sok) [국화과]
* <i>Filifolium koreanum</i> J.H.Pak	Korean filifolium 잔실쑥 (Jan-sil-ssuk)
<i>Filifolium sibiricum</i> (L.) Kitam.	Siberian filifolium 실쑥 (Sil-ssuk)
<i>Filipendula</i> Mill. [Rosaceae]	Meadowsweet 터리풀속 (Teo-ri-pul-sok) [장미과]
<i>Filipendula formosa</i> Nakai	Jiri meadowsweet 지리터리풀 (Ji-ri-teo-ri-pul)

F

Scientific name	English name Korean name (Romanization)
<i>Filipendula glaberrima</i> Nakai	Korean meadowsweet 터리풀 (Teo-ri-pul)
<i>Filipendula camtschatica</i> (Pall.) Maxim.	Giant meadowsweet 큰터리풀 (Keun-teo-ri-pul)
<i>Filipendula koreana</i> (Nakai) Nakai	Red Korean meadowsweet 붉은터리풀 (Bul-geun-teo-ri-pul)
<i>Filipendula koreana</i> f. <i>alba</i> (Nakai) Kitag.	White Korean meadowsweet 흰터리풀 (Huin-teo-ri-pul)
<i>Filipendula multiflora</i> Maxim.	Multi-ridge meadowsweet 참터리풀 (Cham-teo-ri-pul)
<i>Filipendula palmata</i> (Pall.) Maxim.	Siberian meadowsweet 단풍터리풀 (Dan-pung-teo-ri-pul)
<i>Fimbristylis</i> Vahl [Cyperaceae]	Fimbry, Fimbrystylis 하늘지기속 (Ha-neul-ji-gi-sok) [사초과]
<i>Fimbristylis aestivalis</i> (Retz.) Vahl	Summer fimbristylis ombok-haneul-ji-gi (Jom-min-ha-neul-ji-gi)
<i>Fimbristylis autumnalis</i> (L.) Roem. & Schult.	Puerto Rico fimbristylis 애기하늘지기 (Ae-gi-ha-neul-ji-gi)
<i>Fimbristylis cymosa</i> R.Br.	Tropical fimbristylis 바다지기 (Ba-da-ji-gi)
<i>Fimbristylis dichotoma</i> (L.) Vahl	Two-leaf fimbristylis 하늘지기 (Ha-neul-ji-gi)
<i>Fimbristylis dichotoma</i> f. <i>depauperata</i> (R.Br.) Ohwi	Slender two-leaf fimbristylis 가는하늘지기 (Ga-neun-ha-neul-ji-gi)
<i>Fimbristylis dichotoma</i> f. <i>floribunda</i> (Miq.) Ohwi	Flower two-leaf fimbristylis 남하늘지기 (Nam-ha-neul-ji-gi)
<i>Fimbristylis dichotoma</i> f. <i>tomentosa</i> (Vahl) Ohwi	Hairy two-leaf fimbristylis 털하늘지기 (Teol-ha-neul-ji-gi)
<i>Fimbristylis diphyloides</i> Makino	Setaceous-bract fimbristylis 검정하늘지기 (Geom-jeong-ha-neul-ji-gi)
<i>Fimbristylis dipsacea</i> (Rottb.) C.B.Clarke	Verrucolose fimbristylis 푸른하늘지기 (Pu-reun-ha-neul-ji-gi)

Scientific name	English name Korean name (Romanization)
<i>Fimbristylis ferruginea</i> var. <i>sieboldii</i> (Miq. ex Franch. & Sav.) Ohwi	Rusty fimbriostylis 깻하늘지기 (Gaet-ha-neul-ji-gi)
<i>Fimbristylis littoralis</i> Gaudich.	Lesser fimbriostylis 바람하늘지기 (Ba-ram-ha-neul-ji-gi)
<i>Fimbristylis longispica</i> Steud.	Long-spike fimbriostylis 큰하늘지기 (Keun-ha-neul-ji-gi)
<i>Fimbristylis ovata</i> (Burm.f.) J.Kern	Uni-spikelet fimbriostylis 쇠하늘지기 (Soe-ha-neul-ji-gi)
<i>Fimbristylis pierotii</i> Miq.	Field-flat fimbriostylis 들하늘지기 (Deul-ha-neul-ji-gi)
<i>Fimbristylis schoenoides</i> (Retz.) Vahl	Few-spikelet fimbriostylis 제주하늘지기 (Je-ju-ha-neul-ji-gi)
<i>Fimbristylis sericea</i> (Poir.) R.Br.	Silky-hair fimbriostylis 털잎하늘지기 (Teol-ip-ha-neul-ji-gi)
<i>Fimbristylis squarrosa</i> Vahl	Curved-awn fimbriostylis 민하늘지기 (Min-ha-neul-ji-gi)
<i>Fimbristylis squarrosa</i> var. <i>esquarens</i> Makino	Straight-awn fimbriostylis 암하늘지기 (Am-ha-neul-ji-gi)
<i>Fimbristylis stauntonii</i> Debeaux & Franch.	Yentai fimbriostylis 발하늘지기 (Bat-ha-neul-ji-gi)
<i>Fimbristylis tristachya</i> var. <i>subbispicata</i> (Nees & Meyen) T.Koyama	Two-spikelet fimbriostylis 꼴하늘지기 (Kkol-ha-neul-ji-gi)
<i>Fimbristylis umbellaris</i> (Lam.) Vahl	Globose fimbriostylis 둥근하늘지기 (Dung-geun-ha-neul-ji-gi)
FLACOURTIACEAE Rich. ex DC.	Flacourtie family 산유자나무과 (San-yu-ja-na-mu-gwa)
<i>Forsythia</i> Vahl [Oleaceae]	<i>Forsythia</i> 개나리속 (Gae-na-ri-sok) [풀풀나무과]
<i>Forsythia koreana</i> (Rehder) Nakai	Gaenari (Korean goldenbell tree) 개나리 (Gae-na-ri)
<i>Forsythia ovata</i> Nakai	Early forsythia 만리화 (Man-ri-hwa)

Scientific name	English name Korean name (Romanization)
<i>Forsythia saxatilis</i> (Nakai) Nakai	Rocky forsythia 산개나리 (San-gae-na-ri)
<i>Forsythia saxatilis</i> var. <i>lanceolata</i> S.T.Lee	Lanceolate rocky forsythia 긴산개나리 (Gin-san-gae-na-ri)
<i>Forsythia saxatilis</i> var. <i>pilosa</i> S.T.Lee	Pilose rocky forsythia 털산개나리 (Teol-san-gae-na-ri)
<i>Forsythia velutina</i> Nakai	Hairy forsythia 장수만리화 (Jang-su-man-ri-hwa)
<i>Fragaria</i> L. [Rosaceae]	Strawberry 딸기속 (Ttal-gi-sok) [장미과]
<i>Fragaria nipponica</i> Makino	White wild strawberry 흰딸기 (Huin-ttal-gi)
<i>Fragaria yezoensis</i> H.Hara	Northeast Asian wild strawberry 뜻딸기 (Ttat-ttal-gi)
<i>Fraxinus</i> L. [Oleaceae]	Ash 물푸레나무속 (Mul-pu-re-na-mu-sok) [물푸레나무과]
<i>Fraxinus chiisanensis</i> Nakai	Jirisan ash 물들매나무 (Mul-deul-me-na-mu)
<i>Fraxinus mandshurica</i> Rupr.	Manchurian ash 들매나무 (Deul-me-na-mu)
<i>Fraxinus rhynchophylla</i> Hance	East Asian ash 물푸레나무 (Mul-pu-re-na-mu)
* <i>Fraxinus rhynchophylla</i> var. <i>densata</i> (Nakai) Y.N.Lee	Gwangneung ash 광릉물푸레 (Gwang-reung-mul-pu-re)
* <i>Fraxinus rhynchophylla</i> var. <i>glabrescens</i> Nakai	Hairless East Asian ash 민물푸레나무 (Min-mul-pu-re-na-mu)
<i>Fraxinus sieboldiana</i> Blume	Asian flowering ash 쇠물푸레나무 (Soe-mul-pu-re-na-mu)
<i>Fraxinus sieboldiana</i> var. <i>angusta</i> Blume	Narrow-leaf flowering ash 좁쇠물푸레 (Jom-soe-mul-pu-re)

Scientific name	English name Korean name (Romanization)
* <i>Fraxinus sieboldiana</i> var. <i>quadrijuga</i> (Nakai) T.B.Lee	Baekun flowering ash 백운쇠물푸레 (Baek-un-soe-mul-pu-re)
<i>Fraxinus sieboldiana</i> var. <i>serrata</i> Nakai	Serrate-leaf flowering ash 쇠나무 (Soe-na-mu)
<i>Fraxinus sieboldiana</i> var. <i>trijuga</i> Nakai	Three-some flowering ash 계룡쇠물푸레 (Gye-ryong-soe-mul-pu-re)
<i>Fritillaria</i> L. [Liliaceae]	Fritillary, Mission bells 페모속 (Pae-mo-sok) [백합과]
<i>Fritillaria ussuriensis</i> Maxim.	Ussuri fritillary 페모 (Pae-mo)
<i>Fuirena</i> Rottb. [Cyperaceae]	Umbrella-sedge 검정방동사니속 (Geom-jeong-bang-dong-sa-ni-sok) [사초과]
<i>Fuirena ciliaris</i> (L.) Roxb.	Ciliate fiureka 검정방동사나 (Geom-jeong-bang-dong-sa-ni)
FUMARIACEAE Marquis	Fumitory family 현호색과 (Hyeon-ho-saek-gwa)

G

<i>Gagea</i> Salisb. [Liliaceae]	Gagea, Yellow star-of-Bethlehem 중의무릇속 (Jung-ui-mu-reut-sok) [백합과]
<i>Gagea hiensis</i> Pascher	Small gagea 애기중의무릇 (Ae-gi-jung-ui-mu-reut)
<i>Gagea nakaiana</i> Kitag.	Oriental yellow gagea 중의무릇 (Jung-ui-mu-reut)
<i>Galearis</i> Raf. [Orchidaceae]	Galearis 나도제비란속 (Na-do-je-bi-ran-sok) [난초과]
<i>Galearis cyclochila</i> (Franch. & Sav.) Soó	Circular lip galearis 나도제비란 (Na-do-je-bi-ran)

G

Scientific name	English name Korean name (Romanization)
<i>Galeopsis L.</i> [Lamiaceae]	Hemp-nettle, Hempnettle 털향유속 (Teol-hyang-yu-sok) [풀풀과]
<i>Galeopsis bifida</i> Boenn.	Split-lip hempnettle 털향유 (Teol-hyang-yu)
<i>Galium L.</i> [Rubiaceae]	Bedstraw 갈퀴덩굴속 (Gal-kwi-deong-gul-sok) [꼭두서니과]
<i>Galium boreale</i> L.	Northern bedstraw 긴잎갈퀴 (Gin-ip-gal-kwi)
<i>Galium boreale</i> var. <i>amurense</i> (Pobed.) Kitag.	Amur Northern bedstraw 넓은긴잎갈퀴 (Neol-beun-gin-ip-gal-kwi)
<i>Galium boreale</i> var. <i>koreanum</i> Nakai	Northern Korean bedstraw 털긴잎갈퀴 (Teol-gin-ip-gal-kwi)
<i>Galium boreale</i> var. <i>lanceolatum</i> Nakai	Lance-leaf northern bedstraw 민긴잎갈퀴 (Min-gin-ip-gal-kwi)
<i>Galium dahuricum</i> Turcz. ex Ledeb.	Dahurian bedstraw 큰잎갈퀴 (Keun-ip-gal-kwi)
<i>Galium dahuricum</i> var. <i>tokyoense</i> (Makino) Cufod.	White Dahurian bedstraw 흰갈퀴 (Huin-gal-kwi)
<i>Galium gracilens</i> (A.Gray) Makino	Slender-leaf bedstraw 좀네잎갈퀴 (Jom-ne-ip-gal-kwi)
<i>Galium japonicum</i> Makino	Black bedstraw 검은개선갈퀴 (Geom-eun-gae-seon-gal-kwi)
<i>Galium kamtschaticum</i> Steller ex Roem. & Schult.	Kamchatka bedstraw 털둥근갈퀴 (Teol-dung-geun-gal-kwi)
<i>Galium kikumugura</i> Ohwi	Chrysanthemum bedstraw 국화갈퀴 (Guk-hwa-gal-kwi)
<i>Galium kinuta</i> Nakai & H.Hara	Smooth bedstraw 민둥갈퀴 (Min-dung-gal-kwi)
<i>Galium koreanum</i> (Nakai) Nakai	Korean lady's bedstraw 참갈퀴덩굴 (Cham-gal-kwi-deong-gul)

Scientific name	English name Korean name (Romanization)
<i>Galium linearifolium</i> Turcz.	Linear-leaf bedstraw 실갈퀴 (Sil-gal-kwi)
<i>Galium paradoxum</i> Maxim.	Montane bedstraw 두메갈퀴 (Du-me-gal-kwi)
<i>Galium pogananthum</i> Franch. & Sav.	Mountain bedstraw 산갈퀴 (San-gal-kwi)
<i>Galium pogananthum</i> f. <i>nudiflorum</i> (Makino) Ohwi	Glabrous-flower mountain bedstraw 민산갈퀴 (Min-san-gal-kwi)
<i>Galium pseudoaspellum</i> Makino	Four-leaf bedstraw 갈고리네잎갈퀴 (Gal-go-ri-ne-ip-gal-kwi)
<i>Galium spurium</i> var. <i>echinospermon</i> (Wallr.) Hayek	Stickwilly 갈퀴덩굴 (Gal-kwi-deong-gul)
<i>Galium trachyspermum</i> A.Gray	Rough-seed bedstraw 네잎갈퀴 (Ne-ip-gal-kwi)
<i>Galium trachyspermum</i> f. <i>hispidum</i> (Matsuda) Ohwi	Bristled-fruit bedstraw 털네잎갈퀴 (Teol-ne-ip-gal-kwi)
<i>Galium trifidum</i> L.	Three-petal bedstraw 가는네잎갈퀴 (Ga-neun-ne-ip-gal-kwi)
<i>Galium trifloriforme</i> Kom.	Three-flower bedstraw 개선갈퀴 (Gae-seon-gal-kwi)
* <i>Galium verum</i> var. <i>asiaticum</i> f. <i>pusillum</i> (Nakai) M.Park	Small yellow spring bedstraw 애기솔나물 (Ae-gi-sol-na-mul)
<i>Galium verum</i> var. <i>asiaticum</i> Nakai	Asian yellow spring bedstraw 솔나물 (Sol-na-mul)
<i>Galium verum</i> var. <i>trachycarpum</i> DC.	Hairy-fruit yellow bedstraw 털솔나물 (Teol-sol-na-mul)
<i>Galium verum</i> var. <i>trachycarpum</i> f. <i>album</i> Nakai	White-hair yellow bedstraw 흰털솔나물 (Huin-teol-sol-na-mul)
<i>Galium verum</i> var. <i>trachycarpum</i> f. <i>intermedium</i> Nakai	Medium hairy-fruit lady's bedstraw 개솔나물 (Gae-sol-na-mul)
<i>Galium verum</i> var. <i>trachycarpum</i> f. <i>nikkoense</i> (Nakai) Ohwi	White-flower lady's bedstraw 흰솔나물 (Huin-sol-na-mul)

G

Scientific name	English name Korean name (Romanization)
<i>Galium verum</i> var. <i>trachyphyllum</i> Wallr.	Hairy-leaf yellow bedstraw 털잎슬나물 (Teol-ip-sol-na-mul)
Gardneria Wall. [Loganiaceae]	Gardneria 영주치자속 (Yeong-ju-chi-ja-sok) [마전과]
<i>Gardneria insularis</i> Nakai	Island gardneria 영주치자 (Yeong-ju-chi-ja)
Gastrochilus D.Don [Orchidaceae]	Gastrochilus 금자란속 (Geum-ja-ran-sok) [난초과]
<i>Gastrochilus japonicus</i> (Makino) Schltr.	Tam-ra gastrochilus 탐라난 (Tam-ra-nan)
<i>Gastrochilus matsuran</i> (Makino) Schltr.	Geumsan purple spotted gastrochilus 금자란 (Geum-ja-ran)
Gastrodia R.Br. [Orchidaceae]	Gastrodia 천마속 (Cheon-ma-sok) [난초과]
<i>Gastrodia elata</i> Blume	Cheon-ma (Tall gastrodia) 천마 (Cheon-ma)
<i>Gastrodia elata</i> f. <i>viridis</i> (Makino) Makino	Green Cheon-ma (Green tall gastrodia) 푸른천마 (Pu-reun-cheon-ma)
<i>Gastrodia verrucosa</i> Blume	Halla cheon-ma (Warty tall gastrodia) 한라천마 (Han-ra-cheon-ma)
Gentiana L. [Gentianaceae]	Gentian 용담속 (Yong-dam-sok) [용담과]
<i>Gentiana algida</i> Pall.	Whitish gentian 산용담 (San-yong-dam)
<i>Gentiana chosenica</i> Okuyama	Choseon gentian 흰그늘용담 (Huin-geu-neul-yong-dam)
<i>Gentiana jamesii</i> Hemsl.	Biro gentian 비로용담 (Bi-ro-yong-dam)

Scientific name	English name Korean name (Romanization)
<i>Gentiana jamesii</i> f. <i>albiflora</i> (Nakai) Toyok.	White-flower Biro gentian 흰비로용담 (Huin-bi-ro-yong-dam)
<i>Gentiana nipponica</i> Maxim.	Alpine-snowbed gentian 멧용담 (Met-yong-dam)
<i>Gentiana scabra</i> Bunge	Korean gentian 용담 (Yong-dam)
* <i>Gentiana scabra</i> var. <i>buergeri</i> f. <i>alba</i> Y.N.Lee	White-flower Korean gentian 흰용담 (Huin-yong-dam)
<i>Gentiana scabra</i> f. <i>stenophylla</i> (H.Hara) W.K.Paik & W.T.Lee	Linear-leaf Korean gentian 진퍼리용담 (Jin-peo-ri-yong-dam)
<i>Gentiana squarrosa</i> Ledeb.	Squarrose-leaf gentian 구슬봉이 (Gu-seul-bung-i)
<i>Gentiana squarrosa</i> var. <i>microphylla</i> Nakai	Small squarrose-leaf gentian 좀구슬봉이 (Jom-gu-seul-bung-i)
<i>Gentiana takahashii</i> T.Mori	Baedusun gentian 백두산구슬봉이 (Baek-du-san-gu-seul-bung-i)
<i>Gentiana thunbergii</i> (G.Don) Griseb.	Early-blooming gentian 봄구슬봉이 (Bom-gu-seul-bung-i)
<i>Gentiana triflora</i> var. <i>japonica</i> (Kusn.) H.Hara	East Asian clustered gentian 과남풀 (Gwa-nam-pul)
<i>Gentiana triflora</i> f. <i>alvoviolacea</i> W.K.Paik & W.T.Lee	Lilac clustered gentian 연보라과남풀 (Yeon-bo-ra-gwa-nam-pul)
<i>Gentiana wootchuliana</i> W.K.Paik	Korean alpine gentian 고산구슬봉이 (Go-san-gu-seul-bung-i)
<i>Gentiana zollingeri</i> Fawc.	Zollinger's gentian 큰구슬봉이 (Keun-gu-seul-bung-i)
<i>Gentiana zollingeri</i> f. <i>albiflora</i> Tuyama	White-flower Zollinger's gentian 흰큰구슬봉이 (Huin-keun-gu-seul-bung-i)
GENTIANACEAE Juss.	Gentian family 용담과 (Yong-dam-gwa)

G

Scientific name	English name Korean name (Romanization)
<i>Gentianopsis</i> Ma [Gentianaceae]	Fringed gentian 수염용담속 (Su-yeom-yong-dam-sok) [용담과]
<i>Gentianopsis barbata</i> (Froel.) Ma	Bearded fringe gentian 수염용담 (Su-yeom-yong-dam)
<i>Gentianopsis contorta</i> (Royle) Ma	Contorted fringe gentian 꼬인용담 (Kko-in-yong-dam)
GERANIACEAE Juss.	Geranium family 쥐손이풀과 (Jwi-son-i-pul-gwa)
<i>Geranium</i> L. [Geraniaceae]	Cranesbills, Geranium 쥐손이풀속 (Jwi-son-i-pul-sok) [쥐손이풀과]
<i>Geranium dahuricum</i> DC.	Dahurian cranesbill 산쥐손이 (San-jwi-son-i)
<i>Geranium eriostemon</i> var. <i>glabrescens</i> Nakai ex H.Hara	Glabrous cranesbill 부전쥐손이 (Bu-jeon-jwi-son-i)
<i>Geranium knuthii</i> Nakai	Giant cranesbill 큰세잎쥐손이 (Keun-se-ip-jwi-son-i)
<i>Geranium koraiense</i> var. <i>chejuense</i> S.-J.Park et K.-J.Kim	Jejudo cranesbill 섬참이질풀 (Seom-cham-i-jil-pul)
<i>Geranium korenum</i> Kom.	Korean cranesbill 둥근이질풀 (Dung-geun-i-jil-pul)
<i>Geranium korenum</i> var. <i>hirsutum</i> Nakai	Hairy Korean cranesbill 털둥근이질풀 (Teol-dung-geun-i-jil-pul)
<i>Geranium korenum</i> f. <i>albidum</i> Kom.	White-flower Korean cranesbill 흰둥근이질풀 (Huin-dung-geun-i-jil-pul)
<i>Geranium krameri</i> Franch. & Sav.	Upright cranesbill 선이질풀 (Seon-i-jil-pul)
<i>Geranium krameri</i> f. <i>adpressipilosum</i> (H.Hara) H.Hara	Downward-hair cranesbill 털선이질풀 (Teol-seon-i-jil-pul)
<i>Geranium lasiocaulon</i> Nakai	Woolly-stem cranesbill 갈미쥐손이 (Gal-mi-jwi-son-i)

Scientific name	English name Korean name (Romanization)
<i>Geranium maximowiczii</i> Regel	Western purple cranesbill 분홍쥐손이 (Bun-hong-jwi-son-i)
<i>Geranium nepalense</i> Sweet	Nepal cranesbill 산이질풀 (San-i-jil-pul)
<i>Geranium shikokianum</i> Matsum.	Shikoku marbled cranebill 사국이질풀 (Sa-guk-i-jil-pul)
<i>Geranium shikokianum</i> var. <i>quelpartense</i> Nakai	Hallasan cranebill 섬쥐손이 (Seom-jwi-son-i)
<i>Geranium shikokianum</i> var. <i>quelpaertense</i> f. <i>albiflorum</i> Y.N.Lee	White Hallasan cranesbill 흰섬쥐손이 (Huin-seom-jwi-son-i)
<i>Geranium sibiricum</i> L.	Siberian geranium 쥐손이풀 (Jwi-son-i-pul)
<i>Geranium soboliferum</i> Kom.	Hardy geranium 삼쥐손이 (Sam-jwi-son-i)
<i>Geranium taebaekensis</i> S.J.Park & Y.S.Kim	Taebaek cranesbill 태백이질풀 (Tae-baek-i-jil-pul)
<i>Geranium thunbergii</i> Siebold & Zucc.	Thunberg's geranium 이질풀 (I-jil-pul)
* <i>Geranium thunbergii</i> f. <i>pallidum</i> (Nakai) Murata	Pale-flower Thunberg's geranium 흰이질풀 (Huin-i-jil-pul)
<i>Geranium tripartitum</i> R.Knuth	Three-lobe cranesbill 좀쥐손이 (Jom-jwi-son-i)
<i>Geranium wlassovianum</i> Fisher ex Link	Velvety cranesbill 우단쥐손이 (U-dan-jwi-son-i)
<i>Geranium wilfordii</i> Maxim.	Wilford's cranesbill 세잎쥐손이 (Se-ip-jwi-son-i)
Geum L. [Rosaceae]	Avens 뱀무속 (Baem-mu-sok) [장미과]
<i>Geum aleppicum</i> Jacq.	Yellow avens 큰뱀무 (Keun-baem-mu)

G

Scientific name	English name Korean name (Romanization)
<i>Geum japonicum</i> Thunb.	Asian herb bennet 뱀무 (Baem-mu)
Girardinia Gaudich. [Urticaceae]	Girardinia 큰쐐기풀속 (Keun-sswae-gi-pul-sok) [쐐기풀과]
<i>Girardinia cuspidata</i> Wedd.	Cuspidate girardinia 큰쐐기풀 (Keun-sswae-gi-pul)
Glaux L. [Primulaceae]	Milkwort 갯봄맞이꽃속 (Gaet-bom-mat-i-kkot-sok) [앵초과]
<i>Glaux maritima</i> var. <i>obtusifolia</i> Fernald	Blunt-leaf sea milkwort 갯봄맞이 (Gaet-bom-mat-i)
Glechoma L. [Lamiaceae]	Glechoma 긴병꽃풀속 (Gin-byeong-kkot-pul-sok) [꿀풀과]
<i>Glechoma grandis</i> (A.Gray) Kuprian.	Ground ivy 긴병꽃풀 (Gin-byeong-kkot-pul)
Gleditsia L. [Fabaceae]	Gleditsia 주엽나무속 (Ju-yeop-na-mu-sok) [콩과]
<i>Gleditsia japonica</i> Miq.	Japanese honey locust 주엽나무 (Ju-yeop-na-mu)
<i>Gleditsia japonica</i> var. <i>stenocarpa</i> (Nakai) Nakai	Straight-bean Japanese honey locust 아자비과줄 (A-ja-bi-gwa-jeul)
<i>Gleditsia japonica</i> f. <i>inarmata</i> Nakai	Spineless Japanese honey locust 민주엽나무 (Min-ju-yeop-na-mu)
Glehnia F.Schmidt ex Miq. [Apiaceae]	American silvertop, Beach silvertop, Silvertop 갓방풍속 (Gaet-bang-pung-sok) [산형과]
<i>Glehnia littoralis</i> F.Schmidt ex Miq.	Beach silvertop 갓방풍 (Gaet-bang-pung)

Scientific name	English name Korean name (Romanization)
<i>Gleichenia</i> Sm. [Gleicheniaceae]	Gleichenia 풀고사리속 (Pul-go-sa-ri-sok) [풀고사리과]
<i>Gleichenia japonica</i> Spreng.	Forked fern 풀고사리 (Pul-go-sa-ri)
<i>Gleichenia laevissima</i> Christ	Smooth forked fern 암풀고사리 (Am-pul-go-sa-ri)
GLEICHENIACEAE C.Presl	Forking fern family 풀고사리과 (Pul-go-sa-ri-gwa)
<i>Glochidion</i> J.R.Forst. & G.Forst. [Euphorbiaceae]	Glochidion 조도만두나무속 (Jo-do-man-du-na-mu-sok) [대극과]
<i>Glochidion chodoense</i> J.S.Lee & H.T.Im	Jodo cheesetree 조도만두나무 (Jo-do-man-du-na-mu)
<i>Glyceria</i> R.Br. [Poaceae]	Mannagrass, Sweet-grass 미꾸리광이속 (Mi-kku-ri-gwang-i-sok) [벼과]
<i>Glyceria acutiflora</i> subsp. <i>japonica</i> (Steud.) T. Koyama & Kawano	Creeping mannagrass 육절보리풀 (Yuk-jeol-bo-ri-pul)
<i>Glyceria alnasteretum</i> Kom.	Aleutian mannagrass 두메미꾸리광이 (Du-me-mi-kku-ri-gwang-i)
<i>Glyceria debilior</i> (Trin.) Kudo	Waxy mannagrass 검정진들피 (Geom-jeong-jin-deul-pi)
<i>Glyceria effusa</i> Kitag.	Spreading mannagrass 긴진들피 (Gin-jin-deul-pi)
<i>Glyceria ischyronoeura</i> Steud.	Protruding mannagrass 진들피 (Jin-deul-pi)
<i>Glyceria leptolepis</i> Ohwi	Broad-leaf mannagrass 왕미꾸리광이 (Wang-mi-kku-ri-gwang-i)
<i>Glyceria lithuanica</i> (Gorski) Gorski	Lithuania mannagrass 총전광이 (Chong-jeon-gwang-i)
<i>Glyceria spiculosa</i> (F.Schmidt) Roshev.	Fine-point mannagrass 대택광이 (Dae-taeck-gwang-i)

G

Scientific name	English name Korean name (Romanization)
<i>Glycine</i> Willd. [Fabaceae]	Soybean 콩속 (Kong-sok) [콩과]
<i>Glycine soja</i> Siebold & Zucc.	Wild soybean 돌콩 (Dol-kong)
<i>Gnaphalium</i> L. [Asteraceae]	Cudweed 왜떡쑥속 (Wae-tteok-ssuk-sok) [국화과]
<i>Gnaphalium uliginosum</i> L.	Marsh cudweed 왜떡쑥 (Wae-tteok-ssuk)
<i>Goodyera</i> R.Br. [Orchidaceae]	Rattlesnake plantain 사철란속 (Sa-cheol-ran-sok) [난초과]
<i>Goodyera biflora</i> (Lindl.) Hook.f.	Reddish rattlesnake plantain 붉은사철란 (Bul-geun-sa-cheol-ran)
<i>Goodyera maximowicziana</i> Makino	Short raceme rattlesnake plantain 섬사철란 (Seom-sa-cheol-ran)
<i>Goodyera repens</i> (L.) R.Br.	Lesser rattlesnake plantain 애기사철란 (Ae-gi-sa-cheol-ran)
<i>Goodyera schlechtendaliana</i> Rchb.f.	Schlechtendal's rattlesnake plantain 사철란 (Sa-cheol-ran)
<i>Goodyera schlechtendaliana</i> f. <i>similis</i> (Blume) Makino	Spotless Schlechtendal's rattlesnake plantain 청사철란 (Cheong-sa-cheol-ran)
<i>Goodyera velutina</i> Maxim. ex Regel	Velutinous rattlesnake plantain 털사철란 (Teol-sa-cheol-ran)
<i>Gratiola</i> L. [Scrophulariaceae]	Hedgehyssop 큰고추풀속 (Keun-go-chu-pul-sok) [현삼과]
<i>Gratiola japonica</i> Miq.	Asian hedgehyssop 큰고추풀 (Keun-go-chu-pul)
<i>Grewia</i> L. [Tiliaceae]	Grewia 장구밥나무속 (Jang-gu-bap-na-mu-sok) [피나무과]

Scientific name	English name Korean name (Romanization)
<i>Grewia parviflora</i> Bunge	Bilobed grewia 장구밥나무 (Jang-gu-bap-na-mu)
<i>Grewia parviflora</i> f. <i>angusta</i> (Nakai) W.T.Lee	Narrow-leaf grewia 좁장구밥나무 (Jom-jang-gu-bap-na-mu)
Gueldenstaedtia Fisch. [Fabaceae]	Gueldenstaedtia 애기자운속 (Ae-gi-ja-un-sok) [콩과]
<i>Gueldenstaedtia verna</i> (Georgi) Boriss.	Spring gueldenstaedtia 애기자운 (Ae-gi-ja-un)
Gymnadenia R.Br. [Orchidaceae]	Gymnadenia 손바닥난초속 (Son-ba-dak-nan-cho-sok) [난초과]
<i>Gymnadenia conopsea</i> (L.) R.Br.	Fragrant orchid 손바닥난초 (Son-ba-dak-nan-cho)
<i>Gymnadenia cucullata</i> var. <i>variegata</i> Y.N.Lee	Variegated cucullate neotianthe orchid 점박이구름병아리난초 (Jeom-bak-i-gu-reum-byeo- ng-a-ri-nan-cho)
Gymnocarpium Newman [Dryopteridaceae]	Oak ferns 토끼고사리속 (To-kki-go-sa-ri-sok) [면마과]
<i>Gymnocarpium dryopteris</i> (L.) Newman	Oak fern 토끼고사리 (To-kki-go-sa-ri)
<i>Gymnocarpium jessoense</i> (Koidz.) Koidz.	Asian oak fern 산토끼고사리 (San-to-kki-go-sa-ri)
Gymnospermium Spach [Berberidaceae]	Gymnospermium 한계령풀속 (Han-gye-ryeong-pul-sok) [매자나무과]
<i>Gymnospermium microrrhynchum</i> (S.Moore) Takht.	Little-beak gymnospermium 한계령풀 (Han-gye-ryeong-pul)
Gynostemma Blume [Cucurbitaceae]	Gynostemma 돌외속 (Dol-oe-sok) [박과]
<i>Gynostemma pentaphyllum</i> (Thunb.) Makino	Five-leaf gynostemma 돌외 (Dol-oe)

G

Scientific name	English name Korean name (Romanization)
<i>Gypsophila</i> L. [Caryophyllaceae]	Baby's-breath 대나물속 (Dae-na-mul-sok) [석죽과]
<i>Gypsophila oldhamiana</i> Miq.	Manchurian baby's-breath 대나물 (Dae-na-mul)
<i>Gypsophila pacifica</i> Kom.	Pink baby's-breath 가는대나물 (Ga-neun-dae-na-mul)

H

<i>Habenaria</i> Willd. [Orchidaceae]	Bog orchid 해오라비난초속 (Hae-o-ra-bi-nan-cho-sok) [난초과]
<i>Habenaria chejuensis</i> Y.N.Lee & K.S.Lee	Jeju habenaria 제주방울란 (Je-ju-bang-ul-ran)
<i>Habenaria cruciformis</i> Ohwi	Cruciform habenaria 개잠자리난초 (Gae-jam-ja-ri-nan-cho)
<i>Habenaria flagellifera</i> (Maxim.) Makino	Black crucifera habenaria 방울난초 (Bang-ul-nan-cho)
<i>Habenaria linearifolia</i> Maxim.	Linear-leaf habenaria 잠자리난초 (Jam-ja-ri-nan-cho)
<i>Habenaria linearifolia</i> f. <i>integriloba</i> Ohwi	Smooth linear-leaf habenaria 민잠자리난초 (Min-jam-ja-ri-nan-cho)
<i>Habenaria radiata</i> (Thunb.) Spreng.	White-egret flower 해오라비난초 (Hae-o-ra-bi-nan-cho)
<i>Hackelia</i> Opiz [Boraginaceae]	Hackelia 뚝지치속 (Ttuk-ji-chi-sok) [지치과]
<i>Hackelia deflexa</i> (Wahlenb.) Opiz	Nodding stickseed 뚝지치 (Ttuk-ji-chi)
<i>Halenia</i> Borkh. [Gentianaceae]	Spurred gentian 닻꽃속 (Dat-kkot-sok) [용담과]

Scientific name	English name Korean name (Romanization)
<i>Halenia corniculata</i> (L.) Cornaz	Corniculate spurred gentian 닻꽃 (Dat-kkot)
<i>Halophila</i> Thouars [Hydrocharitaceae]	Seagrass 해호말속 (Hae-ho-mal-sok) [자라풀과]
<i>Halophila nipponica</i> J.Kuo	Sea loving seagrass 해호말 (Hae-ho-mal)
HALORAGACEAE R.Br.	Watermilfoil family 개미탑과 (Gae-mi-tap-gwa)
<i>Haloragis</i> J.R. Forst. & G. Forst. [Haloragaceae]	Seaberry 개미탑속 (Gae-mi-tap-sok) [개미탑과]
<i>Haloragis micrantha</i> (Thunb.) R.Br. ex Siebold & Zucc.	Small-flower seaberry 개미탑 (Gae-mi-tap)
HAMAMELIDACEAE R.Br.	Witch hazel family 조록나무과 (Jo-rok-na-mu-gwa)
<i>Hanabusaya</i> Nakai [Campanulaceae]	Diamond bluebell 금강초롱꽃속 (Geum-gang-cho-rong-kkot-sok) [초롱꽃과]
<i>Hanabusaya asiatica</i> (Nakai) Nakai	Geumgangchoronkkot (Geumgang bluebell) 금강초롱꽃 (Geum-gang-cho-rong-kkot)
* <i>Hanabusaya asiatica</i> f. <i>alba</i> T.B.Lee	White Geumgang bluebell 흰금강초롱꽃 (Huin-geum-gang-cho-rong-kkot)
<i>Hanabusaya latisepala</i> Nakai	Wide-sepal Geumgang bluebell 검산초롱꽃 (Geom-san-cho-rong-kkot)
<i>Haplopteris</i> C.Presl [Vittariaceae]	Haplopteris 일엽아재비속 (Il-yeop-a-jae-bi-sok) [일엽아재비과]
<i>Haplopteris flexuosa</i> (Fée) E.H.Crane	Reflexed-margine single-leaf fern 일엽아재비 (Il-yeop-a-jae-bi)
<i>Haplopteris zosterifolia</i> (Willd.) E.H.Crane	Island single-leaf fern 섬일엽아재비 (Seom-il-yeop-a-jae-bi)

H

Scientific name	English name Korean name (Romanization)
<i>Hedera L.</i> [Araliaceae]	Ivy (Songak ivy) 송악속 (Song-ak-sok) [두릅나무과]
<i>Hedera rhombea</i> (Miq.) Siebold & Zucc. ex Bean	Songak 송악 (Song-ak)
<i>Hedyotis L.</i> [Rubiaceae]	Starviolet 수염치자풀속 (Su-yeom-chi-ja-pul-sok) [꼭두서니과]
<i>Hedyotis biflora</i> var. <i>parvifolia</i> Hook. & Arn.	Seashore rock starviolet 낚시돌풀 (Nak-si-dol-pul)
<i>Hedyotis diffusa</i> Willd.	Snake tongue starviolet 백운풀 (Baek-un-pul)
<i>Hedyotis diffusa</i> var. <i>longipes</i> Nakai	Long-pedicel snake tongue starviolet 긴두잎갈퀴 (Gin-du-ip-gal-kwi)
<i>Hedyotis lindleyana</i> var. <i>glabra</i> H.Hara	Glabrous Tam-ra starviolet 민탐라풀 (Min-tam-ra-pul)
<i>Hedyotis lindleyana</i> var. <i>hirsuta</i> (L.f.) H.Hara	Tam-ra starviolet 탐라풀 (Tam-ra-pul)
<i>Hedyotis tenelliflora</i> Blume	Delicate starviolet 수염치자풀 (Su-yeom-chi-ja-pul)
<i>Hedysarum L.</i> [Fabaceae]	Sweetvetch 뭣황기속 (Moet-hwang-gi-sok) [콩과]
<i>Hedysarum alpinum</i> L.	Alpine sweetvetch 뭣황기 (Moet-hwang-gi)
<i>Hedysarum hedysaroides</i> Schinz & Thell.	Alpine sainfoin sweetvetch 넓은뭣황기 (Neol-beun-moet-hwang-gi)
<i>Hedysarum vicioides</i> var. <i>japonicum</i> (Fedtsch.) B.H.Chi & Ohashi	Asian vetch-like sweetvetch 나도황기 (Na-do-hwang-gi)
<i>Hedysarum vicioides</i> f. <i>pilosum</i> (Ohwi) Kitag.	Hairy vetch-like sweetvetch 털나도황기 (Teol-na-do-hwang-gi)

Scientific name	English name Korean name (Romanization)
<i>Heloniopsis</i> A.Gray [Liliaceae]	Heloniopsis, Swamppink 처녀치마속 (Cheo-nyeo-chi-ma-sok) [백합과]
<i>Heloniopsis koreana</i> Fuse, N.S.Lee & M.N.Tamura	Korean swamppink 처녀치마 (Cheo-nyeo-chi-ma)
<i>Heloniopsis orientalis</i> var. <i>flavida</i> (Nakai) Ohwi	White oriental swamppink 흰처녀치마 (Huin-cheo-nyeo-chi-ma)
<i>Heloniopsis tubiflora</i> Fuse, N.S.Lee & M.N.Tamura	Tubular-flower swamppink 숙은처녀치마 (Suk-eun-cheo-nyeo-chi-ma)
<i>Hemarthria</i> R.Br. [Poaceae]	Jointgrass 쇠치기풀속 (Soe-chi-gi-pul-sok) [벼과]
<i>Hemarthria sibirica</i> (Gand.) Ohwi	Siberian jointgrass 쇠치기풀 (Soe-chi-gi-pul)
<i>Hemerocallis</i> L. [Liliaceae]	Daylily 원추리속 (Won-chu-ri-sok) [백합과]
<i>Hemerocallis citrina</i> Baroni	Citron daylily 골잎원추리 (Gol-ip-won-chu-ri)
<i>Hemerocallis dumortieri</i> C.Morren	Dumortier's daylily 각시원추리 (Gak-si-won-chu-ri)
<i>Hemerocallis hakuunensis</i> Nakai	Baekunsan daylily 백운산원추리 (Baek-un-san-won-chu-ri)
<i>Hemerocallis hongdoensis</i> M.G.Chung & S.S.Kang	Hongdo daylily 홍도원추리 (Hong-do-won-chu-ri)
<i>Hemerocallis middendorffii</i> Trautv. & C.A.Mey.	Amur daylily 큰원추리 (Keun-won-chu-ri)
<i>Hemerocallis minor</i> Mill.	Small daylily 애기원추리 (Ae-gi-won-chu-ri)
<i>Hemerocallis taeanensis</i> S.S.Kang & M.G.Chung	Taean daylily 태안원추리 (Tae-an-won-chu-ri)

Scientific name	English name Korean name (Romanization)
<i>Hemerocallis thunbergii</i> Baker	Thunberg's daylily 노랑원추리 (No-rang-won-chu-ri)
<i>Hemiptelea</i> Planch. [Ulmaceae]	Hemiptelea 시무나무속 (Si-mu-na-mu-sok) [느릅나무과]
<i>Hemiptelea davidii</i> (Hance) Planch.	Hemiptelea 시무나무 (Si-mu-na-mu)
<i>Hemistepeta</i> Bunge [Asteraceae]	Hemistepeta 지청개속 (Ji-ching-gae-sok) [국화과]
<i>Hemistepeta lyrata</i> Bunge	Lyre-shape hemistepeta 지청개 (Ji-ching-gae)
<i>Hepatica</i> Mill. [Ranunculaceae]	Hepatica, Liverleaf, Liverwort 노루귀속 (No-ru-gwi-sok) [미나리아재비과]
<i>Hepatica asiatica</i> Nakai	Asian liverleaf 노루귀 (No-ru-gwi)
<i>Hepatica insularis</i> Nakai	Seaside liverleaf 새끼노루귀 (Sae-kki-no-ru-gwi)
<i>Hepatica maxima</i> (Nakai) Nakai	Ulleungdo liverleaf 섬노루귀 (Seom-no-ru-gwi)
<i>Heracleum</i> L. [Apiaceae]	Cow parsnip, Hogweed 어수리속 (Eo-su-ri-sok) [산형과]
<i>Heracleum moellendorffii</i> Hance	East Asian hogweed 어수리 (Eo-su-ri)
<i>Heracleum moellendorffii</i> f. <i>angustum</i> (Kitag.) Kitag.	Narrow East Asian hogweed 좁은어수리 (Jop-eun-eo-su-ri)
<i>Herminium</i> L. [Orchidaceae]	Herminium 씨눈난초속 (Ssi-nun-nan-cho-sok) [난초과]

Scientific name	English name Korean name (Romanization)
<i>Herminium lanceum</i> var. <i>longicrure</i> (C.Wright ex A.Gray) H.Hara	Bead-root orchid 씨눈난초 (Ssi-nun-nan-cho)
<i>Herminium monorchis</i> (L.) R.Br.	Musk orchid 나도씨눈란 (Na-do-ssi-nun-ran)
<i>Hibiscus</i> L. [Malvaceae]	Rosemallow 무궁화속 (Mu-gung-hwa-sok) [아욱과]
<i>Hibiscus hamabo</i> Siebold & Zucc.	Yellow rosemallow 황근 (Hwang-geun)
<i>Hibiscus syriacus</i> L.	Mugunghwa (Rose of sharon) 무궁화 (Mu-gung-hwa)
<i>Hieracium</i> L. [Asteraceae]	Hawkweed 조밥나물속 (Jo-bap-na-mul-sok) [국화과]
<i>Hieracium coreanum</i> Nakai	Korean hawkweed 깰껄이풀 (Kkeol-kkeol-i-pul)
<i>Hieracium umbellatum</i> L.	Narrow-leaf hawkweed 조밥나물 (Jo-bap-na-mul)
<i>Hierochloe</i> R.Br. [Poaceae]	Sweetgrass 향모속 (Hyang-mo-sok) [벼과]
<i>Hierochloe alpina</i> (Sw. ex Willd.) Roem. & Schult.	Alpine sweetgrass 산향모 (San-hyang-mo)
<i>Hierochloe odorata</i> (L.) P.Beauv.	Sweetgrass 향모 (Hyang-mo)
HIPPURIDACEAE Vest	Mare's-tail family 쇠뜨기말풀과 (Soe-tteu-gi-mal-pul-gwa)
<i>Hippuris</i> L. [Hippuridaceae]	Mare's-tail 쇠뜨기말풀속 (Soe-tteu-gi-mal-pul-sok) [쇠뜨기말풀과]
<i>Hippuris vulgaris</i> L.	Common mare's-tail 쇠뜨기말풀 (Soe-tteu-gi-mal-pul)

H

Scientific name	English name Korean name (Romanization)
Hololeion Kitam. [Asteraceae]	Hololeion 께목속 (Kke-muk-sok) [국화과]
<i>Hololeion maximowiczii</i> Kitam.	Maximowicz's hololeion 께목 (Kke-muk)
<i>Hololeion maximowiczii</i> var. <i>fauriei</i> (H.Lév. & Vaniot) J. H. Pak	Small Maximowicz's hololeion 좀께목 (Jom-kke-muk)
Honkenya Willd. ex Cothen. [Caryophyllaceae]	Sea sandwort, Seaside sandplant 갓별꽃속 (Gaet-byeo-lkkot-sok) [석죽과]
<i>Honckenya peploides</i> var. <i>major</i> (Hook.) Abrams	Seabeach sandwort 갓별꽃 (Gaet-byeo-lkkot)
Hosta Tratt. [Liliaceae]	Plantain lily, Hosta 비비추속 (Bi-bi-chu-sok) [백합과]
<i>Hosta capitata</i> (Koidz.) Nakai	Ilwol hosta 일월비비추 (Il-wol-bi-bi-chu)
* <i>Hosta capitata</i> f. <i>albiflora</i> Y.N.Lee	White-flower Ilwol hosta 흰일월비비추 (Huin-il-wol-bi-bi-chu)
<i>Hosta clausa</i> Nakai	Closed-flower hosta 주걱비비추 (Ju-geok-bi-bi-chu)
<i>Hosta clausa</i> var. <i>normalis</i> F.Maek.	Normal closed-flower hosta 참비비추 (Cham-bi-bi-chu)
<i>Hosta ensata</i> F.Maek.	Sword-like hosta 이삭비비추 (I-sak-bi-bi-chu)
<i>Hosta japonica</i> var. <i>latifolia</i> Nakai	Wide-leaf hosta 넓은옥잠화 (Neol-beun-ok-jam-hwa)
<i>Hosta jonesii</i> M.G.Chung	Dadohae hosta 다도해비비추 (Da-do-hae-bi-bi-chu)
* <i>Hosta longipes</i> f. <i>alba</i> (Nakai) T.B.Lee	White hosta 흰비비추 (Huin-bi-bi-chu)
<i>Hosta longissima</i> Honda	Narrow-leaf hosta 산옥잠화 (San-ok-jam-hwa)

Scientific name	English name Korean name (Romanization)
<i>Hosta minor</i> (Baker) Nakai	Minor hosta 좀비비추 (Jom-bi-bi-chu)
<i>Hosta minor</i> f. <i>alba</i> (Nakai) F.Mack.	White minor hosta 흰좀비비추 (Huin-jom-bi-bi-chu)
<i>Hosta sieboldiana</i> (Hook.) Engl.	Siebold's hosta 큰비비추 (Keun-bi-bi-chu)
<i>Hosta tardiva</i> Nakai	Late-blooming hosta 해인비비추 (Hae-in-bi-bi-chu)
<i>Hosta venusta</i> F.Mack.	Halla hosta 한라비비추 (Han-ra-bi-bi-chu)
<i>Hosta yingeri</i> S.B.Jones	Heuksando hosta 흑산도비비추 (Heuk-san-do-bi-bi-chu)
<i>Hovenia</i> Thunb. [Rhamnaceae]	Hovenia 헛개나무속 (Heot-gae-na-mu-sok) [갈매나무과]
<i>Hovenia dulcis</i> Thunb.	Oriental raisin tree 헛개나무 (Heot-gae-na-mu)
<i>Humulus</i> L. [Cannabaceae]	Hop 환삼덩굴속 (Hwan-sam-deong-gul-sok) [삼과]
<i>Humulus japonicus</i> Siebold & Zucc.	Wild hop 환삼덩굴 (Hwan-sam-deong-gul)
<i>Huperzia</i> Bernh. [Lycopodiaceae]	Clubmoss, Firmosses, Fir clubmosses 다람쥐꼬리속 (Da-ram-jwi-kko-ri-sok) [석송과]
<i>Huperzia cryptomeriana</i> (Maxim.) R.D.Dixit	Big clubmoss 왕다람쥐꼬리 (Wang-da-ram-jwi-kko-ri)
<i>Huperzia jejuensis</i> B. Y. Sun & J. Lim	Jeju clubmoss 긴다람쥐꼬리 (Gin-da-ram-jwi-kko-ri)
<i>Huperzia miyoshiana</i> (Makino) Ching	Pacific firmoss 다람쥐꼬리 (Da-ram-jwi-kko-ri)
<i>Huperzia selago</i> (L.) Bernh. ex Schrank & Mart.	Fir clubmoss 좀다람쥐꼬리 (Jom-da-ram-jwi-kko-ri)

Scientific name	English name Korean name (Romanization)
<i>Huperzia serrata</i> (Thunb.) Trevisan	Toothed clubmoss 뱀톱 (Baem-top)
<i>Huperzia sieboldii</i> (Miq.) Holub	Siebold's clubmoss 줄석송 (Jul-seok-song)
<i>Hydrangea</i> L. [Saxifragaceae]	Hydrangea, Hortensia 수국속 (Su-guk-sok) [범의귀과]
<i>Hydrangea liukiuensis</i> Nakai	Sweet hydrangea 성널수국 (Seong-neol-su-guk)
<i>Hydrangea petiolaris</i> Siebold & Zucc.	Climbing hydrangea 등수국 (Deung-su-guk)
<i>Hydrangea serrata</i> f. <i>acuminata</i> (Siebold & Zucc.) E.H.Wilson	Mountain hydrangea 산수국 (San-su-guk)
<i>Hydrangea serrata</i> f. <i>buergeri</i> Nakai	Serrate-petal hydrangea 꽃산수국 (Kkot-san-su-guk)
<i>Hydrangea serrata</i> f. <i>coreana</i> (Nakai) T.B.Lee	Korean hydrangea 떡잎산수국 (Tteok-ip-san-su-guk)
<i>Hydrangea serrata</i> f. <i>fertilis</i> Nakai	Jejudo hydrangea 탐라산수국 (Tam-na-san-su-guk)
<i>Hydrilla</i> Rich. [Hydrocharitaceae]	Esthwaite waterweed, Hydrilla, Waterthyme 검정말속 (Geom-jeong-mal-sok) [자라풀과]
<i>Hydrilla verticillata</i> (L.f.) Royle	Perfect aquatic weed 검정말 (Geom-jeong-mal)
<i>Hydrocharis</i> L. [Hydrocharitaceae]	Hydrocharis 자라풀속 (Ja-ra-pul-sok) [자라풀과]
<i>Hydrocharis dubia</i> (Blume) Backer	Frogbit 자라풀 (Ja-ra-pul)
HYDROCHARITACEAE Juss.	Frog's bit family, Najad family, Tape-grass family, Waternymph family 자라풀과 (Ja-ra-pul-gwa)

Scientific name	English name Korean name (Romanization)
<i>Hydrocotyle</i> L. [Apiaceae]	Even white rot, Indian pennywort, Marsh penny, Thick-leaf pennywort, Water pennywort 피막이속 (Pi-mak-i-sok) [산형과]
<i>Hydrocotyle maritima</i> Honda	Asian dwarf pennywort 선피막이 (Seon-pi-mak-i)
<i>Hydrocotyle nepalensis</i> Hook.	Nepal pennywort 큰피막이풀 (Keun-pi-mak-i-pul)
<i>Hydrocotyle ramiflora</i> Maxim.	Long-pedicel pennywort 큰피막이 (Keun-pi-mak-i)
<i>Hydrocotyle sibthorpioides</i> Lam.	Lawn marsh pennywort 피막이 (Pi-mak-i)
<i>Hydrocotyle yabei</i> Makino	Jeju pennywort 제주피막이 (Je-ju-pi-mak-i)
<i>Hygrophila</i> R.Br. [Acanthaceae]	Swampweed 물잎풀속 (Mul-ip-pul-sok) [쥐꼬리망초과]
<i>Hygrophila ringens</i> (L.) Steud.	Erect hygrophila 물잎풀 (Mul-ip-pul)
<i>Hylomecon</i> Maxim. [Papaveraceae]	Forest poppy 피나물속 (Pi-na-mul-sok) [양귀비과]
<i>Hylomecon vernalis</i> Maxim.	Forest poppy 피나물 (Pi-na-mul)
<i>Hylomecon vernalis</i> var. <i>sasundaeensis</i> Y.N.Lee	Bird-foot forest poppy 새발노랑매미꽃 (Sae-bal-no-rang-mae-mi-kkot)
<i>Hylotelephium</i> H.Ohba [Crassulaceae]	Live-for-ever, Orpine, Stonecrop 꿩의비름속 (Kkwong-ui-bi-reum-sok) [돌나물과]
<i>Hylotelephium erythrostictum</i> (Miq.) H.Ohba	Garden stonecrop 꿩의비름 (Kkwong-ui-bi-reum)

H

Scientific name	English name Korean name (Romanization)
<i>Hylotelephium pallescens</i> (Freyn) H.Ohba	Tall stonecrop 키큰꿩의비름 (Ki-keun-kkwong-ui-bi-reum)
<i>Hylotelephium spectabile</i> (Boreau) H.Ohba	Showy stonecrop 큰꿩의비름 (Keun-kkwong-ui-bi-reum)
<i>Hylotelephium telephium</i> (L.) H.Ohba	Purple-flower stonecrop 자주꿩의비름 (Ja-ju-kkwong-ui-bi-reum)
<i>Hylotelephium ussuriense</i> (Kom.) H.Ohba	Round-leaf hylotelephium 둥근잎꿩의비름 (Dung-geun-ip-kkwong-ui-bi-reum)
<i>Hylotelephium verticillatum</i> (L.) H.Ohba	Whorled-leaf stonecrop 세잎꿩의비름 (Se-ip-kkwong-ui-bi-reum)
<i>Hylotelephium viridescens</i> (Nakai) H.Ohba	Green-flower stonecrop 섬꿩의비름 (Seom-kkwong-ui-bi-reum)
<i>Hylotelephium viviparum</i> (Maxim.) H.Ohba	Bulbil stonecrop 새끼꿩의비름 (Sae-kki-kkwong-ui-bi-reum)
<i>Hymenophyllum</i> Hayata [Aspleniaceae]	<i>Hymenophyllum</i> 지느러미고사리속 (Ji-neu-reo-mi-go-sa-ri-sok) [고리고사리과]
<i>Hymenophyllum hondoense</i> (N.Murak. et Hatan.) Nakaike	Fin maiden spleenwort 지느러미고사리 (Ji-neu-reo-mi-go-sa-ri)
HYMENOPHYLLACEAE Mart.	Filmy fern family 처녀이끼과 (Cheo-nyeo-i-kki-gwa)
<i>Hymenophyllum</i> Sm. [Hymenophyllaceae]	Filmy fern 수염이끼속 (Su-yeom-i-kki-sok) [처녀이끼과]
<i>Hymenophyllum barbatum</i> (Bosch) Baker	Beard filmy fern 수염이끼 (Su-yeom-i-kki)
<i>Hymenophyllum coreanum</i> Nakai	Korean filmy fern 애기수염이끼 (Ae-gi-su-yeom-i-kki)
<i>Hypericum</i> L. [Clusiaceae]	Hypericum, St. Johnswort, Tutsan 물레나물속 (Mul-re-na-mul-sok) [물레나물과]
<i>Hypericum ascyron</i> L.	Great St. Johnswort 물레나물 (Mul-re-na-mul)

Scientific name	English name Korean name (Romanization)
<i>Hypericum attenuatum</i> Fisch. ex Choisy	Attenuate St. Johnswort 채고추나물 (Chae-go-chu-na-mul)
* <i>Hypericum attenuatum</i> var. <i>confertissimum</i> (Nakai) T.B.Lee	Big attenuate St. Johnswort 큰고추나물 (Keun-go-chu-na-mul)
<i>Hypericum erectum</i> Thunb.	Erect St. Johnswort 고추나물 (Go-chu-na-mul)
<i>Hypericum erectum</i> var. <i>caespitosum</i> Makino	Tuft St. Johnswort 다북고추나물 (Da-buk-go-chu-na-mul)
<i>Hypericum japonicum</i> Thunb.	Tiny St. Johnswort 애기고추나물 (Ae-gi-go-chu-na-mul)
<i>Hypericum laxum</i> (Blume) Koidz.	Loose St. Johnswort 좀고추나물 (Jom-go-chu-na-mul)
<i>Hypericum oliganthum</i> Franch. & Sav.	Few-flower St. Johnswort 진주고추나물 (Jin-ju-go-chu-na-mul)
Hypochaeris L. [Asteraceae]	Cat's ear 금훈초속 (Geum-hon-cho-sok) [국화과]
<i>Hypochaeris ciliata</i> (Thunb.) Makino	Ciliate cat's ear 금훈초 (Geum-hon-cho)
Hypodematum Kunze [Dryopteridaceae]	Hypodematum 금털고사리속 (Geum-teol-go-sa-ri-sok) [면마과]
<i>Hypodematum glandulos-pilosum</i> (Tagawa) Ohwi	Golden hair fern 금털고사리 (Geum-teol-go-sa-ri)
Hypolepis Bernh. [Pteridaceae]	Beadfern 점고사리속 (Jeom-go-sa-ri-sok) [고사리과]
<i>Hypolepis punctata</i> (Thunb.) Mett. ex Kuhn	Dotted beadfern 점고사리 (Jeom-go-sa-ri)
Hystrix Moench [Poaceae]	Hystrix 수염개밀속 (Su-yeom-gae-mil-sok) [벼과]

H

Scientific name	English name Korean name (Romanization)
<i>Hystrix longearistata</i> (Hack.) Honda	Long-beard porcupine 수염개밀 (Su-yeom-gae-mil)
Idesia Maxim. [Flacourtiaceae]	Idesia 이나무속 (I-na-mu-sok) [산유자나무과]
<i>Idesia polycarpa</i> Maxim.	Idesia 이나무 (I-na-mu)
<i>Ilex L.</i> [Araliaceae]	Holly 감탕나무속 (Gam-tang-na-mu-sok) [감탕나무과]
<i>Ilex cornuta</i> Lindl. & Paxton	Horned holly 호랑가시나무 (Ho-rang-ga-si-na-mu)
<i>Ilex crenata</i> Thunb.	Box-leaf holly 꽝꽝나무 (Kkwang-kkwang-na-mu)
<i>Ilex crenata</i> var. <i>microphylla</i> Maxim. ex Matsum.	Small box-leaf holly 좁꽝꽝나무 (Jom-kkwang-kkwang-na-mu)
<i>Ilex integra</i> Thunb.	Elegance female holly 감탕나무 (Gam-tang-na-mu)
<i>Ilex macropoda</i> Miq.	Macropoda holly 대팻집나무 (Dae-paet-jip-na-mu)
<i>Ilex macropoda</i> f. <i>pseudomacropoda</i> (Loes.) H.Hara	Glabrous macropoda holly 민대팻집나무 (Min-dae-paet-jip-na-mu)
<i>Ilex rotunda</i> Thunb.	Round-leaf holly 먼나무 (Meon-na-mu)
ILLICIACEAE A.C.Sm.	Star-anise family 붓순나무과 (But-sun-na-mu-gwa)
<i>Illicium L.</i> [Illiciaceae]	Anisetree, Star-anise 붓순나무속 (But-sun-na-mu-sok) [붓순나무과]
<i>Illicium anisatum</i> L.	Aniseed tree 붓순나무 (But-sun-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Impatiens</i> L. [Balsaminaceae]	Impatiens, Jewelweed, Snapweed, Touch-me-not 물봉선속 (Mul-bong-seon-sok) [봉선화과]
<i>Impatiens atrosanguinea</i> (Nakai) B.U.Oh & Y.P.Hong	Gaya touch-me-not 가야물봉선 (Ga-ya-mul-bong-seon)
<i>Impatiens furcillata</i> Hemsl.	Small white touch-me-not 산물봉선 (San-mul-bong-seon)
<i>Impatiens noli-tangere</i> L.	Western touch-me-not 노랑물봉선 (No-rang-mul-bong-seon)
<i>Impatiens noli-tangere</i> var. <i>pallescens</i> Nakai	Pale touch-me-not 미색물봉선 (Mi-saek-mul-bong-seon)
<i>Impatiens textori</i> Miq.	Field touch-me-not 물봉선 (Mul-bong-seon)
<i>Impatiens textori</i> var. <i>koreana</i> (Nakai) Nakai	White field touch-me-not 흰물봉선 (Huin-mul-bong-seon)
<i>Imperata</i> Cirillo [Poaceae]	Satintail 띠속 (Tti-sok) [벼과]
<i>Imperata cylindrica</i> (L.) P.Beauv.	Blady grass 띠 (Tti)
<i>Indigofera</i> L. [Fabaceae]	Indigo 땅비싸리속 (Ttang-bissa-ri-sok) [콩과]
<i>Indigofera grandiflora</i> B.H.Choi & S.K.Cho	Large-flower indigo 큰꽃땅비싸리 (Keun-kkot-ttang-bissa-ri)
<i>Indigofera kirilowii</i> Maxim. ex Palib.	Kirilow's indigo 땅비싸리 (Ttang-bissa-ri)
<i>Indigofera kirilowii</i> f. <i>albiflora</i> Uyeki	White-flower Kirilow's indigo 흰땅비싸리 (Huin-ttang-bissa-ri)
<i>Indigofera koreana</i> Ohwi	Korean indigo 민땅비싸리 (Min-ttang-bissa-ri)

Scientific name	English name Korean name (Romanization)
<i>Indigofera pseudotinctoria</i> Matsum.	Dwarf false indigo 낭아초 (Nang-a-cho)
Inula L. [Asteraceae]	Yellowhead 금불초속 (Geum-bul-cho-sok) [국화과]
<i>Inula britannica</i> var. <i>japonica</i> (Thunb.) Franch. & Sav.	Oriental yellowhead 금불초 (Geum-bul-cho)
<i>Inula britannica</i> var. <i>linariifolia</i> (Turcz.) Regel	Linear-leaf British yellowhead 가는금불초 (Ga-neun-geum-bul-cho)
<i>Inula britannica</i> var. <i>ramosa</i> Kom.	Branching British yellowhead 가지금불초 (Ga-ji-geum-bul-cho)
<i>Inula salicina</i> var. <i>asiatica</i> Kitam.	Asian willow-leaf yellowhead 버들금불초 (Beo-deul-geum-bul-cho)
* <i>Inula salicina</i> var. <i>minipetala</i> Y.N.Lee	Small-petal yellowhead 전의금불초 (Jeon-ui-geum-bul-cho)
IRIDACEAE Juss.	Iris family 붓꽃과 (But-kkot-gwa)
Iris L. [Iridaceae]	Iris 붓꽃속 (But-kkot-sok) [붓꽃과]
<i>Iris dichotoma</i> Pall.	Vesper iris 대청부채 (Dae-cheong-bu-chae)
<i>Iris ensata</i> Thunb.	Beautiful-flower water iris 꽃창포 (Kkot-chang-po)
* <i>Iris ensata</i> var. <i>spontanea</i> f. <i>alba</i> Y.N.Lee	White-flower water iris 흰꽃창포 (Huin-kkot-chang-po)
<i>Iris koreana</i> Nakai	Dwarf woodland Korean iris 노랑붓꽃 (No-rang-but-kkot)
<i>Iris lactea</i> Pall.	Winding-leaf iris 타래붓꽃 (Ta-rae-but-kkot)
<i>Iris laevigata</i> Fisch.	Rabbit-ear iris 제비붓꽃 (Je-bi-but-kkot)

Scientific name	English name Korean name (Romanization)
<i>Iris mandshurica</i> Maxim.	Manchurian iris 만주붓꽃 (Man-ju-but-kkot)
<i>Iris minutiaurea</i> Makino	Grassy-leaf yellow iris 금붓꽃 (Geum-but-kkot)
<i>Iris neosetosa</i> Y.N.Lee	New wild flag iris 신부채붓꽃 (Sin-bu-chae-but-kkot)
<i>Iris odaesanensis</i> Y.N.Lee	Odaesan iris 노랑무늬붓꽃 (No-rang-mu-nui-but-kkot)
* <i>Iris odaesanensis</i> f. <i>albiflora</i> Y.N.Lee	White-flower Odaesan iris 흰노랑무늬붓꽃 (Huin-no-rang-mu-nui-but-kkot)
<i>Iris odaesanensis</i> f. <i>purpurascens</i> Y.N.Lee	Violet-flower Odaesan iris 보라노랑무늬붓꽃 (Bo-ra-no-rang-mu-nui-but-kkot)
<i>Iris rossii</i> Baker	Long-tail iris 각시붓꽃 (Gak-si-but-kkot)
<i>Iris rossii</i> f. <i>alba</i> Y.N.Lee	White long-tail iris 흰각시붓꽃 (Huin-gak-si-but-kkot)
<i>Iris rossii</i> var. <i>latifolia</i> J.K.Sim & Y.S.Kim	Broad-leaf long-tail iris 넓은잎각시붓꽃 (Neol-beun-ip-gak-si-but-kkot)
<i>Iris ruthenica</i> Ker Gawl.	Beardless iris 솔붓꽃 (Sol-but-kkot)
<i>Iris sanguinea</i> Donn ex Horn	Blood iris 붓꽃 (But-kkot)
<i>Iris sanguinea</i> var. <i>violacea</i> Makino	Violet blood iris 진보라붓꽃 (Jin-bo-ra-but-kkot)
<i>Iris sanguinea</i> f. <i>albiflora</i> Makino	White-flower blood iris 흰붓꽃 (Huin-but-kkot)
<i>Iris setosa</i> Pall. ex Link	Wild flag iris 부채붓꽃 (Bu-chae-but-kkot)
<i>Iris uniflora</i> Pall. ex Link	Single-flower iris 난장이붓꽃 (Nan-jang-i-but-kkot)

Scientific name	English name Korean name (Romanization)
<i>Isachne R.Br.</i> [Poaceae]	Bloodgrass 기장대풀속 (Gi-jang-dae-pul-sok) [벼과]
<i>Isachne globosa</i> (Thunb.) Kuntze	Swamp bloodgrass 기장대풀 (Gi-jang-dae-pul)
<i>Isachne nipponensis</i> Ohwi	Spreading swamp bloodgrass 누운기장대풀 (Nu-un-gi-jang-dae-pul)
<i>Isatis L.</i> [Brassicaceae]	Bloodgrasses, Woad 대청속 (Dae-cheong-sok) [십자화과]
<i>Isatis tinctoria</i> L.	Dyer's woad 대청 (Dae-cheong)
<i>Ischaemum L.</i> [Poaceae]	Murainagrass 쇠보리속 (Soe-bo-ri-sok) [벼과]
<i>Ischaemum anthephorooides</i> (Steud.) Miq.	Asian murainagrass 갓쇠보리 (Gaet-soe-bo-ri)
<i>Ischaemum anthephorooides</i> f. <i>coreanum</i> (Nakai) Y.N.Lee	Korean murainagrass 참쇠보리 (Cham-soe-bo-ri)
<i>Ischaemum aristatum</i> var. <i>glaucum</i> (Honda) T.Koyama	Toco grass 쇠보리 (Soe-bo-ri)
<i>Isodon</i> (Schrad. ex Benth.) Spach [Lamiaceae]	Isodon 산박하속 (San-bak-ha-sok) [꿀풀과]
<i>Isodon excisus</i> (Maxim.) Kudô	Tailed-leaf isodon 오리방풀 (O-ri-bang-pul)
* <i>Isodon excisus</i> var. <i>chiisanensis</i> T.B.Lee	Jiri tailed-leaf isodon 지리오리방풀 (Ji-ri-o-ri-bang-pul)
* <i>Isodon excisus</i> var. <i>coreanus</i> T.B.Lee	Korean tailed-leaf isodon 둥근오리방풀 (Dung-geun-o-ri-bang-pul)
<i>Isodon excisus</i> f. <i>albiflorus</i> (Sakata) H.Hara	White tailed-leaf isodon 흰오리방풀 (Huin-o-ri-bang-pul)
<i>Isodon inflexus</i> (Thunb.) Kudô	Mountain isodon 산박하 (San-bak-ha)

Scientific name	English name Korean name (Romanization)
<i>Isodon inflexus</i> var. <i>canescens</i> (Nakai) Kudo	Hairy-leaf mountain isodon 털산박하 (Teol-san-bak-ha)
<i>Isodon inflexus</i> var. <i>macrophyllus</i> (Maxim.) Kitag.	Large-leaf mountain isodon 깨나물 (Kkae-na-mul)
<i>Isodon inflexus</i> var. <i>microphyllus</i> Kudo	Small-leaf mountain isodon 영도산박하 (Yeong-do-san-bak-ha)
<i>Isodon inflexus</i> var. <i>transiticus</i> Matsum. & Kudo	Long-leaf mountain isodon 긴잎산박하 (Gin-ip-san-bak-ha)
<i>Isodon japonicus</i> (Burm.) H.Hara	Bangahpul (East Asian soup-mint) 방아풀 (Bang-a-pul)
<i>Isodon serra</i> (Maxim.) Kudô	Purple-leaf bangahpul 자주방아풀 (Ja-ju-bang-a-pul)
ISOETACEAE Dumort.	Quillwort family 물부추과 (Mul-bu-chu-gwa)
<i>Isoetes</i> L. [Isoetaceae]	Quillwort 물부추속 (Mul-bu-chu-sok) [물부추과]
<i>Isoetes hallasanensis</i> H.-K. Choi, C. Kim & J. Jung	Halla quillwort 한라물부추 (Han-ra-mul-bu-chu)
<i>Isoetes japonica</i> A.Braun	Japanese quillwort 물부추 (Mul-bu-chu)
<i>Isoetes jejuensis</i> H.-K. Choi, C. Kim & J. Jung	Jeju quillwort 제주물부추 (Je-ju-mul-bu-chu)
<i>Isoetes sinensis</i> Palmer	Narrow quillwort 가는물부추 (Ga-neun-mul-bu-chu)
<i>Isoetes sinensis</i> var. <i>coreana</i> (Y.H.Chung & H.K.Chi) M.Takamiya et al.	Korean quillwort 참물부추 (Cham-mul-bu-chu)
<i>Isopyrum</i> L. [Ranunculaceae]	Isopyrum 만주바람꽃속 (Man-ju-ba-ram-kkot-sok) [미나리아재비과]
<i>Isopyrum manshuricum</i> (Kom.) Kom.	Manchurian isopyrum 만주바람꽃 (Man-ju-ba-ram-kkot)

Scientific name	English name Korean name (Romanization)
<i>Ixeridium</i> (A. Gray) Tzvelev [Asteraceae]	Ixeridium 씀바귀속 (Sseum-ba-gwi-sok) [국화과]
<i>Ixeridium dentatum</i> (Thunb.) Tzvelev	Toothed ixeridium 씀바귀 (Sseum-ba-gwi)
<i>Ixeridium dentatum</i> f. <i>albiflora</i> (Makino) H.Hara	White toothed ixeridium 흰씀바귀 (Huin-sseum-ba-gwi)
<i>Ixeris</i> (Cass.) Cass. [Asteraceae]	Ixeris 선씀바귀속 (Seon-sseum-ba-gwi-sok) [국화과]
<i>Ixeris chinensis</i> (Thunb.) Nakai	Yellow birstle-hair ixeris 노랑선씀바귀 (No-rang-seon-sseum-ba-gwi)
<i>Ixeris chinensis</i> subsp. <i>versicolor</i> (Fisch.) Kitam.	Changing-color ixeris 가새씀바귀 (Ga-sae-sseum-ba-gwi)
<i>Ixeris chinodebilis</i> Kitam.	Hamheung ixeris 함흥씀바귀 (Ham-heung-sseum-ba-gwi)
<i>Ixeris debilis</i> (Thunb.) A.Gray	Weak ixeris 벌음씀바귀 (Beot-eum-sseum-ba-gwi)
<i>Ixeris polyccephala</i> Cass.	Many-head ixeris 별씀바귀 (Beol-sseum-ba-gwi)
<i>Ixeris repens</i> (L.) A.Gray	Creeping beach ixeris 갓씀바귀 (Gaet-sseum-ba-gwi)
<i>Ixeris stolonifera</i> A.Gray	Creeping ixeris 좀씀바귀 (Jom-sseum-ba-gwi)
<i>Ixeris strigosa</i> (H.Lév. & Vaniot) J.H.Pak & Kawano	Short bristle-like hair ixeris 선씀바귀 (Seon-sseum-ba-gwi)
<i>Ixeris tamagawaensis</i> (Makino) Kitam.	Stream-bank ixeris 냇씀바귀 (Naet-sseum-ba-gwi)
J	
<i>Jeffersonia</i> Barton [Berberidaceae]	Jeffersonia, Rheumatism root, Twinleaf 깽깽이풀속 (Kkaeng-kkaeng-i-pul-sok) [매자나무과]

Scientific name	English name Korean name (Romanization)
<i>Jeffersonia dubia</i> (Maxim.) Benth. & Hook.f. ex Baker & S.Moore	Asian twinleaf 깽깽이풀 (Kkaeng-kkaeng-i-pul)
JUGLANDACEAE DC. ex Perleb	Walnut family 가래나무과 (Ga-rae-na-mu-gwa)
<i>Juglans L.</i> [Juglandaceae]	Walnut, Walnut tree 가래나무속 (Ga-rae-na-mu-sok) [가래나무과]
<i>Juglans cordiformis</i> Maxim.	Heart-shape walnut 쪽가래나무 (Jjok-ga-rae-na-mu)
<i>Juglans mandshurica</i> Maxim.	Manchurian walnut 가래나무 (Ga-rae-na-mu)
<i>Juglans mandshurica</i> f. <i>stenocarpa</i> Uyeki	Long-leaflet Manchurian walnut 긴가래나무 (Gin-ga-rae-na-mu)
<i>Juglans mandshurica</i> var. <i>sieboldiana</i> Makino	Siebold's Manchurian walnut 왕가래나무 (Wang-ga-rae-na-mu)
JUNCACEAE Juss.	Rush family 골풀과 (Gol-pul-gwa)
JUNCAGINACEAE Rich.	Arrow grass family 지채과 (Ji-chae-gwa)
<i>Juncus L.</i> [Juncaceae]	Rush 골풀속 (Gol-pul-sok) [골풀과]
<i>Juncus alatus</i> Franch. & Sav.	Wingstem rush 날개골풀 (Nal-gae-gol-pul)
<i>Juncus brachyspathus</i> Maxim.	High mountain rush 참골풀 (Cham-gol-pul)
<i>Juncus bufonius</i> L.	Toad rush 애기골풀 (Ae-gi-gol-pul)
<i>Juncus castaneus</i> subsp. <i>triceps</i> (Rostk.) Novikov	Triceps chestnut rush 설령골풀 (Seol-ryeong-gol-pul)
<i>Juncus decipiens</i> (Buchenau) Nakai	Golpul (Common rush) 골풀 (Gol-pul)

Scientific name	English name Korean name (Romanization)
<i>Juncus diastrophanthus</i> Buchenau	Narrow-wingstem rush 별날개골풀 (Byeol-nal-gae-gol-pul)
<i>Juncus gracillimus</i> (Buchenau) V.I.Krecz. & Gontsch.	Slender-stem rush 물골풀 (Mul-gol-pul)
<i>Juncus haenkei</i> E.Mey.	Haenke's rush 갓골풀 (Gaet-gol-pul)
* <i>Juncus hallasanensis</i> T.H.Chung	Halla rush 한라골풀 (Han-ra-gol-pul)
<i>Juncus krameri</i> Franch. & Sav.	Kramer's rush 비녀골풀 (Bi-nyeo-gol-pul)
<i>Juncus maximowiczii</i> Buchenau	Maximowicz's rush 실비녀골풀 (Sil-bi-nyeo-gol-pul)
* <i>Juncus ounsanensis</i> T.H.Chung	Wonsan rush 솔비녀골풀 (Sol-bi-nyeo-gol-pul)
<i>Juncus papillosum</i> Franch. & Sav.	Papillous rush 청비녀골풀 (Cheong-bi-nyeo-gol-pul)
<i>Juncus potaninii</i> Buchenau	Potanin's rush 백두실골풀 (Baek-du-sil-gol-pul)
<i>Juncus prismatocarpus</i> subsp. <i>leschenaultii</i> (Gay ex Laharpe) Kirschner	Prism-fruit rush 참비녀골풀 (Cham-bi-nyeo-gol-pul)
<i>Juncus setchuensis</i> Buchenau	Pale-green stem rush 푸른갓골풀 (Pu-reun-gaet-gol-pul)
<i>Juncus stygius</i> L.	Moor rush 대택비녀골풀 (Dae-taek-bi-nyeo-gol-pul)
<i>Juncus tenuis</i> Willd.	Field rush 길골풀 (Gil-gol-pul)
<i>Juncus triglumis</i> L.	Three-hull rush 구름골풀 (Gu-reum-gol-pul)
<i>Juncus wallichianus</i> J.Gay ex Laharpe	Wallichian's rush 눈비녀골풀 (Nun-bi-nyeo-gol-pul)
<i>Juniperus</i> L. [Cupressaceae]	Juniper 향나무속 (Hyang-na-mu-sok) [측백나무과]

Scientific name	English name Korean name (Romanization)
<i>Juniperus chinensis</i> L.	Chinese juniper 향나무 (Hyang-na-mu)
<i>Juniperus chinensis</i> var. <i>procumbens</i> (Siebold) Endl.	Procumbens Chinese juniper 섬향나무 (Seom-hyang-na-mu)
<i>Juniperus chinensis</i> var. <i>horizontalis</i> Nakai ex Uyeki	Horizontal Chinese juniper 뚝향나무 (Ttuk-hyang-na-mu)
<i>Juniperus chinensis</i> var. <i>sargentii</i> A.Henry	Dwarf juniper 눈향나무 (Nun-hyang-na-mu)
<i>Juniperus communis</i> subsp. <i>alpina</i> (Suter) Celak.	Alpine juniper 곱향나무 (Gop-hyang-na-mu)
<i>Juniperus davuricus</i> Pall.	Dahurian juniper 단천향나무 (Dan-cheon-hyang-na-mu)
<i>Juniperus rigida</i> Siebold & Zucc.	Needle juniper 노간주나무 (No-gan-ju-na-mu)
<i>Juniperus rigida</i> var. <i>conferta</i> (Parl.) Patschke	Shore juniper 해변노간주 (Hae-byeon-no-gan-ju)
<i>Juniperus rigida</i> var. <i>modesta</i> Nakai	Pyeonggang juniper 평강노간주 (Pyeong-gang-no-gan-ju)
Justicia L. [Acanthaceae]	Water-willow 쥐꼬리망초속 (Jwi-kko-ri-mang-cho-sok) [쥐꼬리망초과]
<i>Justicia procumbens</i> L.	Oriental water-willow 쥐꼬리망초 (Jwi-kko-ri-mang-cho)

K

<i>Kadsura</i> Juss. [Schisandraceae]	Kadsura 남오미자속 (Nam-o-mi-ja-sok) [오미자과]
<i>Kadsura japonica</i> (L.) Dunal	Kadsura vine 남오미자 (Nam-o-mi-ja)
<i>Aster iinumae</i> Kitam. ex H.Hara	Perennial false aster 버드쟁이나물 (Beo-deu-jaeng-i-na-mul)

K

Scientific name	English name Korean name (Romanization)
<i>Kalopanax</i> Miq. [Araliaceae]	Castor aralia, Prickly castor oil tree 음나무속 (Eum-na-mu-sok) [두릅나무과]
<i>Kalopanax septemlobus</i> (Thunb.) Koidz.	Prickly castor oil tree 음나무 (Eum-na-mu)
<i>Kalopanax septemlobus</i> var. <i>magnificus</i> (Zabel) Hand.-Mazz.	Hairy prickly castor oil tree 털음나무 (Teol-eum-na-mu)
<i>Kalopanax septemlobus</i> var. <i>maximowiczi</i> (Van Houtte) Hand.-Mazz	Narrow-leaf prickly castor oil tree 가는잎음나무 (Ga-neun-ip-eum-na-mu)
<i>Kerria</i> DC. [Rosaceae]	Kerria 황매화속 (Hwang-mae-hwa-sok) [장미과]
<i>Kerria japonica</i> (L.) DC.	Kerria 황매화 (Hwang-mae-hwa)
<i>Kirengeshoma</i> Yatabe [Saxifragaceae]	Kirengeshoma 나도승마속 (Na-do-seung-ma-sok) [범의귀과]
<i>Kirengeshoma koreana</i> Nakai	Korean kirengeshoma 나도승마 (Na-do-seung-ma)
<i>Knorreria</i> (Czukav.) Tzvelev [Polygonaceae]	Knorreria 시베리아여뀌속 (Si-be-ri-a-yeo-kkwi-sok) [마디풀과]
<i>Knorreria sibirica</i> (Laxm.) Tzvelev	Siberian knorreria 시베리아여뀌 (Si-be-ri-a-yeo-kkwi)
<i>Kobresia</i> Willd. [Cyperaceae]	Bog sedge 좀바늘사초속 (Jom-ba-neul-sa-cho-sok) [사초과]
<i>Kobresia bellardii</i> (All.) Degl. ex Loisel.	Bellard's kobresia 좀바늘사초 (Jom-ba-neul-sa-cho)
<i>Kochia</i> Roth [Chenopodiaceae]	Smotherweed 댑싸리속 (Daep-ssa-ri-sok) [명아주과]
<i>Kochia scoparia</i> var. <i>littorea</i> Makino	Coastal mock-cypress 갓댑싸리 (Gaet-daep-ssa-ri)

Scientific name	English name Korean name (Romanization)
<i>Koeleria</i> Pers. [Poaceae]	Junegrass 도랭이피속 (Do-raeng-i-pi-sok) [벼과]
<i>Koeleria macrantha</i> (Ledeb.) Schult.	Prairie Junegrass 도랭이피 (Do-raeng-i-pi)
<i>Koelreuteria</i> Laxm. [Sapindaceae]	Koelreuteria 모감주나무속 (Mo-gam-ju-na-mu-sok) [무환자나무과]
<i>Koelreuteria paniculata</i> Laxm.	Goldenrain tree 모감주나무 (Mo-gam-ju-na-mu)
<i>Korthalsella</i> Tiegh. [Loranthaceae]	Korthal mistletoe 동백나무거우살이속 (Dong-baek-na-mu-gyeo-u-sal-i-sok) [거우살이과]
<i>Korthalsella japonica</i> (Thunb.) Engl.	Oriental korthal mistletoe 동백나무거우살이 (Dong-baek-na-mu-gyeo-u-sal-i)
<i>Kuhlhasseltia</i> J.J.Sm. [Orchidaceae]	Kuhlhasseltia 백운란속 (Baek-un-ran-sok) [난초과]
<i>Kuhlhasseltia nakaiana</i> (F.Maek.) Ormerod	Baekun kuhlhasseltia orchid 백운란 (Baek-un-ran)
<i>Kummerowia</i> Schindl. [Fabaceae]	Kummerowia 매듭풀속 (Mae-deup-pul-sok) [콩과]
<i>Kummerowia stipulacea</i> (Maxim.) Makino	Korean clover 등근매듭풀 (Dung-geun-mae-deup-pul)
<i>Kummerowia striata</i> (Thunb.) Schindl.	Japanese clover 매듭풀 (Mae-deup-pul)
<i>Kyllinga</i> Rottb. [Cyperaceae]	Spikesedge 파대가리속 (Pa-dae-ga-ri-sok) [사초과]
<i>Kyllinga brevifolia</i> Rottb.	Short-leaf spikesedge 파대가리 (Pa-dae-ga-ri)
<i>Kyllinga gracillima</i> Miq.	Pasture spikesedge 꽃파대가리 (Kkot-pa-dae-ga-ri)

K

Scientific name	English name Korean name (Romanization)
L	
<i>Lacosteopsis (Prantl) Nakaike</i> [Hymenophyllaceae]	Lacosteopsis 누운괴불이끼속 (Nu-un-goe-bul-i-kki-sok) [처녀이끼과]
<i>Lacosteopsis orientalis</i> (C.Chr.) Nakaike	Burman bristle fern 누운괴불이끼 (Nu-un-goe-bul-i-kki)
<i>Lacosteopsis orientalis</i> var. <i>abbreviata</i> (C.Chr.) Nakaike	Pinnate-lobe bristle fern 난장이이끼 (Nan-jang-i-i-kki)
<i>Lactuca L.</i> [Asteraceae]	Lettuce 왕고들빼기속 (Wang-go-deul-ppae-gi-sok) [국화과]
<i>Lactuca hallaisanensis</i> H.Lév.	Halla lettuce 한라고들빼기 (Han-ra-go-deul-ppae-gi)
<i>Lactuca indica</i> var. <i>lacinata</i> (Houtt.) H.Hara	Slender-leaf Indian lettuce 가는잎왕고들빼기 (Ga-neun-ip-wang-go-deul-ppae-gi)
<i>Lactuca indica</i> L.	Indian lettuce 왕고들빼기 (Wang-go-deul-ppae-gi)
<i>Lactuca raddeana</i> Maxim.	Hairy-vein lettuce 산씀바귀 (San-sseum-ba-gwi)
<i>Lactuca sibirica</i> (L.) Benth. ex Maxim.	Siberian lettuce 자주방가지동 (Ja-ju-bang-ga-ji-ttong)
<i>Lactuca triangulata</i> Maxim.	Triangular lettuce 두메고들빼기 (Du-me-go-deul-ppae-gi)
<i>Lagopsis</i> Bunge [Lamiaceae]	Lagopsis 흰꽃광대나물속 (Huin-kkot-gwang-dae-na-mul-sok) [꼽풀과]
<i>Lagopsis supina</i> (Steph. ex Willd.) Ikonn.-Gal.	White-flower lagopsis 흰꽃광대나물 (Huin-kkot-gwang-dae-na-mul)
LAMIACEAE Martinov (=Labiatae Juss.)	Mint family 꼽풀과 (Kkul-pul-gwa)
<i>Lamium L.</i> [Lamiaceae]	Deadnettle 광대나물속 (Gwang-dae-na-mul-sok) [꼽풀과]

Scientific name	English name Korean name (Romanization)
<i>Lamium album</i> L.	White deadnettle 왜광대수염 (Wae-gwang-dae-su-yeom)
<i>Lamium album</i> var. <i>barbatum</i> (Siebold & Zucc.) Franch. & Sav.	Beard white deadnettle 광대수염 (Gwang-dae-su-yeom)
<i>Lamium amplexicaule</i> L.	Henbit deadnettle 광대나물 (Gwang-dae-na-mul)
* <i>Lamium cuspidatum</i> Nakai ex T.H.Chung	Cuspidate deadnettle 호광대수염 (Ho-gwang-dae-su-yeom)
<i>Lamium takesimense</i> Nakai	Ulleungdo deadnettle 섬광대수염 (Seom-gwang-dae-su-yeom)
<i>Laportea</i> Gaudich. [Urticaceae]	Laportea 흑쐐기풀속 (Heuk-sswae-gi-pul-sok) [쐐기풀과]
<i>Laportea bulbifera</i> (Siebold & Zucc.) Wedd.	Bulbiferous woodnettle 흑쐐기풀 (Hok-sswae-gi-pul)
<i>Laportea macrostachya</i> (Maxim.) Ohwi	Devil's woodnettle 산쐐기풀 (San-sswae-gi-pul)
<i>Lappula</i> Moench [Boraginaceae]	Stickseed 들지치속 (Deul-ji-chi-sok) [지치과]
<i>Lappula echinata</i> (L.) Gilib.	European stickseed 들지치 (Deul-ji-chi)
<i>Lappula heteracantha</i> (Ledeb.) Guerke	Spiny stickseed 돌지치 (Dol-ji-chi)
<i>Lapsanastrum</i> Pak & K. Bremer [Asteraceae]	Nipplewort 개보리뺑이속 (Gae-bo-ri-ppaeng-i-sok) [국화과]
<i>Lapsanastrum apogonoides</i> (Maxim.) J.H.Pak & K.Bremer	Common nipplewort 개보리뺑이 (Gae-bo-ri-ppaeng-i)
<i>Lapsanastrum humile</i> (Thunb.) J.H.Pak & K.Bremer	Shady nipplewort 그늘보리뺑이 (Geu-neul-bo-ri-ppaeng-i)
LARDIZABALACEAE R.Br.	Lardizabala family 으름덩굴과 (Eu-reum-deong-gul-gwa)

Scientific name	English name Korean name (Romanization)
<i>Larix</i> Mill. [Pinaceae]	Larch 잎갈나무속 (Ip-gal-na-mu-sok) [소나무과]
<i>Larix gmelinii</i> (Rupr.) Kuzen.	Dahurian larch 잎갈나무 (Ip-gal-na-mu)
<i>Larix gmelinii</i> var. <i>olgensis</i> (A.Henry) Ostenf. & Syrach	Manchurian larch 만주잎갈나무 (Man-ju-ip-gal-na-mu)
<i>Larix olgensis</i> f. <i>viridis</i> (E. H. Wilson) Nakai	see <i>Larix gmelinii</i> (Rupr.) Kuzen.
<i>Lasianthus</i> Jack [Rubiaceae]	Lasianthus 무주나무속 (Mu-ju-na-mu-sok) [꼭두서니과]
<i>Lasianthus japonicus</i> Miq.	Japanese lasianthus 무주나무 (Mu-ju-na-mu)
<i>Lastrea</i> Bory [Dryopteridaceae]	Lastrea 큰처녀고사리속 (Keun-cheo-nyeo-go-sa-ri-sok) [면마과]
<i>Lastrea quelpaertensis</i> (Christ) Copel	Queen's-veil maiden-fern 큰처녀고사리 (Keun-cheo-nyeo-go-sa-ri)
<i>Lathraea</i> L. [Scrophulariaceae]	Toothwort 개종용속 (Gae-jong-yong-sok) [현삼과]
<i>Lathraea japonica</i> Miq.	Mountain toothwort 개종용 (Gae-jong-yong)
<i>Lathyrus</i> L. [Fabaceae]	Pea, Sweet peas, Vetchlings 연리초속 (Yeon-ri-cho-sok) [콩과]
<i>Lathyrus davidii</i> Hance	David vetchling 힐량나물 (Hwal-ryang-na-mul)
<i>Lathyrus humilis</i> (Ser.) Spreng.	Short vetchling 애기완두 (Ae-gi-wan-du)
<i>Lathyrus japonicus</i> Willd.	Beach vetchling 갯완두 (Gaet-wan-du)

Scientific name	English name Korean name (Romanization)
<i>Lathyrus japonicus</i> var. <i>aleuticus</i> (T.G.White) Fernald	Hairy beach vetchling 털갓완두 (Teol-gaet-wan-du)
<i>Lathyrus komarovii</i> Ohwi	Erect vetchling 선연리초 (Seon-yeon-ri-cho)
<i>Lathyrus palustris</i> subsp. <i>pilosus</i> (Cham.) Hultén	Hairy-marsh vetchling 털연리초 (Teol-yeon-ri-cho)
<i>Lathyrus quinquenervius</i> (Miq.) Litv.	Five-vein vetchling 연리초 (Yeon-ri-cho)
<i>Lathyrus vaniotii</i> H.Lév.	Korean mountain vetching 산새콩 (San-sae-kong)
LAURACEAE Juss.	Laurel family 녹나무과 (Nok-na-mu-gwa)
<i>Lecanorchis</i> Blume [Orchidaceae]	<i>Lecanorchis</i> 무엽란속 (Mu-yeop-ran-sok) [난초과]
<i>Lecanorchis japonica</i> Blume	Leafless lecanorchis 무엽란 (Mu-yeop-ran)
<i>Lecanorchis kiusiana</i> Tuyama	Jeju leafless lecanorchis 제주무엽란 (Je-ju-mu-yeop-ran)
<i>Ledum</i> L. [Ericaceae]	Labrador tea 백산차속 (Baek-san-cha-sok) [진달래과]
<i>Ledum palustre</i> subsp. <i>groenlandicum</i> (Oeder) Hultén	Greenland labrador tea 함경백산차 (Ham-gyeong-baek-san-cha)
<i>Ledum palustre</i> var. <i>decumbens</i> Aiton	Narrow-leaf labrador tea 좁은백산차 (Jop-eun-baek-san-cha)
<i>Ledum palustre</i> var. <i>diversipilosum</i> Nakai	Hairy labrador tea 백산차 (Baek-san-cha)
<i>Ledum palustre</i> var. <i>latifolium</i> Michaux.	Wide-leaf labrador tea 노봉백산차 (No-bong-baek-san-cha)
<i>Ledum palustre</i> var. <i>maximum</i> Nakai	Large-leaf labrador tea 왕백산차 (Wang-baek-san-cha)

Scientific name	English name Korean name (Romanization)
<i>Leersia</i> Sw. [Poaceae]	Cutgrass 겨풀속 (Gyeo-pul-sok) [벼과]
<i>Leersia japonica</i> (Makino ex Honda) Honda	East Asian cutgrass 나도겨풀 (Na-do-gyeo-pul)
<i>Leersia oryzoides</i> (L.) Sw.	Rice cutgrass 좀겨풀 (Jom-gyeo-pul)
<i>Leersia sayanuka</i> Ohwi	Gyeopul (Asian cutgrass) 겨풀 (Gyeo-pul)
<i>Leibnitzia</i> Cass. [Asteraceae]	Sunbonnets 솜나물속 (Som-na-mul-sok) [국화과]
<i>Leibnitzia anandria</i> (L.) Turcz.	Leibnitzia sunbonnet 솜나물 (Som-na-mul)
<i>Lemmaphyllum</i> C.Presl [Polypodiaceae]	Lemmaphyllum 콩짜개덩굴속 (Kong-jja-gae-deong-gul-sok) [고란초과]
<i>Lemmaphyllum microphyllum</i> C.Presl	Green bean fern 콩짜개덩굴 (Kong-jja-gae-deong-gul)
<i>Lemmaphyllum microphyllum</i> var. <i>obovatum</i> (Harr.) Christ	Elongate bean fern 긴콩짜개덩굴 (Gin-kong-jja-gae-deong-gul)
<i>Lemna</i> Martinov [Lemnaceae]	Duckweed 좀개구리밥속 (Jom-gae-gu-ri-bap-sok) [개구리밥과]
<i>Lemna perpusilla</i> Torr.	Minute duckweed 좀개구리밥 (Jom-gae-gu-ri-bap)
LEMNACEAE Martinov	Duckweed family 개구리밥과 (Gae-gu-ri-bap-gwa)
LENTIBULARIACEAE Rich.	Bladderwort family 통발과 (Tong-bal-gwa)
<i>Leontopodium</i> R.Br. ex Cass. [Asteraceae]	Edelweiss 솜다리속 (Som-da-ri-sok) [국화과]

Scientific name	English name Korean name (Romanization)
<i>Leontopodium coreanum</i> Nakai	Korean edelweiss 솜다리 (Som-da-ri)
<i>Leontopodium hallaisanense</i> Hand.-Mazz.	Halla edelweiss 한라솜다리 (Han-ra-som-da-ri)
<i>Leontopodium japonicum</i> Miq.	East Asian edelweiss 왜솜다리 (Wae-som-da-ri)
<i>Leontopodium leiolepis</i> Nakai	Bristle-tip edelweiss 산솜다리 (San-som-da-ri)
<i>Leontopodium leontopodioides</i> (Willd.) Beauverd	Northern edelweiss 들떡쑥 (Deul-tteok-ssuk)
<i>Leonurus</i> L. [Lamiaceae]	Motherwort 익모초속 (Ik-mo-cho-sok) [꿀풀과]
<i>Leonurus japonicus</i> Houtt.	Oriental motherwort 익모초 (Ik-mo-cho)
<i>Leonurus macranthus</i> Maxim.	Large-flower motherwort 송장풀 (Song-jang-pul)
<i>Lepidium</i> L. [Brassicaceae]	Peppercress, Peppergrass, Pepperwort 다닥냉이속 (Da-dak-naeng-i-sok) [십자화과]
<i>Lepidium cordatum</i> Willd. ex Stev.	Heart-leaf peppergrass 앉은잎다닥냉이 (An-jeun-ip-da-dak-naeng-i)
<i>Lepidium sibiricum</i> Schweigg.	Siberian peppergrass 시베리아다닥냉이 (Si-be-ri-a-da-dak-naeng-i)
<i>Lepisorus</i> (J. Sm.) Ching [Polypodiaceae]	Lepisorus, Weeping fern 일엽초속 (Il-yeop-cho-sok) [고란초과]
<i>Lepisorus annuifrons</i> (Makino) Ching	Kelp-leaf weeping fern 다시마일엽초 (Da-si-ma-il-yeop-cho)
<i>Lepisorus onoei</i> (Franch. & Sav.) Ching	Tiny weeping fern 애기일엽초 (Ae-gi-il-yeop-cho)
<i>Lepisorus thunbergianus</i> (Kaulf.) Ching	Weeping fern 일엽초 (Il-yeop-cho)

Scientific name	English name Korean name (Romanization)
<i>Lepisorus uchiyamae</i> (Makino) H.Itô	Club weeping fern 방망이일엽초 (Bang-mang-i-il-yeop-cho)
<i>Lepisorus ussuriensis</i> (Regel & Maack) Ching	Ussuri weeping fern 산일엽초 (San-il-yeop-cho)
<i>Leptochloa</i> P.Beauv. [Poaceae]	Sprangletop 드렁새속 (Deu-reong-sae-sok) [벼과]
<i>Leptochloa chinensis</i> (L.) Nees	Asian sprangletop 드렁새 (Deu-reong-sae)
<i>Leptogramma</i> J.Sm. [Dryopteridaceae]	Leptogramma 진퍼리고사리속 (Jin-peo-ri-go-sa-ri-sok) [면마과]
<i>Leptogramma mollissima</i> (Kunze) Ching	Mollis' swamp fern 진퍼리고사리 (Jin-peo-ri-go-sa-ri)
<i>Leptopyrum</i> Rchb. [Ranunculaceae]	Leptopyrum 바디풀속 (Ba-di-pul-sok) [미나리아재비과]
<i>Leptopyrum fumariooides</i> (L.) Rchb.	Common leptopyrum 바디풀 (Ba-di-pul)
<i>Leptorumohra</i> (H.Itô) H.Itô [Dryopteridaceae]	Leptorumohra 왁살고사리속 (Wak-sal-go-sa-ri-sok) [면마과]
<i>Leptorumohra miquelianana</i> (Maxim. ex Franch. & Sav.) H.Itô	Northern upside-down fern 왁살고사리 (Wak-sal-go-sa-ri)
<i>Lespedeza</i> Michx. [Fabaceae]	Bush clovers, Japanese clovers, Lespedeza 싸리속 (Ssa-ri-sok) [콩과]
<i>Lespedeza bicolor</i> f. <i>alba</i> (Bean) Ohwi	White shrub lespedeza 흰싸리 (Huinssa-ri)
<i>Lespedeza bicolor</i> Turcz.	Shrub lespedeza 싸리 (Ssa-ri)
<i>Lespedeza bicolor</i> var. <i>sericea</i> Nakai	Silky-hair shrub lespedeza 털싸리 (Teolssa-ri)

Scientific name	English name Korean name (Romanization)
<i>Lespedeza cuneata</i> (Dum.Cours.) G.Don	Sericea lespedeza 비수리 (Bi-su-ri)
* <i>Lespedeza cyrtobotrya</i> f. <i>alba</i> T.B.Lee	White leafy lespedeza 선녀싸리 (Seon-nyeo-ssa-ri)
* <i>Lespedeza cyrtobotrya</i> f. <i>semialba</i> T.B.Lee	Half-white leafy lespedeza 흰참싸리 (Huin-cham-ssa-ri)
<i>Lespedeza cyrtobotrya</i> Miq.	Leafy lespedeza 참싸리 (Cham-ssa-ri)
<i>Lespedeza cyrtobotrya</i> var. <i>longifolia</i> Nakai	Long-leaf lespedeza 긴잎참싸리 (Gin-ip-cham-ssa-ri)
<i>Lespedeza daurica</i> (Laxm.) Schindl.	Dahurian lespedeza 호비수리 (Ho-bi-su-ri)
<i>Lespedeza inschanica</i> (Maxim.) Schindl.	Greenish juncea lespedeza 청비수리 (Cheong-bi-su-ri)
<i>Lespedeza intermixta</i> Makino	Neonchul lespedeza 년출비수리 (Neon-chul-bi-su-ri)
<i>Lespedeza juncea</i> (L.f.) Pers.	Juncea lespedeza 땅비수리 (Ttang-bi-su-ri)
<i>Lespedeza juncea</i> var. <i>subsericea</i> Kom.	Silky juncea lespedeza 개파리채 (Gae-pa-ri-chae)
<i>Lespedeza juncea</i> var. <i>umbrosa</i> (Kom.) T.B.Lee	Shady juncea lespedeza 털파리채 (Teol-pa-ri-chae)
<i>Lespedeza macrovirgata</i> Kitag.	Large wand lespedeza 눈해변싸리 (Nun-hae-byeon-ssa-ri)
<i>Lespedeza maritima</i> Nakai	Coastal lespedeza 해변싸리 (Hae-byeon-ssa-ri)
<i>Lespedeza maximowiczii</i> C.K.Schneid.	Korean lespedeza 조록싸리 (Jo-rok-ssa-ri)
<i>Lespedeza maximowiczii</i> f. <i>albiflora</i> Uyeki	White Korean lespedeza 흰조록싸리 (Huin-jo-rok-ssa-ri)
* <i>Lespedeza maximowiczii</i> var. <i>elongata</i> Nakai	Elongate Korean lespedeza 늦싸리 (Neut-ssa-ri)

Scientific name	English name Korean name (Romanization)
<i>Lespedeza maximowiczii</i> var. <i>tomentella</i> Nakai	Hairy Korean lespedeza 털조록싸리 (Teol-jo-rokssa-ri)
<i>Lespedeza maximowiczii</i> var. <i>tricolor</i> Nakai	Three-color Korean lespedeza 삼색싸리 (Sam-saek-ssa-ri)
<i>Lespedeza melanantha</i> Nakai	Black-flower lespedeza 검나무싸리 (Geom-na-mu-ssa-ri)
<i>Lespedeza × nakaii</i> T.B.Lee	Long-peduncle lespedeza 꽃참싸리 (Kkot-cham-ssa-ri)
<i>Lespedeza × patentibicolor</i> T.B.Lee	Jindo lespedeza 진도싸리 (Jin-do-ssa-ri)
<i>Lespedeza pilosa</i> (Thunb.) Siebold & Zucc.	Pilose lespedeza 꽝이싸리 (Gwaeng-i-ssa-ri)
<i>Lespedeza pilosa</i> var. <i>pedunculata</i> T.B.Lee	Long-peduncle pilose lespedeza 긴괭이싸리 (Gin-gwaeng-i-ssa-ri)
<i>Lespedeza × patentihirta</i> T.B.Lee	Hair-spreading lespedeza 땅괭이싸리 (Ttang-gwaeng-i-ssa-ri)
<i>Lespedeza × robusta</i> Nakai	Goyang lespedeza 고양싸리 (Go-yang-ssa-ri)
* <i>Lespedeza × schindleri</i> T.B.Lee	Schindler's lespedeza 잡싸리 (Jap-ssa-ri)
<i>Lespedeza tetraloba</i> Nakai	Songni lespedeza 속리싸리 (Sok-ri-ssa-ri)
<i>Lespedeza thunbergii</i> subsp. <i>formosa</i> (Vogel) H.Ohashi	Tall lespedeza 풀싸리 (Pul-ssa-ri)
* <i>Lespedeza thunbergii</i> var. <i>intermedia</i> f. <i>alba</i> T.B.Lee	White tall lespedeza 흰풀싸리 (Huin-pul-ssa-ri)
* <i>Lespedeza thunbergii</i> var. <i>retusa</i> T.B.Lee	Notched-leaf tall lespedeza 부채싸리 (Bu-chae-ssa-ri)
<i>Lespedeza tomentosa</i> (Thunb.) Siebold ex Maxim.	Woolly lespedeza 개싸리 (Gae-ssa-ri)
<i>Lespedeza virgata</i> (Thunb.) DC.	Wando lespedeza 좀싸리 (Jom-ssa-ri)

Scientific name	English name Korean name (Romanization)
<i>Leucanthemella</i> Tzvelev [Asteraceae]	Leucanthemella 키큰산국속 (Ki-keun-san-guk-sok) [국화과]
<i>Leucanthemella linearis</i> (Matsum.) Tzvelev	Linear-leaf leucantheme 키큰산국 (Ki-keun-san-guk)
<i>Leymus</i> Hochst. [Poaceae]	Wheatgrass, Wild rye 개밀아재비속 (Gae-mil-a-jae-bi-sok) [벼과]
<i>Leymus chinensis</i> (Trin.) Tzvelev	False wheatgrass 개밀아재비 (Gae-mil-a-jae-bi)
<i>Leymus mollis</i> (Trin.) Pilg.	Sea wheatgrass 갯그령 (Gaet-geu-ryeong)
<i>Libanotis</i> Haller ex Zinn [Apiaceae]	Libanotis 털기름나물속 (Teol-gi-reum-na-mul-sok) [산형과]
<i>Libanotis coreana</i> (H.Wolff) Kitag.	Korean libanotis 털기름나물 (Teol-gi-reum-na-mul)
<i>Libanotis seseloides</i> (Fisch. & C.A.Mey. ex Turcz.) Turcz.	Sesellike libanotis 가는잎방풍 (Ga-neun-ip-bang-pung)
<i>Ligularia</i> Cass. [Asteraceae]	Leopard plant, Ragwort 곰취속 (Gom-chwi-sok) [국화과]
<i>Ligularia fischeri</i> (Ledeb.) Turcz.	Fischer's ragwort 곰취 (Gom-chwi)
<i>Ligularia fischeri</i> var. <i>spiciformis</i> Nakai	Handaeri ragwort 한대리곰취 (Han-dae-ri-gom-chwi)
<i>Ligularia intermedia</i> Nakai	Narrow-bract ragwort 어리곤달비 (Eo-ri-gon-dal-bi)
<i>Ligularia jaluensis</i> Kom.	Jalu ragwort 긴잎곰취 (Gin-ip-gom-chwi)
<i>Ligularia jamesii</i> (Hemsl.) Kom.	Arrowhead-leaf ragwort 화살곰취 (Hwa-sal-gom-chwi)

L

Scientific name	English name Korean name (Romanization)
<i>Ligularia japonica</i> (Thunb.) Less.	Musan ragwort 무산곰취 (Mu-san-gom-chwi)
<i>Ligularia schmidtii</i> (Maxim.) Makino	Schmidt's ragwort 개담배 (Gae-dam-bae)
<i>Ligularia stenocephala</i> (Maxim.) Matsum. & Koidz.	Narrow-head ragwort 곤달비 (Gon-dal-bi)
<i>Ligularia taquetii</i> (H.Lév. & Vaniot) Nakai	Jejudo ragwort 갯취 (Gaet-chwi)
<i>Ligusticum</i> L. [Apiaceae]	Licorice-root 기름당귀속 (Gi-reum-dang-gwi-sok) [산형과]
<i>Ligusticum hultenii</i> Fernald	Hulten's licorice-root 기름당귀 (Gi-reum-dang-gwi)
<i>Ligusticum tachiroei</i> (Franch. & Sav.) M.Hi- roe & Constance	Rocky licorice-root 개회향 (Gae-hoe-hyang)
<i>Ligustrum</i> L. [Oleaceae]	Privet 쥐똥나무속 (Jwi-ttong-na-mu-sok) [풀풀레나무과]
<i>Ligustrum acutissimum</i> Koehne	Sharp-leaf privet 산동쥐똥나무 (San-dong-jwi-ttong-na-mu)
<i>Ligustrum foliosum</i> Nakai	Korean privet 섬쥐똥나무 (Seom-jwi-ttong-na-mu)
<i>Ligustrum foliosum</i> f. <i>ovale</i> Nakai	Oval-leaf Korean privet 둥근잎섬쥐똥나무 (Dung-geun-ip-seom-jwi-ttong- na-mu)
<i>Ligustrum ibota</i> Siebold	Hairy small-leaf privet 좀털쥐똥나무 (Jom-teol-jwi-ttong-na-mu)
<i>Ligustrum ibota</i> f. <i>microphyllum</i> Nakai	Small-leaf privet 좀쥐똥나무 (Jom-jwi-ttong-na-mu)
<i>Ligustrum japonicum</i> Thunb.	Wax-leaf privet 광나무 (Gwang-na-mu)
<i>Ligustrum japonicum</i> var. <i>rotundifolium</i> Blume	Round wax-leaf privet 둥근잎광나무 (Dung-geun-ip-gwang-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Ligustrum lucidum</i> W.T.Aiton	Glossy privet 당광나무 (Dang-gwang-na-mu)
<i>Ligustrum obtusifolium</i> Siebold & Zucc.	Border privet 쥐똥나무 (Jwi-ttong-na-mu)
<i>Ligustrum obtusifolium</i> var. <i>regelianum</i> Rehder	Hairy border privet 털쥐똥나무 (Teol-jwi-ttong-na-mu)
<i>Ligustrum ovalifolium</i> Hassk.	Oval-leaf privet 왕쥐똥나무 (Wang-jwi-ttong-na-mu)
<i>Ligustrum quihoui</i> var. <i>latifolium</i> Nakai	Quihoui privet 상동잎쥐똥나무 (Sang-dong-ip-jwi-ttong-na-mu)
<i>Ligustrum salicinum</i> Nakai	Willow-leaf privet 버들쥐똥나무 (Beo-deul-jwi-ttong-na-mu)
LILIACEAE Juss.	Lily family 백합과 (Baek-hap-gwa)
<i>Lilium</i> L. [Liliaceae]	Lily 백합속 (Baek-hap-sok) [백합과]
<i>Lilium amabile</i> Palib.	Friendly lily 털중나리 (Teol-jung-na-ri)
<i>Lilium amabile</i> var. <i>flavum</i> Y.N.Lee	Yellow friendly lily 노랑털중나리 (No-rang-teol-jung-na-ri)
* <i>Lilium amabile</i> var. <i>kwangnungensis</i> Y.S.Kim & W.B.Lee	Gwangneung friendly lily 광릉털중나리 (Gwang-reung-teol-jung-na-ri)
<i>Lilium callosum</i> Siebold & Zucc.	Slim-stem lily 땅나리 (Ttang-na-ri)
<i>Lilium callosum</i> var. <i>flavum</i> Y.N.Lee	Yellow slim-stem lily 노랑땅나리 (No-rang-ttang-na-ri)
<i>Lilium cernuum</i> Kom.	Nodding lily 술나리 (Sol-na-ri)
<i>Lilium concolor</i> Salisb.	Morning-star lily 하늘나리 (Ha-neul-na-ri)
<i>Lilium concolor</i> var. <i>megalanthum</i> Wang & Tang	Big-flower morning-star lily 큰하늘나리 (Keun-ha-neul-na-ri)

Scientific name	English name Korean name (Romanization)
<i>Lilium dauricum</i> Ker Gawl.	Siberian lily 날개하늘나리 (Nal-gae-ha-neul-na-ri)
<i>Lilium distichum</i> Nakai ex Kamib.	Manchurian turk's-cap Lily 말나리 (Mal-na-ri)
* <i>Lilium hansonii</i> f. <i>mutatum</i> Y.N.Lee	Glabrous turk's-cap lily 민섬말나리 (Min-seom-mal-na-ri)
<i>Lilium hansonii</i> Leichtlin ex D.D.T.Moore	Ulleungdo turk's-cap lily 섬말나리 (Seom-mal-na-ri)
<i>Lilium lancifolium</i> Thunb.	Tiger lily 참나리 (Cham-na-ri)
<i>Lilium leichlinii</i> var. <i>maximowiczii</i> (Regel) Baker	Lesser tiger lily 중나리 (Jung-na-ri)
<i>Lilium pumilum</i> Delile	Fine-leaf lily 큰술나리 (Keun-sol-na-ri)
<i>Lilium tenuifolium</i> var. <i>chrysanthum</i> (Nakai & F.Maek.) Nakai	Golden-flower lily 금나리 (Geum-na-ri)
<i>Lilium tsingtauense</i> Gilg	Twilight lily 하늘말나리 (Ha-neul-mal-na-ri)
* <i>Lilium tsingtauense</i> f. <i>carneum</i> (Nakai) Y.N.Lee	Jirisan twilight lily 지리산하늘말나리 (Ji-ri-san-ha-neul-mal-na-ri)
<i>Limnophila</i> R.Br. [Scrophulariaceae]	Marshweed 구와말속 (Gu-wa-mal-sok) [현삼과]
<i>Limnophila aromatica</i> (Lam.) Merr.	Rice paddy marshweed 소엽풀 (So-yeop-pul)
<i>Limnophila indica</i> (L.) Druce	Indian marshweed 민구와말 (Min-gu-wa-mal)
<i>Limnophila sessiliflora</i> (Vahl) Blume	Asian marshweed 구와말 (Gu-wa-mal)
<i>Limonium</i> Mill. [Plumbaginaceae]	Marsh-rosemary, Sea-lavender, Statice 갯질경속 (Gaejt-jil-gyeong-sok) [갯질경과]

Scientific name	English name Korean name (Romanization)
<i>Limonium tetragonum</i> (Thunb.) Bullock	Square-stem statice 갯질경 (Gaet-jil-gyeong)
<i>Limosella</i> L. [Scrophulariaceae]	Mudwort 등포풀속 (Deung-po-pul-sok) [현삼과]
<i>Limosella aquatica</i> L.	Water mudwort 등포풀 (Deung-po-pul)
<i>Linaria</i> Mill. [Scrophulariaceae]	Toadflax 해란초속 (Hae-ran-cho-sok) [현삼과]
<i>Linaria japonica</i> Miq.	Seashore toadflax 해란초 (Hae-ran-cho)
<i>Linaria vulgaris</i> Hill	Yellow toadflax 좁은잎해란초 (Jop-eun-ip-hae-ran-cho)
LINACEAE DC. ex Perleb	Flax family 아마과 (A-ma-gwa)
<i>Lindera</i> Thunb. [Lauraceae]	Benjamin bush, Spicebush, Spicewood 생강나무속 (Saeng-gang-na-mu-sok) [녹나무과]
<i>Lindera angustifolia</i> W.C.Cheng	Willow-leaf spicebush 노성목 (Noe-seong-mok)
<i>Lindera erythrocarpa</i> Makino	Red-fruit spicebush 비목나무 (Bi-mok-na-mu)
<i>Lindera glauca</i> (Siebold & Zucc.) Blume	Greyblue spicebush 감태나무 (Gam-tae-na-mu)
<i>Lindera obtusiloba</i> Blume	Blunt-lobe spicebush 생강나무 (Saeng-gang-na-mu)
* <i>Lindera obtusiloba</i> f. <i>ovata</i> T.B.Lee	Ovate blunt-lobe spicebush 둥근잎생강나무 (Dung-geun-ip-saeng-gang-na-mu)
<i>Lindera sericea</i> (Siebold & Zucc.) Blume	Hairy spicebush 털조장나무 (Teol-jo-jang-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Lindernia</i> All. [Scrophulariaceae]	False pimpernel 발뚝외풀속 (Bat-ituk-oe-pul-sok) [현삼과]
<i>Lindernia crustacea</i> (L.) F.Muell.	Brittle false pimpernel 외풀 (Oe-pul)
<i>Lindernia micrantha</i> D.Don	Small-flower false pimpernel 논뚝외풀 (Non-ttuk-oe-pul)
<i>Lindernia procumbens</i> (Krock.) Philcox	Prostrate false pimpernel 발뚝외풀 (Bat-ituk-oe-pul)
<i>Lindsaea</i> Dryand. ex Sm. [Pteridaceae]	Necklace fern 비고사리속 (Bi-go-sa-ri-sok) [고사리과]
<i>Lindsaea japonica</i> (Baker) Diels	East Asian necklace fern 비고사리 (Bi-go-sa-ri)
<i>Lindsaea odorata</i> Roxb.	Fragrant necklace fern 새깃고사리 (Sae-git-go-sa-ri)
<i>Linnaea</i> L. [Caprifoliaceae]	Twinflower 린네풀속 (Rin-ne-pul-sok) [인동과]
<i>Linnaea borealis</i> L.	Twinflower 린네풀 (Rin-ne-pul)
<i>Linum</i> L. [Linaceae]	Flax 아마속 (A-ma-sok) [아마과]
<i>Linum stellatum</i> Planch.	Asian wild flax 개아마 (Gae-a-ma)
<i>Liparis</i> Rich. [Orchidaceae]	False twayblade, Widelip orchid 나리난초속 (Na-ri-nan-cho-sok) [난초과]
<i>Liparis auriculata</i> Blume ex Miq.	Auricled widelip orchid 한라옥잠난초 (Han-ra-ok-jam-nan-cho)
<i>Liparis japonica</i> (Miq.) Maxim.	Tall widelip orchid 키다리난초 (Ki-da-ri-nan-cho)

Scientific name	English name Korean name (Romanization)
<i>Liparis koreana</i> (Nakai) Nakai	Korean widelip orchid 참나리난초 (Cham-na-ri-nan-cho)
<i>Liparis koreojaponica</i> Tsutsumi, T.Yukawa, N.S.Lee, C.S.Lee & M.Kato	Large-flower widelip orchid 큰꽃옥잠난초 (Keun-kkot-ok-jam-nan-cho)
<i>Liparis krameri</i> Franch. & Sav.	Kramer's widelip orchid 나나별이난초 (Na-na-beol-i-nan-cho)
<i>Liparis kumokiri</i> F.Maek.	Large widelip orchid 옥잠난초 (Ok-jam-nan-cho)
<i>Liparis makinoana</i> Schlech.	Miniature widelip orchid 나리난초 (Na-ri-nan-cho)
<i>Liparis nervosa</i> (Thunb.) Lindl.	Black-flower widelip orchid 흑난초 (Heuk-nan-cho)
<i>Lipocarpha</i> R.Br. [Cyperaceae]	Halfchaff sedge, Lipocarpha 세대가리속 (Se-dae-ga-ri-sok) [사초과]
<i>Lipocarpha microcephala</i> (R.Br.) Kunth	Small-head lipocarpha 세대가리 (Se-dae-ga-ri)
<i>Liriope</i> Lour. [Liliaceae]	Lilyturf 맥문동속 (Maek-mun-dong-sok) [백합과]
<i>Liriope minor</i> (Maxim.) Makino	Lesser lilyturf 좀맥문동 (Jom-maek-mun-dong)
<i>Liriope muscari</i> (Decne.) L.H.Bailey	Big blue lilyturf 맥문동 (Maek-mun-dong)
<i>Liriope spicata</i> (Thunb.) Lour.	Creeping lilyturf 개맥문동 (Gae-maek-mun-dong)
<i>Lithospermum</i> L. [Boraginaceae]	Gromwells, Stoneseeds 지치속 (Ji-chi-sok) [지치과]
<i>Lithospermum arvense</i> L.	Corn gromwell 개지치 (Gae-ji-chi)
<i>Lithospermum erythrorhizon</i> Siebold & Zucc.	Redroot gromwell 지치 (Ji-chi)

Scientific name	English name Korean name (Romanization)
<i>Lithospermum zollingeri</i> A.DC.	Star-flower gromwell 반디지치 (Ban-di-ji-chi)
<i>Litsea</i> Lam. [Lauraceae]	Litsea 까마귀쪽나무속 (Kka-ma-gwi-jjok-na-mu-sok) [녹나무과]
<i>Litsea coreana</i> H.Lév.	Sword-leaf actinodaphne 육박나무 (Yuk-bak-na-mu)
<i>Litsea japonica</i> (Thunb.) Juss.	Yellowish velvety-leaf litsea 까마귀쪽나무 (Kka-ma-gwi-jjok-na-mu)
<i>Lloydia</i> Salisb. ex Rchb. [Liliaceae]	Alplily 개감채속 (Gae-gam-chae-sok) [백합과]
<i>Lloydia serotina</i> (L.) Rchb.	Snowdon alplily 개감채 (Gae-gam-chae)
<i>Lloydia triflora</i> (Ledeb.) Baker	Striation-flower alplily 나도개감채 (Na-do-gae-gam-chae)
<i>Lobelia</i> L. [Campanulaceae]	Lobelia 숫잔대속 (Sut-jan-dae-sok) [초롱꽃과]
<i>Lobelia chinensis</i> Lour.	Asian lobelia 수염가래꽃 (Su-yeom-ga-rae-kkot)
* <i>Lobelia chinensis</i> var. <i>tetrapetala</i> Y.N.Lee	Four-petal Asian lobelia 새수염가래꽃 (Sae-su-yeom-ga-rae-kkot)
<i>Lobelia sessilifolia</i> Lamb.	Sessile lobelia 숫잔대 (Sut-jan-dae)
LOGANIACEAE R.Br. ex Mart.	Pinkroot family 마전과 (Ma-jeon-gwa)
<i>Lonicera</i> L. [Caprifoliaceae]	Honeysuckle 인동속 (In-dong-sok) [인동과]
<i>Lonicera caerulea</i> var. <i>edulis</i> Turcz. ex Herder	Edible deepblue honeysuckle 댕댕이나무 (Daeng-daeng-i-na-mu)
<i>Lonicera caerulea</i> var. <i>emphyllocalyx</i> (Maxim.) Nakai	Leaf-like-calyx deepblue honeysuckle 개들쭉나무 (Gae-deul-jjuk-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Lonicera caerulea</i> var. <i>longibracteata</i> f. <i>ovata</i> H.Hara	Wide-leaf deepblue honeysuckle 넓은잎댕댕이 (Neol-beun-ip-daeng-daeng-i)
<i>Lonicera caerulea</i> var. <i>venulosa</i> (Maxim.) Rehder	Ovate-leaf deepblue honeysuckle 둥근잎댕댕이 (Dung-geun-ip-daeng-daeng-i)
<i>Lonicera cerasoides</i> Nakai	Jiri honeysuckle 자리괴불나무 (Ji-ri-goe-bul-na-mu)
<i>Lonicera chrysanthia</i> Turcz. ex Ledeb.	Chrysantha honeysuckle 각시괴불나무 (Gak-si-goe-bul-na-mu)
<i>Lonicera chrysanthia</i> var. <i>crassipes</i> Nakai	Mountain chrysantha honeysuckle 산괴불나무 (San-goe-bul-na-mu)
* <i>Lonicera chrysanthia</i> var. <i>latifolia</i> Korsh. ex Uyeki	Wide-leaf chrysantha honeysuckle 넓은잎산괴불 (Neol-beun-ip-san-goe-bul)
<i>Lonicera chrysanthia</i> var. <i>longipes</i> Maxim.	Long-peduncle chrysantha honeysuckle 절초나무 (Jeol-cho-na-mu)
<i>Lonicera chrysanthia</i> f. <i>villoa</i> Rehder	Hairy chrysantha honeysuckle 털산괴불나무 (Teol-san-goe-bul-na-mu)
<i>Lonicera coreana</i> Nakai	Korean honeysuckle 숫명다래나무 (Sut-myeong-da-rae-na-mu)
<i>Lonicera harae</i> Makino	Early-blooming ivory honeysuckle 길마가지나무 (Gil-ma-ga-ji-na-mu)
<i>Lonicera insularis</i> Nakai	Ulleungdo honeysuckle 섬괴불나무 (Seom-goe-bul-na-mu)
<i>Lonicera japonica</i> f. <i>chinensis</i> H.Hara	Downy golden-and-silver honeysuckle 잔털인동 (Jan-teol-in-dong)
<i>Lonicera japonica</i> Thunb.	Golden-and-silver honeysuckle 인동덩굴 (In-dong-deong-gul)
<i>Lonicera japonica</i> var. <i>repens</i> (Siebold) Rehder	Hairy golden-and-silver honeysuckle 털인동 (Teol-in-dong)
<i>Lonicera maackii</i> (Rupr.) Maxim.	Amur honeysuckle 괴불나무 (Goe-bul-na-mu)
<i>Lonicera maximowiczii</i> (Rupr.) Regel	Montane honeysuckle 두메홍괴불나무 (Du-me-hong-goe-bul-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Lonicera maximowiczii</i> var. <i>latifolia</i> (Ohwi) H.Hara	Wide-leaf honeysuckle 흰등괴불나무 (Huin-deung-goe-bul-na-mu)
<i>Lonicera monantha</i> Nakai	Single-flower honeysuckle 볼레괴불나무 (Bol-re-goe-bul-na-mu)
<i>Lonicera nigra</i> var. <i>barbinervis</i> (Kom.) Nakai	Black honeysuckle 암괴불나무 (Am-goe-bul-na-mu)
<i>Lonicera praeflorens</i> Batalin	Early-blooming honeysuckle 율괴불나무 (Ol-goe-bul-na-mu)
<i>Lonicera ruprechtiana</i> Regel	Manchurian honeysuckle 물앵도나무 (Mul-aeng-do-na-mu)
<i>Lonicera sachalinensis</i> (F.Schmidt) Nakai	Reddish honeysuckle 홍괴불나무 (Hong-goe-bul-na-mu)
<i>Lonicera subhispida</i> Nakai	Bristle honeysuckle 털괴불나무 (Teol-goe-bul-na-mu)
<i>Lonicera subsessilis</i> Rehder	Smooth-leaf honeysuckle 청괴불나무 (Cheong-goe-bul-na-mu)
<i>Lonicera tatarinowii</i> var. <i>leptantha</i> (Rehder) Nakai	Tatarian honeysuckle 흰괴불나무 (Huin-goe-bul-na-mu)
<i>Lonicera vesicaria</i> Kom.	Wavy-leaf honeysuckle 구슬댕댕이 (Gu-seul-daeng-daeng-i)
<i>Lonicera vidalii</i> Franch. & Sav.	Vidal's mountain honeysuckle 왕괴불나무 (Wang-goe-bul-na-mu)
<i>Lophatherum</i> Brongn. [Poaceae]	<i>Lophatherum</i> 조릿대풀속 (Jo-rit-dae-pul-sok) [벼과]
<i>Lophatherum gracile</i> Brongn.	Common lophotocarpus 조릿대풀 (Jo-rit-dae-pul)
<i>Lophatherum sinense</i> Rendle	Hairy lophotocarpus 털조릿대풀 (Teol-jo-rit-dae-pul)
LORANTHACEAE Juss.	Showy mistletoe family 겨우살이과 (Gyeo-u-sal-i-gwa)

Scientific name	English name Korean name (Romanization)
<i>Loranthus</i> Jacq. [Loranthaceae]	Mulberry mistletoe 꼬리겨우살이속 (Kko-ri-gyeo-u-sal-i-sok) [겨우살이과]
<i>Loranthus tanakae</i> Franch. & Sav.	Spike mulberry mistletoe 꼬리겨우살이 (Kko-ri-gyeo-u-sal-i)
<i>Lotus</i> L. [Fabaceae]	Trefoil 별노랑이속 (Beol-no-rang-i-sok) [콩과]
<i>Lotus corniculatus</i> var. <i>japonicus</i> Regel	Asian birdsfoot-trefoil 별노랑이 (Beol-no-rang-i)
<i>Loxogramme</i> (Blume) C. Presl [Polypodiaceae]	Loxogramme, Lace fern 주걱일엽속 (Ju-geok-il-yeop-sok) [고란초과]
<i>Loxogramme duclouxii</i> Christ	Linear-sorus lance fern 술갈일엽 (Sut-gal-il-yeop)
<i>Loxogramme grammoides</i> (Baker) C.Chr.	Oblong-sorus lance fern 주걱일엽 (Ju-geok-il-yeop)
<i>Loxogramme salicifolia</i> (Makino) Makino	Willow-leaf lance fern 비들일엽 (Beo-deul-il-yeop)
<i>Ludwigia</i> L. [Onagraceae]	Ludwigia, Primrose-willow, Water-primrose, Water-purslane 여뀌바늘속 (Yeo-kkwi-ba-neul-sok) [바늘꽃과]
<i>Ludwigia ovalis</i> Miq.	Oval ludwigia 눈여뀌바늘 (Nun-yeo-kkwi-ba-neul)
<i>Ludwigia prostrata</i> Roxb.	Climbing seedbox 여뀌바늘 (Yeo-kkwi-ba-neul)
<i>Luzula</i> DC. [Juncaceae]	Wood rush, Wood-rush, Woodrush 꿩의밥속 (Kkwong-ui-bap-sok) [골풀과]
<i>Luzula capitata</i> (Miq. ex Franch. & Sav.) Kom.	Sweep's woodrush 꿩의밥 (Kkwong-ui-bap)
<i>Luzula multiflora</i> (Ehrh.) Lej.	Common woodrush 산꿩의밥 (San-kkwong-ui-bap)

Scientific name	English name Korean name (Romanization)
* <i>Luzula odaesanensis</i> Y.N.Lee & Chae Y.	Odaeasan woodrush 오대산새밥 (O-dae-san-sae-bap)
<i>Luzula oligantha</i> Sam.	High-mountain woodrush 구름꿩의밥 (Gu-reum-kkwong-ui-bap)
<i>Luzula pallescens</i> Sw.	Eurasian woodrush 산새밥 (San-sae-bap)
<i>Luzula rufescens</i> var. <i>macrocarpa</i> Buchenau	Small-star woodrush 별꿩의밥 (Byeol-kkwong-ui-bap)
<i>Luzula rufescens</i> Fisch. ex E.Mey.	Rufous woodrush 새밥 (Sae-bap)
<i>Luzula sudetica</i> var. <i>pauciflora</i> Nakai	Montane woodrush 두메꿩의밥 (Du-me-kkwong-ui-bap)
<i>Luzula wahlenbergii</i> Rupr.	Reindeer woodrush 좀꿩의밥 (Jom-kkwong-ui-bap)
<i>Lychnis</i> L. [Caryophyllaceae]	Campion 동자꽃속 (Dong-ja-kkot-sok) [석죽과]
<i>Lychnis cognata</i> f. <i>albiflora</i> W.T.Lee	White-flower campion 흰동자꽃 (Huin-dong-ja-kkot)
<i>Lychnis cognata</i> Maxim.	Orange campion 동자꽃 (Dong-ja-kkot)
<i>Lychnis fulgens</i> f. <i>glabra</i> (Nakai) W.T.Lee	Glabrous brilliant campion 흰털동자꽃 (Huin-teol-dong-ja-kkot)
<i>Lychnis fulgens</i> Fisch. ex Spreng.	Brilliant campion 털동자꽃 (Teol-dong-ja-kkot)
<i>Lychnis kiusiana</i> Makino	Narrow-leaf campion 가는동자꽃 (Ga-neun-dong-ja-kkot)
<i>Lychnis wilfordii</i> (Regel) Maxim.	Laciniate-flower campion 제비동자꽃 (Je-bi-dong-ja-kkot)
LYCOPODIACEAE P.Beauv. ex Mirb.	Clubmoss family 석송과 (Seok-song-gwa)

Scientific name	English name Korean name (Romanization)
<i>Lycopodium L.</i> [Lycopodiaceae]	Clubmoss, Creeping cedar, Ground pines 석송속 (Seok-song-sok) [석송과]
<i>Lycopodium alpinum</i> L.	Alpine clubmoss 산석송 (San-seok-song)
<i>Lycopodium annotinum</i> L.	Stiff clubmoss 개석송 (Gae-seok-song)
<i>Lycopodium cernuum</i> L.	Staghorn clubmoss 물석송 (Mul-seok-song)
<i>Lycopodium clavatum</i> L.	Running clubmoss 석송 (Seok-song)
<i>Lycopodium complanatum</i> L.	Ground pine 비늘석송 (Bi-neul-seok-song)
<i>Lycopodium nikoense</i> Franch. & Sav.	Mountain clubmoss 뫼석송 (Moe-seok-song)
<i>Lycopodium obscurum</i> L.	Rare clubmoss 만년석송 (Man-nyeon-seok-song)
<i>Lycopus L.</i> [Lamiaceae]	Bugleweed, Gypsywort, Waterhorehound 쉽싸리속 (Swip-ssa-ri-sok) [꼽풀과]
<i>Lycopus lucidus</i> Turcz. ex Benth.	Shiny bugleweed 쉽싸리 (Swip-ssa-ri)
<i>Lycopus maackianus</i> (Maxim. ex Herder) Makino	Maack's bugleweed 애기쉽싸리 (Ae-gi-swip-ssa-ri)
<i>Lycopus ramosissimus</i> (Makino) Makino	Korean bugleweed 개쉽싸리 (Gae-swip-ssa-ri)
<i>Lycopus uniflorus</i> Michx.	Northern bugleweed 털쉽싸리 (Teol-swip-ssa-ri)
<i>Lycoris Herb.</i> [Amaryllidaceae]	Cluster amaryllis, Hurricane lilies, Lycoris, Surprise lily 상사화속 (Sang-sa-hwa-sok) [수선화과]

Scientific name	English name Korean name (Romanization)
<i>Lycoris albiflora</i> Koidz.	White-flower surprise lily 흰상사화 (Huin-sang-sa-hwa)
<i>Lycoris chejuensis</i> K.H.Tae & S.C.Ko	Jeju surprise lily 제주상사화 (Je-ju-sang-sa-hwa)
<i>Lycoris chinensis</i> Traub	Yellow surprise lily 진노랑상사화 (Jin-no-rang-sang-sa-hwa)
<i>Lycoris flavescens</i> M.Y.Kim & S.T.Lee	Reddish-yellow surprise lily 붉노랑상사화 (Buk-no-rang-sang-sa-hwa)
<i>Lycoris sanguinea</i> Maxim.	Orange-flower surprise lily 백양꽃 (Baek-yang-kkot)
<i>Lycoris uydensis</i> M.Y.Kim	Uydo surprise lily 위도상사화 (Wi-do-sang-sa-hwa)
<i>Lygodium</i> Sw. [Schizaeaceae]	Climbing fern 실고사리속 (Sil-go-sa-ri-sok) [실고사리과]
<i>Lygodium japonicum</i> (Thunb.) Sw.	Vine-like fern 실고사리 (Sil-go-sa-ri)
<i>Lysimachia</i> L. [Primulaceae]	Yellow loosestrife 참좁쌀풀속 (Cham-jop-ssal-pul-sok) [앵초과]
<i>Lysimachia acroadenia</i> Maxim.	Jejudo glandular loosestrife 섬까치수염 (Seom-kka-chi-su-yeom)
<i>Lysimachia barystachys</i> Bunge	Manchurian yellow loosestrife 까치수염 (Kka-chi-su-yeom)
<i>Lysimachia clethroides</i> Duby	Gooseneck loosestrife 큰까치수염 (Keun-kka-chi-su-yeom)
<i>Lysimachia coreana</i> Nakai	Korean loosestrife 참좁쌀풀 (Cham-jop-ssal-pul)
<i>Lysimachia fortunei</i> Maxim.	Fortune's loosestrife 진퍼리까치수염 (Jin-peo-ri-kka-chi-su-yeom)
<i>Lysimachia japonica</i> Thunb.	Small loosestrife 줌가지풀 (Jom-ga-ji-pul)

Scientific name	English name Korean name (Romanization)
<i>Lysimachia leucantha</i> Miq.	Swamp-white loosestrife 물까치수염 (Mul-kka-chi-su-yeom)
<i>Lysimachia mauritiana</i> Lam.	Spoon-leaf yellow loosestrife 갓까치수염 (Gaet-kka-chi-su-yeom)
<i>Lysimachia pentapetala</i> Bunge	Five-petal loosestrife 홍도까치수염 (Hong-do-kka-chi-su-yeom)
<i>Lysimachia thyrsiflora</i> L.	Tufted loosestrife 벼들까치수염 (Beo-deul-kka-chi-su-yeom)
<i>Lysimachia vulgaris</i> var. <i>davurica</i> (Ledeb.) R.Kunth	Dahurian loosestrife 좁쌀풀 (Jop-ssal-pul)
<i>Lysimachia vulgaris</i> var. <i>davurica</i> f. <i>koreana</i> W.T.Lee ex W.T.Lee & W.K.Paik	Pink loosestrife 분홍좁쌀풀 (Bun-hong-jop-ssal-pul)
LYTHRACEAE J.St.-Hil.	Loosestrife family 부처꽃과 (Bu-cheo-kkot-gwa)
<i>Lythrum</i> L. [Lythraceae]	Loosestrife 부처꽃속 (Bu-cheo-kkot-sok) [부처꽃과]
<i>Lythrum anceps</i> (Koehne) Makino	Purple loosestrife 부처꽃 (Bu-cheo-kkot)
<i>Lythrum salicaria</i> L.	Hairy purple loosestrife 털부처꽃 (Teol-bu-cheo-kkot)

M

<i>Maackia</i> Rupr. [Fabaceae]	Maackia 다름나무속 (Da-reup-na-mu-sok) [콩과]
<i>Maackia amurensis</i> Rupr.	Amur maackia 다름나무 (Da-reup-na-mu)
<i>Maackia amurensis</i> var. <i>buergeri</i> (Maxim.) C.K.Schneid.	Buerger's maackia 개풀푸레나무 (Gae-mul-pu-re-na-mu)
<i>Maackia floribunda</i> (Miq.) Takeda	Jejudo maackia 솔비나무 (Sol-bi-na-mu)

M

Scientific name	English name Korean name (Romanization)
<i>Machilus</i> Rumph. ex Nees [Lauraceae]	Bay-tree, <i>Machilus</i> 후박나무속 (Hu-bak-na-mu-sok) [녹나무과]
<i>Machilus japonica</i> Siebold & Zucc.	Long-leaf bay-tree 센달나무 (Sen-dal-na-mu)
<i>Machilus thunbergii</i> Siebold & Zucc.	Thunberg's bay-tree 후박나무 (Hu-bak-na-mu)
<i>Macrothelypteris</i> (H.Ito) Ching [Dryopteridaceae]	Macrothelypteris 각시고사리속 (Gak-si-go-sa-ri-sok) [면마과]
<i>Macrothelypteris oligophlebia</i> var. <i>elegans</i> (Koidz.) Ching	Few-vein marsh fern 각시고사리 (Gak-si-go-sa-ri)
<i>Macrothelypteris viridifrons</i> (Tagawa) Ching	Green-leaf marsh fern 푸른각시고사리 (Pu-reun-gak-si-go-sa-ri)
<i>Maesa</i> Forssk. [Maesaceae]	Maesa 빌레나무속 (Bil-re-na-mu-sok) [빌레나무과]
<i>Maesa japonica</i> (Thunb.) Moritzi & Zoll.	Broad flat rock tree 빌레나무 (Bil-re-na-mu)
MAESACEAE Anderb., B.Ståhl & Källersjö	Maesa family 빌레나무과 (Bil-re-na-mu-gwa)
<i>Magnolia</i> L. [Magnoliaceae]	Magnolia 목련속 (Mok-ryeon-sok) [목련과]
<i>Magnolia kobus</i> DC.	Mokryeon (Kobus magnolia) 목련 (Mok-ryeon)
<i>Magnolia sieboldii</i> K.Koch	Korean mountain magnolia 함박꽃나무 (Ham-bak-kkot-na-mu)
* <i>Magnolia sieboldii</i> f. <i>semiplena</i> T.B.Lee	Double Siebold's magnolia 겹함박꽃나무 (Gyeop-ham-bak-kkot-na-mu)
MAGNOLIACEAE Juss.	Magnolia family 목련과 (Mok-ryeon-gwa)

Scientific name [Family]	English name Korean name (Romanization)
<i>Maianthemum</i> F.H.Wigg. [Liliaceae]	False lily of the valley, Mayflower 두루미꽃속 (Du-ru-mi-kkot-sok) [백합과]
<i>Maianthemum bifolium</i> (L.) F.W.Schmidt	Two leaf beadrbuby 두루미꽃 (Du-ru-mi-kkot)
<i>Maianthemum dilatatum</i> (A.W.Wood) A.Nelson & J.F.Macbr.	False lily of the valley 큰두루미꽃 (Keun-du-ru-mi-kkot)
<i>Maianthemum japonicum</i> (A.Gray) LaFrankie	Snowy false lily of the valley 풀솜대 (Pul-som-dae)
<i>Maianthemum trifolium</i> (L.) Sloboda	Three-leaf false lily of the valley 세잎솜대 (Se-ip-som-dae)
<i>Malaxis</i> Sol. ex Sw. [Orchidaceae]	Malaxis 이삭단엽란속 (I-sak-dan-yeop-ran-sok) [난초과]
<i>Malaxis monophyllos</i> (L.) Sw.	White adder's mouth 이삭단엽란 (I-sak-dan-yeop-ran)
<i>Mallotus</i> Lour. [Euphorbiaceae]	Mallotus 예덕나무속 (Ye-deok-na-mu-sok) [대극과]
<i>Mallotus japonicus</i> (L.f.) Müll.Arg.	East Asian mallotus 예덕나무 (Ye-deok-na-mu)
<i>Malus</i> Mill. [Rosaceae]	Apple, Crabapples, Crab apples, Crabs, Wild apples 사과나무속 (Sa-gwa-na-mu-sok) [장미과]
<i>Malus baccata</i> (L.) Borkh.	Siberian crabapple 야광나무 (Ya-gwang-na-mu)
<i>Malus baccata</i> var. <i>mandshurica</i> (Maxim.) C.K.Schneid.	Hairy Siberian crabapple 털야광나무 (Teol-ya-gwang-na-mu)
<i>Malus baccata</i> f. <i>jackii</i> Rehder	Smooth Siberian crabapple 민야광나무 (Min-ya-gwang-na-mu)
<i>Malus baccata</i> f. <i>minor</i> (Nakai) T.B.Lee	Small-leaf Siberian crabapple 좁야광나무 (Jom-ya-gwang-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Malus micromalus</i> Makino	Midget crabapple 개아그배나무 (Gae-a-geu-bae-na-mu)
<i>Malus toringo</i> (Siebold) de Vriese	Three-lobe crabapple 아그배나무 (A-geu-bae-na-mu)
MALVACEAE Juss.	Hibiscus family 아욱과 (A-uk-gwa)
<i>Mankya</i> B.Y.Sun, M.H.Kim & C.H.Kim [Ophioglossaceae]	Mankya 제주고사리삼속 (Je-ju-go-sa-ri-sam-sok) [고사리삼과]
<i>Mankya chejuense</i> B.Y.Sun, M.H.Kim et C.H.Kim	Mankya 제주고사리삼 (Je-ju-go-sa-ri-sam)
<i>Marsdenia</i> R.Br. [Asclepiadaceae]	Marsdenia 나도은조롱속 (Na-do-eun-jo-rong-sok) [박주가리과]
<i>Marsdenia tomentosa</i> Morren & Decne.	Tomentose condor-vine 나도은조롱 (Na-do-eun-jo-rong)
<i>Marsilea</i> L. [Marsileaceae]	Four-leaf clover, Water clover 네가래속 (Ne-ga-rae-sok) [네가래과]
<i>Marsilea quadrifolia</i> L.	Four-leaf clover 네가래 (Ne-ga-rae)
MARSILEACEAE Mirb.	Water clover family 네가래과 (Ne-ga-rae-gwa)
<i>Matteuccia</i> Tod. [Dryopteridaceae]	Ostrich fern 청나래고사리속 (Cheong-na-rae-go-sa-ri-sok) [면마과]
<i>Matteuccia orientalis</i> (Hook.) Trev.	Oriental ostrich fern 개면마 (Gae-myeon-ma)
<i>Matteuccia struthiopteris</i> (L.) Tod.	Shuttlecock fern 청나래고사리 (Cheong-na-rae-go-sa-ri)
<i>Mazus</i> Lour. [Scrophulariaceae]	Mazus 주름잎속 (Ju-reum-ip-sok) [현삼과]

Scientific name	English name Korean name (Romanization)
<i>Mazus miquelii</i> Makino	Miquel's mazus 누운주름잎 (Nu-un-ju-reum-ip)
<i>Mazus pumilus</i> (Burm.f.) Steenis	Asian mazus 주름잎 (Ju-reum-ip)
<i>Mazus stachydisfolius</i> (Turcz.) Maxim.	Betony-leaf mazus 선주름잎 (Seon-ju-reum-ip)
<i>Mecodium</i> (Copel.) C. Presl ex Copel. [Hymenophyllaceae]	Filmy fern, Mecodium 처녀이끼속 (Cheo-nyeo-i-kki-sok) [처녀이끼과]
<i>Mecodium oligosorum</i> (Makino) H.Ito	Long-hair filmy fern 금강처녀이끼 (Geum-gang-cheo-nyeo-i-kki)
<i>Mecodium polyanthos</i> (Sw.) Copel.	Smooth filmy fern 좀처녀이끼 (Jom-cheo-nyeo-i-kki)
<i>Mecodium wrightii</i> (Bosch) Copel.	Wright's filmy fern 처녀이끼 (Cheo-nyeo-i-kki)
<i>Meehania</i> Britton [Lamiaceae]	Meehania 별깨덩굴속 (Beol-kkae-deong-gul-sok) [꼴풀과]
<i>Meehania urticifolia</i> (Miq.) Makino	Nettle-leaf mint 별깨덩굴 (Beol-kkae-deong-gul)
<i>Meehania urticifolia</i> f. <i>leucantha</i> H.Hara	White nettle-leaf mint 흰별깨덩굴 (Huin-beol-kkae-deong-gul)
* <i>Meehania urticifolia</i> f. <i>rubra</i> T.B.Lee	Red nettle-leaf mint 붉은별깨덩굴 (Bul-geun-beol-kkae-deong-gul)
<i>Megaleranthis</i> Ohwi [Ranunculaceae]	Megaleranthis 모데미풀속 (Mo-de-mi-pul-sok) [미나리아재비과]
<i>Megaleranthis saniculifolia</i> Ohwi	Modemipul (Sanicle-leaf megalanthis) 모데미풀 (Mo-de-mi-pul)

Scientific name	English name Korean name (Romanization)
<i>Melampyrum L.</i> [Scrophulariaceae]	Cow-wheat 꽃며느리밥풀속 (Kkot-myeo-neu-ri-bap-pul-sok) [현삼과]
<i>Melampyrum koreanum</i> K.J.Kim & S.M.Yun	Korean cow-wheat 긴꽃며느리밥풀 (Gin-kkot-myeo-neu-ri-bap-pul)
<i>Melampyrum roseum</i> Maxim.	Rosy cow-wheat 꽃며느리밥풀 (Kkot-myeo-neu-ri-bap-pul)
<i>Melampyrum roseum</i> var. <i>hirsutum</i> Beauverd	Hairy-bract cow-wheat 털며느리밥풀 (Teol-myeo-neu-ri-bap-pul)
<i>Melampyrum roseum</i> var. <i>japonicum</i> Franch. & Sav.	Bearded cow-wheat 수염며느리밥풀 (Su-yeom-myeo-neu-ri-bap-pul)
<i>Melampyrum roseum</i> var. <i>ovalifolium</i> f. <i>albiflorum</i> (Nakai) T.B.Lee ex T.B.Lee & T.Yamaz.	White oval-leaf cow-wheat 흰알며느리밥풀 (Huin-al-myeo-neu-ri-bap-pul)
<i>Melampyrum roseum</i> var. <i>ovalifolium</i> (Nakai) Nakai ex Beauverd	Oval-leaf cow-wheat 알며느리밥풀 (Al-myeo-neu-ri-bap-pul)
<i>Melampyrum setaceum</i> (Maxim. ex Palib.) Nakai	Lanceolate-leaf cow-wheat 애기며느리밥풀 (Ae-gi-myeo-neu-ri-bap-pul)
<i>Melampyrum setaceum</i> var. <i>nakaianum</i> (Tuyama) T.Yamaz.	Big bristled-leaf cow-wheat 새며느리밥풀 (Sae-myeo-neu-ri-bap-pul)
<i>Melica L.</i> [Poaceae]	Melic, Melic grass, Oniongrass 쌀새속 (Ssal-sae-sok) [벼과]
<i>Melica nutans</i> L.	Mountain melic 왕쌀새 (Wang-ssal-sae)
<i>Melica onoei</i> Franch. & Sav.	Broad-spike melic 쌀새 (Ssal-sae)
<i>Melica scabrosa</i> Trin.	Rough melic 참쌀새 (Cham-ssal-sae)
<i>Melica turczaninowiana</i> Ohwi	Turczaninov's melic 큰껍질새 (Keun-kkeop-jil-sae)

Scientific name	English name Korean name (Romanization)
<i>Meliosma</i> Blume [Sabiaceae]	Meliosma 나도밤나무속 (Na-do-bam-na-mu-sok) [나도밤나무과]
<i>Meliosma myriantha</i> Siebold & Zucc.	Abundant-flower meliosma 나도밤나무 (Na-do-bam-na-mu)
<i>Meliosma oldhamii</i> Maxim.	Oldham's meliosma 합다리나무 (Hap-da-ri-na-mu)
<i>Melothria</i> L. [Cucurbitaceae]	Melothria 새박속 (Sae-bak-sok) [박과]
<i>Melothria japonica</i> (Thunb.) Maxim. ex Cogn.	Bird's egg cucumber 새박 (Sae-bak)
MENISPERMACEAE Juss.	Moonseed family 새모래덩굴과 (Sae-mo-rae-deong-gul-gwa)
<i>Menispermum</i> L. [Menispermaceae]	Moonseed 새모래덩굴속 (Sae-mo-rae-deong-gul-sok) [새모래덩굴과]
<i>Menispermum dauricum</i> DC.	Asian moonseed 새모래덩굴 (Sae-mo-rae-deong-gul)
<i>Menispermum dauricum</i> f. <i>pilosum</i> (C.K.Schneid.) Kitag.	Hairy Asian moonseed 털새모래덩굴 (Teol-sae-mo-rae-deong-gul)
<i>Mentha</i> L. [Lamiaceae]	Mint 박하속 (Bak-ha-sok) [꿀풀과]
<i>Mentha arvensis</i> var. <i>barbata</i> (Nakai) W.T.Lee	Bearded wildmint 털박하 (Teol-bak-ha)
<i>Mentha arvensis</i> var. <i>piperascens</i> Malinv. ex Holmes	Bakha 박하 (Bak-ha)
MENYANTHACEAE Dumort.	Buckbean family 조름나물과 (Jo-reum-na-mul-gwa)
<i>Menyanthes</i> L. [Menyanthaceae]	Bogbean, Buckbean 조름나물속 (Jo-reum-na-mul-sok) [조름나물과]

Scientific name	English name Korean name (Romanization)
<i>Menyanthes trifoliata</i> L.	Buckbean 조름나물 (Jo-reum-na-mul)
<i>Mercurialis</i> L. [Euphorbiaceae]	Mercurialis, Mercuries 산쪽풀속 (San-jjok-pul-sok) [대극과]
<i>Mercurialis leiocarpa</i> Siebold & Zucc.	Glabrous fruit mercury 산쪽풀 (San-jjok-pul)
<i>Mertensia</i> Roth [Boraginaceae]	Bluebells 깻지치속 (Gaet-ji-chi-sok) [지치과]
<i>Mertensia asiatica</i> (Takeda) J.F.Macbr.	Beach bluebell 깻지치 (Gaet-ji-chi)
<i>Metanarthecium</i> Maxim. [Liliaceae]	Metanarthecium 칠보치마속 (Chil-bo-chi-ma-sok) [백합과]
<i>Metanarthecium luteoviride</i> Maxim.	Chilbo metanarthecium 칠보치마 (Chil-bo-chi-ma)
<i>Metaplexis</i> R.Br. [Asclepiadaceae]	Metaplexis 박주가리속 (Bak-ju-ga-ri-sok) [박주가리과]
<i>Metaplexis japonica</i> (Thunb.) Makino	Rough potato 박주가리 (Bak-ju-ga-ri)
<i>Metathelypteris</i> (H.Itô) Ching [Dryopteridaceae]	Metathelypteris 드문고사리속 (Deu-mun-go-sa-ri-sok) [면마과]
<i>Metathelypteris hattori</i> (H.Itô) Ching	East Asian loosely-leaf marsh fern 잔털드문고사리 (Jan-teol-deu-mun-go-sa-ri)
<i>Metathelypteris laxa</i> (Franch. & Sav.) Ching	Loosely-leaf marsh fern 드문고사리 (Deu-mun-go-sa-ri)
<i>Meterostachys</i> Nakai [Crassulaceae]	Meterostachys 난쟁이바위솔속 (Nan-jaeng-i-ba-wi-sol-sok) [돌나물과]

Scientific name	English name Korean name (Romanization)
<i>Meterostachys sikokianus</i> (Makino) Nakai	Dwarf rock pine 난쟁이바위솔 (Nan-jaeng-i-ba-wi-sol)
<i>Michelia</i> L. [Magnoliaceae]	Michelia 초령목속 (Cho-ryeong-mok-sok) [목련과]
<i>Michelia compressa</i> (Maxim.) Sarg.	Compressed michelia 초령목 (Cho-ryeong-mok)
<i>Microcarpaea</i> R.Br. [Scrophulariaceae]	Microcarpaea 진흙풀속 (Jin-heuk-pul-sok) [현삼과]
<i>Microcarpaea minima</i> (K.D.Koenig ex Retz.) Merr.	Chickweed sparrow 진흙풀 (Jin-heuk-pul)
<i>Microlepia</i> C.Presl [Pteridaceae]	Palapalai 돌잔고사리속 (Dol-jan-go-sa-ri-sok) [고사리과]
<i>Microlepia × bipinnata</i> (Makino) Y.Shimura	Bipinnate lace fern 깃돌잔고사리 (Git-dol-jan-go-sa-ri)
<i>Microlepia marginata</i> (Panzer) C.Chr.	Rock lace fern 돌잔고사리 (Dol-jan-go-sa-ri)
<i>Microlepia pseudostrigosa</i> Makino	False scraggy lace fern 겹돌잔고사리 (Gyeop-dol-jan-go-sa-ri)
<i>Microlepia strigosa</i> (Thunb.) C.Presl	Rigid lace fern 돌토끼고사리 (Dol-to-kki-go-sa-ri)
<i>Microsorium</i> Link [Polypodiaceae]	Microsorium 창일엽속 (Chang-il-yeop-sok) [고란초과]
<i>Microsorium superficiale</i> (Blume) Ching	Spear star fern 창일엽 (Chang-il-yeop)
<i>Microstegium</i> Nees [Poaceae]	Browntop 나도바랭이속 (Na-do-ba-raeng-i-sok) [벼과]
<i>Microstegium japonicum</i> (Miq.) Koidz.	East Asian glabrate browntop 민바랭이새 (Min-ba-raeng-i-sae)

Scientific name	English name Korean name (Romanization)
<i>Microstegium vimineum</i> (Trin.) A.Camus	Nepalese browntop 나도바랭이새 (Na-do-ba-raeng-i-sae)
<i>Microstegium vimineum</i> var. <i>polystachyum</i> (Franch. & Sav.) Ohwi	Loose spike browntop 큰듬성이삭새 (Keun-deum-seong-i-sak-sae)
Milium L. [Poaceae]	Milletgrass 나도겨이삭속 (Na-do-gyeo-i-sak-sok) [벼과]
<i>Milium effusum</i> L.	Wood milletgrass 나도겨이삭 (Na-do-gyeo-i-sak)
Millettia Wight & Arn. [Fabaceae]	Oiltree 애기등속 (Ae-gi-deung-sok) [콩과]
<i>Millettia japonica</i> (Siebold & Zucc.) A.Gray	Summer-white oiltree 애기등 (Ae-gi-deung)
Mimulus L. [Scrophulariaceae]	Monkey-flowers, Musk-flowers 풀파리아재비속 (Mul-kkwa-ri-a-jae-bi-sok) [현삼과]
<i>Mimulus nepalensis</i> Benth.	Nepalese monkey-flower 풀파리아재비 (Mul-kkwa-ri-a-jae-bi)
<i>Mimulus tenellus</i> Bunge	Tender monkey-flower 애기풀파리아재비 (Ae-gi-mul-kkwa-ri-a-jae-bi)
Minuartia L. [Caryophyllaceae]	Sandworts, Stitchwort 나도개미자리속 (Na-do-gae-mi-ja-ri-sok) [석죽과]
<i>Minuartia arctica</i> (Steven ex Seringe) Graebn.	Arctic stitchwort 나도개미자리 (Na-do-gae-mi-ja-ri)
<i>Minuartia laricina</i> (L.) Mattf.	Larchlike stitchwort 너도개미자리 (Neo-do-gae-mi-ja-ri)
<i>Minuartia macrocarpa</i> var. <i>koreana</i> (Nakai) H.Hara	Korean big-fruit stitchwort 차일봉개미자리 (Cha-il-bong-gae-mi-ja-ri)
<i>Minuartia verna</i> var. <i>coreana</i> (Nakai) H.Hara	Asian spring stitchwort 삼수개미자리 (Sam-su-gae-mi-ja-ri)

Scientific name	English name Korean name (Romanization)
<i>Miscanthus</i> Andersson [Poaceae]	Silvergrass 역새속 (Eok-sae-sok) [벼과]
<i>Miscanthus changii</i> Y.N.Lee	Chang's silvergrass 장역새 (Jang-eok-sae)
<i>Miscanthus longiberberis</i> (Hack.) Nakai	Small Japanese silvergrass 역새아재비 (Eok-sae-a-jae-bi)
<i>Miscanthus sacchariflorus</i> (Maxim.) Benth. & Hook. f. ex Franch.	Amur silvergrass 물역새 (Mul-eok-sae)
<i>Miscanthus sacchariflorus</i> var. <i>gracilis</i> Y.N.Lee	Narrow-leaf Amur silvergrass 가는잎풀역새 (Ga-neun-ip-mul-eok-sae)
<i>Miscanthus sacchariflorus</i> f. <i>latifolius</i> Adati	Wide-leaf Amur silvergrass 넓은잎풀역새 (Neol-beun-ip-mul-eok-sae)
<i>Miscanthus sinensis</i> Andersson	Maiden silvergrass 참역새 (Cham-eok-sae)
<i>Miscanthus sinensis</i> var. <i>albiflorus</i> Y.N.Lee	White maiden silvergrass 흰역새 (Huin-eok-sae)
<i>Miscanthus sinensis</i> var. <i>chejuensis</i> (Y.N.Lee) Y.N.Lee	Jejudo maiden silvergrass 금역새 (Geum-eok-sae)
<i>Miscanthus sinensis</i> var. <i>ionandros</i> (Nakai) Y.N.Lee	Mountain maiden silvergrass 뫼역새 (Moet-eok-sae)
<i>Miscanthus sinensis</i> var. <i>keumunensis</i> Y.N.Lee	Geomun maiden silvergrass 거문역새 (Geo-mun-eok-sae)
<i>Miscanthus sinensis</i> var. <i>nakaianus</i> (Honda) I.C.Chung	Smooth maiden silvergrass 중정역새 (Jung-jeong-eok-sae)
<i>Miscanthus sinensis</i> var. <i>purpurascens</i> (Andersson) Matsum.	Purple maiden silvergrass 역새 (Eok-sae)
<i>Miscanthus sinensis</i> var. <i>sunanensis</i> Y.N.Lee	Sunan maiden silvergrass 순안역새 (Sun-an-eok-sae)
<i>Miscanthus sinensis</i> f. <i>gracillimum</i> Hitchc.	Delicate maiden silvergrass 가는잎역새 (Ga-neun-ip-eok-sae)
<i>Miscanthus sinensis</i> f. <i>variegatus</i> Nakai	Variegate maiden silvergrass 얼룩역새 (Eol-ruk-eok-sae)

Scientific name	English name Korean name (Romanization)
<i>Mitchella</i> L. [Rubiaceae]	Mitchella 호자덩굴속 (Ho-ja-deong-gul-sok) [꼭두서니과]
<i>Mitchella undulata</i> Siebold & Zucc.	Asian mitchella 호자덩굴 (Ho-ja-deong-gul)
<i>Mitella</i> L. [Saxifragaceae]	Miterworts, Bishop's caps 나도범의귀속 (Na-do-beom-ui-gwi-sok) [범의귀과]
<i>Mitella nuda</i> L.	Naked miterwort 나도범의귀 (Na-do-beom-ui-gwi)
<i>Mitrasacme</i> Labill. [Loganiaceae]	Mitrasacme 벼룩아재비속 (Byeo-ruk-a-jae-bi-sok) [마전과]
<i>Mitrasacme alsinoides</i> R.Br.	Annual mitrewort 벼룩아재비 (Byeo-ruk-a-jae-bi)
<i>Mitrasacme pygmaea</i> R.Br.	Pygmy mitrewort 큰벼룩아재비 (Keun-byeo-ruk-a-jae-bi)
<i>Moehringia</i> L. [Caryophyllaceae]	Moehringia 개벼룩속 (Gae-byeo-ruk-sok) [석죽과]
<i>Moehringia lateriflora</i> (L.) Fenzl	Blunt-leaf sandwort 개벼룩 (Gae-byeo-ruk)
<i>Molinia</i> Schrank [Poaceae]	Moorgrass 진퍼리새속 (Jin-peo-ri-sae-sok) [벼과]
<i>Molinia japonica</i> Hack.	Japanese moorgrass 진퍼리새 (Jin-peo-ri-sae)
MOLLUGINACEAE Bartl.	Carpetweed family 석류풀과 (Seok-ryu-pul-gwa)
<i>Mollugo</i> L. [Molluginaceae]	Carpetweed 석류풀속 (Seok-ryu-pul-sok) [석류풀과]
<i>Mollugo pentaphylla</i> L.	Five-leaf carpetweed 석류풀 (Seok-ryu-pul)

Scientific name	English name Korean name (Romanization)
<i>Moneses Salish. ex Gray</i> [Pyrolaceae]	One-flower wintergreen, Single delight, St. Olaf's candlestick 홀꽃노루발속 (Hol-kkot-no-ru-bal-sok) [노루발과]
<i>Moneses uniflora</i> (L.) A.Gray	Single delight 홀꽃노루발 (Hol-kkot-no-ru-bal)
<i>Monochoria</i> C.Presl [Pontederiaceae]	Monochoria 물옥잠속 (Mul-ok-jam-sok) [물옥잠과]
<i>Monochoria korsakowii</i> Regel & Maack	Korsakow's monochoria 물옥잠 (Mul-ok-jam)
<i>Monochoria vaginalis</i> var. <i>plantaginea</i> (Roxb.) Solms	Sheathed monochoria 물달개비 (Mul-dal-gae-bi)
<i>Monotropa L.</i> [Monotropaceae]	Indian pipe 수정난풀속 (Su-jeong-nan-pul-sok) [수정난풀과]
<i>Monotropa hypopithys</i> L.	Yellow indian pipe 구상난풀 (Gu-sang-nan-pul)
<i>Monotropa hypopithys</i> var. <i>glaberrima</i> H.Hara	Glabrous Indian pipe 너도수정초 (Neo-do-su-jeong-cho)
<i>Monotropa uniflora</i> L.	Indian pipe 수정난풀 (Su-jeong-nan-pul)
MONOTROPACEAE Nutt.	Indian pipe family 수정난풀과 (Su-jeong-nan-pul-gwa)
<i>Monotropastrum</i> Andres [Monotropaceae]	Monotropastrum 나도수정초속 (Na-do-su-jeong-cho-sok) [수정난풀과]
<i>Monotropastrum humile</i> (D.Don) H.Hara	Ghost plant 나도수정초 (Na-do-su-jeong-cho)
MORACEAE Gaudich.	Mulberry family 뽕나무과 (Ppong-na-mu-gwa)
<i>Morus L.</i> [Moraceae]	Mulberry 뽕나무속 (Ppong-na-mu-sok) [뽕나무과]

Scientific name	English name Korean name (Romanization)
<i>Morus alba f. pendula</i> Dippel	Weeping white mulberry 처진뽕나무 (Cheo-jin-ppong-na-mu)
<i>Morus bombycina</i> Koidz.	Korean mulberry 산뽕나무 (San-ppong-na-mu)
<i>Morus bombycina</i> var. <i>caudatifolia</i> (Koidz.) Koidz.	Caudate-leaf mulberry 꼬리뽕나무 (Kko-ri-ppong-na-mu)
<i>Morus bombycina</i> var. <i>maritima</i> Koidz.	Seaside mulberry 섬뽕나무 (Seom-ppong-na-mu)
* <i>Morus bombycina</i> var. <i>rubricaulis</i> Uyeki	Red-stem mulberry 붉은대산뽕 (Bul-geun-dae-san-ppong)
<i>Morus bombycina</i> f. <i>dissecta</i> Nakai	Dissected mulberry 가새뽕나무 (Ga-sae-ppong-na-mu)
<i>Morus cathayana</i> Hemsl.	Chinese mulberry 돌뽕나무 (Dol-ppong-na-mu)
<i>Morus mongolica</i> (Bureau) C.K.Schneid.	Mongolian mulberry 몽고뽕나무 (Mong-go-ppong-na-mu)
<i>Mosla</i> (Benth.) Buch.-Ham. ex Maxim. [Lamiaceae]	Mosla 쥐깨풀속 (Jwi-kkae-pul-sok) [풀풀과]
<i>Mosla chinensis</i> Maxim.	East Asian dwarf mosla 가는잎산들깨 (Ga-neun-ip-san-deul-kkae)
<i>Mosla dianthera</i> (Buch.-Ham. ex Roxb.) Maxim.	Miniature mosla 쥐깨풀 (Jwi-kkae-pul)
<i>Mosla dianthera</i> var. <i>nana</i> (H.Hara) Ohwi	Hairy miniature mosla 털쥐깨 (Teol-jwi-kkae)
<i>Mosla japonica</i> (Benth. ex Oliv.) Maxim.	Large-bract mosla 산들깨 (San-deul-kkae)
<i>Mosla japonica</i> var. <i>robusta</i> Ohwi	Green large-bract mosla 푸른산들깨 (Pu-reun-san-deul-kkae)
<i>Mosla japonica</i> var. <i>thymolifera</i> (Makino) Kitam.	Island large-bract mosla 섬쥐깨풀 (Seom-jwi-kkae-pul)
<i>Mosla punctulata</i> (J.F.Gmelin) Nakai	Purplish field mosla 들깨풀 (Deul-kkae-pul)

Scientific name [Family]	English name Korean name (Romanization)
<i>Muhlenbergia</i> Schreb. [Poaceae]	Muhly 쥐꼬리새속 (Jwi-kko-ri-sae-sok) [벼과]
<i>Muhlenbergia hakonensis</i> (Hack. ex Matsum.) Makino	Erect muhly 선쥐꼬리새 (Seon-jwi-kko-ri-sae)
<i>Muhlenbergia huegelii</i> Trin.	Big muhly 큰쥐꼬리새 (Keun-jwi-kko-ri-sae)
<i>Muhlenbergia japonica</i> Steud.	Purple-awn muhly 쥐꼬리새 (Jwi-kko-ri-sae)
<i>Mukdenia</i> Koidz. [Saxifragaceae]	Mukdenia 돌단풍속 (Dol-dan-pung-sok) [범의귀과]
<i>Mukdenia acanthifolia</i> Nakai	Round-leaf mukdenia 돌부채손 (Dol-bu-chae-son)
<i>Mukdenia rossii</i> (Oliv.) Koidz.	Maple-leaf mukdenia 돌단풍 (Dol-dan-pung)
<i>Mukdenia rossii</i> f. <i>multiloba</i> (Nakai) W.T.Lee	Multilobe mukdenia 큰돌단풍 (Keun-dol-dan-pung)
<i>Murdannia</i> Royle [Commelinaceae]	Murdannia 사마귀풀속 (Sa-ma-gwi-pul-sok) [닭의장풀과]
<i>Murdannia keisak</i> (Hassk.) Hand.-Mazz.	Marsh dewflower 사마귀풀 (Sa-ma-gwi-pul)
<i>Myosotis</i> L. [Boraginaceae]	Forget-me-not 개꽃마리속 (Gae-kkot-ma-ri-sok) [지치과]
<i>Myosotis laxa</i> Lehm.	Small-flower forget-me-not 개꽃마리 (Gae-kkot-ma-ri)
<i>Myosotis sylvatica</i> Ehrh. ex Hoffm.	Woodland forget-me-not 왜지치 (Wae-ji-chi)
<i>Myrica</i> L. [Myricaceae]	Bayberry, Bay-rum tree, Candleberry, Sweet gale, Wax-myrtle 소귀나무속 (So-gwi-na-mu-sok) [소귀나무과]

Scientific name	English name Korean name (Romanization)
<i>Myrica rubra</i> (Lour.) Siebold & Zucc.	Waxberry tree 소귀나무 (So-gwi-na-mu)
MYRICACEAE Rich. ex Kunth	Bayberry family 소귀나무과 (So-gwi-na-mu-gwa)
<i>Myriophyllum</i> L. [Haloragaceae]	Water-milfoil 물수세미속 (Mul-su-se-mi-sok) [개미탑과]
<i>Myriophyllum spicatum</i> L.	Eurasian water-milfoil 이삭물수세미 (I-sak-mul-su-se-mi)
<i>Myriophyllum ussuriense</i> (Regel) Maxim.	Ussurian water-milfoil 선물수세미 (Seon-mul-su-se-mi)
<i>Myriophyllum verticillatum</i> L.	Whorled water-milfoil 물수세미 (Mul-su-se-mi)
<i>Myrmecis</i> (Lindl.) Blume [Orchidaceae]	Myrmecis 개미난초속 (Gae-mi-nan-cho-sok) [난초과]
<i>Myrmecis japonica</i> (Rchb.f.) Rolfe	Japanese myrmecis 개미난초 (Gae-mi-nan-cho)
MYRSINACEAE R.Br.	Myrsine family 자금우과 (Ja-geum-u-gwa)
N	
NAJADACEAE Juss.	Water-nymph family 나자스말과 (Na-ja-seu-mal-gwa)
<i>Najas</i> L [Najadaceae]	Water-nymph 나자스말속 (Na-ja-seu-mal-sok) [나자스말과]
<i>Najas chinensis</i> N.Z.Wang	Asian water-nymph 동아나자스말 (Dong-a-na-ja-seu-mal)
<i>Najas gracillima</i> (A.Braun ex Engelm.) Magnus	Slender water-nymph 실나자스말 (Sil-na-ja-seu-mal)
<i>Najas graminea</i> Delile	Ricefield water-nymph 나자스말 (Na-ja-seu-mal)

Scientific name	English name Korean name (Romanization)
<i>Najas marina</i> L.	Spiny water-nymph 민나자스말 (Min-na-ja-seu-mal)
<i>Najas minor</i> All.	Brittle water-nymph 톱니나자스말 (Top-ni-na-ja-seu-mal)
<i>Najas oguraensis</i> Miki	Serrate-leaf water-nymph 큰톱니나자스말 (Keun-top-ni-na-ja-seu-mal)
<i>Nanocnide</i> Blume [Urticaceae]	Nanocnide 나도물통이속 (Na-do-mul-tong-i-sok) [쐐기풀과]
<i>Nanocnide japonica</i> Blume	Serrate nanocnide 나도물통이 (Na-do-mul-tong-i)
<i>Neillia</i> D.Don [Rosaceae]	Neillia 나도국수나무속 (Na-do-guk-su-na-mu-sok) [장미과]
<i>Neillia uekii</i> f. <i>papillosa</i> (Nakai) W.T.Lee	Korean neillia 민나도국수나무 (Min-na-do-guk-su-na-mu)
<i>Neillia uekii</i> Nakai	Northeast Asian neillia 나도국수나무 (Na-do-guk-su-na-mu)
<i>Neocheiropteris</i> Christ. [Polypodiaceae]	Neocheiropteris 밤일엽속 (Bam-il-yeop-sok) [고란초과]
<i>Neocheiropteris ensata</i> (Thunb.) Ching	Chestnut-leaf fern 밤일엽 (Bam-il-yeop)
<i>Neofinetia</i> Hu [Orchidaceae]	Neofinetia 풍란속 (Pung-ran-sok) [난초과]
<i>Neofinetia falcata</i> (Thunb.) Hu	Sickle neofinetia 풍란 (Pung-ran)
<i>Neolindleya</i> Kranezel [Orchidaceae]	Neolindleya 주름제비란속 (Ju-reum-je-bi-ran-sok) [난초과]
<i>Neolindleya camtschatica</i> (Cham.) Nevski	Wrinkled-margin gymnandenia 주름제비란 (Ju-reum-je-bi-ran)

Scientific name	English name Korean name (Romanization)
<i>Neolitsea</i> Benth. & Hook.f. & Merr. [Lauraceae]	Neolitsea, Newlitsea 참식나무속 (Cham-sik-na-mu-sok) [녹나무과]
<i>Neolitsea aciculata</i> (Blume) Koidz.	Irregular-streak newlitse 새덕이 (Sae-deok-i)
<i>Neolitsea sericea</i> (Blume) Koidz.	Sericous newlitse 참식나무 (Cham-sik-na-mu)
<i>Neoshirakia</i> Esser [Euphorbiaceae]	Milktree 사람주나무속 (Sa-ram-ju-na-mu-sok) [대극과]
<i>Neoshirakia japonica</i> (Siebold & Zucc.) Esser	Tallow Tree 사람주나무 (Sa-ram-ju-na-mu)
<i>Neotriblemma</i> Nakaike [Dryopteridaceae]	Neotriblemma 버들참빗속 (Beo-deul-cham-bit-sok) [면마과]
<i>Neotriblemma lancea</i> (Thunb.) Nakaike	Simple-leaf false spleenwort 버들참빗 (Beo-deul-cham-bit)
✗ <i>Neotribleparia</i> Nakaike	Neotribleparia 외잎진고사리속 (Oe-ip-jin-go-sa-ri-sok) [면마과]
✗ <i>Neotribleparia lobatocrenata</i> (Tagawa) Nakaike	Crenate fern 외잎진고사리 (Oe-ip-jin-go-sa-ri)
<i>Neottia</i> Guett. [Orchidaceae]	Bird's nest orchid, Neottia 새둥지란속 (Sae-dung-ji-ran-sok) [난초과]
<i>Neottia acuminata</i> Schltr.	Asian leafless bird's nest orchid 애기무엽란 (Ae-gi-mu-yeop-ran)
<i>Neottia kiusiana</i> T.Hashim. & Hatus.	Halla leafless bird's nest orchid 한라새둥지란 (Han-ra-sae-dung-ji-ran)
<i>Neottia nipponica</i> (Makino) Szlach.	Hairy twin-leaf twayblade 털쌍잎난초 (Teol-ssang-ip-nan-cho)
<i>Neottia papilligera</i> Schltr.	Manchurian bird's nest orchid 새둥지란 (Sae-dung-ji-ran)

Scientific name	English name Korean name (Romanization)
<i>Neottia pinetorum</i> (Lindl.) Szlach.	Twin-leaf twayblade 쌍잎난초 (Ssang-ip-nan-cho)
<i>Neottianthe</i> (Rchb.) Schltr. [Orchidaceae]	Neottianthe orchid 구름병아리난초속 (Gu-reum-byeong-a-ri-nan-cho-sok) [난초과]
<i>Neottianthe cucullata</i> (L.) Schltr.	Cucullate Neottianthe orchid 구름병아리난초 (Gu-reum-byeong-a-ri-nan-cho)
<i>Nepeta</i> L. [Lamiaceae]	Catmints, Catnip 개박하속 (Gae-bak-ha-sok) [꿀풀과]
<i>Nepeta cataria</i> L.	Catnip 개박하 (Gae-bak-ha)
<i>Nepeta stewartiana</i> Diels	Stewart's catnip 간장풀 (Gan-jang-pul)
<i>Nephrolepis</i> Schott [Davalliaceae]	Sword fern 줄고사리속 (Jul-go-sa-ri-sok) [느줄고사리과]
<i>Nephrolepis cordifolia</i> (L.) C.Presl	Narrow sword fern 줄고사리 (Jul-go-sa-ri)
<i>Nervilia</i> Comm. ex Gaudich. [Orchidaceae]	Nervilia 영아리난초속 (Yeong-a-ri-nan-cho-sok) [난초과]
<i>Nervilia nipponica</i> Makino	East Asian nervilia 영아리난초 (Yeong-a-ri-nan-cho)
<i>Nuphar</i> Sibth. & Sm. [Nymphaeaceae]	Pond-lily, Water-lily 개연속 (Gae-yeon-sok) [수련과]
<i>Nuphar japonica</i> DC.	East Asian yellow water-lily 개연꽃 (Gae-yeon-kkot)
<i>Nuphar pumila</i> (Timm) DC.	Least water-lily 왜개연꽃 (Wae-gae-yeon-kkot)
<i>Nuphar pumila</i> var. <i>ozeense</i> (Miki) H.Hara	Red least water-lily 남개연 (Nam-gae-yeon)

Scientific name	English name Korean name (Romanization)
<i>Nuphar subintegerrima</i> Makino	Yellow water-lily 참개연꽃 (Cham-gae-yeon-kkot)
<i>Nymphaea</i> L. [Nymphaeaceae]	Water-lily, Water lilies, Waterlily 수련속 (Su-ryeon-sok) [수련과]
<i>Nymphaea tetragona</i> Georgi	Pigmy water-lily 수련 (Su-ryeon)
<i>Nymphaea tetragona</i> var. <i>minima</i> (Nakai) W.T.Lee	Pretty pigmy water-lily 각시수련 (Gak-si-su-ryeon)
NYMPHAEACEAE Salisb.	Water-lily family 수련과 (Su-ryeon-gwa)
<i>Nymphoides</i> Ség. [Menyanthaceae]	Floatingheart 어리연꽃속 (Eo-ri-yeon-kkot-sok) [조름나물과]
<i>Nymphoides coreana</i> (H.Lév.) H.Hara	East Asian floatingheart 좀어리연꽃 (Jom-eo-ri-yeon-kkot)
<i>Nymphoides indica</i> (L.) Kuntze	Floatingheart 어리연꽃 (Eo-ri-yeon-kkot)
<i>Nymphoides peltata</i> (S.G.Gmel.) Kuntze	Yellow floatingheart 노랑어리연꽃 (No-rang-eo-ri-yeon-kkot)
O	
<i>Oberonia</i> Lindl. [Orchidaceae]	Fairy orchids 차걸이란속 (Cha-geol-i-ran-sok) [난초과]
<i>Oberonia japonica</i> (Maxim.) Makino	East Asian fairy orchid 차걸이란 (Cha-geol-i-ran)
<i>Oenanthe</i> L. [Apiaceae]	Water-dropwort 미나리속 (Mi-na-ri-sok) [산형과]
<i>Oenanthe javanica</i> (Blume) DC.	Java water-dropwort 미나리 (Mi-na-ri)

Scientific name	English name Korean name (Romanization)
<i>Oenanthe javanica</i> var. <i>japonica</i> (Miq.) Honda	False java water-dropwort 개미나리 (Gae-mi-na-ri)
Oldenlandia L. [Rubiaceae]	Dickwort, Oldenlandia 백운풀속 (Baek-un-pul-sok) [꼭두서니과]
<i>Oldenlandia brachypoda</i> DC.	Sprawling dickwort 제주백운풀 (Je-ju-baek-un-pul)
OLEACEAE Hoffmanns. & Link	Olive family 물푸레나무과 (Mul-pu-re-na-mu-gwa)
<i>Omphalodes</i> L. [Boraginaceae]	Navelwort 자반풀속 (Ja-ban-pul-sok) [지치과]
<i>Omphalodes krameri</i> Franch. & Sav.	Kramer's navelwort 자반풀 (Ja-ban-pul)
<i>Omphalotrix</i> Maxim. [Scrophulariaceae]	Omphalotrix 쌀파도풀속 (Ssal-pa-do-pul-sok) [현삼과]
<i>Omphalotrix longipes</i> Maxim.	Long omphalotrix 쌀파도풀 (Ssal-pa-do-pul)
ONAGRACEAE Juss.	Evening primrose family 바늘꽃과 (Ba-neul-kkot-gwa)
<i>Onoclea</i> L. [Dryopteridaceae]	Sensitive fern 야산고비속 (Ya-san-go-bi-sok) [면마과]
<i>Onoclea sensibilis</i> var. <i>interrupta</i> Maxim.	Sensitive fern 야산고비 (Ya-san-go-bi)
<i>Onychium</i> Kaulf. [Pteridaceae]	Onychium 선바위고사리속 (Seon-ba-wi-go-sa-ri-sok) [고사리과]
<i>Onychium japonicum</i> (Thunb.) Kunze	Carrot fern 선바위고사리 (Seon-ba-wi-go-sa-ri)
OPHIOGLOSSACEAE Martinov	Adder's tongue family 고사리삼과 (Go-sa-ri-sam-gwa)

Scientific name	English name Korean name (Romanization)
<i>Ophioglossum</i> L. [Ophioglossaceae]	Adderstongue, Adder's-tongue ferns 나도고사리삼속 (Na-do-go-sa-ri-sam-sok) [고사리삼과]
<i>Ophioglossum pendulum</i> L.	Old world adder's tongue 다시마고사리삼 (Da-si-ma-go-sa-ri-sam)
<i>Ophioglossum petiolatum</i> Hook.	Netted adder's tongue 자루나도고사리삼 (Ja-ru-na-do-go-sa-ri-sam)
<i>Ophioglossum thermale</i> Kom.	Meadow adder's tongue 좀나도고사리삼 (Jom-na-do-go-sa-ri-sam)
<i>Ophioglossum vulgatum</i> L.	Southern adder's tongue 나도고사리삼 (Na-do-go-sa-ri-sam)
<i>Ophiopogon</i> Ker Gawl. [Liliaceae]	Lilyturf, Ophiopogon 맥문아재비속 (Maek-mun-a-jae-bi-sok) [백합과]
<i>Ophiopogon jaburan</i> (Siebold) Lodd.	Wild lilyturf 맥문아재비 (Maek-mun-a-jae-bi)
<i>Ophiopogon japonicus</i> (L.f.) Ker Gawl.	Dwarf lilyturf 소엽맥문동 (So-yeop-maek-mun-dong)
<i>Ophiopogon japonicus</i> var. <i>umbrosus</i> Maxim.	Shady dwarf lilyturf 실맥문동 (Sil-maek-mun-dong)
<i>Oplismenus</i> P.Beauv. [Poaceae]	Basketgrass 주름조개풀속 (Ju-reum-jo-gae-pul-sok) [벼과]
<i>Oplismenus compositus</i> (L.) P.Beauv.	Running mountain basketgrass 가지주름조개풀 (Ga-ji-ju-reum-jo-gae-pul)
<i>Oplismenus undulatifolius</i> (Ard.) P.Beauv.	Wavy-leaf basketgrass 주름조개풀 (Ju-reum-jo-gae-pul)
<i>Oplismenus undulatifolius</i> var. <i>elongatus</i> Honda	Elongate wavy-leaf basketgrass 침주름조개풀 (Cham-ju-reum-jo-gae-pul)
<i>Oplismenus undulatifolius</i> var. <i>japonicus</i> (Steud.) Koidz.	Smooth wavy-leaf basketgrass 민주름조개풀 (Min-ju-reum-jo-gae-pul)
<i>Oplismenus undulatifolius</i> var. <i>microphyllus</i> (Honda) Ohwi	Large wavy-leaf basketgrass 애기주름조개풀 (Ae-gi-ju-reum-jo-gae-pul)

Scientific name	English name Korean name (Romanization)
<i>Oplopanax</i> (Torr. & A.Gray) Miq. [Araliaceae]	Oplopanax 땃두릅나무속 (Ttat-du-reup-na-mu-sok) [땃두릅나무과]
<i>Oplopanax elatus</i> (Nakai) Nakai	Tall oplopanax 땃두릅나무 (Ttat-du-reup-na-mu)
ORCHIDACEAE Juss.	Orchid family 난초과 (Nan-cho-gwa)
<i>Oreocnide</i> Miq. [Urticaceae]	Oreocnide 비양나무속 (Bi-yang-na-mu-sok) [쐐기풀과]
<i>Oreocnide frutescens</i> (Thunb.) Miq.	Shrubby oreocnide 바위모시 (Ba-wi-mo-si)
<i>Oreorchis</i> Lindl. [Orchidaceae]	Oreorchis 감자난초속 (Gam-ja-nan-cho-sok) [난초과]
<i>Oreorchis coreana</i> Finet	Two-leaf oreorchis 두잎감자난초 (Du-ip-gam-ja-nan-cho)
* <i>Oreorchis hallasanensis</i> Y.N.Lee & K.S.Lee	Halla oreorchis 한라감자난초 (Han-ra-gam-ja-nan-cho)
<i>Oreorchis patens</i> (Lindl.) Lindl.	Common oreorchis 감자난초 (Gam-ja-nan-cho)
<i>Orixa</i> Thunb. [Rutaceae]	Orixa 상산속 (Sang-san-sok) [운향과]
<i>Orixa japonica</i> Thunb.	East Asian orixa 상산 (Sang-san)
OROBANCHACEAE Vent.	Broomrape family 열당과 (Yeol-dang-gwa)
<i>Orobanche</i> L. [Orobanchaceae]	Broomrape, Broom-rape 초종용속 (Cho-jong-yong-sok) [열당과]
<i>Orobanche coerulescens</i> Stephan	Skyblue broomrape 초종용 (Cho-jong-yong)

Scientific name	English name Korean name (Romanization)
<i>Orobanche filicicola</i> Nakai	Baekyang broomrape 백양더부살이 (Baek-yang-deo-bu-sal-i)
<i>Orobanche pycnostachya</i> Hance	Yellow-flower broomrape 황종용 (Hwang-jong-yong)
<i>Orobanche pycnostachya</i> var. <i>amurensis</i> Beck	Amur yellow-flower broomrape 압록더부살이 (Ap-rok-deo-bu-sal-i)
<i>Orostachys</i> Fisch. [Crassulaceae]	Orostachys, Rock pine 바위솔속 (Ba-wi-sol-sok) [돌나물과]
<i>Orostachys chongsunensis</i> Y.N.Lee	Jeongseon rock pine 정선바위솔 (Jeong-seon-ba-wi-sol)
<i>Orostachys filirera</i> (Nakai) Nakai	Narrow-leaf rock pine 애기바위솔 (Ae-gi-ba-wi-sol)
<i>Orostachys iwarenge</i> (Makino) H.Hara	Lotus rock pine 연화바위솔 (Yeon-hwa-ba-wi-sol)
* <i>Orostachys iwarenge</i> f. <i>magnus</i> Y.N.Lee	Ulleungdo lotus rock pine 울릉연화바위솔 (Ul-reung-yeon-hwa-ba-wi-sol)
<i>Orostachys japonica</i> (Maxim.) A.Berger	Rock pine 바위솔 (Ba-wi-sol)
<i>Orostachys japonica</i> f. <i>polycephala</i> (Makino) H.Ohba	Many-head rock pine 다북바위솔 (Da-buk-ba-wi-sol)
<i>Orostachys kanboensis</i> Ohwi	Gwanmo rock pine 갈미바위솔 (Gal-mi-ba-wi-sol)
<i>Orostachys latielliptica</i> Y.N.Lee	Wide-elliptic rock pine 포천바위솔 (Po-cheon-ba-wi-sol)
<i>Orostachys malacophylla</i> (Pall.) Fisch.	Spatulate rock pine 등근바위솔 (Dung-geun-ba-wi-sol)
<i>Orostachys margaritifolia</i> Y.N.Lee	Margaric leaf rock pine 진주바위솔 (Jin-ju-ba-wi-sol)
<i>Orostachys minuta</i> (Kom.) A.Berger	Minute rock pine 좀바위솔 (Jom-ba-wi-sol)

Scientific name	English name Korean name (Romanization)
* <i>Orostachys minuta</i> f. <i>alba</i> Y.N.Lee	White minute rock pine 흰종바위솔 (Huin-jom-ba-wi-sol)
<i>Orostachys ramosa</i> Y.N.Lee	Branching rock pine 가지바위솔 (Ga-ji-ba-wi-sol)
<i>Orostachys saxatilis</i> (Nakai) Nakai	Mountain rock pine 모란바위솔 (Mo-ran-ba-wi-sol)
* <i>Orostachys spinosus</i> (L.) C.A.Mey.	Spine rock pine 잎새바위솔 (Ip-sae-ba-wi-sol)
<i>Orychophragmus</i> Bunge [Brassicaceae]	Orychophragmus 소래풀속 (So-rae-pul-sok) [십자화과]
<i>Orychophragmus violaceus</i> (L.) O.E.Schulz	Violet orychophragmus 소래풀 (So-rae-pul)
<i>Osmanthus</i> Lour. [Oleaceae]	Devilwood 목서속 (Mok-seo-sok) [돌푸레나무과]
<i>Osmanthus insularis</i> Koidz.	Island devilwood 박달목서 (Bak-dal-mok-seo)
<i>Osmorhiza</i> Raf. [Apiaceae]	Sweet cicely, Sweetroot 긴사상자속 (Gin-sa-sang-ja-sok) [산형과]
<i>Osmorhiza aristata</i> (Thunb.) Rydb.	Aristate sweetroot 긴사상자 (Gin-sa-sang-ja)
<i>Osmorhiza aristata</i> var. <i>montana</i> Makino	Mountain aristate sweetroot 짧은사상자 (Jjal-beun-sa-sang-ja)
<i>Osmunda</i> L. [Osmundaceae]	Osmunda 고비속 (Go-bi-sok) [고비과]
<i>Osmunda cinnamomea</i> var. <i>fokienense</i> Copel.	Cinnamon fern 꿩고비 (Kkwong-go-bi)
<i>Osmunda claytoniana</i> L.	Interrupted fern 음양고비 (Eum-yang-go-bi)

Scientific name	English name Korean name (Romanization)
<i>Osmunda japonica</i> Thunb.	Asian royal fern 고비 (Go-bi)
OSMUNDACEAE Martinov	Royal fern family 고비과 (Go-bi-gwa)
<i>Ostericum</i> Hoffm. [Apiaceae]	Ostericum 뫼미나리속 (Moet-mi-na-ri-sok) [산형과]
<i>Ostericum grosseserratum</i> (Maxim.) Kitag.	Deeply-serrate-leaf ostericum 신감채 (Sin-gam-chae)
<i>Ostericum maximowiczii</i> (F.Schmidt) Kitag.	Maximowicz's ostericum 가는바디 (Ga-neun-ba-di)
<i>Ostericum praeteritum</i> Kitag.	By-gone ostericum 강활 (Gang-hwal)
<i>Ostericum sieboldii</i> (Miq.) Nakai	East Asian ostericum 뫼미나리 (Moet-mi-na-ri)
<i>Ostrya</i> Scop. [Betulaceae]	Hophornbeam, Hop-hornbeam 새우나무속 (Sae-u-na-mu-sok) [자작나무과]
<i>Ostrya japonica</i> Sarg.	East Asian hophornbeam 새우나무 (Sae-u-na-mu)
<i>Ottelia</i> Pers. [Hydrocharitaceae]	Ottelia 물질경이속 (Mul-jil-gyeong-i-sok) [자라풀과]
<i>Ottelia alismoides</i> (L.) Pers.	Duck lettuce 물질경이 (Mul-jil-gyeong-i)
<i>Ottelia alismoides</i> f. <i>oryzetorum</i> Kom.	Slender-leaf duck lettuce 가는잎물질경이 (Ga-neun-ip-mul-jil-gyeong-i)
OXALIDACEAE R.Br.	Wood sorrel family 괭이밥과 (Gwaeng-i-bap-gwa)
<i>Oxalis</i> L. [Oxalidaceae]	Wood sorrel 괭이밥속 (Gwaeng-i-bap-sok) [괭이밥과]

Scientific name	English name Korean name (Romanization)
<i>Oxalis acetosella</i> L.	Common wood sorrel 애기괭이밥 (Ae-gi-gwaeng-i-bap)
<i>Oxalis acetosella</i> var. <i>purpurascens</i> Mart.	Purple wood sorrel 자주애기괭이밥 (Ja-ju-ae-gi-gwaeng-i-bap)
<i>Oxalis corniculata</i> L.	Creeping wood sorrel 괭이밥 (Gwaeng-i-bap)
<i>Oxalis obtriangulata</i> Maxim.	Large wood sorrel 큰괭이밥 (Keun-gwaeng-i-bap)
<i>Oxalis stricta</i> L.	Yellow wood sorrel 선괭이밥 (Seon-gwaeng-i-bap)
<i>Oxyria</i> Hill [Polygonaceae]	Mountain sorrel 나도수영속 (Na-do-su-yeong-sok) [마디풀과]
<i>Oxyria digyna</i> (L.) Hill	Mountain sorrel 나도수영 (Na-do-su-yeong)
<i>Oxytropis</i> DC. [Fabaceae]	Locoweed 두메자운속 (Du-me-ja-un-sok) [콩과]
<i>Oxytropis anertii</i> Nakai ex Kitag.	White-flower mountain locoweed 두메자운 (Du-me-ja-un)
* <i>Oxytropis anertii</i> f. <i>alba</i> Y.N.Lee	Mountain locoweed 흰두메자운 (Huin-du-me-ja-un)
<i>Oxytropis caerulea</i> (Pall.) DC.	Blue locoweed 관모두메자운 (Gwan-mo-du-me-ja-un)
<i>Oxytropis racemosa</i> Turcz.	Racemous locoweed 털두메자운 (Teol-du-me-ja-un)
<i>Oxytropis strobilacea</i> Bunge	Siberian locoweed 시루산동부 (Si-ru-san-dom-bu)

Scientific name	English name Korean name (Romanization)
P	
Paederia L. [Rubiaceae]	Sewer vine 계요등속 (Gye-yo-deung-sok) [꼭두서니과]
<i>Paederia scandens</i> (Lour.) Merr.	Skunk vine 계요등 (Gye-yo-deung)
<i>Paederia scandens</i> var. <i>angustifolia</i> (Nakai) T.B.Lee	Narrow-leaf skunk vine 좁은잎계요등 (Jop-eun-ip-gye-yo-deung)
<i>Paederia scandens</i> var. <i>velutina</i> (Nakai) Nakai	Hairy skunk vine 털계요등 (Teol-gye-yo-deung)
Paeonia L. [Paeoniaceae]	Peony 작약속 (Jak-yak-sok) [작약과]
<i>Paeonia japonica</i> (Makino) Miyabe & Takeda	White woodland peony 백작약 (Baek-jak-yak)
<i>Paeonia japonica</i> var. <i>glabra</i> Makino	Smooth woodland peony 민산작약 (Min-san-jak-yak)
<i>Paeonia japonica</i> var. <i>pilosa</i> Nakai	Hairy woodland peony 털백작약 (Teol-baek-jak-yak)
<i>Paeonia lactiflora</i> var. <i>trichocarpa</i> (Bunge) Stern	Three-fruit white peony 참작약 (Cham-jak-yak)
<i>Paeonia lactiflora</i> f. <i>nuda</i> Nakai	Glabrous white peony 민참작약 (Min-cham-jak-yak)
<i>Paeonia obovata</i> Maxim.	Woodland peony 산작약 (San-jak-yak)
PAEONIACEAE Raf.	Peony family 작약과 (Jak-yak-gwa)
Paliurus Mill. [Rhamnaceae]	Jeruselem thorn 겟대추나무속 (Gaet-dae-chu-na-mu-sok) [갈매나무과]
<i>Paliurus ramosissimus</i> (Lour.) Poir.	Maritime jujuba 갓대추나무 (Gaet-dae-chu-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Panax</i> Hill [Araliaceae]	Ginseng 인삼속 (In-sam-sok) [두릅나무과]
<i>Panax ginseng</i> C.A.Mey.	Korean ginseng 인삼 (In-sam)
<i>Panicum</i> L. [Poaceae]	Panicgrass 기장속 (Gi-jang-sok) [벼과]
<i>Panicum bisulcatum</i> Thunb.	Chaff panicgrass 개기장 (Gae-gi-jang)
<i>Papaver</i> L. [Papaveraceae]	Poppy 양귀비속 (Yang-gwi-bi-sok) [양귀비과]
<i>Papaver amurense</i> (N.Busch) N.Busch ex Tolm.	Amur poppy 흰양귀비 (Huin-yang-gwi-bi)
<i>Papaver radicatum</i> var. <i>dissectipetalum</i> Y.N.Lee	Dissected-petal montane poppy 갈래두메양귀비 (Gal-rae-du-me-yang-gwi-bi)
<i>Papaver radicatum</i> var. <i>pseudoradicatum</i> (Kitag.) Kitag.	Montane poppy 두메양귀비 (Du-me-yang-gwi-bi)
* <i>Papaver radicatum</i> var. <i>pseudoradicatum</i> f. <i>albiflorum</i> Y.N.Lee	White-flower montane poppy 흰두메양귀비 (Huin-du-me-yang-gwi-bi)
PAPAVERACEAE Juss.	Poppy family 양귀비과 (Yang-gwi-bi-gwa)
Parasenecio W.W. Sm. & J. Small [Asteraceae]	Indian plantain 박쥐나물속 (Bak-jwi-na-mul-sok) [국화과]
<i>Parasenecio adenostyloides</i> (Franch. & Sav. ex Maxim.) H.Koyama	Glandular-style Indian plantain 게박쥐나물 (Ge-bak-jwi-na-mul)
<i>Parasenecio auriculatus</i> (DC.) J.R.Grant	Eared Indian plantain 귀박쥐나물 (Gwi-bak-jwi-na-mul)
<i>Parasenecio auriculatus</i> var. <i>kamtschatica</i> (Maxim.) H.Koyama	Kamchatka Indian plantain 나래박쥐나물 (Na-rae-bak-jwi-na-mul)

Scientific name	English name Korean name (Romanization)
<i>Parasenecio auriculatus</i> var. <i>matsumurana</i> Nakai	Mountain Indian plantain 박쥐나물 (Bak-jwi-na-mul)
<i>Parasenecio firmus</i> (Kom.) Y.L.Chen	Firm Indian plantain 병풍쌈 (Byeong-pung-ssam)
<i>Parasenecio hastata</i> var. <i>ramosa</i> (Maxim.) Kizmura	Branched Indian plantain 가지민박쥐 (Ga-ji-min-bak-jwi)
<i>Parasenecio hastatus</i> (L.) H.Koyama	Spearhead Indian plantain 털박쥐나물 (Teol-bak-jwi-na-mul)
<i>Parasenecio hastatus</i> subsp. <i>orientalis</i> (Kitam.) H.Koyama	Oriental Indian plantain 민박쥐나물 (Min-bak-jwi-na-mul)
<i>Parasenecio hastatus</i> var. <i>farfaraefolia</i> (Siebold et Zucc.) Ohwi	Colt's-foot-leaf Indian plantain 참박쥐나물 (Cham-bak-jwi-na-mul)
<i>Parasenecio koraiensis</i> (Nakai) B.U.Oh	Korean Indian plantain 침나래박쥐 (Cham-na-rae-bak-jwi)
<i>Parasenecio pseudotaimingasa</i> (Nakai) B.U.Oh	Smaller Indian plantain 어리병풍 (Eo-ri-byeong-pung)
<i>Parathelypteris</i> (H. Itô) Ching [Dryopteridaceae]	Gland fern, Marsh fern, Parathelypteris 사다리고사리속 (Sa-da-ri-go-sa-ri-sok) [면마과]
<i>Parathelypteris angustifrons</i> (Miq.) Ching	Narrow gland fern 탐라사다리고사리 (Tam-ra-sa-da-ri-go-sa-ri)
<i>Parathelypteris beddomei</i> (Baker) Ching	Slender-leaf marsh fern 가는잎처녀고사리 (Ga-neun-ip-cheo-nyeo-go-sa-ri)
<i>Parathelypteris cystopteroides</i> (D.C.Eaton) Ching	Small gland fern 좁사다리고사리 (Jom-sa-da-ri-go-sa-ri)
<i>Parathelypteris formosa</i> Nakaike	Smooth gland fern 민지네고사리 (Min-ji-ne-go-sa-ri)
<i>Parathelypteris glanduligera</i> (Kunze) Ching	Ladder-shape gland fern 사다리고사리 (Sa-da-ri-go-sa-ri)
<i>Parathelypteris glanduligera</i> var. <i>koreana</i> (Nakai) H.Itô	Korean gland fern 참사다리고사리 (Cham-sa-da-ri-go-sa-ri)
<i>Parathelypteris japonica</i> (Baker) Ching	East Asian gland fern 지네고사리 (Ji-ne-go-sa-ri)

Scientific name	English name Korean name (Romanization)
<i>Parathelypteris nipponica</i> (Franch. & Sav.) Ching	Tall marsh fern 키다리처녀고사리 (Ki-da-ri-cheo-nyeo-go-sa-ri)
<i>Parathelypteris nipponica</i> var. <i>borealis</i> (H.Hara) Nakaike	Northern tall marsh fern 털산고사리 (Teol-san-go-sa-ri)
<i>Parietaria</i> L. [Urticaceae]	Pellitory 개울통이속 (Gae-mul-tong-i-sok) [쐐기풀과]
<i>Parietaria micrantha</i> Ledeb.	Small-flower pellitory 개울통이 (Gae-mul-tong-i)
<i>Parietaria micrantha</i> var. <i>coreana</i> (Nakai) H.Hara	Korean small-flower pellitory 찰보개울통이 (Chil-bo-gae-mul-tong-i)
<i>Paris</i> L. [Liliaceae]	Paris 삿갓나물속 (Sat-gat-na-mul-sok) [백합과]
<i>Paris tetraphylla</i> A.Gray	Four-leaf paris 네잎삿갓나물 (Ne-ip-sat-gat-na-mul)
<i>Paris verticillata</i> M.Bieb.	Verticillate paris 삿갓나물 (Sat-gat-na-mul)
* <i>Paris verticillata</i> var. <i>nigra</i> Y.N.Lee	Black verticillate paris 검은삿갓나물 (Geom-eun-sat-gat-na-mul)
PARKERIACEAE Hook.	Water fern family 물고사리과 (Mul-go-sa-ri-gwa)
<i>Parnassia</i> L. [Saxifragaceae]	Grass of parnassus, Bog-stars 물매화속 (Mul-mae-hwa-sok) [범의귀과]
<i>Parnassia alpina</i> Makino	Hallasan marsh parnassus 애기풀매화 (Ae-gi-mul-mae-hwa)
<i>Parnassia palustris</i> L.	Marsh grass-of-parnassus 물매화 (Mul-mae-hwa)
<i>Parthenocissus</i> Planch. [Vitaceae]	Creeper, Virginia creeper 담쟁이덩굴속 (Dam-jaeng-i-deong-gul-sok) [포도과]
<i>Parthenocissus tricuspidata</i> (Siebold & Zucc.) Planch.	Boston ivy 담쟁이덩굴 (Dam-jaeng-i-deong-gul)

Scientific name	English name Korean name (Romanization)
Paspalum L. [Poaceae]	Bahiagrasses, Crowngrass, Dallis grasses 참새피속 (Cham-sae-pi-sok) [벼과]
<i>Paspalum thunbergii</i> Kunth ex Steud.	Asian crownglass 참새피 (Cham-sae-pi)
Patrinia Juss. [valerianaceae]	Patrinia 마타리속 (Ma-ta-ri-sok) [마타리과]
<i>Patrinia rupestris</i> (Pall.) Juss.	Rocky golden lace 돌마타리 (Dol-ma-ta-ri)
<i>Patrinia saniculifolia</i> Hemsl.	Sanicula-leaf golden lace 금마타리 (Geum-ma-ta-ri)
<i>Patrinia scabiosifolia</i> Fisch. ex Trevir.	Golden lace 마타리 (Ma-ta-ri)
<i>Patrinia villosa</i> (Thunb.) Juss.	White-flower golden lace 똑갈 (Ttuk-gal)
Paulownia Siebold & Zucc. [Scrophulariaceae]	Paulownia 오동나무속 (O-dong-na-mu-sok) [현삼과]
<i>Paulownia coreana</i> Uyeki	Korean paulownia 오동나무 (O-dong-na-mu)
PEDALIACEAE R.Br.	Sesame family 참깨과 (Cham-kkae-gwa)
Pedicularis L. [Scrophulariaceae]	Lousewort 송이풀속 (Song-i-pul-sok) [현삼과]
<i>Pedicularis apodochila</i> Maxim.	Big-flower alpine lousewort 큰산송이풀 (Keun-san-song-i-pul)
<i>Pedicularis grandiflora</i> Fisch.	Big-flower lousewort 큰송이풀 (Keun-song-i-pul)
<i>Pedicularis hallaisanensis</i> Hurus.	Halla lousewort 한라송이풀 (Han-ra-song-i-pul)

Scientific name	English name Korean name (Romanization)
<i>Pedicularis ishidoyana</i> Koidz. & Ohwi	Radical-flower lousewort 애기송이풀 (Ae-gi-song-i-pul)
<i>Pedicularis lunaris</i> Nakai	Acute-tip-fruit lousewort 칼송이풀 (Kal-song-i-pul)
<i>Pedicularis mandshurica</i> Maxim.	Manchurian lousewort 만주송이풀 (Man-ju-song-i-pul)
<i>Pedicularis mandshurica</i> var. <i>coreana</i> (Bonati) Hurus.	Hairy Manchurian lousewort 털만주송이풀 (Teol-man-ju-song-i-pul)
<i>Pedicularis nigrescens</i> Nakai	Rocky lousewort 바위송이풀 (Ba-wi-song-i-pul)
<i>Pedicularis palustris</i> L.	Hooked big-flower lousewort 부전송이풀 (Bu-jeon-song-i-pul)
<i>Pedicularis resupinata</i> L.	Resupinate lousewort 송이풀 (Song-i-pul)
<i>Pedicularis resupinata</i> var. <i>umbrosa</i> Kom. ex Nakai	Umbrella lousewort 그늘송이풀 (Geu-neul-song-i-pul)
<i>Pedicularis resupinata</i> f. <i>albiflora</i> (Nakai) W.T.Lee	White-flower lousewort 흰송이풀 (Huin-song-i-pul)
<i>Pedicularis sceptrumcarolinum</i> L.	Moor-king lousewort 대송이풀 (Dae-song-i-pul)
<i>Pedicularis spicata</i> Pall.	Spicate lousewort 이삭송이풀 (I-sak-song-i-pul)
<i>Pedicularis verticillata</i> L.	Whorled-leaf lousewort 구름송이풀 (Gu-reum-song-i-pul)
<i>Pellionia</i> Gaudich. [Urticaceae]	Pellionia 펠리온나무속 (Pel-ri-on-na-mu-sok) [쐐기풀과]
<i>Pellionia scabra</i> Benth.	Rough pellionia 펠리온나무 (Pel-ri-on-na-mu)
<i>Pennisetum</i> Rich. [Poaceae]	Fountaingrass 수크령속 (Su-keu-ryeong-sok) [벼과]

Scientific name	English name Korean name (Romanization)
<i>Pennisetum alopecuroides</i> (L.) Spreng.	Foxtail fountaingrass 수크령 (Su-keu-ryeong)
<i>Pennisetum alopecuroides</i> var. <i>albiflorum</i> Y.N.Lee	White foxtail fountaingrass 흰수크령 (Huin-su-keu-ryeong)
<i>Pennisetum alopecuroides</i> var. <i>erythrochaetum</i> Ohwi	Reddish foxtail fountaingrass 붉은수크령 (Bul-geun-su-keu-ryeong)
<i>Pennisetum alopecuroides</i> var. <i>viridescens</i> (Miq.) Ohwi	Greenish foxtail fountaingrass 청수크령 (Cheong-su-keu-ryeong)
<i>Pennisetum latifolium</i> Spreng.	Uruguay fountaingrass 나도강아지풀 (Na-do-gang-a-ji-pul)
Pentactina Nakai [Rosaceae]	Pentactina 금강인가목속 (Geum-gang-in-ga-mok-sok) [장미과]
<i>Pentactina rupicola</i> Nakai	Korean pentactina 금강인가목 (Geum-gang-in-ga-mok)
Penthorum L. [Crassulaceae]	Penthorum 낙지다리속 (Nak-ji-da-ri-sok) [돌나물과]
<i>Penthorum chinense</i> Pursh	Oriental penthorum 낙지다리 (Nak-ji-da-ri)
Peracarpa Hook. f. & Thomson [Campanulaceae]	Peracarpa 홍노도라지속 (Hong-no-do-ra-ji-sok) [초롱꽃과]
<i>Peracarpa carnosa</i> var. <i>circaeoides</i> (F.Schmidt ex Miq.) Makino	Fleshy peracarpa 홍노도라지 (Hong-no-do-ra-ji)
Persicaria Mill. [Polygonaceae]	Smartweeds 여뀌속 (Yeo-kkwi-sok) [마디풀과]
<i>Persicaria amphibia</i> (L.) Delarbre	Water smartweed 물여뀌 (Mul-yeo-kkwi)
<i>Persicaria breviochreata</i> (Makino) Ohki	Narrow arrow-head smartweed 긴화살여뀌 (Gin-hwa-sal-yeo-kkwi)

Scientific name	English name Korean name (Romanization)
<i>Persicaria bungeana</i> (Turcz.) Nakai ex T.Mori	Prickly smartweed 바늘여뀌 (Ba-neul-yeo-kkwi)
<i>Persicaria chinensis</i> (L.) H.Gross	Creeping smartweed 덩굴모밀 (Deong-gul-mo-mil)
<i>Persicaria conspicua</i> (Nakai) Nakai ex T.Mori	Conspicuous smartweed 꽃여뀌 (Kkot-yeo-kkwi)
<i>Persicaria debilis</i> H.Gross ex W.T.Lee	Weak smartweed 세뿔여뀌 (Se-ppul-yeo-kkwi)
<i>Persicaria dissitiflora</i> (Hemsl.) H.Gross ex T.Mori	Hastate-leaf smartweed 가시여뀌 (Ga-si-yeo-kkwi)
<i>Persicaria erectominor</i> var. <i>koreensis</i> (Nakai) H.Itô	Dwarf smartweed 대동여뀌 (Dae-dong-yeo-kkwi)
<i>Persicaria filiformis</i> (Thunb.) Nakai ex T.Mori	Loose-spike smartweed 이삭여뀌 (I-sak-yeo-kkwi)
<i>Persicaria foliosa</i> (H.Lindb.) Kitag.	Manchurian smartweed 만주거이삭여뀌 (Man-ju-gyeo-i-sak-yeo-kkwi)
<i>Persicaria foliosa</i> var. <i>paludicola</i> (Makino) H.Hara ex H.Itô	East Asian willow smartweed 벼들거이삭여뀌 (Beo-deul-gyeo-i-sak-yeo-kkwi)
<i>Persicaria hastatosagittata</i> (Makino) Nakai ex T. Mori	Long arrow-head smartweed 긴미꾸리낚시 (Gin-mi-kku-ri-nak-si)
<i>Persicaria hydropiper</i> (L.) Delarbre	Water pepper 여뀌 (Yeo-kkwi)
<i>Persicaria hydropiper</i> var. <i>fastigiatum</i> Nakai	Fastigate-wetland smartweed 가는여뀌 (Ga-neun-yeo-kkwi)
<i>Persicaria japonica</i> (Meisn.) H.Gross ex Nakai	White-flower smartweed 흰꽃여뀌 (Huin-kkot-yeo-kkwi)
<i>Persicaria lapathifolia</i> (L.) Delarbre	Pale smartweed 흰여뀌 (Huin-yeo-kkwi)
<i>Persicaria lapathifolia</i> var. <i>incana</i> (Roth) S.Ekman & T.Knutsson	Hairy white-flower smartweed 흰솜여뀌 (Huin-som-yeo-kkwi)
<i>Persicaria lapathifolia</i> var. <i>salicifolia</i> Miyabe	Willow-leaf white-flower smartweed 솜흰여뀌 (Som-huin-yeo-kkwi)

Scientific name	English name Korean name (Romanization)
<i>Persicaria longiseta</i> (Bruijn) Kitag.	Oriental smartweed 개여뀌 (Gae-yeo-kkwi)
<i>Persicaria longiseta</i> f. <i>breviseta</i> (Meisn.) W.T.Lee	Short-stalk oriental smartweed 짧은개여뀌 (Jjal-beun-gae-yeo-kkwi)
<i>Persicaria maackiana</i> (Regel) Nakai ex T.Mori	Maack's arrow-head smartweed 나도미꾸리낚시 (Na-do-mi-kku-ri-nak-si)
<i>Persicaria muricata</i> (Meisn.) Nemoto	Broad arrow-head smartweed 넓은잎미꾸리낚시 (Neol-beun-ip-mi-kku-ri-nak-si)
<i>Persicaria neofiliformis</i> (Nakai) Ohki	New spike smartweed 새이삭여뀌 (Sae-i-sak-yeo-kkwi)
<i>Persicaria nepalensis</i> (Meisn.) H.Gross	Nepal smartweed 산여뀌 (San-yeo-kkwi)
<i>Persicaria nodosa</i> (Pers.) Opiz	Node smartweed 명아자여뀌 (Myeong-a-ja-yeo-kkwi)
<i>Persicaria perfoliata</i> (L.) H.Gross	Asian tearthumb 며느리배꼽 (Myeo-neu-ri-bae-kkop)
<i>Persicaria posumbu</i> var. <i>laxiflora</i> (Meisn.) H.Hara	Tall smartweed 장대여뀌 (Jang-dae-yeo-kkwi)
<i>Persicaria praetermissa</i> (Hook.f.) H.Hara	Linear arrow-head smartweed 좁은잎미꾸리낚시 (Jop-eun-ip-mi-kku-ri-nak-si)
<i>Persicaria pubescens</i> (Blume) H.Hara	Nonspicy smartweed 바보여뀌 (Ba-bo-yeo-kkwi)
<i>Persicaria sagittata</i> (L.) H.Gross	Arrow-leaf smartweed 미꾸리낚시 (Mi-kku-ri-nak-si)
<i>Persicaria senticosa</i> (Meisn.) H.Gross ex Nakai	Prickled vine smartweed 며느리밀씻개 (Myeo-neu-ri-mit-ssit-gae)
* <i>Persicaria sieboldii</i> var. <i>aestiva</i> Ohki ex T.B.Lee	Glabrous Siebold's smartweed 민미꾸리낚시 (Min-mi-kku-ri-nak-si)
<i>Persicaria sieboldii</i> var. <i>paludosa</i> (Kom.) Nakai ex Kitag.	Swamp Siebold's smartweed 실미꾸리낚시 (Sil-mi-kku-ri-nak-si)
<i>Persicaria sieboldii</i> var. <i>sericea</i> Nakai ex T.B.Lee	Hairy Siebold's smartweed 털미꾸리낚시 (Teol-mi-kku-ri-nak-si)

Scientific name	English name Korean name (Romanization)
<i>Persicaria taquetii</i> (H.Lév.) Koidz.	Taquet's smartweed 겨이삭여뀌 (Gyeo-i-sak-yeo-kkwi)
<i>Persicaria thunbergii</i> (Siebold & Zucc.) H.Gross	Thunberg's smartweed 고마리 (Go-ma-ri)
<i>Persicaria trigonocarpa</i> (Makino) Nakai	East Asian slender smartweed 가는개여뀌 (Ga-neun-gae-yeo-kkwi)
<i>Persicaria viscofera</i> (Makino) H.Gross	Sticky smartweed 끈끈이여뀌 (Kkeun-kkeun-i-yeo-kkwi)
<i>Persicaria viscofera</i> var. <i>robusta</i> (Makino) Hiyama	Big sticky smartweed 큰끈끈이여뀌 (Keun-kkeun-kkeun-i-yeo-kkwi)
<i>Persicaria viscosa</i> (Buch.-Ham. ex D.Don) H.Gross ex T.Mori	Reddish marsh smartweed 기생여뀌 (Gi-saeng-yeo-kkwi)
<i>Persicaria vulgaris</i> Webb & Moq.	Spring smartweed 봄여뀌 (Bom-yeo-kkwi)
<i>Petasites</i> Mill. [Asteraceae]	Butterbur 머위속 (Meo-wi-sok) [국화과]
<i>Petasites japonicus</i> (Siebold & Zucc.) Maxim.	Giant butterbur 머위 (Meo-wi)
<i>Petasites rubellus</i> (J.F.Gmel.) M.Toman	Reddish butterbur 개머위 (Gae-meo-wi)
<i>Peucedanum</i> L. [Apiaceae]	Hogfennel, Peucedanum 기름나물속 (Gi-reum-na-mul-sok) [산형과]
<i>Peucedanum coreanum</i> Nakai	Korean hogfennel 두메기름나물 (Du-me-gi-reum-na-mul)
<i>Peucedanum elegans</i> Kom.	Elegant hogfennel 가는기름나물 (Ga-neun-gi-reum-na-mul)
<i>Peucedanum hakuunense</i> Nakai	Baekun hogfennel 백운기름나물 (Baek-un-gi-reum-na-mul)
<i>Peucedanum insolens</i> Kitag.	Deokwoo hogfennel 덕우기름나물 (Deok-u-gi-reum-na-mul)

Scientific name	English name Korean name (Romanization)
<i>Peucedanum japonicum</i> Thunb.	Coastal hogfennel 갓기름나물 (Gaet-gi-reum-na-mul)
<i>Peucedanum terebinthaceum</i> (Fisch. ex Trevir.) Fisch. ex Turcz.	Terebinthaceous hogfennel 기름나물 (Gi-reum-na-mul)
<i>Peucedanum terebinthaceum</i> var. <i>deltoideum</i> (Makino ex K. Yabe) Makino	Mountain hogfennel 산기름나물 (San-gi-reum-na-mul)
<i>Phacellanthus</i> Siebold & Zucc. [Orobanchaceae]	Phacellanthus 가지더부살이속 (Ga-ji-deo-bu-sal-i-sok) [열당과]
<i>Phacellanthus tubiflorus</i> Siebold & Zucc.	Tubiflorous phacellanthus 가지더부살이 (Ga-ji-deo-bu-sal-i)
<i>Phacelurus</i> Griseb. [Poaceae]	Phacelurus 모새달속 (Mo-sae-dal-sok) [벼과]
<i>Phacelurus latifolius</i> (Steud.) Ohwi	Broad-leaf phacelurus 모새달 (Mo-sae-dal)
<i>Phacelurus latifolius</i> var. <i>angustifolius</i> (Debeaux) Kitag.	Slender-leaf phacelurus 가는잎모새달 (Ga-neun-ip-mo-sae-dal)
<i>Phaenosperma</i> Renvoize & Clayton [Poaceae]	Phaenosperma 기장풀속 (Gi-jang-pul-sok) [벼과]
<i>Phragmites japonicus</i> Steud.	Globose phaenosperma 산기장 (San-gi-jang)
<i>Phalaris</i> L. [Poaceae]	Canary grass 갈풀속 (Gal-pul-sok) [벼과]
<i>Phalaris arundinacea</i> L.	Reed canary grass 갈풀 (Gal-pul)
<i>Phegopteris</i> (C. Presl) Féé [Dryopteridaceae]	Beech fern 설설고사리속 (Seol-seol-go-sa-ri-sok) [면마과]
<i>Phegopteris connectilis</i> (Michx.) Watt.	Long beech fern 가래고사리 (Ga-rae-go-sa-ri)

Scientific name	English name Korean name (Romanization)
<i>Phegopteris decursive-pinnata</i> (H.C. Hall) Fée	Winged beech fern 설설고사리 (Seol-seol-go-sa-ri)
<i>Phellodendron</i> Rupr. [Rutaceae]	Corktree 황벽나무속 (Hwang-byeok-na-mu-sok) [운향과]
<i>Phellodendron amurense</i> Rupr.	Amur corktree 황벽나무 (Hwang-byeok-na-mu)
<i>Phellodendron amurense</i> var. <i>sachalinense</i> F.Schmidt	Sakhalin corktree 화태황벽나무 (Hwa-tae-hwang-byeok-na-mu)
<i>Phellodendron amurense</i> f. <i>molle</i> (Nakai) W.T.Lee	Hairy Amur corktree 털황벽 (Teol-hwang-byeok)
<i>Philadelphus</i> L. [Saxifragaceae]	Mock orange 고광나무속 (Go-gwang-na-mu-sok) [범의귀과]
<i>Philadelphus koreanus</i> Nakai	Yangdeok mock orange 양덕고광나무 (Yang-deok-go-gwang-na-mu)
<i>Philadelphus koreanus</i> var. <i>robustus</i> (Nakai) W.T.Lee	Robust Korean mock orange 왕고광나무 (Wang-go-gwang-na-mu)
<i>Philadelphus pekinensis</i> Rupr.	Beijing mock orange 애기고광나무 (Ae-gi-go-gwang-na-mu)
<i>Philadelphus scaber</i> Nakai	Rough mock orange 섬고광나무 (Seom-go-gwang-na-mu)
<i>Philadelphus schrenkii</i> Rupr.	Korean mock orange 고광나무 (Go-gwang-na-mu)
<i>Philadelphus schrenkii</i> var. <i>jackii</i> Koehne	Jack's mock orange 털고광나무 (Teol-go-gwang-na-mu)
<i>Philadelphus schrenkii</i> var. <i>lasiogynus</i> (Nakai) W.T.Lee	Woolly mock orange 흰털고광나무 (Huin-teol-go-gwang-na-mu)
<i>Philadelphus schrenkii</i> var. <i>mandshuricus</i> (Maxim.) Kitag.	Asian mock orange 꼭지고광나무 (Kkok-ji-go-gwang-na-mu)
<i>Philadelphus seoulensis</i> Y.H.Chung & H.C.Shin	Seoul mock orange 서울고광나무 (Seo-ul-go-gwang-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Philadelphus tenuifolius</i> Rupr. & Maxim.	Slender-leaf mock orange 얇은잎고광나무 (Yal-beun-ip-go-gwang-na-mu)
<i>Phleum</i> L. [Poaceae]	Timothy 산조아재비속 (San-jo-a-jae-bi-sok) [벼과]
<i>Phleum alpinum</i> L.	Alpine timothy 산조아재비 (San-jo-a-jae-bi)
<i>Phlomis</i> L. [Lamiaceae]	Jerusalem sage, Lampwick plant 속단속 (Sok-dan-sok) [풀풀과]
<i>Phlomis koraiensis</i> Nakai	Korean Jerusalem sage 산속단 (San-sok-dan)
<i>Phlomis maximowiczii</i> Regel	Maximowicz's Jerusalem sage 큰속단 (Keun-sok-dan)
<i>Phlomis umbrosa</i> Turcz.	Shady Jerusalem sage 속단 (Sok-dan)
<i>Phlomis umbrosa</i> f. <i>albiflora</i> Y.N.Lee	White-flower Jerusalem sage 흰속단 (Huin-sok-dan)
<i>Phragmites</i> Adans. [Poaceae]	Common reed, Reed 갈대속 (Gal-dae-sok) [벼과]
<i>Phragmites australis</i> (Cav.) Trin ex Steud.	Common reed 갈대 (Gal-dae)
<i>Phragmites japonica</i> Steud.	Runner reed 달뿌리풀 (Dal-ppu-ri-pul)
<i>Phragmites karka</i> (Retz.) Trin. ex Steud.	Tall reed 큰달뿌리풀 (Keun-dal-ppu-ri-pul)
<i>Phryma</i> L. [Phrymaceae]	Lopseed, Phryma 파리풀속 (Pa-ri-pul-sok) [파리풀과]
<i>Phryma leptostachya</i> var. <i>oblongifolia</i> (Koidz.) Honda	Asian lopseed 파리풀 (Pa-ri-pul)

Scientific name	English name Korean name (Romanization)
PHRYMACEAE Schauer	Lopseed family 파리풀과 (Pa-ri-pul-gwa)
<i>Phtheirospermum</i> Bunge ex Fisch. & C.A. Mey. [Scrophulariaceae]	Phtheirospermum 나도송이풀속 (Na-do-song-i-pul-sok) [현삼과]
<i>Phtheirospermum japonicum</i> (Thunb.) Kanitz	Sticky phtheirospermum 나도송이풀 (Na-do-song-i-pul)
<i>Phyllanthus</i> L. [Euphorbiaceae]	Leafflower 여우주머니속 (Yeo-u-ju-meo-ni-sok) [대극과]
<i>Phyllanthus urinaria</i> L.	Common leafflower 여우구슬 (Yeo-u-gu-seul)
<i>Phyllanthus ussuriensis</i> Rupr. & Maxim.	Ussuri river leafflower 여우주머니 (Yeo-u-ju-meo-ni)
<i>Phyllitis</i> Hill [Aspleniaceae]	Phyllitis 골고사리속 (Gol-go-sa-ri-sok) [꼬리고사리과]
<i>Phyllitis scolopendrium</i> (L.) Newman	Hart's-tongue fern 골고사리 (Gol-go-sa-ri)
<i>Phyllodoce</i> Salisb. [Ericaceae]	Mountain-heaths, Mountain heathers 가솔송속 (Ga-sol-song-sok) [진달래과]
<i>Phyllodoce caerulea</i> (L.) Bab.	Blue mountain-heath 가솔송 (Ga-sol-song)
<i>Phyllodoce caerulea</i> f. <i>albida</i> Uyeki	White mountain-heath 흰가솔송 (Huin-ga-sol-song)
<i>Phyllospadix</i> Hook. [Zosteraceae]	Surfgrass 새우말속 (Sae-u-mal-sok) [거머리말과]
<i>Phyllospadix iwatensis</i> Makino	Surfgrass 새우말 (Sae-u-mal)
<i>Phyllospadix japonicus</i> Makino	Asian surfgrass 게바다말 (Ge-ba-da-mal)

Scientific name	English name Korean name (Romanization)
<i>Phyllostachys</i> Siebold & Zucc. [Poaceae]	Bamboo 왕대속 (Wang-dae-sok) [벼과]
<i>Physaliastrum</i> Makino [Solanaceae]	Physaliastrum 가시꽈리속 (Ga-si-kkwa-ri-sok) [가자과]
<i>Physaliastrum japonicum</i> (Franch. & Sav.) Honda	East Asian physaliastrum 가시꽈리 (Ga-si-kkwa-ri)
<i>Physocarpus</i> Maxim. [Rosaceae]	Ninebark 산국수나무속 (San-guk-su-na-mu-sok) [장미과]
<i>Physocarpus amurensis</i> (Maxim.) Maxim.	Amur ninebark 산국수나무 (San-guk-su-na-mu)
<i>Physocarpus insularis</i> (Nakai) Nakai	Island ninebark 섬국수나무 (Seom-guk-su-na-mu)
<i>Phytolacca</i> L. [Phytolaccaceae]	Pokeweeds, Pokebush, Pokeberry, Pokeroot, Poke sallet 자리공속 (Ja-ri-gong-sok) [자리공과]
<i>Phytolacca insularis</i> Nakai	Island pokeweed 섬자리공 (Seom-ja-ri-gong)
PHYTOLACCACEAE R. Br.	Pokeweed family 자리공과 (Ja-ri-gong-gwa)
<i>Picea</i> A.Dietr. [Pinaceae]	Spruce 가문비나무속 (Ga-mun-bi-na-mu-sok) [소나무과]
<i>Picea jezoensis</i> (Siebold & Zucc.) Carrière	Dark-bark spruce 가문비나무 (Ga-mun-bi-na-mu)
<i>Picea jezoensis</i> f. <i>rubrilepis</i> Uyeki	Red-cone spruce 붉은가문비 (Bul-geun-ga-mun-bi)
<i>Picea koraiensis</i> Nakai	Korean spruce 종비나무 (Jong-bi-na-mu)
<i>Picea koraiensis</i> var. <i>tonaiensis</i> (Nakai) T.B.Lee	Hairy Korean spruce 털종비나무 (Teol-jong-bi-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Picea pungsanensis</i> Uyeki	Pungsan spruce 풍산가문비 (Pung-san-ga-mun-bi)
<i>Picea pungsanensis</i> var. <i>intercedens</i> (Nakai) T.B.Lee	Hairy Pungsan spruce 털가문비나무 (Teol-ga-mun-bi-na-mu)
<i>Picrasma</i> Blume [Simaroubaceae]	Picrasma 소태나무속 (So-tae-na-mu-sok) [소태나무과]
<i>Picrasma quassiodoides</i> (D.Don) Benn.	Bitterwood 소태나무 (So-tae-na-mu)
<i>Picris</i> L. [Asteraceae]	Oxtongue 쇠서나물속 (Soe-seo-na-mul-sok) [국화과]
<i>Picris hieracioides</i> subsp. <i>kaimensis</i> (Kitam.) Kitam.	Kaema hawkweed oxtongue 개마쇠서나물 (Gae-ma-soe-seo-na-mul)
<i>Picris hieracioides</i> var. <i>koreana</i> Kitam.	Korean hawkweed oxtongue 쇠서나물 (Soe-seo-na-mul)
<i>Pilea</i> Lindl. [Urticaceae]	Clearweed 물통이속 (Mul-tong-i-sok) [쐐기풀과]
<i>Pilea hamaoi</i> Makino	Large clearweed 큰물통이 (Keun-mul-tong-i)
<i>Pilea japonica</i> (Maxim.) Hand.-Mazz.	Montane clearweed 산물통이 (San-mul-tong-i)
<i>Pilea mongolica</i> Wedd.	Mongolian clearweed 모시물통이 (Mo-si-mul-tong-i)
<i>Pilea oligantha</i> Nakai	Ganggye clearweed 강계큰물통이 (Gang-gye-keun-mul-tong-i)
<i>Pilea peploides</i> (Gaudich.) Hook. & Arn.	Pacific island clearweed 물통이 (Mul-tong-i)
<i>Pilea taquetii</i> Nakai	Jeju clearweed 제주큰물통이 (Je-ju-keun-mul-tong-i)

Scientific name	English name Korean name (Romanization)
<i>Pimpinella</i> L. [Apiaceae]	Burnet saxifrage, Pimpinella 참나물속 (Cham-na-mul-sok) [산형과]
<i>Pimpinella brachycarpa</i> (Kom.) Nakai	Chamnamul (Short-fruit pimpinella) 참나물 (Cham-na-mul)
<i>Pimpinella brachycarpa</i> var. <i>uchiyamana</i> (Y.Yabe) W.T.Lee & C.G.Jang	Shady short-fruit pimpinella 그늘참나물 (Geu-neul-cham-na-mul)
<i>Pimpinella gustavohegiana</i> Koidz.	Roe-buck pimpinella 노루참나물 (No-ru-cham-na-mul)
<i>Pimpinella hallaisanensis</i> (W.T.Lee & C.G. Jang) C.G.Jang	Halla pimpinella 한라참나물 (Han-ra-cham-na-mul)
<i>Pimpinella koreana</i> (Y.Yabe) Nakai	Korean pimpinella 가는참나물 (Ga-neun-cham-na-mul)
PINACEAE Spreng. ex Rudolphi	Pine family 소나무과 (So-na-mu-gwa)
<i>Pinellia</i> Ten. [Araceae]	Green dragons, Pinellia 반하속 (Ban-ha-sok) [천남성과]
<i>Pinellia ternata</i> (Thunb.) Breitenb.	Crow dipper 반하 (Ban-ha)
<i>Pinellia tripartita</i> (Blume) Schott	Green dragon 대반하 (Dae-ban-ha)
<i>Pinguicula</i> L. [Lentibulariaceae]	Butterwort 벌레잡이속 (Beol-re-jap-i-sok) [통발과]
<i>Pinguicula villosa</i> L.	Hairy butterwort 털잡이제비꽃 (Teol-jap-i-je-bi-kkot)
<i>Pinguicula vulgaris</i> var. <i>macroceras</i> (Pall. ex Link) Herder	California butterwort 벌레잡이제비꽃 (Beol-re-jap-i-je-bi-kkot)
<i>Pinus</i> L. [Pinaceae]	Pine 소나무속 (So-na-mu-sok) [소나무과]

Scientific name	English name Korean name (Romanization)
<i>Pinus densiflora</i> Siebold & Zucc.	Korean red pine 소나무 (So-na-mu)
<i>Pinus densiflora</i> f. <i>aggregata</i> Nakai	Aggregate Korean red pine 남복송 (Nam-bok-song)
<i>Pinus densiflora</i> f. <i>congesta</i> Uyeki	Crowded Korean red pine 여복송 (Yeo-bok-song)
<i>Pinus densiflora</i> f. <i>erecta</i> Uyeki	Upright Korean red pine 금강소나무 (Geum-gang-so-na-mu)
<i>Pinus densiflora</i> f. <i>multicaulis</i> Uyeki	Many-stem Korean red pine 반송 (Ban-song)
<i>Pinus densiflora</i> f. <i>pendula</i> Mayr	Pendular Korean red pine 처진소나무 (Cheo-jin-so-na-mu)
<i>Pinus densiflora</i> f. <i>vittata</i> Uyeki	Silver Korean red pine 은송 (Eun-song)
<i>Pinus koraiensis</i> Siebold & Zucc.	Korean pine 잣나무 (Jat-na-mu)
<i>Pinus parviflora</i> Siebold & Zucc.	Ulleungdo white pine 섬잣나무 (Seom-jat-na-mu)
<i>Pinus pumila</i> (Pall.) Regel	Dwarf Siberian pine 눈잣나무 (Nun-jat-na-mu)
<i>Pinus tabuliformis</i> Carrière	Manchurian red pine 만주곰솔 (Man-ju-gom-sol)
<i>Pinus thunbergii</i> Parl.	Black pine 곰솔 (Gom-sol)
<i>Pinus thunbergii</i> f. <i>multicaulis</i> Uyeki	Many-stem black pine 곰반송 (Gom-ban-song)
Piper L. [Piperaceae]	Pepper 후추속 (Hu-chu-sok) [후추과]
<i>Piper kadsura</i> (Choisy) Ohwi	Kadsura pepper 후추등 (Hu-chu-deung)

Scientific name	English name Korean name (Romanization)
PIPERACEAE Giseke	Pepper family 후추과 (Hu-chu-gwa)
PITTOSPORACEAE R.Br.	Pittosporum family 돈나무과 (Don-na-mu-gwa)
<i>Pittosporum</i> Banks ex Gaertn. [Pittosporaceae]	Cheesewood, Pittosporums 돈나무속 (Don-na-mu-sok) [돈나무과]
<i>Pittosporum tobira</i> (Thunb.) W.T.Aiton	Australian laurel 돈나무 (Don-na-mu)
<i>Plagiogyria</i> (Kunze) Mett. [Plagiogyriaceae]	Plagiogyria 꿩고사리속 (Kkwong-go-sa-ri-sok) [꿩고사리과]
<i>Plagiogyria euphlebia</i> (Kunze) Mett.	Pheasant tail fern 꿩고사리 (Kkwong-go-sa-ri)
<i>Plagiogyria japonica</i> Nakai	Petiole pheasant tail fern 섬꿩고사리 (Seom-kkwong-go-sa-ri)
PLAGIODYRIACEAE Bower	Plagiogyria family 꿩고사리과 (Kkwong-go-sa-ri-gwa)
PLANTAGINACEAE Juss.	Plantain family 질경이과 (Jil-gyeong-i-gwa)
<i>Plantago</i> L. [Plantaginaceae]	Plantain, Fleawort 질경이속 (Jil-gyeong-i-sok) [질경이과]
<i>Plantago asiatica</i> L.	Asian plantain 질경이 (Jil-gyeong-i)
<i>Plantago asiatica</i> f. <i>polystachya</i> (Makino) Nakai	Island plantain 섬질경이 (Seom-jil-gyeong-i)
<i>Plantago camtschatica</i> Cham. ex Link	Kamchatka plantain 개질경이 (Gae-jil-gyeong-i)
<i>Plantago depressa</i> Willd.	Depressed plantain 털질경이 (Teol-jil-gyeong-i)
<i>Plantago major</i> var. <i>japonica</i> (Franch. & Sav.) Miyabe	Giant plantain 왕질경이 (Wang-jil-gyeong-i)

Scientific name	English name Korean name (Romanization)
<i>Plantago major</i> f. <i>yezomaritima</i> (Koidz.) Ohwi	Coastal glossy plantain 갯질경이 (Gaet-jil-gyeong-i)
<i>Platanthera</i> Rich. [Orchidaceae]	Fringed orchid 제비난초속 (Je-bi-nan-cho-sok) [난초과]
<i>Platanthera bifolia</i> (L.) Rich.	Greater platanthera 제비난초 (Je-bi-nan-cho)
<i>Platanthera fuscescens</i> (L.) Kraenzl.	Asian platanthera 넓은잎잠자리란 (Neol-beun-ip-jam-ja-ri-ran)
<i>Platanthera hologlottis</i> Maxim.	White Asian platanthera 흰제비란 (Huin-je-bi-ran)
<i>Platanthera japonica</i> (Thunb.) Lindl.	East Asian platanthera 갈매기난초 (Gal-mae-gi-nan-cho)
<i>Platanthera mandarinorum</i> Rchb.f.	Common Korean platanthera 산제비란 (San-je-bi-ran)
<i>Platanthera mandarinorum</i> subsp. <i>maximowicziana</i> (Schltr.) K.Inoue	Baby Asian platanthera 애기제비란 (Ae-gi-je-bi-ran)
<i>Platanthera minor</i> (Miq.) Rchb.f.	Little platanthera 한라잠자리난 (Han-ra-jam-ja-ri-nan)
<i>Platanthera ophrydioides</i> F.Schmidt	Cloud Asian platanthera 구름제비란 (Gu-reum-je-bi-ran)
<i>Platanthera sachalinensis</i> F.Schmidt	Big Asian platanthera 큰제비란 (Keun-je-bi-ran)
<i>Platanthera ussuriensis</i> (Regel & Maack) Maxim.	Ussuri river platanthera 나도잠자리란 (Na-do-jam-ja-ri-ran)
<i>Platycarya</i> Siebold & Zucc. [Juglandaceae]	Platycarya 굴피나무속 (Gul-pi-na-mu-sok) [가래나무과]
<i>Platycarya strobilacea</i> Siebold & Zucc.	Cone-fruit platycarya 굴피나무 (Gul-pi-na-mu)
<i>Platycarya strobilacea</i> f. <i>coreana</i> (Miq.) W.T.Lee	Hairy cone-fruit platycarya 털굴피나무 (Teol-gul-pi-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Platycladus</i> Spach [Cupressaceae]	Chinese arborvitae 측백나무속 [Cheuk-baek-na-mu-sok] [측백나무과]
<i>Platycladus orientalis</i> (L.) Franco	Oriental arborvita 측백나무 (Cheuk-baek-na-mu)
<i>Platycodon</i> A.DC. [Campanulaceae]	Platycodon 도라지속 (Do-ra-ji-sok) [초롱꽃과]
<i>Platycodon grandiflorus</i> (Jacq.) A.DC.	Balloon-flower 도라지 (Do-ra-ji)
<i>Platycodon grandiflorus</i> var. <i>duplex</i> f. <i>leucanthum</i> H.Hara	White-double balloon-flower 흰겹도라지 (Huin-gyeop-do-ra-ji)
<i>Platycodon grandiflorus</i> var. <i>duplex</i> Makino	Double balloon-flower 겹도라지 (Gyeop-do-ra-ji)
<i>Platycodon grandiflorus</i> f. <i>albiflorus</i> (Honda) H.Hara	White balloon-flower 백도라지 (Baek-do-ra-ji)
<i>Pleurosoriopsis</i> Fomin [Pteridaceae]	Pleurosoriopsis 좀고사리속 (Jom-go-sa-ri-sok) [고사리과]
<i>Pleurosoriopsis makinoi</i> (Maxim. ex Makino) Fomin	Small moss-like fern 좀고사리 (Jom-go-sa-ri)
<i>Pleurospermum</i> Hoffm. [Apiaceae]	Pleurospermum 누룩치속 (Nu-ruk-chi-sok) [산형과]
<i>Pleurospermum camtschaticum</i> Hoffm.	Kamchatka pleurospermum 왜우산풀 (Wae-u-san-pul)
PLUMBAGINACEAE Juss.	Leadwort family 갓질경과 (Gaet-jil-gyeong-gwa)
<i>Poa</i> L. [Poaceae]	Bluegrass 포아풀속 (Po-a-pul-sok) [벼과]
<i>Poa acroleuca</i> Steud.	White-top bluegrass 실포아풀 (Sil-po-a-pul)

Scientific name	English name Korean name (Romanization)
<i>Poa acroleuca</i> var. <i>submoniliformis</i> Makino	Swollen-node white-top bluegrass 마디포아풀 (Ma-di-po-a-pul)
<i>Poa annua</i> L.	Annual bluegrass 새포아풀 (Sae-po-a-pul)
<i>Poa deschampsioides</i> Ohwi	Korean bluegrass 좀새포아풀 (Jom-sae-po-a-pul)
<i>Poa glauca</i> Vahl	Glaucous bluegrass 자주포아풀 (Ja-ju-po-a-pul)
<i>Poa hisauchii</i> Honda	Ditch bluegrass 구내풀 (Gu-nae-pul)
<i>Poa kanboensis</i> Ohwi	Gwanmo bluegrass 관모포아풀 (Gwan-mo-po-a-pul)
<i>Poa komarovii</i> Roshev.	Komarov's bluegrass 코마로브포아풀 (Ko-ma-ro-beu-po-a-pul)
<i>Poa kumgangsanii</i> Ohwi	Geumgang bluegrass 금강포아풀 (Geum-gang-po-a-pul)
<i>Poa malacantha</i> var. <i>shinanoana</i> (Ohwi) Ohwi	Mountain bluegrass 두메포아풀 (Du-me-po-a-pul)
<i>Poa matsumurae</i> Hack.	Slender kentucky bluegrass 가는포아풀 (Ga-neun-po-a-pul)
<i>Poa nemoralis</i> L.	Wood bluegrass 선포아풀 (Seon-po-a-pul)
<i>Poa nipponica</i> Koidz.	Thick bluegrass 큰꾸러미풀 (Keun-kku-reo-mi-pul)
<i>Poa palustris</i> L.	Fowl bluegrass 눈포아풀 (Nun-po-a-pul)
<i>Poa radula</i> Franch. & Sav.	Mountain ridge bluegrass 좀꾸러미풀 (Jom-kku-reo-mi-pul)
<i>Poa sibirica</i> Roshev.	Siberian bluegrass 시베리아포아풀 (Si-be-ri-a-po-a-pul)
<i>Poa sphondyloides</i> Trin.	Hard bluegrass 포아풀 (Po-a-pul)

Scientific name	English name Korean name (Romanization)
<i>Poa takeshimana</i> Honda	Island bluegrass 섬포아풀 (Seom-po-a-pul)
<i>Poa trivialis</i> L.	Rough bluegrass 큰새포아풀 (Keun-sae-po-a-pul)
<i>Poa ullungdoensis</i> Chung	Ulleung bluegrass 울릉포아풀 (Ul-reung-po-a-pul)
<i>Poa ussuriensis</i> Roshev.	Ussuri bluegrass 갑산포아풀 (Gap-san-po-a-pul)
<i>Poa viridula</i> Palib.	Greenshi bluegrass 청포아풀 (Cheong-po-a-pul)
POACEAE Barnhart (=Gramineae Juss.)	Grass family 벼과 (Byeo-gwa)
Pogonia Juss. [Orchidaceae]	Pogonia 방울새란속 (Bang-ul-sae-ran-sok) [난초과]
<i>Pogonia japonica</i> Rchb.f.	Asian pogonia 큰방울새란 (Keun-bang-ul-sae-ran)
* <i>Pogonia japonica</i> f. <i>albiflora</i> Y.N.Lee	White Asian pogonia 흰큰방울새란 (Huin-keun-bang-ul-sae-ran)
<i>Pogonia minor</i> (Makino) Makino	Minor pogonia 방울새란 (Bang-ul-sae-ran)
POLEMONIACEAE Juss.	Phlox family 꽃고비과 (Kkot-go-bi-gwa)
Polemonium L. [Polemoniaceae]	Jacob's ladder 꽃고비속 (Kkot-go-bi-sok) [꽃고비과]
<i>Polemonium caeruleum</i> subsp. <i>kiushianum</i> (Kitam.) H.Hara	Racemous Jacob's ladder 꽃고비 (Kkot-go-bi)
* <i>Polemonium kiushianum</i> f. <i>albiflorum</i> Y.N.Lee	White-flower Jacob's ladder 흰꽃고비 (Huin-kkot-go-bi)
<i>Polemonium racemosum</i> var. <i>laxiflorum</i> (Kitam.) Nakai	Loosely-flower Jacob's ladder 가지꽃고비 (Ga-ji-kkot-go-bi)

Scientific name	English name Korean name (Romanization)
<i>Pollia</i> Thunb. [Commelinaceae]	Pollia 나도생강속 (Na-do-saeng-gang-sok) [닭의장풀과]
<i>Pollia japonica</i> Thunb.	East Asian pollia 나도생강 (Na-do-saeng-gang)
<i>Polygala</i> L. [Polygalaceae]	Milkworts, Polygala, Snakeroots 원지속 (Won-ji-sok) [원지과]
<i>Polygala japonica</i> Houtt.	Dwarf milkwort 애기풀 (Ae-gi-pul)
* <i>Polygala japonica</i> f. <i>leucantha</i> Nakai	White-flower dwarf milkwort 흰애기풀 (Huin-ae-gi-pul)
<i>Polygala sibirica</i> L.	Asian milkwort 두매애기풀 (Du-me-ae-gi-pul)
<i>Polygala tatarinowii</i> Regel	Oriental milkwort 병아리풀 (Byeong-a-ri-pul)
<i>Polygala tenuifolia</i> Willd.	Thin-leaf milkwort 원지 (Won-ji)
POLYGALACEAE Hoffmanns. & Link	Milkwort family 원지과 (Won-ji-gwa)
POLYGONACEAE Juss.	Buckwheat family 마디풀과 (Ma-di-pul-gwa)
<i>Polygonatum</i> Mill. [Liliaceae]	King solomon's-seal, Solomon's seal 동굴레속 (Dung-gul-re-sok) [백합과]
<i>Polygonatum acuminatifolium</i> Kom.	Sharp-tipped-leaf solomon's seal 종둥굴레 (Jong-dung-gul-re)
<i>Polygonatum cryptanthum</i> H.Lév. & Vaniot	Mokpo wide-bract solomon's seal 목포용동굴레 (Mok-po-yong-dung-gul-re)
<i>Polygonatum desoulavyi</i> Kom.	Anmyondo wide-bract solomon's seal 안면용동굴레 (An-myeon-yong-dung-gul-re)
<i>Polygonatum falcatum</i> A.Gray	Moniliform rhizome solomon's seal 진황정 (Jin-hwang-jeong)

Scientific name	English name Korean name (Romanization)
<i>Polygonatum grandicaule</i> Y.S.Kim, B.U.Oh & C.G.Jang	Upright solomon's seal 선둥굴레 (Seon-dung-gul-re)
<i>Polygonatum humile</i> Fisch. ex Maxim..	Dwarf solomon's seal 각시둥굴레 (Gak-si-dung-gul-re)
<i>Polygonatum inflatum</i> Kom.	Inflated solomon's seal 통둥굴레 (Tung-dung-gul-re)
<i>Polygonatum infundiflorum</i> Y.S.Kim, B.U.Oh & C.G.Jang	Late-blooming solomon's seal 늦둥굴레 (Neut-dung-gul-re)
<i>Polygonatum involucratum</i> (Franch. & Sav.) Maxim.	Wide-bract solomon's seal 용둥굴레 (Yong-dung-gul-re)
<i>Polygonatum lasianthum</i> Maxim.	Korean solomon's seal 죽대 (Juk-dae)
<i>Polygonatum odoratum</i> (Mill.) Druce	Poongdo solomon's seal 풍도둥굴레 (Pung-do-dung-gul-re)
<i>Polygonatum odoratum</i> var. <i>pluriflorum</i> (Miq.) Ohwi	Lesser solomon's seal 등굴레 (Dung-gul-re)
<i>Polygonatum odoratum</i> var. <i>pluriflorum</i> f. <i>variegatum</i> Y.N.Lee	Variegated lesser solomon's seal 무늬등굴레 (Mu-nui-dung-gul-re)
<i>Polygonatum robustum</i> (Korsh.) Nakai	Robust solomon's seal 왕둥굴레 (Wang-dung-gul-re)
<i>Polygonatum stenanthum</i> Nakai	Small-flower solomon's seal 암수둥굴레 (Am-su-dung-gul-re)
<i>Polygonatum stenophyllum</i> Maxim.	Narrow-leaf solomon's seal 층층둥굴레 (Cheung-cheung-dung-gul-re)
<i>Polygonatum thunbergii</i> Morr. & Decne.	Thunberg's solomon's seal 산둥굴레 (San-dung-gul-re)
<i>Polygonum</i> L. [Polygonaceae]	Knotweed, Knotgrass, Bistort, Tearthumb, Mile-a-minute 마디풀속 (Ma-di-pul-sok) [마디풀과]
<i>Polygonum arenastrum</i> Boreau	Oval-leaf knotweed 갓마디풀 (Gaet-ma-di-pul)

Scientific name	English name Korean name (Romanization)
<i>Polygonum aviculare</i> L.	Knotweed 마디풀 (Ma-di-pul)
<i>Polygonum aviculare</i> var. <i>fusco-ochreatum</i> (Kom.) A.J.Li	Jeju knotweed 제주큰옥매듭풀 (Je-ju-keun-ok-mae-deup-pul)
<i>Polygonum bellardii</i> All.	Narrow-leaf knotweed 큰옥매듭풀 (Keun-ok-mae-deup-pul)
<i>Polygonum equisetiforme</i> Sibth. & Sm.	Horse-tail knotweed 개마디풀 (Gae-ma-di-pul)
<i>Polygonum humifusum</i> C.Merck ex K.Koch	Alaska knotweed 부산마디풀 (Bu-san-ma-di-pul)
POLYPODIACEAE J.Presl & C.Presl	Polypody family 고란초과 (Go-ran-cho-gwa)
<i>Polypodium</i> L. [Polypodiaceae]	Polypody, Rockcap fern 미역고사리속 (Mi-yeok-go-sa-ri-sok) [고란초과]
<i>Polypodium fauriei</i> Christ	Spiral polypody 나사미역고사리 (Na-sa-mi-yeok-go-sa-ri)
<i>Polypodium virginianum</i> L.	Rock polypody 좀미역고사리 (Jom-mi-yeok-go-sa-ri)
<i>Polypodium vulgare</i> L.	Common polypody 미역고사리 (Mi-yeok-go-sa-ri)
<i>Polypogon</i> Desf. [Poaceae]	Beard grass, Rabbit's-foot grass 쇠돌피속 (Soe-dol-pi-sok) [벼과]
<i>Polypogon fugax</i> Nees ex Steud.	Asian minor rabbit's-foot grass 쇠돌피 (Soe-dol-pi)
<i>Polypogon monspeliensis</i> (L.) Desf.	Annual rabbit's-foot grass 깻쇠돌피 (Gaet-soe-dol-pi)
<i>Polystichum</i> Roth [Dryopteridaceae]	Holly fern, Polystichum 나도히초미속 (Na-do-hi-cho-mi-sok) [면마과]
<i>Polystichum braunii</i> (Spenn.) Féé	Braun's holly fern 좀나도히초미 (Jom-na-do-hi-cho-mi)

Scientific name	English name Korean name (Romanization)
<i>Polystichum craspedosorum</i> (Maxim.) Diels	Jumping holly fern 낚시고사리 (Nak-si-go-sa-ri)
<i>Polystichum cyrtolepidotum</i> Franch.	Jeju holly fern 제주개관중 (Je-ju-gae-gwan-jung)
<i>Polystichum fibriloso-paleaceum</i> (Kodama) Tagawa	Hairy holly fern 털개관중 (Teol-gae-gwan-jung)
<i>Polystichum hancockii</i> (Hance) Diels	Jeju cross holly fern 제주십자고사리 (Je-ju-sip-ja-go-sa-ri)
<i>Polystichum lepidocaulon</i> (Hook.) J.Sm.	Whipcord eyelash fern 더부살이고사리 (Deo-bu-sal-i-go-sa-ri)
<i>Polystichum longifrons</i> Sa Kurata	Long-frond holly fern 섬나도히초미 (Seom-na-do-hi-cho-mi)
<i>Polystichum makinoi</i> (Tagawa) Tagawa	Black-scale holly fern 윤개관중 (Yun-gae-gwan-jung)
<i>Polystichum mayebarae</i> Tagawa	Leathery holly fern 큰개관중 (Keun-gae-gwan-jung)
<i>Polystichum ovatopaleaceum</i> (Kodama) Sa Kurata	Jiri holly fern 지리개관중 (Ji-ri-gae-gwan-jung)
<i>Polystichum ovatopaleaceum</i> var. <i>coraiense</i> (Christ) Sa Kurata	Korean holly fern 참나도히초미 (Cham-na-do-hi-cho-mi)
<i>Polystichum polyblepharum</i> (Roem. ex Kunze) C.Presl	Multiciliate holly fern 나도히초미 (Na-do-hi-cho-mi)
<i>Polystichum pseudomakinoi</i> Tagawa	Two-color-scale holly fern 나도개관중 (Na-do-gae-gwan-jung)
<i>Polystichum retrosopaleaceum</i> (Kodama) Tagawa	Scaly holly fern 비늘개관중 (Bi-neul-gae-gwan-jung)
<i>Polystichum rigens</i> Tagawa	Stiff holly fern 가시개관중 (Ga-si-gae-gwan-jung)
<i>Polystichum tagawanum</i> Sa Kurata	Lusterless holly fern 긴개관중 (Gin-gae-gwan-jung)
<i>Polystichum tripterion</i> (Kunze) C.Presl	Cross holly fern 십자고사리 (Sip-ja-go-sa-ri)

Scientific name	English name Korean name (Romanization)
<i>Polystichum tripterion f. subpinnatum</i> H.Ito	Big cross holly fern 큰십자고사리 (Keun-sip-ja-go-sa-ri)
<i>Polystichum tsus-simense</i> (Hook.) J.Sm.	Korean rock fern 검정개관중 (Geom-jeong-gae-gwan-jung)
Ponerorchis Rchb.f. [Orchidaceae]	Ponerorchis 나비난초속 (Na-bi-nan-cho-sok) [난초과]
<i>Ponerorchis graminifolia</i> Rchb.f.	Grass-like leaf ponerorchis 나비난초 (Na-bi-nan-cho)
<i>Ponerorchis joo-iokiana</i> (Makino) Nakai	Baedus an ponerochis 너도제비란 (Neo-do-je-bi-ran)
PONTEDERIACEAE Kunth	Water-hyacinth family 물옥잠과 (Mul-ok-jam-gwa)
Populus L. [Salicaceae]	Cottonwood, Poplar 사시나무속 (Sa-si-na-mu-sok) [버드나무과]
<i>Populus davidiana</i> Dode	Korean aspen 사시나무 (Sa-si-na-mu)
<i>Populus davidiana</i> f. <i>laticuneata</i> Nakai	Long-leaf Korean aspen 긴잎사시나무 (Gin-ip-sa-si-na-mu)
<i>Populus davidiana</i> f. <i>tomentella</i> (Schneid.) W.T.Lee	Hairy Korean aspen 털사시나무 (Teol-sa-si-na-mu)
<i>Populus glandulosa</i> (Uyeki) Uyeki	Suwon aspen 수원사시나무 (Su-won-sa-si-na-mu)
<i>Populus koreana</i> Rehder	Korean poplar 물황칠나무 (Mul-hwang-cheol-na-mu)
<i>Populus maximowiczii</i> A.Henry	Manchurian poplar 황철나무 (Hwang-cheol-na-mu)
<i>Populus maximowiczii</i> var. <i>barbinervis</i> Nakai	Hairy Manchurian poplar 털황칠나무 (Teol-hwang-cheol-na-mu)
<i>Populus simonii</i> Carrière	Simon's poplar 당버들 (Dang-beo-deul)

Scientific name	English name Korean name (Romanization)
<i>Portulaca</i> L. [Portulacaceae]	Moss roses, Purslane 쇠비름속 (Soe-bi-reum-sok) [쇠비름과]
<i>Portulaca oleracea</i> L.	Purslane 쇠비름 (Soe-bi-reum)
PORTULACACEAE Juss.	Purslane family 쇠비름과 (Soe-bi-reum-gwa)
<i>Potamogeton</i> L. [Potamogetonaceae]	Pondweed 가래속 (Ga-rae-sok) [가래과]
<i>Potamogeton alpinus</i> Balb.	Alpine pondweed 좁은잎말 (Jop-eun-ip-mal)
<i>Potamogeton crispus</i> L.	Curled pondweed 말쯤 (Mal-jeum)
<i>Potamogeton cristatus</i> Regel & Maack	Little-leaf pondweed 가는가래 (Ga-neun-ga-rae)
<i>Potamogeton distinctus</i> A.Benn.	Pondweed 가래 (Ga-rae)
<i>Potamogeton fryeri</i> A.Benn.	Fryer's pondweed 선가래 (Seon-ga-rae)
<i>Potamogeton heterophyllus</i> Schreb.	Variegated-leaf pondweed 앉은가래 (An-jeun-ga-rae)
<i>Potamogeton maackianus</i> A.Benn.	Maack's pondweed 새우가래 (Sae-u-ga-rae)
<i>Potamogeton malaianus</i> Miq.	Bamboo-leaf pondweed 대가래 (Dae-ga-rae)
<i>Potamogeton natans</i> L.	Floating-leaf pondweed 큰가래 (Keun-ga-rae)
<i>Potamogeton octandrus</i> Poir.	Little pondweed 애기가래 (Ae-gi-ga-rae)
<i>Potamogeton octandrus</i> var. <i>mizuhikimo</i> (Makino) H.Hara	Eight-stamen pondweed 등포잎가래 (Deung-po-ip-ga-rae)

Scientific name	English name Korean name (Romanization)
<i>Potamogeton oxyphyllus</i> Miq.	Acuminate-leaf pondweed 밀 (Mal)
<i>Potamogeton pectinatus</i> L.	Sago pondweed 솔잎가래 (Sol-ip-ga-rae)
<i>Potamogeton perfoliatus</i> L.	Perfoliate pondweed 넓은잎밀 (Neol-beun-ip-mal)
<i>Potamogeton pusillus</i> L.	Small pondweed 실말 (Sil-mal)
POTAMOGETONACEAE Bercht. & J. Presl	Pondweed family 가래과 (Ga-rae-gwa)
Potentilla L. [Rosaceae]	Cinquefoil 양지꽃속 (Yang-ji-kkot-sok) [장미과]
<i>Potentilla anemonifolia</i> Lehm.	Anemone cinquefoil 가락지나물 (Ga-rak-ji-na-mul)
<i>Potentilla bifurca</i> L.	Glabrous forked-leaf cinquefoil 풀싸리풀 (Mul-ssa-ri-pul)
<i>Potentilla centigrana</i> Maxim.	Mockstrawberry cinquefoil 좀딸기 (Jom-ttal-gi)
<i>Potentilla chinensis</i> Ser.	East Asian cinquefoil 딱지꽃 (Ttak-ji-kkot)
<i>Potentilla chinensis</i> var. <i>concolor</i> Franch. & Sav.	Hairy East Asian cinquefoil 털딱지꽃 (Teol-ttak-ji-kkot)
<i>Potentilla cryptotaeniae</i> Maxim.	Marsh cinquefoil 물양지꽃 (Mul-yang-ji-kkot)
<i>Potentilla dickinsii</i> Franch. & Sav.	Korean cinquefoil 돌양지꽃 (Dol-yang-ji-kkot)
<i>Potentilla dickinsii</i> var. <i>breviseta</i> Nakai	Short-pedicel Korean cinquefoil 참양지꽃 (Cham-yang-ji-kkot)
<i>Potentilla dickinsii</i> var. <i>glabrata</i> Nakai	Glabrous Korean cinquefoil 섬양지꽃 (Seom-yang-ji-kkot)
<i>Potentilla discolor</i> Bunge	Discolor cinquefoil 솜양지꽃 (Som-yang-ji-kkot)

Scientific name	English name Korean name (Romanization)
<i>Potentilla egedii</i> var. <i>groenlandica</i> (Tratt.) Polunin	Greenland cinquefoil 눈양지꽃 (Nun-yang-ji-kkot)
<i>Potentilla flagellaris</i> Willd. ex Schltdl.	Flagellar cinquefoil 덩굴뱀딸기 (Deong-gul-baem-ttal-gi)
<i>Potentilla fragarioides</i> L.	Sunny-place cinquefoil 양지꽃 (Yang-ji-kkot)
<i>Potentilla freyniana</i> Bornm.	Freyen's cinquefoil 세잎양지꽃 (Se-ip-yang-ji-kkot)
<i>Potentilla fruticosa</i> L.	Stiff shrubby cinquefoil 물싸리 (Mulssa-ri)
<i>Potentilla fruticosa</i> var. <i>mandshurica</i> Maxim.	Manchurian shrubby cinquefoil 흰풀싸리 (Huin-mulssa-ri)
<i>Potentilla matsumurae</i> Th.Wolf	High mountain cinquefoil ombok양지꽃 (Jom-yang-ji-kkot)
* <i>Potentilla matsumurae</i> f. <i>alba</i> Y.N.Lee	White-flower high mountain cinquefoil 흰ombok양지꽃 (Huin-jom-yang-ji-kkot)
<i>Potentilla multifida</i> L.	Divided cinquefoil 만주딱지꽃 (Manju-ttak-ji-kkot)
<i>Potentilla niponica</i> Th.Wolf	Wonsan cinquefoil 원산딱지꽃 (Won-san-ttak-ji-kkot)
<i>Potentilla nivea</i> L.	Snow cinquefoil 은양지꽃 (Eun-yang-ji-kkot)
<i>Potentilla palustris</i> (L.) Scop.	Purple marshlocks 검은낭아초 (Geom-eun-nang-a-cho)
<i>Potentilla rugulosa</i> Kitag.	Wrinkled cinquefoil 당양지꽃 (Dang-yang-ji-kkot)
<i>Potentilla stolonifera</i> var. <i>quelpaertensis</i> Nakai	Jeju cinquefoil 제주양지꽃 (Je-ju-yang-ji-kkot)
<i>Potentilla viscosa</i> J.Don	Viscous cinquefoil 끈끈이딱지 (Kkeun-kkeun-i-ttak-ji)
<i>Potentilla yokosaina</i> Makino	Smooth silverweed 민눈양지꽃 (Min-nun-yang-ji-kkot)

Scientific name [Rosaceae]	English name Korean name (Romanization)
<i>Pourthiaeae Decne.</i> [Rosaceae]	Pourthiaeae 윤노리나무속 (Yun-no-ri-na-mu-sok) [장미과]
<i>Pourthiaeae villosa</i> (Thunb.) Decne.	Oriental photinia 윤노리나무 (Yun-no-ri-na-mu)
<i>Pourthiaeae villosa</i> var. <i>brunnea</i> (H.Lév.) Nakai	Brown oriental photinia 떡윤노리나무 (Tteok-yun-no-ri-na-mu)
<i>Pourthiaeae villosa</i> var. <i>coreana</i> Nakai	Korean photinia 줌윤노리 (Jom-yun-no-ri)
<i>Pourthiaeae villosa</i> var. <i>laevis</i> (Thunb.) Stapf	Smooth oriental photinia 민윤노리나무 (Min-yun-no-ri-na-mu)
<i>Pourthiaeae villosa</i> var. <i>zollingeri</i> (Decne.) C.K.Schneid.	Hairy oriental photinia 털윤노리나무 (Teol-yun-no-ri-na-mu)
<i>Prenanthes L.</i> [Asteraceae]	Purple lettuce, Rattlesnake-root 왕씀배속 (Wang-sseum-bae-sok) [국화과]
<i>Prenanthes ochroleuca</i> (Maxim.) Hemsl.	Yellow-white rattlesnake-root 왕씀배 (Wang-sseum-bae)
<i>Prenanthes tatarinowii</i> Maxim.	Tatarinow's rattlesnake-root 개씀배 (Gae-sseum-bae)
<i>Primula L.</i> [Primulaceae]	Primrose 앵초속 (Aeng-cho-sok) [앵초과]
<i>Primula jesoana</i> Miq.	Yalu river primrose 큰앵초 (Keun-aeng-cho)
<i>Primula jesoana</i> var. <i>pubescens</i> (Takeda) Takeda & H.Hara	Hairy Yalu river primrose 털큰앵초 (Teol-keun-aeng-cho)
<i>Primula modesta</i> var. <i>hannasanensis</i> T.Yamaz.	Alpine modest primrose 설앵초 (Seol-aeng-cho)
<i>Primula sachalinensis</i> Nakai	Baedusun primrose 좀설앵초 (Jom-seol-aeng-cho)
* <i>Primula sachalinensis</i> f. <i>albida</i> Y.N.Lee	White-flower Baekdusan primrose 흰좀설앵초 (Huin-jom-seol-aeng-cho)

Scientific name	English name Korean name (Romanization)
<i>Primula saxatilis</i> Kom.	Rock primrose 돌앵초 (Dol-aeng-cho)
<i>Primula sieboldii</i> E.Morren	East Asian primrose 앵초 (Aeng-cho)
* <i>Primula sieboldii</i> f. <i>albiflora</i> Y.N.Lee	White-flower East Asian primrose 흰앵초 (Huin-aeng-cho)
PRIMULACEAE Batsch ex Borkh.	Primrose family 앵초과 (Aeng-cho-gwa)
<i>Prinsepia</i> Royle [Rosaceae]	Prinsepia 빈추나무속 (Bin-chu-na-mu-sok) [장미과]
<i>Prinsepia sinensis</i> (Oliv.) Oliv. ex Bean	Cherry prinsepia 빈추나무 (Bin-chu-na-mu)
<i>Prunella</i> L. [Lamiaceae]	Self-heals, Heal-all, Allheal 꿀풀속 (Kkul-pul-sok) [꿀풀과]
<i>Prunella vulgaris</i> var. <i>aleutica</i> Fernald	Alpine self-heal 두메꿀풀 (Du-me-kkul-pul)
<i>Prunella vulgaris</i> subsp. <i>asiatica</i> (Nakai) H.Hara	Lilac self-heal 꿀풀 (Kkul-pul)
<i>Prunella vulgaris</i> f. <i>albiflora</i> Nakai	White-flower self-heal 흰꿀풀 (Huin-kkul-pul)
<i>Prunus</i> L. [Rosaceae]	Cherry, Plum 벗나무속 (Beot-na-mu-sok) [장미과]
<i>Prunus buergeriana</i> Miq.	Amur cherry 섬개벗나무 (Seom-gae-beot-na-mu)
<i>Prunus choreiana</i> Nakai ex H.T.Im	Peach-nanking cherry 복사앵도나무 (Bok-sa-aeng-do-na-mu)
<i>Prunus davidiana</i> (Carrière) Franch.	Pere David's cherry 산복사나무 (San-bok-sa-na-mu)
<i>Prunus ishidoyana</i> Nakai	Mountain bush cherry 산이스라지 (San-i-seu-ra-jí)

Scientific name	English name Korean name (Romanization)
<i>Prunus japonica</i> var. <i>nakaii</i> (H.Lév.) Rehder	Oriental bush cherry 이스라지 (I-seu-ra-ji)
<i>Prunus japonica</i> f. <i>rufinervis</i> (Nakai) T.B.Lee	Hairy oriental bush cherry 털이스라지 (Teol-i-seu-ra-ji)
* <i>Prunus leveilleana</i> var. <i>pilosa</i> Nakai	Pilose Korean hill cherry 털개벗나무 (Teol-gae-beot-na-mu)
<i>Prunus maackii</i> Rupr.	Amur choke cherry 개벗지나무 (Gae-beot-ji-na-mu)
<i>Prunus mandshurica</i> (Maxim.) Koehne	Manchurian cherry 개살구나무 (Gae-sal-gu-na-mu)
<i>Prunus mandshurica</i> f. <i>barbinervis</i> (Nakai) W.T.Lee	Hairy Manchurian cherry 털개살구 (Teol-gae-sal-gu)
<i>Prunus maximowiczii</i> Rupr.	Korean mountain cherry 산개벗지나무 (San-gae-beot-ji-na-mu)
<i>Prunus meyeri</i> Rehder	Meyer's cherry 북개벗지나무 (Buk-gae-beot-ji-na-mu)
<i>Prunus padus</i> L.	Bird cherry 귀룽나무 (Gwi-rung-na-mu)
<i>Prunus padus</i> var. <i>pubescens</i> Regel & Tiling	Hairy bird cherry 흰털귀룽나무 (Huin-teol-gwi-rung-na-mu)
<i>Prunus padus</i> var. <i>seoulensis</i> (H.Lév.) Nakai	Seoul bird cherry 서울귀룽나무 (Seo-ul-gwi-rung-na-mu)
<i>Prunus padus</i> f. <i>glaucia</i> (Nakai) Kitag.	Grayish bird cherry 흰귀룽나무 (Huin-gwi-rung-na-mu)
* <i>Prunus padus</i> f. <i>rufo-ferruginea</i> (Nakai) W.T.Lee	Red-brown bird cherry 차빛귀룽 (Cha-bit-gwi-rung)
<i>Prunus sargentii</i> Rehder	Sargent's cherry 산벗나무 (San-beot-na-mu)
<i>Prunus sargentii</i> var. <i>vereocunda</i> (Koidz.) Chin S.Chang	Hairy Sargent's cherry 분홍벗나무 (Bun-hong-beot-na-mu)
<i>Prunus serrulata</i> var. <i>densiflora</i> (Koehne) Uyeki	see <i>Prunus serrulata</i> f. <i>spontanea</i> (E.H.Wilson) Chin S.Chang

Scientific name	English name Korean name (Romanization)
<i>Prunus serrulata</i> var. <i>pubescens</i> (Makino) Nakai	Mountain oriental cherry 잔털벚나무 (Jan-teol-beot-na-mu)
<i>Prunus serrulata</i> var. <i>quelpaertensis</i> Uyeki	<u>see</u> <i>Prunus serrulata</i> var. <i>pubescens</i> (Makino) Nakai
<i>Prunus serrulata</i> var. <i>sontagiae</i> (Koehne) Nakai	<u>see</u> <i>Prunus serrulata</i> var. <i>pubescens</i> (Makino) Nakai
<i>Prunus serrulata</i> var. <i>tomentella</i> Nakai	<u>see</u> <i>Prunus serrulata</i> var. <i>pubescens</i> (Makino) Nakai
<i>Prunus serrulata</i> f. <i>spontanea</i> (E.H.Wilson) Chin S.Chang	Oriental flowering cherry 벗나무 (Beot-na-mu)
<i>Prunus sibirica</i> L.	Siberian cherry 시베리아살구 (Si-be-ri-a-sal-gu)
<i>Prunus sibirica</i> var. <i>pubescens</i> (Kostina) Kitag.	Hairy Siberian cherry 털시베리아살구 (Teol-si-be-ri-a-sal-gu)
<i>Prunus spachiana</i> f. <i>ascendens</i> (Makino) Kitam.	Wild-spring cherry 을벗나무 (Ol-beot-na-mu)
<i>Prunus takesimensis</i> Nakai	Ulleungdo flowering cherry 섬벗나무 (Seom-beot-na-mu)
<i>Prunus triloba</i> var. <i>truncata</i> Kom.	Truncate flowering cherry 풀또기 (Pul-tto-gi)
<i>Prunus verecunda</i> (Koidz.) Koehne	<u>see</u> <i>Prunus sargentii</i> var. <i>verecunda</i> (Koidz.) Chin S.Chang
<i>Prunus × yedoensis</i> Matsum.	Korean flowering cherry 왕벗나무 (Wang-beot-na-mu)
<i>Prunus × yedoensis</i> f. <i>nudiflora</i> (Koehne) Rehder	Jeju flowering cherry 제주벗나무 (Je-ju-beot-na-mu)
<i>Pseudocyclosorus</i> Ching [Dryopteridaceae]	<i>Pseudocyclosorus</i> 제비꼬리고사리속 (Je-bi-kko-ri-go-sa-ri-sok) [면마과]
<i>Pseudocyclosorus esquirolii</i> (Christ) Ching	Swallow-tail marsh fern 제비꼬리고사리 (Je-bi-kko-ri-go-sa-ri)

Scientific name	English name Korean name (Romanization)
<i>Pseudognaphalium</i> Kirp. & Kuprian. [Asteraceae]	Cudweeds 떡쑥속 (Tteok-ssuk-sok)
<i>Pseudognaphalium affine</i> (D.Don) Anderb.	Jersey cudweed 떡쑥 (Tteok-ssuk)
<i>Pseudognaphalium hypoleucum</i> (DC.) Hilliard & B.L.Burtt	Autumn cudweed 금떡쑥 (Geum-tteok-ssuk)
<i>Pseudoraphis</i> Griff. [Poaceae]	Mudgrasses 물잔디속 (Mul-jan-di-sok) [벼과]
<i>Pseudoraphis sordida</i> (Thwaites) S.M.Phillips & S.L.Chen	East Asian mudgrass 물잔디 (Mul-jan-di)
<i>Pseudosasa</i> Makino ex Nakai [Poaceae]	Arrow bamboo 이대속 (I-dae-sok) [벼과]
<i>Pseudosasa japonica</i> (Siebold & Zucc. ex Steud.) Makino ex Nakai	Arrow bamboo 이대 (I-dae)
<i>Pseudosasa japonica</i> var. <i>purpurascens</i> Nakai	Purple arrow bamboo 자주이대 (Ja-ju-i-dae)
<i>Pseudostellaria</i> Pax [Caryophyllaceae]	False-starwort, <i>Pseudostellaria</i> 개별꽃속 (Gae-byeol-kkot-sok) [석죽과]
<i>Pseudostellaria bulbosa</i> (Nakai) Ohwi	Tuberous false-starwort 덩이뿌리개별꽃 (Deong-i-ppu-ri-gae-byeol-kkot)
<i>Pseudostellaria coreana</i> (Nakai) Ohwi	Korean false-starwort 참개별꽃 (Cham-gae-byeol-kkot)
<i>Pseudostellaria davidi</i> (Franch.) Pax ex Pax & Hoffm.	Dwarf false-starwort 덩굴개별꽃 (Deong-gul-gae-byeol-kkot)
<i>Pseudostellaria davidi</i> × <i>P. palibiniana</i> K.Choi & J.H.Pak	Bohyeon false-starwort 보현개별꽃 (Bo-hyeon-gae-byeol-kkot)
<i>Pseudostellaria heterophylla</i> (Miq.) Pax	Heterophylly false-starwort 개별꽃 (Gae-byeol-kkot)
<i>Pseudostellaria heterophylla</i> × <i>P. palibiniana</i> K.Choi & J.H.Pak	Biseul false-starwort 비슬개별꽃 (Bi-seul-gae-byeol-kkot)

Scientific name	English name Korean name (Romanization)
<i>Pseudostellaria japonica</i> (Korsh.) Pax	East Asian false-starwort 긴개별꽃 (Gin-gae-byeol-kkot)
<i>Pseudostellaria monantha</i> Ohwi	Mountain false-starwort 산개별꽃 (San-gae-byeol-kkot)
<i>Pseudostellaria okamotoi</i> Ohwi	Jirisan false-starwort 지리산개별꽃 (Ji-ri-san-gae-byeol-kkot)
<i>Pseudostellaria palibiniana</i> (Takeda) Ohwi	Giant false-starwort 큰개별꽃 (Keun-gae-byeol-kkot)
<i>Pseudostellaria setulosa</i> Ohwi	Bristled false-starwort 숲개별꽃 (Sup-gae-byeol-kkot)
<i>Pseudostellaria sylvatica</i> (Maxim.) Pax	Narrow-leaf false-starwort 가는잎개별꽃 (Ga-neun-ip-gae-byeol-kkot)
PSILOTACEAE J.W. Griff. & Henfr.	Whisk fern family 솔잎란과 (Sol-ip-ran-gwa)
<i>Psilotum</i> Sw. [Psilotaceae]	Whisk fern 솔잎란속 (Sol-ip-ran-sok) [솔잎란과]
<i>Psilotum nudum</i> (L.) P.Beauv.	Whisk fern 솔잎란 (Sol-ip-ran)
PTERIDACEAE E.D.M. Kirchn.	Maidenhair fern family 고사리과 (Go-sa-ri-gwa)
<i>Pteridium</i> Gled. ex Scop. [Pteridaceae]	Brakenfern 고사리속 (Go-sa-ri-sok) [고사리과]
<i>Pteridium aquilinum</i> var. <i>latiusculum</i> (Desv.) Underw. ex A.Heller	Eastern brakenfern 고사리 (Go-sa-ri)
<i>Pteris</i> L. [Pteridaceae]	Brake fern 봉의꼬리속 (Bong-ui-kko-ri-sok) [고사리과]
<i>Pteris cretica</i> L.	Cretan brake fern 큰봉의꼬리 (Keun-bong-ui-kko-ri)
<i>Pteris dispar</i> Kunze	Unequal-lobe brake fern 반쪽고사리 (Ban-jjok-go-sa-ri)

Scientific name	English name Korean name (Romanization)
<i>Pteris excelsa</i> Gaudich.	Feather unequal-lobe brake fern 깃반쪽고사리 (Git-ban-jjok-go-sa-ri)
<i>Pteris excelsa</i> var. <i>fauriei</i> (Christ) W.C.Shih	Jejudo unequal-lobe brake fern 탐라반쪽고사리 (Tam-ra-ban-jjok-go-sa-ri)
<i>Pteris excelsa</i> var. <i>simplicior</i> (Tagawa) W.C.Shih	Simple unequal-lobe brake fern 섬깃반쪽고사리 (Seom-git-ban-jjok-go-sa-ri)
<i>Pteris multifida</i> Poir.	Spider brake fern 봉의꼬리 (Bong-ui-kko-ri)
<i>Pteris nipponica</i> Shieh	Variegate cretan brake fern 알록큰봉의꼬리 (Al-rok-keun-bong-ui-kko-ri)
<i>Pteris semipinnata</i> L.	Big unequal-lobe brake fern 큰반쪽고사리 (Keun-ban-jjok-go-sa-ri)
<i>Pternopetalum</i> Franch. [Apiaceae]	Pternopetalum 반디미나리속 (Ban-di-mi-na-ri-sok) [산형과]
<i>Pternopetalum tanakae</i> (Franch. & Sav.) Hand.-Mazz.	Linear-leaf pternopetalum 반디미나리 (Ban-di-mi-na-ri)
<i>Pterygocalyx</i> Maxim. [Gentianaceae]	Pterygocalyx 좁은잎덩굴용담속 (Jop-eun-ip-deong-gul-yong-dam-sok) [용담과]
<i>Pterygocalyx volubilis</i> Maxim.	Twining pterygocalyx 좁은잎덩굴용담 (Jop-eun-ip-deong-gul-yong-dam)
<i>Pterygopleurum</i> Kitag. [Apiaceae]	Pterygopleurum 서울개발나물속 (Seo-ul-gae-bal-na-mul-sok) [산형과]
<i>Pterygopleurum neurophyllum</i> (Maxim.) Kitag.	Nerved-leaf pternopetalum 서울개발나물 (Seo-ul-gae-bal-na-mul)
<i>Ptilagrostis</i> Griseb. [Poaceae]	False needlegrass 수염풀속 (Su-yeom-pul-sok) [벼과]
<i>Ptilagrostis mongholica</i> (Turcz. ex Trin.) Griseb.	Mongolian false needlegrass 수염풀 (Su-yeom-pul)
<i>Puccinellia</i> Parl. [Poaceae]	Alkaligrass, Salt grass 각시미꾸리광이속 (Gak-si-mi-kku-ri-gwang-i-sok) [벼과]

Scientific name	English name Korean name (Romanization)
<i>Puccinellia chinampoensis</i> Ohwi	Chinampo alkaligrass 각시미꾸리광이 (Gak-si-mi-kku-ri-gwang-i)
<i>Puccinellia coreensis</i> Honda	Korean alkaligrass 깻겨이삭 (Gaet-gyeo-i-sak)
<i>Puccinellia nipponica</i> Ohwi	Seashore alkaligrass 깻꾸러미풀 (Gaet-kku-reo-mi-pul)
<i>Pueraria</i> DC. [Fabaceae]	Kudzu 칡속 (Chik-sok) [壅과]
<i>Pueraria lobata</i> (Willd.) Ohwi	East Asian arrow root 칡 (Chik)
<i>Pulsatilla</i> Mill. [Ranunculaceae]	Easter flower, Meadow anemone, Pasque-flower, Prairie crocus, Wind flower 활미꽃속 (Hal-mi-kkot-sok) [미나리아재비과]
<i>Pulsatilla cernua</i> (Thunb.) Bercht. & J.Presl	Narrow-leaf pasque-flower 가는잎활미꽃 (Ga-neun-ip-hal-mi-kkot)
<i>Pulsatilla dahurica</i> (Fisch. ex DC.) Spreng.	Dahurian pasque-flower 분홍활미꽃 (Bun-hong-hal-mi-kkot)
<i>Pulsatilla koreana</i> (Yabe ex Nakai) Nakai ex Nakai	Korean pasque-flower 활미꽃 (Hal-mi-kkot)
<i>Pulsatilla koreana</i> f. <i>flava</i> (Y.N.Lee) W.T.Lee	Yellow Korean pasque-flower 노랑활미꽃 (No-rang-hal-mi-kkot)
<i>Pulsatilla nivalis</i> Nakai	Mountain pasque-flower 산활미꽃 (San-hal-mi-kkot)
<i>Pulsatilla tongkangensis</i> Y.N.Lee & T.C.Lee	Donggang pasque-flower 동강활미꽃 (Dong-gang-hal-mi-kkot)
<i>Pulsatilla tongkangensis</i> f. <i>longisepala</i> Y.N.Lee	Long-sepal Donggang pasque-flower 긴동강활미꽃 (Gin-dong-gang-hal-mi-kkot)
<i>Pyrola</i> L. [Pyrolaceae]	Wintergreen 노루발속 (No-ru-bal-sok) [노루발과]

Scientific name	English name Korean name (Romanization)
<i>Pyrola asarifolia</i> subsp. <i>incarnata</i> (DC.) Haber & Hir. Takah.	Pink-flower wintergreen 분홍노루발 (Bun-hong-no-ru-bal)
<i>Pyrola dahurica</i> (H.Andres) Kom.	Dahurian wintergreen 호노루발 (Ho-no-ru-bal)
<i>Pyrola denticulata</i> Koidz.	Tooth-margine wintergreen 애기노루발 (Ae-gi-no-ru-bal)
<i>Pyrola japonica</i> Klenze ex Alef.	East Asian wintergreen 노루발 (No-ru-bal)
<i>Pyrola japonica</i> var. <i>subaphylla</i> (Maxim.) Andres	Single-leaf wintergreen 홀잎노루발 (Hol-ip-no-ru-bal)
<i>Pyrola minor</i> L.	Lesser wintergreen 주걱노루발 (Ju-geok-no-ru-bal)
<i>Pyrola renifolia</i> Maxim.	Kidney-leaf wintergreen 콩팥노루발 (Kong-pat-no-ru-bal)
<i>Pyrola secunda</i> L.	Sidebells wintergreen 새끼노루발 (Sae-kki-no-ru-bal)
PYROLACEAE Lindl.	Shinleaf family 노루발과 (No-ru-bal-gwa)
Pyrrosia Mirb. [Polypodiaceae]	Felt fern, Pyrrosia, Tongue fern 석위속 (Seok-wi-sok) [고란초과]
<i>Pyrrosia hastata</i> (Thunb.) Ching	Three-finger tongue fern 세뿔석위 (Se-ppul-seok-wi)
<i>Pyrrosia linearifolia</i> (Hook.) Ching	Lineate-leaf felt fern 우단일엽 (U-dan-il-yeop)
<i>Pyrrosia lingua</i> (Thunb.) Farw.	Tongue fern 석위 (Seok-wi)
<i>Pyrrosia petiolosa</i> (Christ) Ching	Petiolate tongue fern 애기석위 (Ae-gi-seok-wi)
<i>Pyrrosia polydactyla</i> (Hance) Ching	Five-finger tongue fern 단풍잎석위 (Dan-pung-ip-seok-wi)
<i>Pyrrosia × nipponica</i> M.Beppu & Seriz.	Single-leaf felt fern 큰우단일엽 (Keun-u-dan-il-yeop)

Scientific name	English name Korean name (Romanization)
<i>Pyrus L.</i> [Rosaceae]	Pear 배나무속 (Bae-na-mu-sok) [장미과]
<i>Pyrus calleryana</i> var. <i>fauriei</i> (C.K.Schneid.) Rehder	Korean sun pear 콩배나무 (Kong-bae-na-mu)
<i>Pyrus pseudocalleryana</i> Uyeki	Green Uibong wild pear 청위봉배나무 (Cheong-wi-bong-bae-na-mu)
<i>Pyrus pseudouipongensis</i> Uyeki	False Uibong wild pear 개위봉배나무 (Gae-wi-bong-bae-na-mu)
<i>Pyrus pyrifolia</i> (Burm.f.) Nakai	Sand pear 돌배나무 (Dol-bae-na-mu)
<i>Pyrus uipongensis</i> Uyeki	Uibong wild pear 위봉배 (Wi-bong-bae)
<i>Pyrus ussuriensis</i> Maxim.	Ussurian pear 산돌배 (San-dol-bae)
<i>Pyrus ussuriensis</i> var. <i>diamantica</i> Uyeki	Geumgangsan wild pear 금강산돌배 (Geum-gang-san-dol-bae)
* <i>Pyrus ussuriensis</i> var. <i>hakunensis</i> (Nakai) T.B.Lee	Baekun wild pear 백운배나무 (Baek-un-bae-na-mu)
* <i>Pyrus ussuriensis</i> var. <i>nankaiensis</i> (Nakai) T.B.Lee	Namhae wild pear 남해배나무 (Nam-hae-bae-na-mu)
<i>Pyrus ussuriensis</i> var. <i>ovoidea</i> Rehder	Ovoid-fruit Ussurian pear 청실리 (Cheong-sil-ri)
* <i>Pyrus ussuriensis</i> var. <i>pubescens</i> Nakai ex Kawamoto	Hairy-leaf Ussurian pear 털산돌배 (Teol-san-dol-bae)
* <i>Pyrus ussuriensis</i> var. <i>seoulensis</i> (Nakai) T.B.Lee	Munbae (Seoul Ussurian pear) 문배 (Mun-bae)
* <i>Pyrus ussuriensis</i> var. <i>viridis</i> T.B.Lee	Korean pear 힙실리 (Hap-sil-ri)
<i>Pyrus uyematsuana</i> Makino	Field Ussurian pear 들배나무 (Deul-bae-na-mu)

Scientific name	English name Korean name (Romanization)
Q	
<i>Quercus</i> L. [Fagaceae]	Oak 참나무속 (Cham-na-mu-sok) [참나무과]
<i>Quercus acuta</i> Thunb.	Red-wood evergreen oak 붉가시나무 (Buk-ga-si-na-mu)
<i>Quercus acuta</i> f. <i>subserra</i> (Uyeki) T.B.Lee	Wando evergreen oak 개붉가시나무 (Gae-buk-ga-si-na-mu)
<i>Quercus acutissima</i> Carruth.	Sawtooth oak 상수리나무 (Sang-su-ri-na-mu)
<i>Quercus acutissima</i> Carruth. × <i>Q. variabilis</i> Blume	Jeongreungcham oak (Acuti x variabilis oak) 정능참나무 (Jeong-neung-cham-na-mu)
<i>Quercus aliena</i> Blume	Galcham oak (Oriental white oak) 길참나무 (Gal-cham-na-mu)
<i>Quercus aliena</i> var. <i>acuteserrata</i> Maxim. ex Wenz.	Jolgalcham oak (Acute-serrate white oak) 줄갈참나무 (Jol-gal-cham-na-mu)
<i>Quercus aliena</i> var. <i>acuteserrata</i> f. <i>calvescens</i> Rehder & Wilson	Glabrous Jolgalcham oak (Blue acute-serrate white oak) 청줄갈참나무 (Cheong-jol-gal-cham-na-mu)
<i>Quercus aliena</i> var. <i>pellucida</i> Blume	Glabrous Galcham oak (Blue-leaf white oak) 청갈참나무 (Cheong-gal-cham-na-mu)
<i>Quercus dentata</i> Thunb.	Korean oak 떡갈나무 (Tteok-gal-na-mu)
<i>Quercus dentata</i> var. <i>fallax</i> Nakai	Blue Korean oak 청떡갈나무 (Cheong-tteok-gal-na-mu)
<i>Quercus dentata</i> var. <i>pinnatifida</i> Matsum.	Cut-leaf emperor oak 깃떡갈나무 (Git-tteok-gal-na-mu)
<i>Quercus × fabri</i> Hance	Fabre's oak 떡속소리나무 (Tteok-sok-so-ri-na-mu)
<i>Quercus gilva</i> Blume	Red-bark oak 개가시나무 (Gae-ga-si-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Quercus glauca</i> Thunb.	Ring-cup oak 종가시나무 (Jong-ga-si-na-mu)
<i>Quercus glauca</i> var. <i>nudata</i> Blume	Smooth ring-cup oak 민종가시나무 (Min-jong-ga-si-na-mu)
<i>Quercus mongolica</i> Fisch. ex Ledeb.	Mongolian oak 신갈나무 (Sin-gal-na-mu)
<i>Quercus mongolica</i> var. <i>crispula</i> (Blume) H.Ohashi	Mulcham oak (Wavy Mongolian oak) 물참나무 (Mul-cham-na-mu)
<i>Quercus mongolica</i> var. <i>liaotungensis</i> (Koidz.) Nakai	East-Liaoning oak 깃참나무 (Git-cham-na-mu)
<i>Quercus myrsinifolia</i> Blume	Bamboo-leaf oak 가시나무 (Ga-si-na-mu)
<i>Quercus salicina</i> Blume	Willow-leaf evergreen oak 참가시나무 (Cham-ga-si-na-mu)
<i>Quercus salicina</i> f. <i>latifolia</i> (Nakai) H.Ohba	Wide willow-leaf evergreen oak 넓은잎참가시나무 (Neol-beun-ip-cham-ga-si-na-mu)
<i>Quercus serrata</i> Murray	Jolcham oak (Konara oak) 졸참나무 (Jol-cham-na-mu)
<i>Quercus variabilis</i> Blume	Oriental cork oak 굴참나무 (Gul-cham-na-mu)
* <i>Quercus × alienoserratoides</i> T.B.Lee	Mongolica × serrata oak 신갈졸참나무 (Sin-gal-jol-cham-na-mu)
<i>Quercus × dentatomongolica</i> Nakai	Dentata × mongolica hybrid oak 떡신갈나무 (Tteok-sin-gal-na-mu)
* <i>Quercus × dentatoserratoides</i> T.B.Lee	Dentata × mongolica × serrata hybrid oak 떡신졸참나무 (Tteok-sin-jol-cham-na-mu)
<i>Quercus × mccormickii</i> Carruth.	Dentata × aliena hybrid oak 떡갈참나무 (Tteok-gal-cham-na-mu)
* <i>Quercus × mccormickomongolica</i> T.B.Lee	Dentata × mongolica × aliena hybrid oak 떡신갈참나무 (Tteok-sin-gal-cham-na-mu)
* <i>Quercus × mccormickserrata</i> T.B.Lee	Dentata × aliena × serrata hybrid oak 떡갈졸참나무 (Tteok-gal-jol-cham-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Quercus × pontungensis</i> Uyeki	Bongdongcham oak (Aliena × mongolica oak) 봉동참나무 (Bong-dong-cham-na-mu)
<i>Quercus × urticifolia</i> Blume	Galjolcham oak (Aliena × serrata oak) 갈줄참나무 (Gal-jol-cham-na-mu)

R

RANUNCULACEAE Juss.	Buttercup family 미나리아재비과 (Mi-na-ri-a-jae-bi-gwa)
<i>Ranunculus</i> L. [Ranunculaceae]	Buttercups, Spearworts, Water crowfoots 미나리아재비속 (Mi-na-ri-a-jae-bi-sok) [미나리아재비과]
<i>Ranunculus acris</i> L.	Meadow buttercup 애기미나리아재비 (Ae-gi-mi-na-ri-a-jae-bi)
<i>Ranunculus acris</i> var. <i>monticola</i> (Kitag.) Tamura	Mountain meadow buttercup 산미나리아재비 (San-mi-na-ri-a-jae-bi)
<i>Ranunculus acris</i> f. <i>oreodoxa</i> (Kitag.) Tamura	Small mountain meadow buttercup ombok-mi-na-ri-a-jae-bi (Jom-san-mi-na-ri-a-jae-bi)
<i>Ranunculus cantoniensis</i> DC.	Canton buttercup 텔개구리미나리 (Teol-gae-gu-ri-mi-na-ri)
<i>Ranunculus chinensis</i> Bunge	Asian buttercup 젓가락나물 (Jeot-ga-rak-na-mul)
<i>Ranunculus crucilobus</i> H.Lév.	Hallasan buttercup 바위미나리아재비 (Ba-wi-mi-na-ri-a-jae-bi)
<i>Ranunculus franchetii</i> H.Boissieu	Franchet's buttercup 왜미나리아재비 (Wae-mi-na-ri-a-jae-bi)
* <i>Ranunculus franchetii</i> f. <i>duplopetalus</i> Y.N.Lee	Double-petal Franchet's buttercup 겹왜미나리아재비 (Gyeop-wae-mi-na-ri-a-jae-bi)
<i>Ranunculus gmelini</i> DC.	Gmelin's buttercup 물미나리아재비 (Mul-mi-na-ri-a-jae-bi)
<i>Ranunculus grandis</i> Honda	Manchurian buttercup 만주미나리아재비 (Man-ju-mi-na-ri-a-jae-bi)
<i>Ranunculus grandis</i> var. <i>austrokurilensis</i> (Tatew.) H.Hara	Northern buttercup 북미나리아재비 (Buk-mi-na-ri-a-jae-bi)

R

Scientific name	English name Korean name (Romanization)
<i>Ranunculus japonicus</i> Thunb.	East Asian buttercup 미나리아재비 (Mi-na-ri-a-jae-bi)
* <i>Ranunculus japonicus</i> f. <i>albiflorus</i> Y.N.Lee	White East Asian buttercup 흰미나리아재비 (Huin-mi-na-ri-a-jae-bi)
<i>Ranunculus kazusensis</i> Makino	Maehwamareum (Korean water crowfoot) 매화마름 (Mae-hwa-ma-reum)
* <i>Ranunculus quelpaertensis</i> var. <i>albiflorus</i> Y.N.Lee	White-flower Jejudo buttercup 흰꽃가락나물 (Huin-wae-jeot-ga-rak-na-mul)
<i>Ranunculus repens</i> L.	Creeping buttercup 기는미나리아재비 (Gi-neun-mi-na-ri-a-jae-bi)
<i>Ranunculus sarmentosus</i> Adams	Stolon water crowfoot 나도마름아재비 (Na-do-ma-reum-a-jae-bi)
<i>Ranunculus sceleratus</i> L.	Celery-leaf buttercup 개구리자리 (Gae-gu-ri-ja-ri)
<i>Ranunculus silerifolius</i> H.Lév.	Jejudo buttercup 왜젓가락나물 (Wae-jeot-ga-rak-na-mul)
<i>Ranunculus tachiroei</i> Franch. & Sav.	Long-beak buttercup 개구리미나리 (Gae-gu-ri-mi-na-ri)
<i>Ranunculus tachiroei</i> f. <i>glabrescens</i> (Sakata) W.T.Lee	Smooth long-beak buttercup 민개구리미나리 (Min-gae-gu-ri-mi-na-ri)
<i>Ranunculus ternatus</i> Thunb.	Catclaw buttercup 개구리갓 (Gae-gu-ri-gat)
<i>Ranunculus yezoensis</i> Nakai	Smooth water crowfoots 민매화마름 (Min-mae-hwa-ma-reum)
<i>Raphanus</i> L. [Brassicaceae]	Radish 무속 (Mu-sok) [십자화과]
<i>Raphanus sativus</i> f. <i>raphanistroides</i> Makino	Seashore wild radish 깻무 (Gaet-mu)
RHAMNACEAE Juss.	Buckthorn family 갈매나무과 (Gal-mae-na-mu-gwa)

Scientific name	English name Korean name (Romanization)
<i>Rhamnella</i> Miq. [Rhamnaceae]	Rhamnella 까마귀베개속 (Kka-ma-gwi-be-gae-sok) [갈매나무과]
<i>Rhamnella franguloides</i> (Maxim.) Weberb.	Crow's pillow 까마귀베개 (Kka-ma-gwi-be-gae)
<i>Rhamnus</i> L. [Rhamnaceae]	Buckthorn 갈매나무속 (Gal-mae-na-mu-sok) [갈매나무과]
<i>Rhamnus crenata</i> Siebold & Zucc.	Oriental buckthorn 산황나무 (San-hwang-na-mu)
<i>Rhamnus davurica</i> Pall.	Dahurian buckthorn 갈매나무 (Gal-mae-na-mu)
<i>Rhamnus diamantiaca</i> Nakai	Diamond buckthorn 신갈매나무 (Sin-gal-mae-na-mu)
<i>Rhamnus koraiensis</i> C.K.Schneid.	Korean buckthorn 털갈매나무 (Teol-gal-mae-na-mu)
<i>Rhamnus parvifolia</i> Bunge	Littleleaf buckthorn 돌갈매나무 (Dol-gal-mae-na-mu)
<i>Rhamnus shozyoensis</i> Nakai	Oblong-fruit buckthorn 연밥갈매나무 (Yeon-bap-gal-mae-na-mu)
<i>Rhamnus taquetii</i> (H.Lév. & Vaniot) H.Lév.	Jejudo buckthorn 좀갈매나무 (Jom-gal-mae-na-mu)
<i>Rhamnus ussuriensis</i> J.J.Vassil.	Ussuri buckthorn 참갈매나무 (Cham-gal-mae-na-mu)
<i>Rhamnus yoshinoi</i> Makino	Basally-pored-seed buckthorn 쪽자래나무 (Jjak-ja-rae-na-mu)
<i>Rhaphiolepis</i> Lindl. [Rosaceae]	Hawthorn, Rhodotypos 다정큼나무속 (Da-jeong-keum-na-mu-sok) [장미과]
<i>Rhaphiolepis indica</i> var. <i>integerrima</i> (Hook. & Arn.) Kitam.	Round-leaf Indian hawthorn 둥근잎다정큼 (Dung-geun-ip-da-jeong-keum)
<i>Rhaphiolepis indica</i> var. <i>liukiuensis</i> (Koidz.) Kitam.	Long-leaf Indian hawthorn 긴잎다정큼 (Gin-ip-da-jeong-keum)

R

Scientific name	English name Korean name (Romanization)
<i>Rhaphiolepis indica</i> var. <i>umbellata</i> (Thunb.) H.Ohashi	Whole-leaf Indian hawthorn 다정큼나무 (Da-jeong-keum-na-mu)
<i>Rhaponticum</i> Ludw. [Asteraceae]	Rhaponticum 뼈꽃채속 (Ppeo-kkuk-chae-sok) [국화과]
<i>Rhaponticum uniflorum</i> (L.) DC.	Uniflower swisscentaury 뼈꽃채 (Ppeo-kkuk-chae)
<i>Rheum</i> L. [Polygonaceae]	Rhubarb 대황속 (Dae-hwang-sok) [마디풀과]
<i>Rheum coreanum</i> Nakai	Korean rhubarb 장군풀 (Jang-gun-pul)
<i>Rhodiola</i> L. [Crassulaceae]	Rhodiola 돌꽃속 (Dol-kkot-sok) [돌나물과]
<i>Rhodiola angusta</i> Nakai	Narrow-leaf rhodiola 좁은잎돌꽃 (Jop-eun-ip-dol-kkot)
<i>Rhodiola elongata</i> (Ledeb.) Fisch. & Mey.	Elongate-leaf rhodiola 돌꽃 (Dol-kkot)
<i>Rhodiola ramosa</i> Nakai	Branching rhodiola 가지돌꽃 (Ga-ji-dol-kkot)
<i>Rhodiola rosea</i> L.	Rose-root rhodiola 바위돌꽃 (Ba-wi-dol-kkot)
<i>Rhododendron</i> L. [Ericaceae]	Azalea, Rhododendron, Rosebay 진달래속 (Jin-dal-rae-sok) [진달래과]
<i>Rhododendron aureum</i> Georgi	Yellow-flower rosebay 노랑만병초 (No-rang-man-byeong-cho)
<i>Rhododendron brachycarpum</i> D.Don ex G.Don	Short-fruit rosebay 만병초 (Man-byeong-cho)
<i>Rhododendron brachycarpum</i> var. <i>roseum</i> Koidz.	Red-flower rosebay 홍만병초 (Hong-man-byeong-cho)

Scientific name	English name Korean name (Romanization)
<i>Rhododendron dauricum</i> L.	Dahurian rhododendron 산진달래 (San-jin-dal-rae)
<i>Rhododendron lapponicum</i> subsp. <i>parvifolium</i> f. <i>albiflorum</i> (Herder ex Maxim.) T.Yamaz.	White lapland rosebay 흰황산참꽃 (Huin-hwang-san-cham-kkot)
<i>Rhododendron lapponicum</i> subsp. <i>parvifolium</i> var. <i>alpinum</i> (Glehn) T.Yamaz.	Alpine lapland rosebay 담자리참꽃 (Dam-ja-ri-cham-kkot)
<i>Rhododendron lapponicum</i> subsp. <i>parvifolium</i> (Adams) T. Yamaz.	Lapland rosebay 횡산차 (Hwang-san-cha)
<i>Rhododendron micranthum</i> Turcz.	Spike rosebay 꼬리진달래 (Kko-ri-jin-dal-rae)
<i>Rhododendron mucronulatum</i> Turcz.	Korean rhododendron 진달래 (Jin-dal-rae)
<i>Rhododendron mucronulatum</i> var. <i>ciliatum</i> Nakai	Hairy Korean rhododendron 털진달래 (Teol-jin-dal-rae)
<i>Rhododendron mucronulatum</i> var. <i>lucidum</i> Nakai	Shiny-leaf Korean rhododendron 반들진달래 (Ban-deul-jin-dal-rae)
<i>Rhododendron mucronulatum</i> var. <i>taquetii</i> Nakai	Slender-fruit Korean rhododendron 한라산진달래 (Han-ra-san-jin-dal-rae)
<i>Rhododendron mucronulatum</i> f. <i>albiflorum</i> (Nakai) Okuy.	White-flower Korean rhododendron 흰진달래 (Huin-jin-dal-rae)
<i>Rhododendron redowskianum</i> Maxim.	Cute azalea 좀참꽃 (Jom-cham-kkot)
<i>Rhododendron salsiuense</i> Nakai	Hallasan azalea 한라산참꽃나무 (Han-ra-san-cham-kkot-na-mu)
<i>Rhododendron schlippenbachii</i> Maxim.	Royal azalea 철쭉꽃 (Cheol-jjuk-kkot)
* <i>Rhododendron schlippenbachii</i> f. <i>albiflorum</i> YN.Lee	White-flower royal azalea 흰철쭉 (Huin-cheol-jjuk)
<i>Rhododendron tschonoskii</i> Maxim.	White chick azalea 흰참꽃나무 (Huin-cham-kkot-na-mu)
<i>Rhododendron tschonoskii</i> var. <i>trinerve</i> (Franch. ex Boiss.) Makino	Three-leaf white chick azalea 세잎참꽃 (Se-ip-cham-kkot)

R

Scientific name	English name Korean name (Romanization)
<i>Rhododendron weyrichii</i> Maxim.	Weyrich's azalea 참꽃나무 (Cham-kkot-na-mu)
<i>Rhododendron yedoense</i> Maxim.	Multipetalous Korean azalea 만첩산철쭉 (Man-cheop-san-cheol-jjuk)
<i>Rhododendron yedoense</i> f. <i>albiflora</i> H.T.Chang	White Korean azalea 흰산철쭉 (Huin-san-cheol-jjuk)
<i>Rhododendron yedoense</i> f. <i>poukhanense</i> (H.Lév.) M.Sugim. ex T.Yamaz.	Korean azalea 산철쭉 (San-cheol-jjuk)
<i>Rhodotypos</i> Siebold & Zucc. [Rosaceae]	Rhodotypos 병아리꽃나무속 (Byeong-a-ri-kkot-na-mu-sok) [장미과]
<i>Rhodotypos scandens</i> (Thunb.) Makino	Black jetbead 병아리꽃나무 (Byeong-a-ri-kkot-na-mu)
<i>Rhus</i> L. [Anacardiaceae]	Sumac 붉나무속 (Buk-na-mu-sok) [옻나무과]
<i>Rhus chinensis</i> Mill.	Nutmeg tree 붉나무 (Buk-na-mu)
<i>Rhynchosia</i> Lour. [Fabaceae]	Snoutbean 여우콩속 (Yeo-u-kong-sok) [콩과]
<i>Rhynchosia acuminatifolia</i> Makino	Acuminate-leaf snoutbean 큰여우콩 (Keun-yeo-u-kong)
<i>Rhynchosia volubilis</i> Lour.	Winding snoutbean 여우콩 (Yeo-u-kong)
<i>Rhynchospermum</i> Reinw. [Asteraceae]	Rhynchospermum 추분취속 (Chu-bun-chwi-sok) [국화과]
<i>Rhynchospermum verticillatum</i> Reinw.	Verticillate rhynchospermum 추분취 (Chu-bun-chwi)
<i>Rhynchospora</i> Vahl [Cyperaceae]	Beakrush, Beaksedge 골풀아재비속 (Gol-pul-a-jae-bi-sok) [사초과]

Scientific name	English name Korean name (Romanization)
<i>Rhynchospora alba</i> (L.) Vahl	White beaksedge 흰고양이수염 (Huin-go-yang-i-su-yeom)
<i>Rhynchospora chinensis</i> Nees & Mey ex Nees	Spiked beaksedge 고양이수염 (Go-yang-i-su-yeom)
<i>Rhynchospora faberi</i> C.B.Clarke	Bulrush-like beaksedge 골풀아재비 (Gol-pul-a-jae-bi)
<i>Rhynchospora fauriei</i> Franch.	Big beaksedge 큰고양이수염 (Keun-go-yang-i-su-yeom)
<i>Rhynchospora fujiiiana</i> Makino	Small beaksedge 좁고양이수염 (Jom-go-yang-i-su-yeom)
<i>Rhynchospora malasica</i> C.B.Clarke	Halla beaksedge 한라골풀아재비 (Han-ra-gol-pul-a-jae-bi)
<i>Rhynchospora rubra</i> (Lour.) Makino	Red-spike beaksedge 붉은골풀아재비 (Bul-geun-gol-pul-a-jae-bi)
Ribes L. [Saxifragaceae]	Currant 까치밥나무속 (Kka-chi-bap-na-mu-sok) [별의귀과]
<i>Ribes burejense</i> F.Schmidt	Stinky black currant 바늘까치밥나무 (Ba-neul-kka-chi-bap-na-mu)
<i>Ribes diacanthum</i> Pall.	Siberian currant 가시까치밥나무 (Ga-si-kka-chi-bap-na-mu)
<i>Ribes fasciculatum</i> Siebold & Zucc.	Winter-berry currant 개당주나무 (Gae-dang-ju-na-mu)
<i>Ribes fasciculatum</i> var. <i>chinense</i> Maxim.	Chinese winterberry currant 까마귀밥나무 (Kka-ma-gwi-bap-na-mu)
<i>Ribes horridum</i> Rupr. ex Maxim.	Thorny currant 까막바늘까치밥나무 (Kka-mak-ba-neul-kka-chi-bap-na-mu)
<i>Ribes komarovii</i> Pojark.	Komarov's currant 꼬리까치밥나무 (Kko-ri-kka-chi-bap-na-mu)
<i>Ribes komarovii</i> var. <i>breviracemum</i> (Nakai) T.B.Lee	Slender-racemous currant 좀꼬리까치밥나무 (Jom-kko-ri-kka-chi-bap-na-mu)

R

Scientific name	English name Korean name (Romanization)
<i>Ribes latifolium</i> Jancz.	Broad-leaf currant 넓은잎까치밥나무 (Neol-beun-ip-kka-chi-bap-na-mu)
<i>Ribes mandshuricum</i> (Maxim.) Kom.	Manchurian currant 까치밥나무 (Kka-chi-bap-na-mu)
<i>Ribes mandshuricum</i> f. <i>subglabrum</i> (Kom.) Kitag.	Hairy Manchurian currant 개앵도나무 (Gae-aeng-do-na-mu)
<i>Ribes maximowiczianum</i> Kom.	Common Korean currant 명자순 (Myeong-ja-sun)
<i>Ribes pauciflorum</i> Turcz. ex Ledeb.	Few-flower currant 바위까치밥나무 (Ba-wi-kka-chi-bap-na-mu)
<i>Ribes triste</i> Pall.	Swamp red currant 눈까치밥나무 (Nun-kka-chi-bap-na-mu)
<i>Ribes ussuriense</i> Jancz.	Korean black currant 까막까치밥나무 (Kka-mak-kka-chi-bap-na-mu)
<i>Rodgersia</i> A.Gray [Saxifragaceae]	Rodgersia 도깨비부채속 (Do-kkae-bi-bu-chae-sok) [범의귀과]
<i>Rodgersia podophylla</i> A.Gray	Rodger's bronze leaf 도깨비부채 (Do-kkae-bi-bu-chae)
<i>Rorippa</i> Scop. [Brassicaceae]	Yellowcress 개갓냉이속 (Gae-gat-naeng-i-sok) [십자화과]
<i>Rorippa cantoniensis</i> (Lour.) Ohwi	Small-seed yellowcress 좀개갓냉이 (Jom-gae-gat-naeng-i)
<i>Rorippa globosa</i> (Turcz. ex Fisch. & C.A.Mey.) Hayek	Globe yellowcress 구슬갓냉이 (Gu-seul-gat-naeng-i)
<i>Rorippa indica</i> (L.) Hiern	Variable-leaf yellowcress 개갓냉이 (Gae-gat-naeng-i)
<i>Rorippa palustris</i> (L.) Besser	Bog yellowcress 속속이풀 (Sok-sok-i-pul)
<i>Rosa</i> L. [Rosaceae]	Rose 장미속 (Jang-mi-sok) [장미과]

Scientific name	English name Korean name (Romanization)
<i>Rosa acicularis</i> Lindl.	Prickly rose 인가목 (In-ga-mok)
<i>Rosa davurica</i> Pall.	Amur rose 생열귀나무 (Saeng-yeol-gwi-na-mu)
* <i>Rosa davurica</i> var. <i>ellipsoidea</i> Nakai ex Kawamoto	Ellipsoid amur rose 긴생열귀 (Gin-saeng-yeol-gwi)
<i>Rosa davurica</i> f. <i>alba</i> (Nakai) T.B.Lee	White amur rose 흰생열귀나무 (Huin-saeng-yeol-gwi-na-mu)
<i>Rosa jaluana</i> Kom.	Northern baby rose 국경찔레 (Guk-gyeong-jjil-re)
<i>Rosa kokusanensis</i> Nakai	Heuksan rose 흑산가시 (Heuk-san-ga-si)
<i>Rosa koreana</i> Kom.	Korean rose 흰인가목 (Huin-in-ga-mok)
<i>Rosa luciae</i> Franch. & Rochebr. ex Crép.	Memorial rose 제주찔레 (Je-ju-jjil-re)
<i>Rosa maximowicziana</i> Regel	Maximowicz's rose 용가시나무 (Yong-ga-si-na-mu)
<i>Rosa maximowicziana</i> var. <i>coreana</i> (R.Keller) Kitag.	Korean Maximowicz's rose 왕용가시 (Wang-yong-ga-si)
<i>Rosa maximowicziana</i> var. <i>pilosa</i> (Nakai) Nakai	Hairy Maximowicz's rose 털용가시 (Teol-yong-ga-si)
<i>Rosa multiflora</i> Thunb.	Multiflora rose 찔레꽃 (Jjil-re-kkot)
<i>Rosa multiflora</i> var. <i>adenochaeta</i> (Koidz.) Ohwi	Glandular-bristle multiflora rose 털찔레 (Teol-jjil-re)
<i>Rosa multiflora</i> var. <i>quelpaertensis</i> (H.Lév.) Nakai	Jejudo multiflora rose ombokkot (Jom-jjil-re)
<i>Rosa pimpinellifolia</i> L.	Burnet rose 둥근인가목 (Dung-geun-in-ga-mok)
<i>Rosa rugosa</i> Thunb.	Rugose rose 해당화 (Hae-dang-hwa)

R

Scientific name	English name Korean name (Romanization)
<i>Rosa rugosa</i> var. <i>chamissoniana</i> C.A.Mey.	Spineless rugose rose 민해당화 (Min-hae-dang-hwa)
<i>Rosa rugosa</i> var. <i>kamtschatica</i> (Vent.) Regel	Small-fruit rugose rose 개해당화 (Gae-hae-dang-hwa)
* <i>Rosa sileniflora</i> Nakai ex Kawamoto	Glabrous Dahurian rose 민생열귀 (Min-saeng-yeol-gwi)
<i>Rosa taisensis</i> Nakai	Daechung rose 대청가시나무 (Dae-cheong-ga-si-na-mu)
<i>Rosa wichuraiana</i> Crep. ex Franch. & Sav.	Wichura's rose 돌가시나무 (Dol-ga-si-na-mu)
<i>Rosa wichuraiana</i> f. <i>ellipsoidea</i> Nakai	Elliptic-fruit Wichura's rose 긴돌가시나무 (Gin-dol-ga-si-na-mu)
<i>Rosa wichuraiana</i> f. <i>rosiflora</i> Nakai	Red-flower Wichura's rose 홍돌가시나무 (Hong-dol-ga-si-na-mu)
ROSACEAE Juss.	Rose family 장미과 (Jang-mi-gwa)
<i>Rotala</i> L. [Lythraceae]	Rotala 마디꽃속 (Ma-di-kkot-sok) [부처꽃과]
<i>Rotala elatinomorpha</i> Makino	Tall rotala 한마디꽃 (Han-ma-di-kkot)
<i>Rotala indica</i> (Willd.) Koehne	Indian rotala 마디꽃 (Ma-di-kkot)
<i>Rotala mexicana</i> Cham. & Schleld.	Diminutive rotala 가는마디꽃 (Ga-neun-ma-di-kkot)
<i>Rubia</i> L. [Rubiaceae]	Madder, Rubia 꼭두서니속 (Kkok-du-seo-ni-sok) [꼭두서니과]
<i>Rubia akane</i> Nakai	Asian madder 꼭두서니 (Kkok-du-seo-ni)
<i>Rubia chinensis</i> Regel & Maack	Erect Asian madder 큰꼭두서니 (Keun-kkok-du-seo-ni)

Scientific name	English name Korean name (Romanization)
<i>Rubia chinensis</i> var. <i>glabrescens</i> (Nakai) Kitag.	Glabrous erect Asian madder 민꼭두서니 (Min-kkok-du-seo-ni)
<i>Rubia cordifolia</i> var. <i>pratensis</i> Maxim.	Heart-leaf Indian madder 갈퀴꼭두서니 (Gal-kwi-kkok-du-seo-ni)
<i>Rubia cordifolia</i> var. <i>sylvatica</i> Maxim.	Shrubby Indian madder 덤불꼭두서니 (Deom-bul-kkok-du-seo-ni)
<i>Rubia hexaphylla</i> (Makino) Makino	Six-leaf madder 가지꼭두서니 (Ga-ji-kkok-du-seo-ni)
<i>Rubia jessoensis</i> (Miq.) Miyabe & Miyake	Four-leaf madder 너도꼭두서니 (Neo-do-kkok-du-seo-ni)
<i>Rubia pubescens</i> Nakai	Hairy madder 우단꼭두서니 (U-dan-kkok-du-seo-ni)
RUBIACEAE Juss.	Madder family 꼭두서니과 (Kkok-du-seo-ni-gwa)
<i>Rubus</i> L. [Rosaceae]	Blackberry 산딸기속 (San-ttal-gi-sok) [장미과]
<i>Rubus arcticus</i> f. <i>dentipetala</i> Uyeki & Sakata	Denticulate-petal arctic raspberry 가새함경딸기 (Ga-sae-ham-gyeong-ttal-gi)
<i>Rubus arcticus</i> L.	Arctic raspberry 함경딸기 (Ham-gyeong-ttal-gi)
<i>Rubus buergeri</i> Miq.	Winter raspberry 겨울딸기 (Gyeo-ul-ttal-gi)
<i>Rubus chamaemorus</i> L.	Cloudberry 진들딸기 (Jin-deul-ttal-gi)
<i>Rubus corchorifolius</i> L.f.	Juteleaf raspberry 수리딸기 (Su-ri-ttal-gi)
<i>Rubus corchorifolius</i> var. <i>oliveri</i> (Miq.) Focke	Smooth-leaf raspberry 청수리딸기 (Cheong-su-ri-ttal-gi)
<i>Rubus coreanus</i> Miq.	Bokbunja (Korean blackberry) 복분자딸기 (Bok-bun-ja-ttal-gi)
* <i>Rubus coreanus</i> f. <i>concolor</i> (Nakai) T.B.Lee	Glabrous-leaf Bokbunja 청복분자딸기 (Cheong-bok-bun-ja-ttal-gi)

Scientific name	English name Korean name (Romanization)
<i>Rubus crataegifolius</i> Bunge	Korean raspberry 산딸기 (San-ttal-gi)
<i>Rubus croceacanthus</i> H.Lév.	Hooked-thorn raspberry 검은딸기 (Geom-eun-ttal-gi)
<i>Rubus hirsutus</i> Thunb.	Hirsute raspberry 장딸기 (Jang-ttal-gi)
<i>Rubus hirsutus</i> var. <i>xanthocarpus</i> Nakai	Yellow-fruit hirsute raspberry 노란장딸기 (No-ran-jang-ttal-gi)
<i>Rubus hirsutus</i> f. <i>argyi</i> (H.Lév.) W.T.Lee	Jeju hirsute raspberry 제주장딸기 (Je-ju-jang-ttal-gi)
<i>Rubus hongnoensis</i> Nakai	Hongno orange raspberry 가시딸기 (Ga-si-ttal-gi)
<i>Rubus idaeus</i> var. <i>microphyllus</i> Turcz.	Asian red raspberry 멍덕딸기 (Meong-deok-ttal-gi)
<i>Rubus ikenoensis</i> H.Lév. & Vaniot	Five-palmate-leaf raspberry 오엽딸기 (O-yeop-ttal-gi)
* <i>Rubus longisepalus</i> Nakai ex Kawamoto	Maekdo raspberry 맥도딸기 (Maek-do-ttal-gi)
* <i>Rubus longisepalus</i> var. <i>tozawae</i> (Nakai ex Kawamoto) T.B.Lee	Geoje raspberry 거제딸기 (Geo-je-ttal-gi)
<i>Rubus matsumuranus</i> var. <i>concolor</i> (Kom.) Kitag.	Glabrous-red raspberry 나무딸기 (Na-mu-ttal-gi)
<i>Rubus nishimuranus</i> Koidz.	Jejudo raspberry 제주산딸기 (Je-ju-san-ttal-gi)
<i>Rubus oldhamii</i> Miq.	Korean creeping raspberry 줄딸기 (Jul-ttal-gi)
<i>Rubus palmatus</i> Thunb.	Palmate-leaf raspberry 단풍딸기 (Dan-pung-ttal-gi)
<i>Rubus parvifolius</i> L.	Trailing raspberry 멍석딸기 (Meong-seok-ttal-gi)
<i>Rubus parvifolius</i> var. <i>taquetii</i> (H.Lév.) Nemoto	Small-leaf trailing raspberry 사순딸기 (Sa-seun-ttal-gi)

Scientific name	English name Korean name (Romanization)
* <i>Rubus parvifolius</i> f. <i>concolor</i> (Koidz.) Sugim.	Glabrous-leaf trailing raspberry 청명석딸기 (Cheong-meong-seok-ttal-gi)
<i>Rubus parvifolius</i> f. <i>subpinnatus</i> (Nakai) Nakai	Five-pinnate-leaf trailing raspberry 오엽명석딸기 (O-yeop-meong-seok-ttal-gi)
<i>Rubus phoenicolasius</i> Maxim.	Wine raspberry 곰딸기 (Gom-ttal-gi)
* <i>Rubus phoenicolasius</i> f. <i>albiflorus</i> (Nakai) T.B.Lee	White-flower wineberry 흰곰딸기 (Huin-gom-ttal-gi)
<i>Rubus ribisoideus</i> Matsum.	Thornless Southern raspberry 섬딸기 (Seom-ttal-gi)
<i>Rubus schizostylus</i> H.Lév.	Creeping bokbunja 가시복분자딸기 (Ga-si-bok-bun-ja-ttal-gi)
<i>Rubus sorbifolius</i> Maxim.	Sorbus-leaf yellow raspberry 거지딸기 (Geo-ji-ttal-gi)
<i>Rubus sorbifolius</i> var. <i>myriadenus</i> (H.Lév. & Vaniot) T.B.Lee	White-berry raspberry 복딸나무 (Bok-ttal-na-mu)
<i>Rubus takesimensis</i> Nakai	Ulleungdo raspberry 섬나무딸기 (Seom-na-mu-ttal-gi)
<i>Rumex</i> L. [Polygonaceae]	Dock 소리쟁이속 (So-ri-jaeng-i-sok) [마디풀과]
<i>Rumex acetosa</i> L.	Garden dock 수영 (Su-yeong)
<i>Rumex acetosella</i> L.	Field dock 애기수영 (Ae-gi-su-yeong)
<i>Rumex aquaticus</i> L.	Western dock 토대황 (To-dae-hwang)
<i>Rumex conglomeratus</i> Murray	Clustered dock 목밭소리쟁이 (Muk-bat-so-ri-jaeng-i)
<i>Rumex gmelinii</i> Turcz. ex Ledeb.	Giant dock 호대황 (Ho-dae-hwang)
<i>Rumex japonicus</i> Houtt.	Northeast Asian curly dock 참소리쟁이 (Cham-so-ri-jaeng-i)

R

Scientific name	English name Korean name (Romanization)
<i>Rumex longifolius</i> DC.	Dooryard dock 개대황 (Gae-dae-hwang)
<i>Rumex maritimus</i> L.	Golden dock 금소리쟁이 (Geum-so-ri-jaeng-i)
<i>Rumex montanus</i> Desf.	Montane dock 멧수영 (Met-su-yeong)
<i>Rumex patientia</i> L.	Patience dock 부령소리쟁이 (Bu-ryeong-so-ri-jaeng-i)
<i>Rumex stenophyllus</i> Ledeb.	Narrow-leaf dock 가는잎소리쟁이 (Ga-neun-ip-so-ri-jaeng-i)
<i>Ruppia</i> L. [Potamogetonaceae]	Ditch grasses, Widgeon grass, Widgeonweed 줄말속 (Jul-mal-sok) [가래과]
<i>Ruppia cirrhosa</i> (Petagna) Grande	Spiral widgeon grass 나사줄말 (Na-sa-jul-mal)
<i>Ruppia maritima</i> L.	Widgeon grass 줄말 (Jul-mal)
RUTACEAE Juss.	Rue family 운향과 (Un-hyang-gwa)
S	
SABIACEAE Blume	Sabia family 나도밤나무과 (Na-do-bam-na-mu-gwa)
<i>Saccharum</i> L. [Poaceae]	Sugarcane 개사탕수수속 (Gae-sa-tang-su-su-sok) [벼과]
<i>Saccharum spontaneum</i> L.	Wild sugarcane 개사탕수수 (Gae-sa-tang-su-su)
<i>Sacciolepis</i> Nash [Poaceae]	Cupscale grass 풀뚝새속 (Mul-ttuk-sae-sok) [벼과]
<i>Sacciolepis indica</i> (L.) Chase	Glenwoodgrass ombok새 (Jom-mul-ttuk-sae)

Scientific name	English name Korean name (Romanization)
<i>Sacciolepis indica</i> var. <i>oryzetorum</i> (Makino) Ohwi	Paddy field glenwoodgrass 물뚝새 (Mul-ttuk-sae)
Sageretia Brongn. [Rhamnaceae]	Sageretia, Mock buckthorn 상동나무속 (Sang-dong-na-mu-sok) [갈매나무과]
<i>Sageretia thea</i> (Osbeck) M.C.Johnst.	Mock buckthorn 상동나무 (Sang-dong-na-mu)
<i>Sageretia theezans</i> f. <i>tomentosa</i> (C.K.Schneid.) H.Hara	Hairy mock buckthorn 털상동나무 (Teol-sang-dong-na-mu)
Sagina L. [Caryophyllaceae]	Pearlwort 개미자리속 (Gae-mi-ja-ri-sok) [석죽과]
<i>Sagina japonica</i> (Sw.) Ohwi	Asian pearlwort 개미자리 (Gae-mi-ja-ri)
<i>Sagina maxima</i> A.Gray	Sticky-stem pearlwort 큰개미자리 (Keun-gae-mi-ja-ri)
<i>Sagina maxima</i> f. <i>crassicaulis</i> (S.Watson) Mizush.	Glabrous sticky-stem pearlwort 수개미자리 (Su-gae-mi-ja-ri)
* <i>Sagina maxima</i> f. <i>longifolia</i> (T.H.Chung) W.T.Lee	Long-leaf sticky-stem pearlwort 긴잎큰개미자리 (Gin-ip-keun-gae-mi-ja-ri)
<i>Sagina saginoides</i> (L.) H.Karst.	Alpine pearlwort 거문도개미자리 (Geo-mun-do-gae-mi-ja-ri)
Sagittaria L. [Alismataceae]	Arrowhead, Duck potato, Katniss, Swan potato, Tule potato, Wapato, Wapato 보풀속 (Bo-pul-sok) [택사과]
<i>Sagittaria aginashi</i> Makino	Narrow-leaf arrowhead 보풀 (Bo-pul)
<i>Sagittaria natans</i> Pall.	Floating arrowhead 대택소구나물 (Dae-taek-so-gwi-na-mul)
<i>Sagittaria pygmaea</i> Miq.	Pygmy arrowhead 을미 (Ol-mi)

Scientific name	English name Korean name (Romanization)
<i>Sagittaria trifolia</i> L.	Three-leaf arrowhead 벗풀 (Beot-pul)
SALICACEAE Mirb.	Willow family 버드나무과 (Beo-deu-na-mu-gwa)
<i>Salicornia</i> L. [Chenopodiaceae]	Glasswort, Pickleweed 퉁퉁마디속 (Tung-tung-ma-di-sok) [명아주과]
<i>Salicornia europaea</i> L.	Marshfire glasswort 퉁퉁마디 (Tung-tung-ma-di)
<i>Salix</i> L. [Salicaceae]	Willow 버드나무속 (Beo-deu-na-mu-sok) [버드나무과]
<i>Salix berberifolia</i> Pall.	Alpine willow 매자잎버들 (Mae-ja-ip-beo-deul)
<i>Salix berberifolia</i> var. <i>brayi</i> (Ledeb.) Trautv. ex Herder	Long-leaf alpine willow 긴매자잎버들 (Gin-mae-ja-ip-beo-deul)
<i>Salix bicarpa</i> Nakai	Paired-fruit willow 쌍실버들 (Ssang-sil-beo-deul)
<i>Salix blinii</i> H.Lév.	Jeju mountain willow 제주산버들 (Je-ju-san-beo-deul)
<i>Salix brachypoda</i> (Trautv. & C.A.Mey.) Kom.	Swamp-silky willow 닥장버들 (Dak-jang-beo-deul)
<i>Salix caprea</i> L.	Goat willow 호랑버들 (Ho-rang-beo-deul)
<i>Salix caprea</i> f. <i>elongata</i> (Nakai) Kitag.	Elongate-leaf goat willow 줌호랑버들 (Jom-ho-rang-beo-deul)
<i>Salix chaenomeloides</i> Kimura	Giant-pussy willow 왕버들 (Wang-beo-deul)
<i>Salix chaenomeloides</i> var. <i>pilosa</i> (Nakai) Kimura	Pilosered giant-pussy willow 털왕버들 (Teol-wang-beo-deul)
<i>Salix dependens</i> Nakai	Weeping willow 개수양버들 (Gae-su-yang-beo-deul)

Scientific name	English name Korean name (Romanization)
<i>Salix divaricata</i> var. <i>metaformosa</i> (Nakai) Kitag.	Spreading willow 눈산버들 (Nun-san-beo-deul)
<i>Salix divaricata</i> var. <i>orthostemma</i> (Nakai) Kitag.	Dwarf willow 난장이버들 (Nan-jang-i-beo-deul)
<i>Salix gilgiana</i> Seem.	Willow 내버들 (Nae-beo-deul)
<i>Salix gracilislans</i> Nakai	Creeping rose-gold pussy willow 눈갓버들 (Nun-gaet-beo-deul)
<i>Salix gracilistyla</i> Miq.	Rose-gold pussy willow 갓버들 (Gaet-beo-deul)
<i>Salix hallaisanensis</i> H.Lév.	Hallasan willow 떡버들 (Tteok-beo-deul)
<i>Salix hallaisanensis</i> var. <i>longifolia</i> Nakai	Long-leaf Hallasan willow 긴잎떡버들 (Gin-ip-tteok-beo-deul)
<i>Salix koriyanagi</i> Kimura ex Goerz	False winnow willow 개키버들 (Gae-ki-beo-deul)
<i>Salix ishidoyana</i> Nakai	Ulleungdo willow 섬버들 (Seom-beo-deul)
<i>Salix kangensis</i> Nakai	Ganggye willow 강계버들 (Gang-gye-beo-deul)
<i>Salix koreensis</i> Andersson	Korean willow 벼드나무 (Beo-deu-na-mu)
<i>Salix koriyanagi</i> Kimura	Winnow willow 키버들 (Ki-beo-deul)
<i>Salix koriyanagi</i> f. <i>rubra</i> (Nakai) W.T.Lee	Red winnow willow 붉은키버들 (Bul-geun-ki-beo-deul)
<i>Salix maximowiczii</i> Kom.	Maximowicz's willow 쪽버들 (Jjok-beo-deul)
<i>Salix myrtilloides</i> L.	Swamp willow 진퍼리버들 (Jin-peo-ri-beo-deul)
<i>Salix pentandra</i> L.	Laurel willow 반짝버들 (Ban-jjak-beo-deul)

Scientific name	English name Korean name (Romanization)
<i>Salix purpurea</i> var. <i>smithiana</i> Trautv.	Smith's purple willow 당키버들 (Dang-ki-beo-deul)
<i>Salix rorida</i> Laksch.	Prunia-shoot willow 분버들 (Bun-beo-deul)
<i>Salix rorida</i> var. <i>roridaeformis</i> (Nakai) Ohwi	Gland-less pruina-shoot willow 좀분버들 (Jom-bun-beo-deul)
<i>Salix rotundifolia</i> Trautv.	Least willow 콩버들 (Kong-beo-deul)
<i>Salix sericeo-cinerea</i> Nakai	Gray willow 큰산버들 (Keun-san-beo-deul)
<i>Salix sericeo-cinerea</i> f. <i>lanata</i> (Nakai) W.T.Lee	Woolly gray willow 털큰산버들 (Teol-keun-san-beo-deul)
<i>Salix siuzevii</i> Seem.	Curly willow 참오글잎버들 (Cham-o-gul-ip-beo-deul)
<i>Salix stipularis</i> Sm.	Stipulate willow 꽃버들 (Kkot-beo-deul)
<i>Salix subfragilis</i> Andersson	Erect willow 선버들 (Seon-beo-deul)
<i>Salix subopposita</i> Miq.	Meadow little willow 들버들 (Deul-beo-deul)
<i>Salix viminalis</i> L.	Common willow 육지꽃버들 (Yuk-ji-kkot-beo-deul)
<i>Salix viminalis</i> var. <i>abbreviata</i> Doell.	Small willow 좀꽃버들 (Jom-kkot-beo-deul)
<i>Salix viminalis</i> var. <i>angustifolia</i> Turcz.	Narrow-leaf willow 가는잎꽃버들 (Ga-neun-ip-kkot-beo-deul)
<i>Salix viminalis</i> var. <i>linearifolia</i> Wimmer & Grabowski	Linear-leaf willow 좁은잎육지꽃버들 (Jop-eun-ip-yuk-ji-kkot-beo-deul)
<i>Salix xerophila</i> Flod.	Beak willow 여우버들 (Yeo-u-beo-deul)
<i>Salix xerophila</i> var. <i>fuscescens</i> (Nakai) W.T.Lee	Brownish beak willow 백산버들 (Baek-san-beo-deul)

Scientific name	English name Korean name (Romanization)
<i>Salix xerophila</i> f. <i>glabra</i> (Nakai) Kitag.	Glabrous beak willow 유가래나무 (Yu-ga-rae-na-mu)
<i>Salix xerophila</i> f. <i>manshurica</i> (Siuzew) Kitag.	Long-leaf beak willow 긴잎여우버들 (Gin-ip-yeo-u-beo-deul)
<i>Salomonia</i> Lour. [Polygalaceae]	Salomonia 병아리다리속 (Byeong-a-ri-da-ri-sok) [원지과]
<i>Salomonia oblongifolia</i> DC.	Oblong-leaf salomonia 병아리다리 (Byeong-a-ri-da-ri)
<i>Salsola</i> L. [Chenopodiaceae]	Russian thistle 수송나물속 (Su-song-na-mul-sok) [명아주과]
<i>Salsola collina</i> Pall.	Slender Russian thistle 솔장다리 (Sol-jang-da-ri)
<i>Salsola komarovii</i> Iljin	Komarov's Russian thistle 수송나물 (Su-song-na-mul)
<i>Salsola ruthenica</i> Iljin	Winged-fruit Russian thistle 나래수송나물 (Na-rae-su-song-na-mul)
<i>Salvia</i> L. [Lamiaceae]	Sage 배암차즈기속 (Bae-am-cha-jeu-gi-sok) [꿀풀과]
<i>Salvia chanryoenica</i> Nakai	Korean snake sage 참배암차즈기 (Cham-bae-am-cha-jeu-gi)
<i>Salvia japonica</i> Thunb.	East Asian sage 둥근배암차즈기 (Dung-geun-bae-am-cha-jeu-gi)
<i>Salvia plebeia</i> R.Br.	Plebeian sage 배암차즈기 (Bae-am-cha-jeu-gi)
<i>Salvinia</i> Ségr. [Salviniaceae]	Watermoss 생이가래속 (Saeng-i-ga-rae-sok) [생이가래과]
<i>Salvinia natans</i> (L.) All.	Floating watermoss 생이가래 (Saeng-i-ga-rae)
SALVINIACEAE Martinov	Floating fern family 생이가래과 (Saeng-i-ga-rae-gwa)

S

Scientific name	English name Korean name (Romanization)
<i>Sambucus</i> L. [Caprifoliaceae]	Elder, Elderberry 딱총나무속 (Ttak-chong-na-mu-sok) [인동과]
<i>Sambucus latipinna</i> Nakai	Korean red elder 넓은잎딱총나무 (Neol-beun-ip-ttak-chong-na-mu)
<i>Sambucus racemosa</i> subsp. <i>kamtschatica</i> (E.Wolf) Hultén	Kamchatka red elder 지령쿠나무 (Ji-reong-ku-na-mu)
<i>Sambucus racemosa</i> subsp. <i>pendula</i> (Nakai) H.I.Lim & Chin S.Chang	Ulleungdo elder 말오줌나무 (Mal-o-jum-na-mu)
<i>Sambucus racemosa</i> subsp. <i>sieboldiana</i> (Blume ex Miq.) H.Hara	Siebold's red elder 덧나무 (Deot-na-mu)
* <i>Sambucus sieboldiana</i> var. <i>miquelii</i> f. <i>lasiocarpa</i> T.B.Lee	Woolly-fruit red elder 털딱총나무 (Teol-ttak-chong-na-mu)
* <i>Sambucus sieboldiana</i> var. <i>miquelii</i> f. <i>velutina</i> T.B.Lee	Velvety red elder 털지령쿠나무 (Teol-ji-reong-ku-na-mu)
<i>Sambucus williamsii</i> Hance	Northeast Asian red elder 딱총나무 (Ttak-chong-na-mu)
<i>Sanguisorba</i> L. [Rosaceae]	Burnet 오이풀속 (O-i-pul-sok) [장미과]
<i>Sanguisorba argutidens</i> Nakai	High-mountain burnet 구름오이풀 (Gu-reum-o-i-pul)
<i>Sanguisorba hakusanensis</i> Makino	Korean mountain burnet 산오이풀 (San-o-i-pul)
<i>Sanguisorba longifolia</i> Bertol.	Long-leaf burnet 긴오이풀 (Gin-o-i-pul)
<i>Sanguisorba obtusa</i> Maxim.	Alpine burnet 두메오이풀 (Du-me-o-i-pul)
<i>Sanguisorba officinalis</i> L.	Great burnet 오이풀 (O-i-pul)
<i>Sanguisorba officinalis</i> var. <i>globularis</i> (Nakai) W.T.Lee	Globular great burnet 구슬오이풀 (Gu-seul-o-i-pul)

Scientific name	English name Korean name (Romanization)
<i>Sanguisorba stipulata</i> Raf.	White burnet 큰오이풀 (Keun-o-i-pul)
<i>Sanguisorba stipulata</i> f. <i>alba</i> (Trautv. & C.A.Mey.) Kitam.	White Canadian burnet 흰오이풀 (Huin-o-i-pul)
<i>Sanguisorba</i> × <i>tenuifolia</i> Fisch. ex Link	Asian burnet 가는오이풀 (Ga-neun-o-i-pul)
<i>Sanguisorba</i> × <i>tenuiflora</i> var. <i>purpurea</i> Trautv. & C.A.Mey	Purple Asian burnet 자주가는오이풀 (Ja-ju-ga-neun-o-i-pul)
<i>Sanicula</i> L. [Apiaceae]	Sanicle 참반디속 (Cham-ban-di-sok) [산형과]
<i>Sanicula chinensis</i> Bunge	East Asian sanicle 참반디 (Cham-ban-di)
<i>Sanicula rubriflora</i> F.Schmidt ex Maxim.	Red-flower sanicle 붉은참반디 (Bul-geun-cham-ban-di)
<i>Sanicula tuberculata</i> Maxim.	Dwarf sanicle 애기참반디 (Ae-gi-cham-ban-di)
SANTALACEAE R.Br.	Sandalwood family 단향과 (Dan-hyang-gwa)
SAPINDACEAE Juss.	Soapberry family 무환자나무과 (Mu-hwan-ja-na-mu-gwa)
<i>Sarcandra</i> Gardner [Chloranthaceae]	Sarcandra 죽절초속 (Juk-jeol-cho-sok) [홀아비꽃대과]
<i>Sarcandra glabra</i> (Thunb.) Nakai	Glabrous-sarcandra herb 죽절초 (Juk-jeol-cho)
Sasa Makino & Shibata [Poaceae]	Broad-leaf bamboo 조릿대속 (Jo-rit-dae-sok) [벼과]
<i>Sasa borealis</i> (Hack.) Makino & Shibata	Northern bamboo 조릿대 (Jo-rit-dae)
<i>Sasa borealis</i> var. <i>gracilis</i> (Nakai) T.B.Lee	Slender Northern bamboo 섬대 (Seom-dae)

Scientific name	English name Korean name (Romanization)
<i>Sasa chiisanensis</i> (Nakai) Y.N.Lee	Jirisan bamboo 갓대 (Gat-dae)
<i>Sasa coreana</i> Nakai	Korean bamboo 신이대 (Sin-i-dae)
<i>Sasa kurilensis</i> (Rupr.) Makino & Shibata	Kuril bamboo 섬조릿대 (Seom-jo-rit-dae)
<i>Sasa palmata</i> (Hort. ex Burb.) E.G.Camus	Broad-leaf bamboo 제주조릿대 (Je-ju-jo-rit-dae)
SAURURACEAE Rich. ex T. Lestib.	Lizard's tail family 삼백초과 (Sam-baek-cho-gwa)
<i>Saururus</i> L. [Saururaceae]	Lizard's tail, <i>Saururus</i> 삼백초속 (Sam-baek-cho-sok) [삼백초과]
<i>Saururus chinensis</i> (Lour.) Baill.	Asian lizard's tail 삼백초 (Sam-baek-cho)
<i>Saussurea</i> DC. [Asteraceae]	Saussurea, Saw-wort, Snow lotus 취나물속 (Chwi-na-mul-sok) [국화과]
<i>Saussurea amurensis</i> Turcz. ex DC.	Amur saussurea 버들취 (Beo-deul-chwi)
<i>Saussurea calcicola</i> Nakai	Northern saussurea 사창분취 (Sa-chang-bun-chwi)
<i>Saussurea chabyoungsanica</i> H.T.Im	Jabyeong saussurea 자병취 (Ja-byeong-chwi)
<i>Saussurea chinnampoensis</i> H.Lév. & Vaniot	Chinnampo saussurea 남포분취 (Nam-po-bun-chwi)
<i>Saussurea conandrifolia</i> Nakai	Tobacco-leaf saussurea 담배취 (Dam-bae-chwi)
<i>Saussurea diamantica</i> Nakai	Geumgang saussurea 금강분취 (Geum-gang-bun-chwi)
<i>Saussurea eriophylla</i> Nakai	Woolly-leaf saussurea 솜분취 (Som-bun-chwi)

Scientific name	English name Korean name (Romanization)
<i>Saussurea gracilis</i> Maxim.	Silvery-hair saussurea 은분취 (Eun-bun-chwi)
<i>Saussurea grandicapitula</i> W.Lee et H.T.Im	Big-head saussurea 태백취 (Tae-baek-chwi)
<i>Saussurea grandifolia</i> Maxim.	Large-flower saussurea 서덜취 (Seo-deol-chwi)
<i>Saussurea insularis</i> Kitam.	Baekun saussurea 백운취 (Baek-un-chwi)
<i>Saussurea japonica</i> (Thunb.) DC.	East Asian saussurea 큰각시취 (Keun-gak-si-chwi)
<i>Saussurea koidzumiana</i> Kitam.	Gyeongseong saussurea 경성서덜취 (Gyeong-seong-seo-deol-chwi)
<i>Saussurea komaroviana</i> Lipsch.	Komarov's saussurea 비단분취 (Bi-dan-bun-chwi)
* <i>Saussurea komaroviana</i> var. <i>macrophylla</i> Chung	Large Komarov's saussurea 큰비단분취 (Keun-bi-dan-bun-chwi)
<i>Saussurea macrolepis</i> (Nakai) Kitam.	Serrate-leaf saussurea 각시서덜취 (Gak-si-seo-deol-chwi)
<i>Saussurea manshurica</i> Kom.	Manchurian saussurea 덤불취 (Deom-bul-chwi)
<i>Saussurea manshurica</i> var. <i>pinnatifida</i> Nakai	Dissected-leaf Manchurian saussurea 깃덤불취 (Git-deom-bul-chwi)
<i>Saussurea maximowiczii</i> Herd	Maximowicz's saussurea 버들분취 (Beo-deul-bun-chwi)
<i>Saussurea mongolica</i> (Franch.) Franch.	Mongolian saussurea 북분취 (Buk-bun-chwi)
<i>Saussurea myokoensis</i> Kitam.	Myohyang saussurea 묘향분취 (Myo-hyang-bun-chwi)
<i>Saussurea neoserrata</i> Nakai	Elliptic-leaf saussurea 산꼴취 (San-gol-chwi)
<i>Saussurea nipponica</i> subsp. <i>higomontana</i> (Honda) H.T. Im	Mudeung saussurea 무등취 (Mu-deung-chwi)

Scientific name	English name Korean name (Romanization)
<i>Saussurea nomurae</i> Kitam.	Hogusan saussurea 너울취 (Neo-ul-chwi)
<i>Saussurea odontolepis</i> (Herder) Sch.Bip. ex Maxim.	Deeply-lobe saussurea 빗살서덜취 (Bit-sal-seo-deol-chwi)
<i>Saussurea polylepis</i> Nakai	Hongdo saussurea 홍도서덜취 (Hong-do-seo-deol-chwi)
<i>Saussurea pseudogracilis</i> Kitam.	Gayasan silvery-hair saussurea 가야산은분취 (Ga-ya-san-eun-bun-chwi)
<i>Saussurea pulchella</i> (Fisch.) Fisch.	Maiden sawwort 각시취 (Gak-si-chwi)
<i>Saussurea pulchella</i> f. <i>albiflora</i> (Kitam.) Kitam.	White beatiful-flower saussurea 흰각시취 (Huin-gak-si-chwi)
<i>Saussurea rectinervis</i> Nakai	Snow-white saussurea 백설취 (Baek-seol-chwi)
<i>Saussurea recurvata</i> (Maxim.) Lipsch.	Recurved-leaf saussurea 긴분취 (Gin-bun-chwi)
<i>Saussurea rorinsanensis</i> Nakai	Nangrimsan saussurea 털분취 (Teol-bun-chwi)
<i>Saussurea seoulensis</i> Nakai	Seoul saussurea 분취 (Bun-chwi)
<i>Saussurea stenolepis</i> Nakai	Woolly-hair saussurea 물골취 (Mul-gol-chwi)
<i>Saussurea subtriangulata</i> Kom.	Tailed calyx-lobe saussurea 꼬리서덜취 (Kko-ri-seo-deol-chwi)
<i>Saussurea tanakae</i> Franch. & Sav. ex Maxim.	Tall-woolly saussurea 당분취 (Dang-bun-chwi)
<i>Saussurea tomentosa</i> Kom.	Montane-woolly saussurea 두메분취 (Du-me-bun-chwi)
<i>Saussurea triangulata</i> Trautv. & Mey.	Highland saussurea 두메취 (Du-me-chwi)
<i>Saussurea uchiyamana</i> Nakai	Shady saussurea 그늘취 (Geu-neul-chwi)

Scientific name	English name Korean name (Romanization)
<i>Saussurea umbrosa</i> Kom.	Mountain maiden saussurea 산각시취 (San-gak-si-chwi)
<i>Saussurea umbrosa</i> var. <i>herbicola</i> Nakai	Long-mountain maiden saussurea 긴산취 (Gin-san-chwi)
<i>Saussurea ussuriensis</i> Maxim.	Ussuri saussurea 구와취 (Gu-wa-chwi)
<i>Saxifraga</i> L. [Saxifragaceae]	Saxifrage, Rockfoils 범의귀속 (Beom-ui-gwi-sok) [범의귀과]
<i>Saxifraga cernua</i> L.	Nodding saxifrage 씨눈바위취 (Ssi-nun-ba-wi-chwi)
<i>Saxifraga fortunei</i> var. <i>incisolobata</i> (Engl. & Irmsch.) Nakai	Serrate-petal rockfoil 바위떡풀 (Ba-wi-tteok-pul)
<i>Saxifraga fortunei</i> var. <i>pilosissima</i> Nakai	Long-hair rockfoil 털바위떡풀 (Teol-ba-wi-tteok-pul)
<i>Saxifraga furumii</i> Nakai	Nampotaesan rockfoil 범의귀 (Beom-ui-gwi)
<i>Saxifraga laciniata</i> Nakai & Takeda	Laciniate rockfoil 구름범의귀 (Gu-reum-beom-ui-gwi)
<i>Saxifraga laciniata</i> var. <i>takedana</i> (Nakai) H.Hara	Baedussan laciniate rockfoil 백두산바위취 (Baek-du-san-ba-wi-chwi)
<i>Saxifraga manshuriensis</i> (Engl.) Kom.	Manchurian rockfoil 흰바위취 (Huin-ba-wi-chwi)
<i>Saxifraga oblongifolia</i> Nakai	Geumgangsan rockfoil 참바위취 (Cham-ba-wi-chwi)
<i>Saxifraga octopetala</i> Nakai	Round rockfoil 구실바위취 (Gu-sil-ba-wi-chwi)
<i>Saxifraga punctata</i> L.	Dotted rockfoil 톱바위취 (Top-ba-wi-chwi)
SAXIFRAGACEAE Juss.	Saxifrage family 범의귀과 (Beom-ui-gwi-gwa)

Scientific name	English name Korean name (Romanization)
<i>Scabiosa</i> L. [Dipsacaceae]	Pincushions, Scabious 체꽃속 (Che-kkot-sok) [산토끼꽃과]
<i>Scabiosa tschiliensis</i> Grüning	Northeastern scabious 솔체꽃 (Sol-che-kkot)
<i>Scabiosa tschiliensis</i> f. <i>alpina</i> (Nakai) W.T.Lee	Alpine scabious 구름체꽃 (Gu-reum-che-kkot)
<i>Scabiosa tschiliensis</i> f. <i>pinnata</i> (Nakai) W.T.Lee	Pinnate-leaf scabious 채꽃 (Che-kkot)
<i>Scabiosa tschiliensis</i> f. <i>zuikoensis</i> (Nakai) W.T.Lee	Glabrous-leaf scabious 민둥체꽃 (Min-dung-che-kkot)
<i>Sceptridium</i> Lyon [Ophioglossaceae]	Sceptridium 고사리삼속 (Go-sa-ri-sam-sok) [고사리삼과]
<i>Sceptridium japonicum</i> (Prantl) Lyon	East Asian grapefern 산꽃고사리삼 (San-kkot-go-sa-ri-sam)
<i>Sceptridium multifidum</i> var. <i>rebustum</i> (Rupr. ex Milde) M.Nishida ex Tagawa	Colored grapefern 산고사리삼 (San-go-sa-ri-sam)
<i>Sceptridium nipponicum</i> (Makino) Holub	Mountain-leathery grapefern 단풍고사리삼 (Dan-pung-go-sa-ri-sam)
<i>Sceptridium ternatum</i> (Thunb.) Lyon	Glabrous-ternate grapefern 고사리삼 (Go-sa-ri-sam)
<i>Scheuchzeria</i> L. [Scheuchzeriaceae]	Pod grass, Rannoch-rush 장지채속 (Jang-ji-chae-sok) [장지채과]
<i>Scheuchzeria palustris</i> L.	Pod grass 장지채 (Jang-ji-chae)
SCHEUCHZERIACEAE F. Rudolphi	Scheuchzeria family 장지채과 (Jang-ji-chae-gwa)
<i>Schisandra</i> Michx. [Schisandraceae]	Magnolia vine, Schisandra 오미자속 (O-mi-ja-sok) [오미자과]

Scientific name	English name Korean name (Romanization)
<i>Schisandra chinensis</i> (Turcz.) Baill.	Five-flavor magnolia vine 오미자 (O-mi-ja)
<i>Schisandra nigra</i> var. <i>hypoleuca</i> Makino	Glaucose-black magnolia vine 흰흑오미자 (Huin-heuk-o-mi-ja)
<i>Schisandra repanda</i> (Siebold & Zucc.) Radlk.	Black-berry magnolia vine 흑오미자 (Heuk-o-mi-ja)
* <i>Schisandra viridicarpa</i> Y.N.Lee	Green-berry magnolia vine 청오미자 (Cheong-o-mi-ja)
SCHISANDRACEAE Blume	Schisandra family 오미자과 (O-mi-ja-gwa)
<i>Schizachne</i> Hack. [Poaceae]	False melic 호오리새속 (Ho-o-ri-sae-sok) [벼과]
<i>Schizachne purpurascens</i> subsp. <i>callosa</i> (Turcz. ex Griseb.) T. Koyama & Kawano	False melic grass 호오리새 (Ho-o-ri-sae)
<i>Schizachyrium</i> Nees [Poaceae]	Bluestem 쇠풀속 (Soe-pul-sok) [벼과]
<i>Schizachyrium brevifolium</i> (Sw.) Nees ex Buse	Short-leaf bluestemgrass 쇠풀 (Soe-pul)
SCHIZAEACEAE Kaulf.	Curly grass family 실고사리과 (Sil-go-sa-ri-gwa)
<i>Schizonepeta</i> (Benth.) Briq. [Lamiaceae]	Japanese catnip 형개속 (Hyeong-gae-sok) [꿀풀과]
<i>Schizonepeta multifida</i> (L.) Briq.	Multifidous-leaf catnip 개형개 (Gae-hyeong-gae)
<i>Schizopepon</i> Maxim. [Cucurbitaceae]	Schizopepon 산외속 (San-oe-sok) [박과]
<i>Schizopepon bryoniifolius</i> Maxim.	Cracking Melon 산외 (San-oe)

Scientific name	English name Korean name (Romanization)
<i>Schizophragma Siebold & Zucc.</i> [Saxifragaceae]	Hydrangea vine 바위수국속 (Ba-wi-su-guk-sok) [범의귀과]
<i>Schizophragma hydrangeoides</i> Siebold & Zucc.	Rocky hydrangea vine 바위수국 (Ba-wi-su-guk)
<i>Schoenoplectus (Rchb.) Palla</i> [Cyperaceae]	Bulrush, Club-rush, Tule 큰고랭이속 (Keun-go-raeng-i-sok) [사초과]
<i>Schoenoplectus mucronatus</i> (L.) Palla	Bog bulrush 좀송이고랭이 (Jom-song-i-go-raeng-i)
<i>Schoenoplectus tabernaemontani</i> (C.C.Gmelin) Palla	Soft-stem bulrush 큰고랭이 (Keun-go-raeng-i)
<i>Schoenoplectus triangulatus</i> (Roxb.) Soják	Big bog bulrush 송이고랭이 (Song-i-go-raeng-i)
<i>Schoenoplectus triquetus</i> (L.) Palla	Triangular bulrush 세모고랭이 (Se-mo-go-raeng-i)
<i>Scilla L.</i> [Liliaceae]	Scilla, Squill 무릇속 (Mu-reut-sok) [백합과]
<i>Scilla scilloides</i> (Lindl.) Druce	East Asian squill 무릇 (Mu-reut)
<i>Scilla scilloides</i> f. <i>albiflora</i> (Satake) Satake & Okuy.	White-flower squill 흰무릇 (Huin-mu-reut)
<i>Scirpus L.</i> [Cyperaceae]	Bulrush, Club-rush, Deergrass, Grassweed 고랭이속 (Go-raeng-i-sok) [사초과]
<i>Scirpus fluviatilis</i> (Torr.) Sojak	River bulrush 큰매자기 (Keun-mae-ja-gi)
<i>Scirpus fiurenoides</i> Maxim.	Lesser oriental bulrush 좀솔방울고랭이 (Jom-sol-bang-ul-go-raeng-i)
<i>Scirpus juncoides</i> var. <i>hotarui</i> (Ohwi) Ohwi	Rush-like bulrush 올챙이고랭이 (Ol-chaeng-i-go-raeng-i)

Scientific name	English name Korean name (Romanization)
<i>Scirpus juncoides</i> Roxb. × <i>S. wallichii</i> Nees	Goseong hybrid bulrush 고성골 (Go-seong-gol)
<i>Scirpus karoisawensis</i> Makino	Oriental bulrush 솔방울고랭이 (Sol-bang-ul-go-raeng-i)
<i>Scirpus komarovii</i> Roshev.	Komarov's bulrush 광능골 (Gwang-neung-gol)
<i>Scirpus lineolatus</i> Franch. & Sav.	Jeju rush-like bulrush 제주올챙이골 (Je-ju-ol-chaeng-i-gol)
<i>Scirpus maritimus</i> L.	Sea club rush 매자기 (Mae-ja-gi)
<i>Scirpus maximowiczii</i> C.B.Clarke	Few-spike bulrush 황새고랭이 (Hwang-sae-go-raeng-i)
<i>Scirpus mitsukurianus</i> Makino	Pinecone bulrush 솔방울골 (Sol-bang-ul-gol)
<i>Scirpus nipponicus</i> Makino	Stalked-spike bulrush 물고랭이 (Mul-go-raeng-i)
<i>Scirpus orientalis</i> Ohwi	Oriental woodland bulrush 검은도루박이 (Geom-eun-do-ru-bak-i)
<i>Scirpus planiculmis</i> F.Schmidt	Flat-stalk bulrush 좀매자기 (Jom-mae-ja-gi)
<i>Scirpus radicans</i> Schkuhr	Rooting bulrush 도루박이 (Do-ru-bak-i)
<i>Scirpus wallichii</i> Nees	Wallich's bulrush 수원고랭이 (Su-won-go-raeng-i)
<i>Scirpus wichurae</i> Boeckeler	Long pine-cone bulrush 방울고랭이 (Bang-ul-go-raeng-i)
<i>Scleria</i> P.J.Bergius [Cyperaceae]	Nutrush, Nutrushes 너도고랭이속 (Neo-do-go-raeng-i-sok) [사초과]
<i>Scleria mutoensis</i> Nakai	Mudeung nutrush 무등풀 (Mu-deung-pul)
<i>Scleria parvula</i> Steud.	Small nutrush 너도고랭이 (Neo-do-go-raeng-i)

S

Scientific name	English name Korean name (Romanization)
<i>Scleria pergracilis</i> (Nees) Kunth	Fine-stalk nutrush 애기덕산풀 (Ae-gi-deok-san-pul)
<i>Scopolia</i> Jacq. [Solanaceae]	Scopolia 미치광이풀속 (Mi-chi-gwang-i-pul-sok) [가지과]
<i>Scopolia japonica</i> Maxim.	Korean scopolia 미치광이풀 (Mi-chi-gwang-i-pul)
<i>Scopolia lutescens</i> Y.N.Lee	Yellow scopolia 노랑미치광이풀 (No-rang-mi-chi-gwang-i-pul)
<i>Scorzonera</i> L. [Asteraceae]	Scorzonera, Serpentroot 쇠채속 (Soe-chae-sok) [국화과]
<i>Scorzonera albicaulis</i> Bunge	White-stem serpentroot 쇠채 (Soe-chae)
<i>Scorzonera austriaca</i> subsp. <i>glabra</i> (Rupr.) Lipsch. & Krasch. ex Lipsch.	Single-flower serpentroot 멱쇠채 (Myeok-soe-chae)
<i>Scrophularia</i> L. [Scrophulariaceae]	Figwort 현삼속 (Hyeon-sam-sok) [현삼과]
<i>Scrophularia borealikoreana</i> Nakai	Northern Korean figwort 설령개현삼 (Seol-ryeong-gae-hyeon-sam)
<i>Scrophularia buergeriana</i> Miq.	Buerger's figwort 현삼 (Hyeon-sam)
<i>Scrophularia buergeriana</i> var. <i>quelpartensis</i> Yamaz.	Jeju Buerger's figwort 제주현삼 (Je-ju-hyeon-sam)
<i>Scrophularia cephalantha</i> Nakai	Headed-flower figwort 몽울토현삼 (Mong-ul-to-hyeon-sam)
<i>Scrophularia grayana</i> Maxim. ex Kom.	Gray's figwort 개현삼 (Gae-hyeon-sam)
<i>Scrophularia kakudensis</i> Franch.	Mountain figwort 큰개현삼 (Keun-gae-hyeon-sam)
<i>Scrophularia kakudensis</i> var. <i>microphylla</i> Nakai	Small-leaf Kakuda figwort 좁현삼 (Jom-hyeon-sam)

Scientific name	English name Korean name (Romanization)
<i>Scrophularia koraiensis</i> Nakai	Korean figwort 토현삼 (To-hyeon-sam)
<i>Scrophularia koraiensis</i> var. <i>velutina</i> Sakata ex Uyeki & Sakata	Velvety Korean figwort 일월토현삼 (Il-wol-to-hyeon-sam)
<i>Scrophularia takesimensis</i> Nakai	Ulleungdo figwort 섬현삼 (Seom-hyeon-sam)
SCROPHULARIACEAE Juss.	Figwort family 현삼과 (Hyeon-sam-gwa)
<i>Scutellaria</i> L. [Lamiaceae]	Skullcap 골무꽃속 (Gol-mu-kkot-sok) [골풀과]
<i>Scutellaria asperiflora</i> Nakai	Scattered-flower skullcap 다발골무꽃 (Da-bal-gol-mu-kkot)
<i>Scutellaria dentata</i> var. <i>alpina</i> f. <i>albida</i> Y.N.Lee	White alpine dentate skullcap 흰수골무꽃 (Huin-su-gol-mu-kkot)
<i>Scutellaria dentata</i> var. <i>alpina</i> Nakai	Alpine dentate skullcap 수골무꽃 (Su-gol-mu-kkot)
<i>Scutellaria dependens</i> Maxim.	Delicate skullcap 애기골무꽃 (Ae-gi-gol-mu-kkot)
<i>Scutellaria fauriei</i> H.Lév. & Vaniot	Understory skullcap 그늘골무꽃 (Geu-neul-gol-mu-kkot)
<i>Scutellaria indica</i> L.	Indian skullcap 골무꽃 (Gol-mu-kkot)
<i>Scutellaria indica</i> var. <i>alba</i> S.T.Kim & S.T.Lee	Bibari skullcap 비바리골무꽃 (Bi-ba-ri-gol-mu-kkot)
<i>Scutellaria indica</i> var. <i>coccinea</i> S.T.Kim & S.T.Lee	Pink Indian skullcap 연지골무꽃 (Yeon-ji-gol-mu-kkot)
<i>Scutellaria indica</i> var. <i>parvifolia</i> (Makino) Makino	Dwarf Indian skullcap 좁골무꽃 (Jom-gol-mu-kkot)
<i>Scutellaria indica</i> var. <i>tsusimensis</i> (H.Hara) Ohwi	Thick-leaf Indian skullcap 떡잎골무꽃 (Tteok-ip-gol-mu-kkot)
<i>Scutellaria indica</i> f. <i>albiflora</i> Y.N.Lee	White-flower Indian skullcap 흰골무꽃 (Huin-gol-mu-kkot)

S

Scientific name	English name Korean name (Romanization)
<i>Scutellaria insignis</i> Nakai	Gwangneung skullcap 광릉골무꽃 (Gwang-reung-gol-mu-kkot)
<i>Scutellaria moniliorrhiza</i> Kom.	Moniliform skullcap 구슬골무꽃 (Gu-seul-gol-mu-kkot)
<i>Scutellaria pekinensis</i> var. <i>transitria</i> (Makino) H.Hara	Mountain skullcap 산골무꽃 (San-gol-mu-kkot)
<i>Scutellaria pekinensis</i> var. <i>ussuriensis</i> (Regel) Hand.-Mazz.	Ussuri skullcap 호골무꽃 (Ho-gol-mu-kkot)
<i>Scutellaria regeliana</i> Nakai	Slender-leaf skullcap 가는골무꽃 (Ga-neun-gol-mu-kkot)
<i>Scutellaria strigillosa</i> Hemsl.	Sandy skullcap 참골무꽃 (Cham-gol-mu-kkot)
<i>Scutellaria strigillosa</i> var. <i>yezoensis</i> (Kudo) Kitam.	Wetland skullcap 왜골무꽃 (Wae-gol-mu-kkot)
Securinega Comm. ex Juss. [Euphorbiaceae]	Securinega 광대싸리속 (Gwang-daessa-ri-sok) [대극과]
<i>Securinega suffruticosa</i> (Pall.) Rehder	Suffrutescent securinega 광대싸리 (Gwang-daessa-ri)
Sedirea Garay & H.R.Sweet [Orchidaceae]	Sedirea 나도풍란속 (Na-do-pung-ran-sok) [난초과]
<i>Sedirea japonica</i> (Rchb.f.) Garay & H.R.Sweet	Nadopungran (East Asian aerides) 나도풍란 (Na-do-pung-ran)
Sedum L. [Crassulaceae]	Stonecrop 돌나물속 (Dol-na-mul-sok) [돌나물과]
<i>Sedum aizoon</i> L.	Aizoon stonecrop 가는기린초 (Ga-neun-gi-rin-cho)
<i>Sedum aizoon</i> var. <i>latifolium</i> Maxim.	Wide-leaf aizoon stonecrop 큰기린초 (Keun-gi-rin-cho)
<i>Sedum aizoon</i> var. <i>ramosum</i> Uyeki & Sakata	Branching aizoon stonecrop 가지기린초 (Ga-ji-gi-rin-cho)

Scientific name	English name Korean name (Romanization)
<i>Sedum alfredii</i> Hance	Simple stonecrop 민말똥비름 (Min-mal-ttong-bi-reum)
<i>Sedum bulbiferum</i> Makino	Bulbos stonecrop 말똥비름 (Mal-ttong-bi-reum)
<i>Sedum japonicum</i> Siebold ex Miq.	Rocky moss-rose stonecrop 돌채송화 (Dol-chae-song-hwa)
<i>Sedum kamtschaticum</i> Fisch. & Mey.	Orange stonecrop 기린초 (Gi-rin-cho)
<i>Sedum lativalifolium</i> Y.N.Lee	Taebaek stonecrop 태백기린초 (Tae-baek-gi-rin-cho)
<i>Sedum lepidopodium</i> Nakai	Coastal-stringy stonecrop 갯돌나물 (Gaet-dol-na-mul)
<i>Sedum makinoi</i> Maxim.	Round-leaf stonecrop 둥근잎비름 (Dung-geun-ip-bi-reum)
<i>Sedum middendorffianum</i> Maxim.	Miniature stonecrop 애기기린초 (Ae-gi-gi-rin-cho)
<i>Sedum oryzifolium</i> Makino	Coastal mosslike stonecrop 땅채송화 (Tang-chae-song-hwa)
<i>Sedum polytrichoides</i> Hemsl.	Mosslike stonecrop 바위채송화 (Ba-wi-chae-song-hwa)
<i>Sedum sarmentosum</i> Bunge	Stringy stonecrop 돌나물 (Dol-na-mul)
<i>Sedum selskianum</i> Regel & Maack	Amur stonecrop 털기린초 (Teol-gi-rin-cho)
<i>Sedum takesimense</i> Nakai	Ulleungdo stonecrop 섬기린초 (Seom-gi-rin-cho)
<i>Sedum tosaense</i> Makino	Spatulate-leaf stonecrop 주걱비름 (Ju-geok-bi-reum)
<i>Sedum zokuriense</i> Nakai	Songni stonecrop 속리기린초 (Sok-ri-gi-rin-cho)
<i>Selaginella</i> P.Beauv. [Selaginellaceae]	Spikemoss, Lesser clubmosses, Sellaginella 부처손속 (Bu-cheo-son-sok) [부처손과]

S

Scientific name	English name Korean name (Romanization)
<i>Selaginella helvetica</i> (L.) Spring	Dwarf spikemoss 왜구실사리 (Wae-gu-sil-sa-ri)
<i>Selaginella involvens</i> (Sw.) Spring	Tree spikemoss 부처손 (Bu-cheo-son)
<i>Selaginella nipponica</i> Franch. & Sav.	Erect sellaginella 선비늘이끼 (Seon-bi-neul-i-kki)
<i>Selaginella remotifolia</i> Spring	Loose-leaf sellaginella 비늘이끼 (Bi-neul-i-kki)
<i>Selaginella rossii</i> (Baker) Warb.	Bead selaginella 구실사리 (Gu-sil-sa-ri)
<i>Selaginella shakotensis</i> (Franch. & Sav.) Miyabe & Kudo	Dense-leaf sellarginella 개실사리 (Gae-sil-sa-ri)
<i>Selaginella sibirica</i> (Milde) Hieron.	Siberian spikemoss 실사리 (Sil-sa-ri)
<i>Selaginella stauntoniana</i> Spring	Red-stem spikemoss 개부처손 (Gae-bu-cheo-son)
<i>Selaginella tamariscina</i> (P.Beauv.) Spring	Involute spikemoss 바위손 (Ba-wi-son)
SELAGINELLACEAE Willk.	Spikemoss family 부처손과 (Bu-cheo-son-gwa)
<i>Semiaquilegia</i> Makino [Ranunculaceae]	Semiaquilegia 개구리발톱속 (Gae-gu-ri-bal-top-sok) [미나리아재비과]
<i>Semiaquilegia adoxoides</i> (DC.) Makino	Muskroot-like semiaquilegia 개구리발톱 (Gae-gu-ri-bal-top)
<i>Senecio</i> L. [Asteraceae]	Ragworts, Groundsels 금방망이속 (Geum-bang-mang-i-sok) [국화과]
<i>Senecio argunensis</i> Turcz.	Argus groundsel 쑥방망이 (Ssuk-bang-mang-i)
<i>Senecio birubonensis</i> Kitam.	Geumgang groundsel 금강송방망이 (Geum-gang-som-bang-mang-i)

Scientific name	English name Korean name (Romanization)
<i>Senecio cannabifolius</i> Less.	Aleutian groundsel 심잎방망이 (Sam-ip-bang-mang-i)
<i>Senecio nemorensis</i> L.	Shady groundsel 금방망이 (Geum-bang-mang-i)
<i>Senecio pierotii</i> Miq.	Asian swamp groundsel 솜쑥방망이 (Som-ssuk-bang-mang-i)
<i>Senecio pseudoarnica</i> Less.	Seaside groundsel 웅기솜나물 (Ung-gi-som-na-mul)
<i>Serratula</i> L. [Asteraceae]	Plumeless sawwort 산비장이속 (San-bi-jang-i-sok) [국화과]
<i>Serratula coronata</i> var. <i>insularis</i> (Iljin) Kitam.	Mountain coronate sawwort 산비장이 (San-bi-jang-i)
<i>Serratula coronata</i> f. <i>alpina</i> (Nakai) W.T.Lee	Alpine coronate sawwort 한라산비장이 (Han-ra-san-bi-jang-i)
<i>Serratula hayatae</i> Nakai	Serrate sawwort 잔톱비장이 (Jan-top-bi-jang-i)
<i>Serratula komarovii</i> Iljin	Minute sawwort 잔잎산비장이 (Jan-ip-san-bi-jang-i)
<i>Setaria</i> P.Beauv. [Poaceae]	Bristlegrass, Foxtail 강아지풀속 (Gang-a-ji-pul-sok) [벼과]
<i>Setaria chondrachne</i> (Steud.) Honda	Hard bristlegrass 조아재비 (Jo-a-jae-bi)
<i>Setaria glauca</i> var. <i>dura</i> (I.C.Chung) I.C.Chung	Wrinkled-glume yellow bristlegrass 주름금강아지풀 (Ju-reum-geum-gang-a-ji-pul)
<i>Setaria pumila</i> (Poir.) Roem. & Schult.	Yellow bristlegrass 금강아지풀 (Geum-gang-a-ji-pul)
<i>Setaria pumila</i> subsp. <i>pallide-fusca</i> (Schumach.) B.K.Simon	Cattail bristlegrass 가는금강아지풀 (Ga-neun-geum-gang-a-ji-pul)
<i>Setaria viridis</i> subsp. <i>pycnocoma</i> (Steud.) Tzvelev	Dense-flower bristlegrass 수강아지풀 (Su-gang-a-ji-pul)

Scientific name	English name Korean name (Romanization)
<i>Setaria viridis</i> var. <i>pachystachys</i> (Franch. & Sav.) Makino & Nemoto	Coastal green bristlegrass 갯강아지풀 (Gaet-gang-a-ji-pul)
<i>Sibbaldia</i> L. [Rosaceae]	Sibbaldia 너도양지꽃속 (Neo-do-yang-ji-kkot-sok) [장미과]
<i>Sibbaldia procumbens</i> L.	Creeping sibbaldia 너도양지꽃 (Neo-do-yang-ji-kkot)
<i>Sigesbeckia</i> L. [Asteraceae]	St. Paul's wort 진득찰속 (Jin-deuk-chal-sok) [국화과]
<i>Sigesbeckia glabrescens</i> (Makino) Makino	Hairstalk St. Paul's wort 진득찰 (Jin-deuk-chal)
<i>Sigesbeckia orientalis</i> L.	Common St. Paul's wort 제주진득찰 (Je-ju-jin-deuk-chal)
<i>Sigesbeckia pubescens</i> (Makino) Makino	Glandular-stalk St. Paul's wort 털진득찰 (Teol-jin-deuk-chal)
<i>Silene</i> L. [Caryophyllaceae]	Campion, Catchfly 끈끈이장구채속 (Kkeun-kkeun-i-jang-gu-chae-sok) [석죽과]
<i>Silene aprica</i> Turcz. ex Fisch. & C.A.Mey.	Meadow catchfly 애기장구채 (Ae-gi-jang-gu-chae)
<i>Silene aprica</i> var. <i>oldhamiana</i> (Miq.) C.Y.Wu	Seashore catchfly 갯장구채 (Gaet-jang-gu-chae)
<i>Silene baccifera</i> (L.) Roth	Berry catchfly 덩굴별꽃 (Deong-gul-byeol-kkot)
<i>Silene capitata</i> Kom.	Pink catchfly 분홍장구채 (Bun-hong-jang-gu-chae)
<i>Silene fasciculata</i> Nakai	Halla catchfly 한라장구채 (Han-ra-jang-gu-chae)
<i>Silene firma</i> Siebold & Zucc.	Catchfly 장구채 (Jang-gu-chae)
<i>Silene firma</i> f. <i>pubescens</i> (Makino) Makino	Hairy catchfly 털장구채 (Teol-jang-gu-chae)

Scientific name	English name Korean name (Romanization)
<i>Silene foliosa</i> Maxim.	Hosan catchfly 호산장구채 (Ho-san-jang-gu-chae)
<i>Silene jenisseensis</i> Willd.	Slender catchfly 가는다리장구채 (Ga-neun-da-ri-jang-gu-chae)
<i>Silene koreana</i> Kom.	Sticky catchfly 끈끈이장구채 (Kkeun-kkeun-i-jang-gu-chae)
<i>Silene macrostyla</i> Maxim.	Long-style catchfly 충충장구채 (Cheung-cheung-jang-gu-chae)
<i>Silene myongcheonensis</i> S.P.Hong & H.K.Moon	Myeongcheon catchfly 명천장구채 (Myeong-cheon-jang-gu-chae)
<i>Silene noctiflora</i> L.	Night-flowering catchfly 말냉이장구채 (Mal-naeng-i-jang-gu-chae)
<i>Silene oliganthaella</i> Nakai	White catchfly 흰장구채 (Huin-jang-gu-chae)
<i>Silene repens</i> Patrin	Creeping catchfly 오랑캐장구채 (O-rang-kae-jang-gu-chae)
<i>Silene seoulensis</i> Nakai	Seoul catchfly 가는장구채 (Ga-neun-jang-gu-chae)
<i>Silene takeshimensis</i> Uyeki & Sakata	Ulleung catchfly 울릉장구채 (Ul-reung-jang-gu-chae)
SIMAROUBACEAE DC.	Quassia family 소태나무과 (So-tae-na-mu-gwa)
<i>Sinomenium</i> Diels [Menispermaceae]	<i>Sinomenium</i> 방기속 (Bang-gi-sok) [새모래덩굴과]
<i>Sinomenium acutum</i> (Thunb.) Rehder & E.H.Wilson	Orientvine 방기 (Bang-gi)
<i>Sinosenecio</i> B.Nord. [Asteraceae]	Butterweed 국화방망이속 (Guk-hwa-bang-mang-i-sok) [국화과]
<i>Sinosenecio koreanus</i> (Kom.) B.Nord.	Korean butterweed 국화방망이 (Guk-hwa-bang-mang-i)

Scientific name	English name Korean name (Romanization)
<i>Siphonostegia</i> Benth. [Scrophulariaceae]	Siphonostegia 절국대속 (Jeol-guk-dae-sok) [현삼과]
<i>Siphonostegia chinensis</i> Benth.	Asian siphonostegia 절국대 (Jeol-guk-dae)
<i>Sisymbrium</i> L. [Brassicaceae]	Hedgemustard 노란장대속 (No-ran-jang-dae-sok) [십자화과]
<i>Sisymbrium heteromallum</i> C.A.Mey.	Drooping-fruit hedgemustard 굽은노란장대 (Gup-eun-no-ran-jang-dae)
<i>Sisymbrium luteum</i> (Maxim.) O.E.Schulz	Yellow-flower hedgemustard 노란장대 (No-ran-jang-dae)
<i>Sisyrinchium</i> L. [Iridaceae]	Blue-eye grass 등심붓꽃속 (Deung-sim-but-kkot-sok) [붓꽃과]
<i>Sisyrinchium angustifolium</i> f. <i>album</i> J.K.Sim & Y.S.Kim	White narrow-leaf blue-eye grass 흰등심붓꽃 (Huin-deung-sim-but-kkot)
<i>Sium</i> L. [Apiaceae]	Water parsnip 개발나물속 (Gae-bal-na-mul-sok) [산형과]
<i>Sium heterophyllum</i> Y.N.Lee	Heterophylloous water parsnip 대암개발나물 (Dae-am-gae-bal-na-mul)
<i>Sium ninsi</i> L.	Tuberous water parsnip 감자개발나물 (Gam-ja-gae-bal-na-mul)
<i>Sium suave</i> Walter	Hemlock water parsnip 개발나물 (Gae-bal-na-mul)
<i>Sium ternifolium</i> B.Y.Lee & S.C.Ko	Ternate-leaf water parsnip 세잎개발나물 (Se-ip-gae-bal-na-mul)
<i>Smilacina</i> Desf. [Liliaceae]	Smilacina, Solomon's seal 송대속 (Som-dae-sok) [백합과]
<i>Smilacina bicolor</i> Nakai	Purple-flower solomon's seal 자주송대 (Ja-ju-som-dae)

Scientific name	English name Korean name (Romanization)
<i>Smilacina bicolor</i> var. <i>flavovirens</i> N.S.Lee & J.Y.Kim	Green-flower solomon's seal 연두솜대 (Yeon-du-som-dae)
<i>Smilacina dahurica</i> (Turcz. ex Fisch. & C.A.Mey.) LaFrankie	Smooth solomon's seal 민솜대 (Min-som-dae)
<i>Smilacina japonica</i> var. <i>lutecarpa</i> Y.N.Lee	Golden-friut solomon's seal 황금솜대 (Hwang-geum-som-dae)
<i>Smilacina japonica</i> var. <i>mandshurica</i> Maxim.	Large false solomon's seal 왕솜대 (Wang-som-dae)
<i>Smilax</i> L. [Liliaceae]	Catbriers, Greenbriers, Prickly-ivys, Smilaxes 청미래덩굴속 (Cheong-mi-rae-deong-gul-sok) [백합과]
<i>Smilax china</i> L.	East Asian greenbrier 청미래덩굴 (Cheong-mi-rae-deong-gul)
<i>Smilax nipponica</i> Miq.	White-back greenbrier 선밀나물 (Seon-mil-na-mul)
<i>Smilax riparia</i> A.DC.	Riparian greenbrier 밀나물 (Mil-na-mul)
<i>Smilax riparia</i> var. <i>ussuriensis</i> f. <i>stenophylla</i> (H.Hara) T.Koyama	Narrow-leaf riparian greenbrier 좁은잎밀나물 (Jop-eun-ip-mil-na-mul)
<i>Smilax sieboldii</i> Miq.	Siebold's greenbrier 청가시덩굴 (Cheong-ga-si-deong-gul)
<i>Smilax sieboldii</i> f. <i>intermis</i> (Nakai) H.Hara	Smooth Siebold's greenbrier 민청가시덩굴 (Min-cheong-ga-si-deong-gul)
SOLANACEAE Juss.	Nightshade family 가지과 (Ga-ji-gwa)
<i>Solanum</i> L. [Solanaceae]	Nightshade 가지속 (Ga-ji-sok) [가지과]
<i>Solanum japonense</i> Nakai	Narrow-leaf nightshade 좁은잎배풍등 (Jop-eun-ip-bae-pung-deung)
<i>Solanum lyratum</i> Thunb.	Lyre-leaf nightshade 배풍등 (Bae-pung-deung)

Scientific name	English name Korean name (Romanization)
<i>Solanum megacarpum</i> Koidz.	Big nightshade 왕배풍등 (Wang-bae-pung-deung)
<i>Solidago</i> L. [Asteraceae]	Goldenrod 미역취속 (Mi-yeok-chwi-sok) [국화과]
<i>Solidago virgaurea</i> subsp. <i>asiatica</i> Kitam. ex H.Hara	Asian goldenrod 미역취 (Mi-yeok-chwi)
<i>Solidago virgaurea</i> subsp. <i>gigantea</i> (Nakai) Kitam.	Ulleung goldenrod 울릉미역취 (Ul-reung-mi-yeok-chwi)
<i>Solidago virgaurea</i> var. <i>coreana</i> Nakai A.Gray	Korean goldenrod 나래미역취 (Na-rae-mi-yeok-chwi)
<i>Solidago virgaurea</i> var. <i>leiocarpa</i> (Benth.) A.Gray	European goldenrod 산미역취 (San-mi-yeok-chwi)
<i>Sonchus</i> L. [Asteraceae]	Sowthistle 방가지똥속 (Bang-ga-ji-ttong-sok) [국화과]
<i>Sonchus brachyotus</i> DC.	Seashore sowthistle 사데풀 (Sa-de-pul)
<i>Sophora</i> L. [Fabaceae]	Necklacepod 고삼속 (Go-sam-sok) [콩과]
<i>Sophora flavescens</i> Solander ex Aiton	Shrubby sophora 고삼 (Go-sam)
<i>Sorbaria</i> (Ser.) A.Braun [Rosaceae]	False spiraea 쉬땅나무속 (Swi-ttang-na-mu-sok) [장미과]
<i>Sorbaria kirilowii</i> (Regel & Tiling) Maxim.	Drooping-flower false spiraea 좁쉬땅나무 (Jom-swi-ttang-na-mu)
<i>Sorbaria sorbifolia</i> var. <i>stellipila</i> Maxim.	False spiraea 쉬땅나무 (Swi-ttang-na-mu)
* <i>Sorbaria sorbifolia</i> f. <i>glandulosa</i> (Nakai) T.B.Lee	Glandular false spiraea 점쉬땅나무 (Jeom-swi-ttang-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Sorbaria sorbifolia</i> f. <i>incerta</i> (C.K.Schneid.) Kitag.	Incertae false spiraea 청수땅나무 (Cheong-swi-ttang-na-mu)
<i>Sorbus</i> L. [Rosaceae]	Mountain ash 마가목속 (Ma-ga-mok-sok) [장미과]
<i>Sorbus alnifolia</i> (Siebold & Zucc.) K.Koch	Korean mountain ash 팥배나무 (Pat-bae-na-mu)
<i>Sorbus alnifolia</i> var. <i>lasiocarpa</i> T.B.Lee	Long-fruit Korean mountain ash 긴팥배나무 (Gin-pat-bae-na-mu)
<i>Sorbus alnifolia</i> var. <i>lobulata</i> (Koidz.) Rehder	Lobulate-leaf Korean mountain ash 벌배나무 (Beol-bae-na-mu)
<i>Sorbus alnifolia</i> f. <i>hirtella</i> (Nakai) W.T.Lee	Hairy Korean mountain ash 털팥배나무 (Teol-pat-bae-na-mu)
<i>Sorbus alnifolia</i> f. <i>oblongifolia</i> (Nakai) W.T.Lee	Oblong-leaf Korean mountain ash 긴잎팥배나무 (Gin-ip-pat-bae-na-mu)
<i>Sorbus amurensis</i> Koehne	Amur mountain ash 당마가목 (Dang-ma-ga-mok)
<i>Sorbus amurensis</i> var. <i>lanata</i> Nakai	White-hair Amur mountain ash 흰털당마가목 (Huin-teol-dang-ma-ga-mok)
<i>Sorbus amurensis</i> var. <i>rufa</i> Nakai	Reddish Amur mountain ash 차빛당마가목 (Cha-bit-dang-ma-ga-mok)
<i>Sorbus amurensis</i> f. <i>latifoliolata</i> (Nakai) W.T.Lee	Wide-leaf Amur mountain ash 넓은잎당마가목 (Neol-beun-ip-dang-ma-ga-mok)
<i>Sorbus commixta</i> Hedl.	Silvery mountain ash 마가목 (Ma-ga-mok)
<i>Sorbus commixta</i> var. <i>pilosa</i> Nakai	Hairy mountain ash 잔털마가목 (Jan-teol-ma-ga-mok)
<i>Sorbus commixta</i> var. <i>rubo-ferruginea</i> C.K.Schneid.	Red-brown mountain ash 녹마가목 (Nok-ma-ga-mok)
<i>Sorbus commixta</i> f. <i>rubo-hirtella</i> Nakai	Red-hair mountain ash 왕털마가목 (Wang-teol-ma-ga-mok)
<i>Sorbus sambucifolia</i> var. <i>pseudogracilis</i> C.K.Schneid.	Siberian mountain ash 산마가목 (San-ma-ga-mok)

Scientific name	English name Korean name (Romanization)
<i>Sorghum</i> Moench [Poaceae]	Sorghum 수수새속 (Su-su-sae-sok) [벼과]
<i>Sorghum nitidum</i> (Vahl) Pers.	Shining sorghum 수수새 (Su-su-sae)
SPARGANIACEAE Hanin	Bur-reed family 흑삼릉과 (Heuk-sam-reung-gwa)
<i>Sparganium</i> L. [Sparganiaceae]	Bur-reed 흑삼릉속 (Heuk-sam-reung-sok) [흑삼릉과]
<i>Sparganium erectum</i> L.	Simple-stem bur-reed 흑삼릉 (Heuk-sam-reung)
<i>Sparganium fallax</i> Graebn.	Twisted bur-reed 남흑삼릉 (Nam-heuk-sam-reung)
<i>Sparganium hyperboreum</i> Laest. ex Beurl.	Northern bur-reed 좁은잎흑삼릉 (Jop-eun-ip-heuk-sam-reung)
<i>Sparganium japonicum</i> Rothert	Long-stem bur-reed 긴흑삼릉 (Gin-heuk-sam-reung)
<i>Spergularia</i> (Pers.) J.Presl & C.Presl [Caryophyllaceae]	Sandspurrys, Sea-spurreys 갯개미자리속 (Gaet-gae-mi-ja-ri-sok) [석죽과]
<i>Spergularia marina</i> (L.) Besser	Salt sandspurry 갯개미자리 (Gaet-gae-mi-ja-ri)
<i>Sphallerocarpus</i> Besser ex DC. [Apiaceae]	Sphallerocarpus 무산상자속 (Mu-san-sang-ja-sok) [산형과]
<i>Sphallerocarpus gracilis</i> (Besser ex Trevir.) Koso-Pol.	Thin sphallerocarpus 무산상자 (Mu-san-sang-ja)
<i>Sphenomeris</i> Maxon [Pteridaceae]	Sphenomeris 바위고사리속 (Ba-wi-go-sa-ri-sok) [고사리과]
<i>Sphenomeris biflora</i> (Kaulf.) Tagawa	Biflorate wedgelet fern 갓바위고사리 (Gaet-ba-wi-go-sa-ri)

Scientific name	English name Korean name (Romanization)
<i>Sphenomeris chinensis</i> (L.) Maxon	Pala'a lace fern 바위고사리 (Ba-wi-go-sa-ri)
<i>Spiraea</i> L. [Rosaceae]	Spirea 조팝나무속 (Jo-pap-na-mu-sok) [장미과]
<i>Spiraea betulifolia</i> Pall.	White spirea 동근잎조팝나무 (Dung-geun-ip-jo-pap-na-mu)
<i>Spiraea blumei</i> G.Don	Montane spirea 산조팝나무 (San-jo-pap-na-mu)
<i>Spiraea chamaedryfolia</i> L.	Elm-leaf spirea 인가목조팝나무 (In-ga-mok-jo-pap-na-mu)
<i>Spiraea chamaedryfolia</i> var. <i>pilosa</i> (Nakai) H.Hara	Pilose elm-leaf spirea 털인가목조팝나무 (Teol-in-ga-mok-jo-pap-na-mu)
<i>Spiraea chartacea</i> Nakai	Thick-leaf summer spirea 떡조팝나무 (Tteok-jo-pap-na-mu)
<i>Spiraea chinensis</i> Maxim.	Chinese spirea 당조팝나무 (Dang-jo-pap-na-mu)
<i>Spiraea fritschiana</i> C.K.Schneid.	Korean spirea 참조팝나무 (Cham-jo-pap-na-mu)
<i>Spiraea media</i> Schmidt	Oriental spirea 긴잎조팝나무 (Gin-ip-jo-pap-na-mu)
<i>Spiraea media</i> var. <i>sericea</i> (Turcz.) Maxim.	Silky oriental spirea 털긴잎조팝나무 (Teol-gin-ip-jo-pap-na-mu)
<i>Spiraea microgyna</i> Nakai	Small spirea 좁조팝나무 (Jom-jo-pap-na-mu)
<i>Spiraea miyabei</i> Koidz.	Thin-leaf spirea 덤불조팝나무 (Deom-bul-jo-pap-na-mu)
<i>Spiraea nankaiensis</i> Nakai	Namhae spirea 남해조팝나무 (Nam-hae-jo-pap-na-mu)
<i>Spiraea prunifolia</i> f. <i>simpliciflora</i> Nakai	Simple bridalwreath spirea 조팝나무 (Jo-pap-na-mu)
<i>Spiraea pseudocrenata</i> Nakai	Long-leaf mountain spirea 긴잎산조팝나무 (Gin-ip-san-jo-pap-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Spiraea pubescens</i> Turcz.	Pubescent spirea 아구장나무 (A-gu-jang-na-mu)
<i>Spiraea pubescens</i> var. <i>lasiocarpa</i> Nakai	Woolly-fruit pubescent spirea 설악조팝나무 (Seol-ak-jo-pap-na-mu)
<i>Spiraea pubescens</i> f. <i>leiocarps</i> (Nakai) Kitag.	Smooth-fruit pubescent spirea 초평조팝나무 (Cho-pyeong-jo-pap-na-mu)
<i>Spiraea salicifolia</i> L.	Willow-leaf spirea 꼬리조팝나무 (Kko-ri-jo-pap-na-mu)
<i>Spiraea trichocarpa</i> Nakai	Korean meadow spirea 갈기조팝나무 (Gal-gi-jo-pap-na-mu)
<i>Spiranthes</i> Rich. [Orchidaceae]	Ladies tresses, Ladies'-tresses, Lady's tresses 타래난초속 (Ta-rae-nan-cho-sok) [난초과]
<i>Spiranthes sinensis</i> (Pers.) Ames	Ladies' tresse 타래난초 (Ta-rae-nan-cho)
* <i>Spiranthes sinensis</i> f. <i>albiflora</i> Y.N.Lee	White-flower ladies' tresse 흰타래난초 (Huin-ta-rae-nan-cho)
<i>Spirodela</i> Schleid. [Lemnaceae]	Duckmeat 개구리밥속 (Gae-gu-ri-bap-sok) [개구리밥과]
<i>Spirodela polyrhiza</i> (L.) Schleid.	Great duckmeat 개구리밥 (Gae-gu-ri-bap)
<i>Spodiopogon</i> Trin. [Poaceae]	Spodiopogon 기름새속 (Gi-reum-sae-sok) [벼과]
<i>Spodiopogon cotulifer</i> (Thunb.) Hack.	Articulation-bearing spodiopogon 기름새 (Gi-reum-sae)
<i>Spodiopogon sibiricus</i> Trin.	Siberian spodiopogon 큰기름새 (Keun-gi-reum-sae)
<i>Sporobolus</i> R.Br. [Poaceae]	Dropseed grasses, Sacaton grasses 쥐꼬리새풀속 (Jwi-kko-ri-sae-pul-sok) [벼과]

Scientific name	English name Korean name (Romanization)
<i>Sporobolus fertilis</i> (Steud.) Clayton	Sacaton grass 쥐꼬리새풀 (Jwi-kko-ri-sae-pul)
<i>Sporobolus piliferus</i> (Trin.) Kunt	Barundi sacaton grass 나도잔디 (Na-do-jan-di)
<i>Stachys</i> L. [Lamiaceae]	Betony, Heal-all, Hedgenettle, Lamb's ears, Self-heal, Woundwort 석잠풀속 (Seok-jam-pul-sok) [꿀풀과]
<i>Stachys japonica</i> Miq.	Hairless woundwort 석잠풀 (Seok-jam-pul)
* <i>Stachys japonica</i> var. <i>hispidula</i> (H.Hara) Y.M.Lee & H.J.Choi	Rough woundwort 개석잠풀 (Gae-seok-jam-pul)
<i>Stachys japonica</i> var. <i>villosa</i> (Kudo) Ohwi	Bristle woundwort 털석잠풀 (Teol-seok-jam-pul)
<i>Stachys oblongifolia</i> Benth.	Velvety woundwort 우단석잠풀 (U-dan-seok-jam-pul)
<i>Staphylea</i> L. [Staphyleaceae]	Bladdernut 고추나무속 (Go-chu-na-mu-sok) [고추나무과]
<i>Staphylea bumalda</i> DC.	Bumald's bladdernut 고추나무 (Go-chu-na-mu)
STAPHYLEACEAE Martinov	Bladdernut family 고추나무과 (Go-chu-na-mu-gwa)
<i>Stauntonia</i> DC. [Lardizabalaceae]	Stauntonia 멀꼴속 (Meol-kkul-sok) [으름덩굴과]
<i>Stauntonia hexaphylla</i> (Thunb.) Decne.	Stauntonia vine 멀꼴 (Meol-kkul)
<i>Stellaria</i> L. [Caryophyllaceae]	Stitchwort, Chickweed 별꽃속 (Byeol-kkot-sok) [석죽과]
<i>Stellaria alsine</i> var. <i>undulata</i> (Thunb.) Ohwi	Bog chickweed 벼룩나물 (Byeo-ruk-na-mul)

Scientific name	English name Korean name (Romanization)
<i>Stellaria aquatica</i> (L.) Scop.	Giant chickweed 쇠별꽃 (Soe-byeol-kkot)
<i>Stellaria bungeana</i> Fenzl	Woodland chickweed 큰별꽃 (Keun-byeol-kkot)
<i>Stellaria diffusa</i> Willd. ex Schltld.	Spreading chickweed 애기자기별꽃 (Ae-gi-ga-ji-byeol-kkot)
<i>Stellaria diversiflora</i> Maxim.	Diverse-flower chickweed 일월산별꽃 (Il-wol-san-byeol-kkot)
<i>Stellaria filicaulis</i> Makino	Slender chickweed 실별꽃 (Sil-byeol-kkot)
<i>Stellaria longifolia</i> Muhl. ex Willd.	Long-leaf chickweed 긴잎별꽃 (Gin-ip-byeol-kkot)
<i>Stellaria media</i> (L.) Vill.	Common chickweed 별꽃 (Byeol-kkot)
<i>Stellaria neopalustris</i> Kitag.	Sinuiju chickweed 신의주별꽃 (Sin-ui-ju-byeol-kkot)
<i>Stellaria radians</i> L.	Ciliate-petal chickweed 왕별꽃 (Wang-byeol-kkot)
<i>Stellera</i> L. [Thymelaeaceae]	Stellera 피뿌리풀속 (Pi-ppu-ri-pul-sok) [팔꽃나무과]
<i>Stellera chamaejasme</i> L.	Bloody-root stellera 피뿌리풀 (Pi-ppu-ri-pul)
<i>Stephanandra</i> Siebold & Zucc. [Rosaceae]	Stephanandra 국수나무속 (Guk-su-na-mu-sok) [장미과]
<i>Stephanandra incisa</i> (Thunb.) Zabel	Laceshrub 국수나무 (Guk-su-na-mu)
<i>Stephanandra incisa</i> var. <i>quadrifissa</i> (Nakai) T.B.Lee	Quadrifid-leaf laceshrub 나비국수나무 (Na-bi-guk-su-na-mu)
<i>Stephania</i> Lour. [Menispermaceae]	Stephania 함박이속 (Ham-bak-i-sok) [새모래덩굴과]

Scientific name	English name Korean name (Romanization)
<i>Stephania japonica</i> (Thunb.) Miers	Snake vine 함박이 (Ham-bak-i)
STERCULIACEAE Vent.	Sterculia family 벽오동과 (Byeok-o-dong-gwa)
<i>Stewartia</i> L. [Theaceae]	Stewartia 노각나무속 (No-gak-na-mu-sok) [차나무과]
<i>Stewartia pseudocamellia</i> Maxim.	Korean stewartia 노각나무 (No-gak-na-mu)
<i>Stimpsonia</i> C.Wright ex A.Gray [Primulaceae]	Stimpsonia 이삭봄맞이속 (I-sak-bom-mat-i-sok) [앵초과]
<i>Stimpsonia chamaedrioides</i> C.Wright ex A.Gray	Common stimpsonia 이삭봄맞이 (I-sak-bom-mat-i)
<i>Stipa</i> L. [Poaceae]	Feather grass, Needle grass, Spear grass 나래새속 (Na-rae-sae-sok) [벼과]
<i>Stipa coreana</i> Honda	Korean needlegrass 참나래새 (Cham-na-rae-sae)
<i>Stipa coreana</i> var. <i>japonica</i> (Matsum.) Y.N.Lee	Jeju needlegrass 제주나래새 (Je-ju-na-rae-sae)
<i>Stipa pekinensis</i> Hance	Chinese needlegrass 나래새 (Na-rae-sae)
<i>Stipa sibirica</i> (L.) Lam.	Needlegrass 가는나래새 (Ga-neun-na-rae-sae)
<i>Streptolirion</i> Edgew. [Commelinaceae]	Streptolirion 덩굴닭의장풀속 (Deong-gul-dak-ui-jang-pul-sok) [닭의장풀과]
<i>Streptolirion volubile</i> Edgew.	Twining streptolirion 덩굴닭의장풀 (Deong-gul-dak-ui-jang-pul)
<i>Streptopus</i> Michx. [Liliaceae]	Twisted-stalk 죽대아재비속 (Juk-dae-a-jae-bi-sok) [백합과]

S

Scientific name	English name Korean name (Romanization)
<i>Streptopus amplexifolius</i> (L.) DC.	Clasp-leaf twisted-stalk 죽대아재비 (Juk-dae-a-jae-bi)
<i>Streptopus koreanus</i> (Kom.) Ohwi	Korean twisted-stalk 왕죽대아재비 (Wang-juk-dae-a-jae-bi)
<i>Streptopus ovalis</i> (Ohwi) F.T.Wang & Y.C.Tang	Geumgang twisted-stalk 금강애기나리 (Geum-gang-ae-gi-na-ri)
* <i>Streptopus ovalis</i> var. <i>albus</i> Y.N.Lee	White-flower twisted-stalk 흰금강애기나리 (Huin-geum-gang-ae-gi-na-ri)
<i>Strobilanthes</i> Blume [Acanthaceae]	<i>Strobilanthes</i> 방울꽃속 (Bang-ul-kkot-sok) [쥐꼬리망초과]
<i>Strobilanthes oliganthus</i> Miq.	Few-flower conehead 방울꽃 (Bang-ul-kkot)
STYRACACEAE DC. & Spreng.	Styrax family 때죽나무과 (Tae-juk-na-mu-gwa)
<i>Styrax</i> L. [Styracaceae]	Snowbell, <i>Styrax</i> 때죽나무속 (Tae-juk-na-mu-sok) [때죽나무과]
<i>Styrax japonicus</i> Siebold & Zucc.	Snowbell tree 때죽나무 (Tae-juk-na-mu)
<i>Styrax obassia</i> Siebold & Zucc.	Fragrant snowbell 쪽동백나무 (Jjok-dong-baek-na-mu)
<i>Styrax shiraianus</i> Makino	Jirisan snowbell ombokdakna (Jom-jjok-dong-baek-na-mu)
<i>Suaeda</i> Forssk. ex Scop. [Chenopodiaceae]	Seepweed, Seablites 나문재속 (Na-mun-jae-sok) [명아주과]
<i>Suaeda australis</i> (R.Br.) Moq.	Southern seepweed 방석나물 (Bang-seok-na-mul)
<i>Suaeda glauca</i> (Bunge) Bunge	Asian common seepweed 나문재 (Na-mun-jae)
<i>Suaeda heteroptera</i> Kitag.	Narrow-saline seepweed 좁은해홍나물 (Jop-eun-hae-hong-na-mul)

Scientific name	English name Korean name (Romanization)
<i>Suaeda japonica</i> Makino	East Asian seepweed 칠면초 (Chil-myeon-cho)
<i>Suaeda malacosperma</i> H.Hara	Brackish zone seepweed 기수초 (Gi-su-cho)
<i>Suaeda maritima</i> (L.) Dumort.	Herbaceous seepweed 해홍나물 (Hae-hong-na-mul)
<i>Swertia</i> L. [Gentianaceae]	Felwort, Swertia 쓴풀속 (Sseun-pul-sok) [용담과]
<i>Swertia diluta</i> var. <i>tosaensis</i> (Makino) H.Hara	Diluted swertia 개쓴풀 (Gae-sseun-pul)
<i>Swertia erythrosticta</i> Maxim.	Red-spot swertia 점박이별꽃풀 (Jeom-bak-i-byeol-kkot-pul)
<i>Swertia japonica</i> (Schult.) Makino	East Asian swertia 쓴풀 (Sseun-pul)
<i>Swertia pseudochinensis</i> H.Hara	False Chinese swertia 자주쓴풀 (Ja-ju-sseun-pul)
<i>Swertia pseudochinensis</i> f. <i>alba</i> Y.N.Lee	White-flower false Chinese swertia 흰자주쓴풀 (Huin-ja-ju-sseun-pul)
<i>Swertia tetrapetala</i> Pall.	Lesser tetrapetal swertia 네귀쓴풀 (Ne-gwi-sseun-pul)
<i>Swertia veratroides</i> Maxim. ex Kom.	Spatulate-leaf swertia 별꽃풀 (Byeo-kkot-pul)
<i>Swertia wilfordii</i> (A.Kern.) Kom.	Large tetrapetal swertia 큰잎쓴풀 (Keun-ip-sseun-pul)
<i>Sympyllocarpus</i> Maxim. [Asteraceae]	Sympyllocarpus 개중대가리속 (Gae-jung-dae-ga-ri-sok) [국화과]
<i>Sympyllocarpus exilis</i> Maxim.	Common sympyllocarpus 개중대가리 (Gae-jung-dae-ga-ri)
SYMPLOCACEAE Desf.	Sweetleaf family 노린재나무과 (No-rin-jae-na-mu-gwa)

Scientific name [Asteraceae]	English name Korean name (Romanization)
<i>Symplocarpus Salisb. ex W.P.C. Barton</i> [Araceae]	Skunk cabbage 얇은부채속 (An-jeun-bu-chae-sok) [천남성과]
<i>Symplocarpus nipponicus</i> Makino	East Asian skunk cabbage 애기얇은부채 (Ae-gi-an-jeun-bu-chae)
<i>Symplocarpus renifolius</i> Schott ex Miq.	Oriental skunk cabbage 얇은부채 (An-jeun-bu-chae)
<i>Symplocos</i> Jacq. [Symplocaceae]	Sweetleaf 노린재나무속 (No-rin-jae-na-mu-sok) [노린재나무과]
<i>Symplocos chinensis</i> var. <i>leucocarpa</i> (Nakai) Ohwi	White Asian sweetleaf 흰노린재나무 (Huin-no-rin-jae-na-mu)
<i>Symplocos sawafutagi</i> Nagam.	Asian sweetleaf 노린재나무 (No-rin-jae-na-mu)
<i>Symplocos coreana</i> (H.Lév.) Ohwi	Korean sweetleaf 섬노린재나무 (Seom-no-rin-jae-na-mu)
<i>Symplocos lucida</i> (Thunb.) Siebold & Zucc.	Thick sweetleaf 사철검은재나무 (Sa-cheol-geom-eun-jae-na-mu)
<i>Symplocos prunifolia</i> Siebold & Zucc.	Cherry-leaf sweetleaf 검은재나무 (Geom-eun-jae-na-mu)
<i>Symplocos tanakana</i> Nakai	Black sweetleaf 검노린재나무 (Geom-no-rin-jae-na-mu)
<i>Syneilesis Maxim.</i> [Asteraceae]	Syneilesis 우산나물속 (U-san-na-mul-sok) [국화과]
<i>Syneilesis aconitifolia</i> (Bunge) Maxim.	Shredded umbrella plant 애기우산나물 (Ae-gi-u-san-na-mul)
<i>Syneilesis palmata</i> (Thunb.) Maxim.	Palmate shred umbrella plant 우산나물 (U-san-na-mul)
<i>Synurus Iljin</i> [Asteraceae]	Synurus 수리취속 (Su-ri-chwi-sok) [국화과]

Scientific name	English name Korean name (Romanization)
<i>Syurus deltoides</i> (Aiton) Nakai	Deltoid synurus 수리취 (Su-ri-chwi)
<i>Syurus deltoides</i> var. <i>incislobata</i> (DC.) Kitam.	Deeply-lobe deltoid synurus 가새수리취 (Ga-sae-su-ri-chwi)
<i>Syurus excelsus</i> (Makino) Kitam.	Large deltoid synurus 큰수리취 (Keun-su-ri-chwi)
<i>Syurus palmatopinnatifidus</i> (Makino) Kitam.	Chrysanthemum-leaf synurus 국화수리취 (Guk-hwa-su-ri-chwi)
<i>Syurus palmatopinnatifidus</i> var. <i>indivisus</i> (Makino) Kitam.	Undivided chrysanthemum-leaf synurus 민국화수리취 (Min-guk-hwa-su-ri-chwi)
<i>Syringa</i> L. [Oleaceae]	Lilac 수수꽃다리속 (Su-su-kkot-da-ri-sok) [풀프레나무과]
<i>Syringa fauriei</i> H.Lév.	Willow-leaf Manchurian lilac 버들개회나무 (Beo-deul-gae-hoe-na-mu)
<i>Syringa oblata</i> var. <i>dilatata</i> (Nakai) Rehder	Korean early lilac 수수꽃다리 (Su-su-kkot-da-ri)
<i>Syringa patula</i> (Palib.) Nakai	Miss Kim lilac 털개회나무 (Teol-gae-hoe-na-mu)
<i>Syringa patula</i> var. <i>kamibayshii</i> (Nakai) M.Kim	Korean lilac 정향나무 (Jeong-hyang-na-mu)
<i>Syringa patula</i> f. <i>lactea</i> (Nakai) M.Kim	White Korean lilac 흰정향나무 (Huin-jeong-hyang-na-mu)
<i>Syringa patula</i> var. <i>venosa</i> (Nakai) M.Kim	Ulleungdo Miss Kim lilac 섬개회나무 (Seom-gae-hoe-na-mu)
<i>Syringa patula</i> var. <i>venosa</i> f. <i>lactea</i> M.Kim	White Ulleungdo Miss Kim lilac 흰섬개회나무 (Huin-seom-gae-hoe-na-mu)
<i>Syringa reticulata</i> (Blume) H.Hara	Manchurian lilac 개회나무 (Gae-hoe-na-mu)
<i>Syringa reticulata</i> var. <i>mandshurica</i> (Maxim.) H.Hara	<u>see</u> <i>Syringa reticulata</i> (Blume) H.Hara
<i>Syringa reticulata</i> var. <i>mandshurica</i> f. <i>koreana</i> T.B.Lee	<u>see</u> <i>Syringa reticulata</i> (Blume) H.Hara

Scientific name	English name Korean name (Romanization)
<i>Syringa reticulata</i> var. <i>mandshurica</i> f. <i>longifolia</i> T.B.Lee	<u>see</u> <i>Syringa reticulata</i> (Blume) H.Hara
<i>Syringa reticulata</i> f. <i>bracteata</i> (Nakai) T.B.Lee	<u>see</u> <i>Syringa reticulata</i> (Blume) H.Hara
<i>Syringa wolfii</i> C.K.Schneid.	Beautiful Wolf's lilac 꽃개회나무 (Kkot-gae-hoe-na-mu)
<i>Syringa wolfii</i> var. <i>hirsuta</i> (C.K.Schneid.) Rehder	Wolf's lilac 털꽃개회나무 (Teol-kkot-gae-hoe-na-mu)

T

<i>Taeniophyllum</i> Blume [Orchidaceae]	Taeniophyllum 거미난초속 (Geo-mi-nan-cho-sok) [난초과]
<i>Taeniophyllum glandulosum</i> Blume	Glandular taeniophyllum 거미란 (Geo-mi-ran)
<i>Tanacetum</i> L. [Asteraceae]	Tansy 쑥국화속 (Ssuk-guk-hwa-sok) [국화과]
<i>Tanacetum vulgare</i> L.	Tansy 쑥국화 (Ssuk-guk-hwa)
<i>Taraxacum</i> Zinn [Asteraceae]	Dandelion 민들레속 (Min-deul-re-sok) [국화과]
<i>Taraxacum coreanum</i> Nakai	White-flowering Korean dandelion 흰민들레 (Huin-min-deul-re)
<i>Taraxacum coreanum</i> var. <i>flavescens</i> Kitam.	Yellowish white-flowering Korean dandelion 흰노랑민들레 (Huin-no-rang-min-deul-re)
<i>Taraxacum formosanum</i> Kitam.	Youngdo dandelion 영도민들레 (Yeong-do-min-deul-re)
<i>Taraxacum hallaisanense</i> Nakai	Hallasan small dandelion ombokmindeule (Jom-min-deul-re)
<i>Taraxacum mongolicum</i> Hand.-Mazz.	Mongolian dandelion 털민들레 (Teol-min-deul-re)

Scientific name	English name Korean name (Romanization)
<i>Taraxacum ohwianum</i> Kitam.	Montane dandelion 산민들레 (San-min-deul-re)
<i>Taraxacum platycarpum</i> Dahlst.	Korean dandelion 민들레 (Min-deul-re)
<i>Taraxacum platypedicum</i> Diels	White-hair dandelion 흰털민들레 (Huin-teol-min-deul-re)
TAXACEAE Gray	Yew family 주목과 (Ju-mok-gwa)
<i>Taxillus</i> Tiegh. [Loranthaceae]	Taxillus 참나무겨우살이속 (Cham-na-mu-gyeo-u-sal-i-sok) [겨우살이과]
<i>Taxillus yadoriki</i> (Siebold ex Maxim.) Danser	Silverberry-like taxillus 참나무겨우살이 (Cham-na-mu-gyeo-u-sal-i)
<i>Taxus</i> L. [Taxaceae]	Yew 주목속 (Ju-mok-sok) [주목과]
<i>Taxus baccata</i> var. <i>latifolia</i> Pilg.	Wide-leaf Ulleungdo yew 회솔나무 (Hoe-sol-na-mu)
<i>Taxus cuspidata</i> Siebold & Zucc.	Rigid-branch yew 주목 (Ju-mok)
<i>Taxus cuspidata</i> var. <i>nana</i> Rehder	Korean spreading yew 설악눈주목 (Seol-ak-nun-ju-mok)
<i>Tephroseris</i> (Rchb.) Rchb. [Asteraceae]	Groundsel 솜방망이속 (Som-bang-mang-i-sok) [국화과]
<i>Tephroseris flammea</i> (Turcz. ex DC.) Holub	Scarlet groundsel 산솜방망이 (San-som-bang-mang-i)
<i>Tephroseris flammea</i> var. <i>glabrifolia</i> (Cufod.) K.J.Kim	Smooth-leaf scarlet groundsel 민솜방망이 (Min-som-bang-mang-i)
<i>Tephroseris kirilowii</i> (Turcz. ex DC.) Holub	East Asian groundsel 솜방망이 (Som-bang-mang-i)

T

Scientific name	English name Korean name (Romanization)
<i>Tephroseris phaeantha</i> (Nakai) C.Jeffrey & Y.L.Chen	Rocky-alpine groundsel 바위솜나물 (Ba-wi-som-na-mul)
<i>Tephroseris pseudosonchus</i> (Vaniot) C.Jeffrey & Y.L.Chen	Alpine-swamp groundsel 물솜방망이 (Mul-som-bang-mang-i)
<i>Ternstroemia</i> Mutis ex L.f. [Theaceae]	Ternstroemia 후피향나무속 (Hu-pi-hyang-na-mu-sok) [차나무과]
<i>Ternstroemia gymnanthera</i> (Wight & Arn.) Sprague	Naked-anther ternstroemia 후피향나무 (Hu-pi-hyang-na-mu)
<i>Tetragonia</i> L. [Aizoaceae]	Tetragonia 번행초속 (Beon-haeng-cho-sok) [번행초과]
<i>Tetragonia tetragonoides</i> (Pall.) Kuntze	Common tetragonia 번행초 (Beon-haeng-cho)
<i>Teucrium</i> L. [Lamiaceae]	Germander 곽향속 (Gwak-hyang-sok) [풀풀과]
<i>Teucrium japonicum</i> Houtt.	Spike-flower germander 개곽향 (Gae-gwak-hyang)
<i>Teucrium veronicoides</i> Maxim.	Mountain germander 곽향 (Gwak-hyang)
<i>Teucrium viscidum</i> Blume	Sticky germander 섬곽향 (Seom-gwak-hyang)
<i>Teucrium viscidum</i> var. <i>miquelianum</i> (Maxim.) H.Hara	Procumbent sticky germander 덩굴곽향 (Deong-gul-gwak-hyang)
<i>Thalictrum</i> L. [Ranunculaceae]	Meadow-rue 꿩의다리속 (Kkwong-ui-da-ri-sok) [미나리아재비과]
<i>Thalictrum actaeifolium</i> var. <i>brevistylum</i> Nakai	Silver meadow-rue 은꿩의다리 (Eun-kkwong-ui-da-ri)
<i>Thalictrum aquilegifolium</i> var. <i>sibiricum</i> Regel & Tiling	Siberian columbine meadow-rue 꿩의다리 (Kkwong-ui-da-ri)

Scientific name	English name Korean name (Romanization)
<i>Thalictrum baicalense</i> Turcz.	Baical meadow-rue 바이칼꿩의다리 (Ba-i-kal-kkwong-ui-da-ri)
<i>Thalictrum coreanum</i> H.Lév.	Korean meadow-rue 연잎꿩의다리 (Yeon-ip-kkwong-ui-da-ri)
<i>Thalictrum filamentosum</i> Maxim.	Filamentous meadow-rue 큰산꿩의다리 (Keun-san-kkwong-ui-da-ri)
<i>Thalictrum filamentosum</i> var. <i>tenerum</i> (Huth) Ohwi	Tuberous-rooted meadow-rue 산꿩의다리 (San-kkwong-ui-da-ri)
<i>Thalictrum ichangense</i> Lecoy. ex Oliv.	Pallid lotus-leaf meadow-rue 꼭지연잎꿩의다리 (Kkok-ji-yeon-ip-kkwong-ui-da-ri)
<i>Thalictrum kemense</i> Franch.	Long-stalk low meadow-rue 큰꿩의다리 (Keun-kkwong-ui-da-ri)
<i>Thalictrum kemense</i> var. <i>hypoleucum</i> (Siebold & Zucc.) Kitag.	East Asian low meadow-rue 좀꿩의다리 (Jom-kkwong-ui-da-ri)
<i>Thalictrum osmorrhizoides</i> Nakai	Shady meadow-rue 그늘꿩의다리 (Geu-neul-kkwong-ui-da-ri)
<i>Thalictrum petaloideum</i> L.	Petaloid meadow-rue 꽃꿩의다리 (Kkot-kkwong-ui-da-ri)
<i>Thalictrum rochebrunnianum</i> var. <i>grandisperpalum</i> (H.Lév.) Nakai	Yellow-filamentous meadow-rue 금꿩의다리 (Geum-kkwong-ui-da-ri)
<i>Thalictrum sachalinense</i> Lecoy.	Northern-mountain meadow-rue 윗꿩의다리 (Moet-kkwong-ui-da-ri)
<i>Thalictrum simlex</i> var. <i>brevipes</i> H.Hara	Short-stalk slimtop meadow-rue 긴잎꿩의다리 (Gin-ip-kkwong-ui-da-ri)
<i>Thalictrum uchiyamae</i> Nakai	Seoul meadow-rue 자주꿩의다리 (Ja-ju-kkwong-ui-da-ri)
THEACEAE Mirb.	Tea family 차나무과 (Cha-na-mu-gwa)
Thelypteris Schmidel [Dryopteridaceae]	Maiden fern 처녀고사리속 (Cheo-nyeo-go-sa-ri-sok) [면마과]

Scientific name	English name Korean name (Romanization)
<i>Thelypteris palustris</i> (Salisb.) Schott	Eastern marsh fern 처녀고사리 (Cheo-nyeo-go-sa-ri)
<i>Themedia</i> Forssk. [Poaceae]	Kangaroo grass 솔새속 (Sol-sae-sok) [벼과]
<i>Themedia triandra</i> var. <i>japonica</i> (Willd.) Makino	Solsae (Brush grass) 솔새 (Sol-sae)
<i>Thermopsis</i> R.Br. [Fabaceae]	Goldenbanner 갓활량나물속 (Gaet-hwal-ryang-na-mul-sok) [콩과]
<i>Thermopsis lupinoides</i> (L.) Link	Northeastern goldenbanner 갓활량나물 (Gaet-hwal-ryang-na-mul)
<i>Thesium</i> L. [Santalaceae]	Thesium 제비꽃속 (Je-bi-kkul-sok) [단향과]
<i>Thesium chinense</i> Turcz.	East Asian thesium 제비꽃 (Je-bi-kkul)
<i>Thesium refractum</i> C.A.Mey.	Long-leaf thesium 긴제비꽃 (Gin-je-bi-kkul)
<i>Thrixspermum</i> Lour. [Orchidaceae]	Thrixspermum 비자란속 (Bi-ja-ran-sok) [난초과]
<i>Thrixspermum japonicum</i> (Miq.) Rchb.f.	East Asian thrixspermum 비자란 (Bi-ja-ran)
<i>Thuja</i> L. [Cupressaceae]	Arborvitae, Thujas 눈측백속 (Nun-cheuk-baek-sok) [측백나무과]
<i>Thuja koraiensis</i> Nakai	Korean arborvitae 눈측백 (Nun-cheuk-baek)
THYMELAEACEAE Juss.	Mezereum family 팥꽃나무과 (Pat-kkot-na-mu-gwa)
<i>Thymus</i> L. [Lamiaceae]	Thyme 백리향속 (Baek-ri-hyang-sok) [꿀풀과]

Scientific name	English name Korean name (Romanization)
<i>Thymus quinquecostatus</i> Celak.	Five-rib thyme 백리향 (Baek-ri-hyang)
<i>Thymus quinquecostatus</i> var. <i>japonicus</i> H.Hara	Ulleungdo thyme 섬백리향 (Seom-baek-ri-hyang)
* <i>Thymus quinquecostatus</i> f. <i>albus</i> Y.N.Lee	White five-rib thyme 흰백리향 (Huin-baek-ri-hyang)
<i>Thyrocarpus</i> Hance [Boraginaceae]	<i>Thyrocarpus</i> 대청지치속 (Dae-cheong-ji-chi-sok) [지치과]
<i>Thyrocarpus glochidiatus</i> Maxim.	Curved-tooth thyrocarpus 대청지치 (Dae-cheong-ji-chi)
<i>Tiarella</i> L. [Saxifragaceae]	Foam flower 헐떡이풀속 (Heol-tteok-i-pul-sok) [범의귀과]
<i>Tiarella polyphylla</i> D.Don	Foam flower 헐떡이풀 (Heol-tteok-i-pul)
<i>Tilia</i> L. [Tiliaceae]	Basswood, Lime trees 피나무속 (Pi-na-mu-sok) [피나무과]
<i>Tilia amurensis</i> Rupr.	Amur linden 피나무 (Pi-na-mu)
<i>Tilia amurensis</i> var. <i>grosseserrata</i> Nakai	Serrate-leaf Amur linden 평안피나무 (Pyeong-an-pi-na-mu)
<i>Tilia insularis</i> Nakai	Ulleungdo linden 섬피나무 (Seom-pi-na-mu)
<i>Tilia koreana</i> Nakai	Korean linden 연밥피나무 (Yeon-bap-pi-na-mu)
<i>Tilia mandshurica</i> Rupr. & Maxim.	Manchurian lime 찰피나무 (Chal-pi-na-mu)
<i>Tilia megaphylla</i> Nakai	Beads linden 염주나무 (Yeom-ju-na-mu)
<i>Tilia megaphylla</i> f. <i>subintegra</i> Nakai	Round-leaf beads linden 둥근잎염주나무 (Dung-geun-ip-yeom-ju-na-mu)

T

Scientific name	English name Korean name (Romanization)
<i>Tilia ovalis</i> Nakai	Oval fruit linden 웅기피나무 (Ung-gi-pi-na-mu)
<i>Tilia rufa</i> Nakai	Brown linden 털피나무 (Teol-pi-na-mu)
<i>Tilia semicostata</i> Nakai	Bibaldo seashore linden 개염주나무 (Gae-yeom-ju-na-mu)
<i>Tilia taquetii</i> C.K.Schneid.	Mulberry-leaf linden 뽕잎피나무 (Ppong-ip-pi-na-mu)
TILIACEAE Juss.	Linden family 피나무과 (Pi-na-mu-gwa)
<i>Tilingia</i> Regel & Tiling [Apiaceae]	<i>Tilingia</i> 개회향속 (Gae-hoe-hyang-sok) [산형과]
<i>Tilingia nakaiana</i> Kitag.	Songni tilingia 속리참나물 (Sok-ri-cham-na-mul)
<i>Tilingia tsusimensis</i> (Y.Yabe) Kitag.	South tilingia 대마참나물 (Dae-ma-cham-na-mul)
<i>Tillaea</i> L. [Crassulaceae]	Pygmyweed 대구돌나물속 (Dae-gu-dol-na-mul-sok) [돌나물과]
<i>Tillaea aquatica</i> L.	Water pygmyweed 대구돌나물 (Dae-gu-dol-na-mul)
<i>Tipularia</i> Nutt. [Orchidaceae]	Tipularia 비비추난초속 (Bi-bi-chu-nan-cho-sok) [난초과]
<i>Tipularia japonica</i> Matsum.	Hosta-leaf orchid 비비추난초 (Bi-bi-chu-nan-cho)
<i>Tofieldia</i> Huds. [Liliaceae]	Tofieldia, Asphodel 석장포속 (Seok-jang-po-sok) [백합과]
<i>Tofieldia coccinea</i> Rich.	Northern asphodel 숙은꽃장포 (Suk-eun-kkot-jang-po)

Scientific name	English name Korean name (Romanization)
<i>Tofieldia coccinea</i> var. <i>fusca</i> (Miyabe & Kudô) H.Hara	Black northern asphodel 검은꽃장포 (Geom-eun-kkot-jang-po)
<i>Tofieldia coccinea</i> var. <i>kondoi</i> (Miyabe & Kudô) H.Hara	Halla northern asphodel 한라꽃장포 (Han-ra-kkot-jang-po)
<i>Tofieldia nuda</i> Maxim.	Nude asphodel 꽃장포 (Kkot-jang-po)
<i>Torilis</i> Adans. [Apiaceae]	Hedgeparsley 사상자속 (Sa-sang-ja-sok) [산형과]
<i>Torilis japonica</i> (Houtt.) DC.	Erect hedgeparsley 사상자 (Sa-sang-ja)
<i>Torilis scabra</i> (Thunb.) DC.	Rough hedgeparsley 개사상자 (Gae-sa-sang-ja)
<i>Torreya</i> Arn. [Taxaceae]	Nutmeg yew, Torreya 비자나무속 (Bi-ja-na-mu-sok) [주목과]
<i>Torreya nucifera</i> (L.) Siebold & Zucc.	Nut-bearing torreya 비자나무 (Bi-ja-na-mu)
<i>Torreyochloa</i> G.L.Church [Poaceae]	False mannagrass 좀미꾸리광이속 (Jom-mi-kku-ri-gwang-i-sok) [벼과]
<i>Torreyochloa pallida</i> (Torr.) Church	Pale false mannagrass 좀미꾸리광이 (Jom-mi-kku-ri-gwang-i)
<i>Torularia</i> Bonnem. [Brassicaceae]	Torularia 염주냉이속 (Yeom-ju-naeng-i-sok) [십자화과]
<i>Torularia humilis</i> (C.A.Mey.) O.E.Schulz	Low torularia 염주냉이 (Yeom-ju-naeng-i)
<i>Toxicodendron</i> Mill. [Rutaceae]	Poison ivy, Poison oak, Lacquer tree 옻나무속 [Ot-na-mu-sok]
<i>Toxicodendron orientale</i> Greene	Asian lacquer tree 덩굴옻나무 (Deong-gul-ot-na-mu)

T

Scientific name	English name Korean name (Romanization)
<i>Toxicodendron succedaneum</i> (L.) Kuntze	Wax lacquer tree 검양옻나무 (Geom-yang-ot-na-mu)
<i>Toxicodendron sylvestre</i> (Siebold & Zucc.) Kuntze	Wood lacquer tree 산검양옻나무 (San-geom-yang-ot-na-mu)
<i>Toxicodendron trichocarpum</i> (Miq.) Kuntze	Bristly fruit lacquer tree 개옻나무 (Gae-ot-na-mu)
<i>Trachelospermum</i> Lem. [Apocynaceae]	Trachelospermum 마삭줄속 (Ma-sak-jul-sok) [협죽도과]
<i>Trachelospermum asiaticum</i> (Siebold & Zucc.) Nakai	Asian jasmine 마삭줄 (Ma-sak-jul)
<i>Trachelospermum asiaticum</i> var. <i>majus</i> (Nakai) Ohwi	White-flower Asian jasmine 백화등 (Baek-hwa-deung)
<i>Trachelospermum jasminoides</i> var. <i>pubescens</i> Makino	Hairy-star jasmine 털마삭줄 (Teol-ma-sak-jul)
<i>Trapa</i> L. [Trapaceae]	Water-chestnut 마름속 (Ma-reum-sok) [마름과]
<i>Trapa amurensis</i> Flerow	Amur water-chestnut 흑수마름 (Heuk-su-ma-reum)
<i>Trapa bicornis</i> L.	Korean water-chestnut 유전마름 (Yu-jeon-ma-reum)
<i>Trapa bispinosa</i> Roxb.	Two-spin water-chestnut 큰마름 (Keun-ma-reum)
<i>Trapa incisa</i> Siebold & Zucc.	Tiny water-chestnut 애기마름 (Ae-gi-ma-reum)
<i>Trapa japonica</i> Flerow	East Asian water-chestnut 마름 (Ma-reum)
<i>Trapa maximowiczii</i> Korsh.	Manchurian water-chestnut 만주애기마름 (Man-ju-ae-gi-ma-reum)
<i>Trapa natans</i> L.	Common water-chestnut 네마름 (Ne-ma-reum)

Scientific name	English name Korean name (Romanization)
<i>Trapa natans</i> var. <i>japonica</i> Nakai	Popeyeong water-chestnet 포평마름 (Po-pyeong-ma-reum)
<i>Trapa pseudoincisa</i> Nakai	Small water-chestnut 물마름 (Mul-ma-reum)
TRAPACEAE Dumort.	Water-chestnut family 마름과 (Ma-reum-gwa)
<i>Trapella</i> Oliv. [Pedaliaceae]	Trapella 수염마름속 (Su-yeom-ma-reum-sok) [참깨과]
<i>Trapella sinensis</i> Oliv.	Three-appendages trapella 세수염마름 (Se-su-yeom-ma-reum)
<i>Trapella sinensis</i> var. <i>antenifera</i> (H.Lév.) H.Hara	Five-appendages trapella 수염마름 (Su-yeom-ma-reum)
<i>Triadenum</i> Raf. [Clusiaceae]	Marsh St. Johnswort 물고추나물속 (Mul-go-chu-na-mul-sok) [물레나물과]
<i>Triadenum japonicum</i> (Blume) Makino	Pink-flower marsh St.Johnswort 물고추나물 (Mul-go-chu-na-mul)
<i>Tribulus</i> L. [Zygophyllaceae]	Puncturevine 남가새속 (Nam-ga-sae-sok) [남가새과]
<i>Tribulus terrestris</i> L.	Puncturevine 남가새 (Nam-ga-sae)
<i>Trichophorum</i> Pers. [Cyperaceae]	Bulrush 애기황새풀속 (Ae-gi-hwang-sae-pul-sok) [사초과]
<i>Trichophorum alpinum</i> (L.) Pers.	Alpine bulrush 애기황새풀 (Ae-gi-hwang-sae-pul)
<i>Trichosanthes</i> L. [Cucurbitaceae]	Trichosanthes 하늘타리속 (Ha-neul-ta-ri-sok) [박과]
<i>Trichosanthes kirilowii</i> Maxim.	Mongolian snakegourd 하늘타리 (Ha-neul-ta-ri)

T

Scientific name	English name Korean name (Romanization)
<i>Trichosanthes kirilowii</i> var. <i>japonica</i> (Miq.) Kitam.	Yellow Mongolian snakegourd 노랑하늘타리 (No-rang-ha-neul-ta-ri)
<i>Tricyrtis</i> Wall. [Liliaceae]	Toad lilies, Tricyrtis 빼꾹나리속 (Ppeo-kkuk-na-ri-sok) [백합과]
<i>Tricyrtis macropoda</i> Miq.	Toad lily 빼꾹나리 (Ppeo-kkuk-na-ri)
<i>Trientalis</i> L. [Primulaceae]	Starflower, Wintergreens 기생꽃속 (Gi-saeng-kkot-sok) [앵초과]
<i>Trientalis europaea</i> L.	European starflower 참기생꽃 (Cham-gi-saeng-kkot)
<i>Trientalis europaea</i> var. <i>arctica</i> (Fisch. ex Hook.) Ledeb.	Arctic starflower 기생꽃 (Gi-saeng-kkot)
<i>Trifolium</i> L. [Fabaceae]	Clover 토끼풀속 (To-kki-pul-sok) [콩과]
<i>Trifolium lupinaster</i> f. <i>alpinus</i> (Nakai) M.K.Park	Alpine lupine clover 제주달구지풀 (Je-ju-dal-gu-ji-pul)
<i>Trifolium lupinaster</i> L.	Lupine clover 달구지풀 (Dal-gu-ji-pul)
<i>Triglochin</i> L. [Juncaginaceae]	Arrowgrass 지채속 (Ji-chae-sok) [지채과]
<i>Triglochin maritima</i> L.	Sea arrowgrass 지채 (Ji-chae)
<i>Triglochin palustris</i> L.	Marsh arrowgrass 물지채 (Mul-ji-chae)
<i>Trigonotis</i> Steven [Boraginaceae]	Trigonotis 꽃마리속 (Kkot-ma-ri-sok) [지치과]
<i>Trigonotis icumae</i> (Maxim.) Makino	Stoloniferous trigonotis 덩굴꽃마리 (Deong-gul-kkot-ma-ri)

Scientific name	English name Korean name (Romanization)
<i>Trigonotis peduncularis</i> (Trevis.) Benth. ex Baker & S.Moore	Common Asian trigonotis 꽃마리 (Kkot-ma-ri)
<i>Trigonotis radicans</i> (Turcz.) Steven	Rooting trigonotis 거센털꽃마리 (Geo-sen-teol-kkot-ma-ri)
<i>Trigonotis radicans</i> var. <i>sericea</i> (Maxim.) H.Hara	Korean trigonotis 참꽃마리 (Cham-kkot-ma-ri)
<i>Trillium</i> L. [Liliaceae]	Birthroot, Birthwort, Trillium, Tri flower, Wakerobin 연영초속 (Yeon-yeong-cho-sok) [백합과]
<i>Trillium camschatcense</i> Ker Gawl.	Kamchatka trillium 연영초 (Yeon-yeong-cho)
<i>Trillium tschonoskii</i> Maxim.	Pointed-petal trillium 큰연영초 (Keun-yeon-yeong-cho)
<i>Tripogon</i> Roem. & Schult. [Poaceae]	Fiveminute grass 갯잠자리피속 (Gaet-jam-ja-ri-pi-sok) [벼과]
<i>Tripogon chinensis</i> (Franch.) Hack.	Asian fiveminute grass 갯잠자리피 (Gaet-jam-ja-ri-pi)
<i>Tripogon longearistatus</i> Hack. ex Honda	Gyoraе fiveminute grass 교래잠자리피 (Gyo-rae-jam-ja-ri-pi)
<i>Tripora</i> P.D.Cantino [Lamiaceae]	Odor bluebeard 누린내풀속 (Nu-rin-nae-pul-sok) [꿀풀과]
<i>Tripora divaricata</i> (Maxim.) P.D.Cantino	Odor bluebeard 누린내풀 (Nu-rin-nae-pul)
<i>Tripterospermum</i> Blume [Gentianaceae]	Tripterospermum 덩굴용담속 (Deong-gul-yong-dam-sok) [용담과]
<i>Tripterospermum japonicum</i> (Siebold & Zucc.) Maxim.	Climbing gentian 덩굴용담 (Deong-gul-yong-dam)
<i>Tripterygium</i> Hook.f. [Celastraceae]	Tripterygium 미역줄나무속 (Mi-yeok-jul-na-mu-sok) [노박덩굴과]

T

Scientific name	English name Korean name (Romanization)
<i>Tripterygium regelii</i> Sprague & Takeda	Regel's threewingnut 미역줄나무 (Mi-yeok-jul-na-mu)
<i>Trisetum</i> Pers. [Poaceae]	Oatgrass 잠자리피속 (Jam-ja-ri-pi-sok) [벼과]
<i>Trisetum bifidum</i> (Thunb.) Ohwi	Spike oatgrass 잠자리피 (Jam-ja-ri-pi)
<i>Trisetum sibiricum</i> Rupr.	Siberian oatgrass 시베리아잠자리피 (Si-be-ri-a-jam-ja-ri-pi)
<i>Trisetum spicatum</i> (L.) K.Richt.	Twofork oatgrass 산잠자리피 (San-jam-ja-ri-pi)
<i>Triumfetta</i> L. [Tiliaceae]	Burbark 고슴도치풀속 (Go-seum-do-chi-pul-sok) [피나무과]
<i>Triumfetta japonica</i> Makino	Japanese burbark 고슴도치풀 (Go-seum-do-chi-pul)
<i>Trollius</i> L. [Ranunculaceae]	Globe-flower 금매화속 (Geum-mae-hwa-sok) [미나리아재비과]
<i>Trollius japonicus</i> Miq.	Backdusan globe-flower 애기금매화 (Ae-gi-geum-mae-hwa)
<i>Trollius ledebourii</i> Rchb.	Short-petal globe-flower 금매화 (Geum-mae-hwa)
<i>Trollius macropetalus</i> (Regel) F.Schmidt	Long-petal globe-flower 큰금매화 (Keun-geum-mae-hwa)
<i>Tsuga</i> (Endl.) Carrière [Pinaceae]	Hemlock 솔송나무속 (Sol-song-na-mu-sok) [소나무과]
<i>Tsuga diversifolia</i> (Maxim.) Mast.	Ulleungdo hemlock 솔송나무 (Sol-song-na-mu)
<i>Tubocapsicum</i> (Wettst.) Makino [Solanaceae]	Tubocapsicum 알꽈리속 (Al-kkwa-ri-sok) [가지과]

Scientific name	English name Korean name (Romanization)
<i>Tubocapsicum anomalum</i> (Franch. & Sav.) Makino	Naked ground berry 알꽈리 (Al-kkwa-ri)
<i>Tulipa</i> L. [Liliaceae]	Tulip 산자고속 (San-ja-go-sok) [백합과]
<i>Tulipa edulis</i> (Miq.) Baker	Edible tulip 산자고 (San-ja-go)
<i>Tylophora</i> R.Br. [Asclepiadaceae]	Tylophora 왜박주가리속 (Wae-bak-ju-ga-ri-sok) [박주가리과]
<i>Tylophora floribunda</i> Miq.	Many-flower tylophora 왜박주가리 (Wae-bak-ju-ga-ri)
<i>Typha</i> L. [Typhaceae]	Bulrush, Catninetail, Cattail, Corn dog grass, Cumbungi, Punks, Reedmace 부들속 (Bu-deul-sok) [부들과]
<i>Typha angustifolia</i> L.	Lesser cattail 애기부들 (Ae-gi-bu-deul)
<i>Typha latifolia</i> L.	Broad-leaf cattail 큰잎부들 (Keun-ip-bu-deul)
<i>Typha laxmannii</i> Lepech.	Slender cattail 꼬마부들 (Kko-ma-bu-deul)
<i>Typha orientalis</i> C.Presl	Oriental cattail 부들 (Bu-deul)
TYPHACEAE Juss.	Cattail family 부들과 (Bu-deul-gwa)
U	
ULMACEAE Mirb.	Elm family 느릅나무과 (Neu-reup-na-mu-gwa)
<i>Ulmus</i> L. [Ulmaceae]	Elm 느릅나무속 (Neu-reup-na-mu-sok) [느릅나무과]

Scientific name	English name Korean name (Romanization)
<i>Ulmus davidiana</i> Planch. ex DC.	David elm 당느릅나무 (Dang-neu-reup-na-mu)
<i>Ulmus davidiana</i> var. <i>japonica</i> (Rehder) Nakai	Wilson's elm 느릅나무 (Neu-reup-na-mu)
<i>Ulmus laciniata</i> (Trautv.) Mayr	Manchurian elm 난티나무 (Nan-ti-na-mu)
<i>Ulmus macrocarpa</i> Hance	Large-fruit elm 왕느릅나무 (Wang-neu-reup-na-mu)
<i>Ulmus × mesocarpa</i> M.Y.Kim & S.T.Lee	Medium-fruit elm 중느릅나무 (Jung-neu-reup-na-mu)
<i>Ulmus parvifolia</i> Jacq.	Lacebark elm 참느릅나무 (Cham-neu-reup-na-mu)
<i>Ulmus pumila</i> L.	Siberian elm 비술나무 (Bi-sul-na-mu)
<i>Urtica</i> L. [Urticaceae]	Nettle, Stinging nettles 쐐기풀속 (Sswae-gi-pul-sok) [쐐기풀과]
<i>Urtica angustifolia</i> Fisch. ex Hornem.	Narrow-leaf nettle 가는잎쐐기풀 (Ga-neun-ip-sswae-gi-pul)
<i>Urtica angustifolia</i> var. <i>sikokiana</i> (Makino) Ohwi	Long narrow-leaf nettle 긴꼬리쐐기풀 (Gin-kko-ri-sswae-gi-pul)
<i>Urtica laetevirens</i> Maxim.	Small-leaf nettle 애기쐐기풀 (Ae-gi-sswae-gi-pul)
<i>Urtica laetevirens</i> var. <i>robusta</i> F.Maek.	Island small-leaf nettle 섬쐐기풀 (Seom-sswae-gi-pul)
<i>Urtica thunbergiana</i> Siebold & Zucc.	East Asian nettle 쐐기풀 (Sswae-gi-pul)
URTICACEAE Juss.	Nettle family 쐐기풀과 (Sswae-gi-pul-gwa)
<i>Utricularia</i> L. [Lentibulariaceae]	Bladderwort 통발속 (Tong-bal-sok) [통발과]

Scientific name	English name Korean name (Romanization)
<i>Utricularia bifida</i> L.	Bifid bladderwort 땅귀개 (Ttang-gwi-gae)
<i>Utricularia intermedia</i> Hayne	Flatleaf bladderwort 개통발 (Gae-tong-bal)
<i>Utricularia multispinosa</i> (Miki) Miki	Lesser bladderwort 실통발 (Sil-tong-bal)
<i>Utricularia ochroleuca</i> R.W.Hartm.	Yellowish-white bladderwort 북통발 (Buk-tong-bal)
<i>Utricularia pilosa</i> (Makino) Makino	Asian golden bladderwort 들통발 (Deul-tong-bal)
<i>Utricularia racemosa</i> Wall. ex Walp.	Dense-flower bladderwort 이삭귀개 (I-sak-gwi-gae)
<i>Utricularia vulgaris</i> var. <i>japonica</i> (Makino) T.Yamanaka	Common bladderwort 통발 (Tong-bal)
<i>Utricularia yakusimensis</i> Masam.	Purple-flower bladderwort 자주땅귀개 (Ja-ju-ttang-gwi-gae)

V

<i>Vaccinium</i> L. [Ericaceae]	Blueberry 산앵도나무속 (San-aeng-do-na-mu-sok) [진달래과]
<i>Vaccinium bracteatum</i> Thunb.	Sea blueberry 모새나무 (Mo-sae-na-mu)
<i>Vaccinium hirtum</i> var. <i>koreanum</i> (Nakai) Kitam.	Korean blueberry 산앵도나무 (San-aeng-do-na-mu)
* <i>Vaccinium hirtum</i> var. <i>variegatum</i> Nakai ex T.Mori	Variegate Korean blueberry 색산앵도나무 (Saek-san-aeng-do-na-mu)
<i>Vaccinium japonicum</i> Miq.	Mountain blueberry 산매자나무 (San-mae-ja-na-mu)
<i>Vaccinium japonicum</i> var. <i>ciliaris</i> (Matsum.) Nakai	Hairy mountain blueberry 털매자 (Teol-mae-ja)
<i>Vaccinium oldhamii</i> Miq.	Oldham's blueberry 정금나무 (Jeong-geum-na-mu)

V

Scientific name	English name Korean name (Romanization)
<i>Vaccinium oldhamii</i> f. <i>glaucinum</i> (Nakai) Kitam.	Glaucous Oldham's blueberry 지포나무 (Ji-po-na-mu)
<i>Vaccinium oxycoccus</i> L.	Swamp blueberry 년출월귤 (Neon-chul-wol-gyul)
<i>Vaccinium oxycoccus</i> subsp. <i>microcarpus</i> (Turcz.) Kitam.	Small blueberry 애기월귤 (Ae-gi-wol-gyul)
<i>Vaccinium uliginosum</i> L.	Bog blueberry 들쭉나무 (Deul-jjuk-na-mu)
<i>Vaccinium uliginosum</i> var. <i>alpinum</i> Bigelow	Alpine bog blueberry 산들쭉나무 (San-deul-jjuk-na-mu)
<i>Vaccinium uliginosum</i> f. <i>depressum</i> Nakai ex Uyeki	Flat-bush bog blueberry 굽은들쭉나무 (Gul-geun-deul-jjuk-na-mu)
<i>Vaccinium uliginosum</i> f. <i>ellipticum</i> Nakai ex Uyeki	Elliptic-fruit bog blueberry 긴들쭉나무 (Gin-deul-jjuk-na-mu)
<i>Vaccinium vitis-idaea</i> L.	Cowberry 월귤 (Wol-gyul)
Valeriana L. [valerianaceae]	Valerian 쥐오줌풀속 (Jwi-o-jum-pul-sok) [마타리과]
<i>Valeriana amurensis</i> P.A.Smirn. ex Kom.	Amur valerian 설령쥐오줌풀 (Seol-ryeong-jwi-o-jum-pul)
<i>Valeriana dageletiana</i> Nakai ex F.Maek.	Wide-leaf valerian 넓은잎쥐오줌풀 (Neol-eun-ip-jwi-o-jum-pul)
<i>Valeriana dageletiana</i> var. <i>integra</i> (Nakai) Nakai ex F.Maek.	Long-leaf valerian 긴잎쥐오줌풀 (Gin-ip-jwi-o-jum-pul)
<i>Valeriana dageletiana</i> var. <i>verticillata</i> S.H.Park	Verticillate valerian 세잎쥐오줌풀 (Se-ip-jwi-o-jum-pul)
<i>Valeriana fauriei</i> Briq.	Korean valerian 쥐오줌풀 (Jwi-o-jum-pul)
<i>Valeriana fauriei</i> var. <i>dasyarpa</i> H.Hara	Dense-fruit valerian 광릉쥐오줌풀 (Gwang-reung-jwi-o-jum-pul)
<i>Valeriana fauriei</i> f. <i>coreana</i> (Briq.) H.Hara	Little valerian ombokjwi (Jom-jwi-o-jum)

Scientific name	English name Korean name (Romanization)
<i>Valeriana pulchra</i> Nakai	Kando valerian 간도취오줌풀 (Gan-do-jwi-o-jum-pul)
VALERIANACEAE Batsch	Valerian family 마타리과 (Ma-ta-ri-gwa)
<i>Vallisneria</i> L. [Hydrocharitaceae]	Eelgrass, Tape grass, Vallis 나사말속 (Na-sa-mal-sok) [자라풀과]
<i>Vallisneria natans</i> (Lour.) H.Hara	Asian tape grass 나사말 (Na-sa-mal)
<i>Vallisneria spinulosa</i> S.Z.Yan	Spinulose tape grass 낙동나사말 (Nak-dong-na-sa-mal)
<i>Veratrum</i> L. [Liliaceae]	False-hellebore, Corn lilies 여로속 (Yeo-ro-sok) [백합과]
<i>Veratrum bohnhoffii</i> var. <i>latifolium</i> Nakai	Samsu false-hellebore 삼수여로 (Sam-su-yeo-ro)
<i>Veratrum coreanum</i> O.Loes.	Halla false-hellebore 한라여로 (Han-ra-yeo-ro)
<i>Veratrum dahuricum</i> (Turcz.) Loes.	Dahurian false-hellebore 관모박새 (Gwan-mo-bak-sae)
<i>Veratrum dolichopetalum</i> O.Loes.	Long-petal false-hellebore 푸른박새 (Pu-reun-bak-sae)
<i>Veratrum maackii</i> Regel	Hairy false-hellebore 여로 (Yeo-ro)
<i>Veratrum maackii</i> var. <i>japonicum</i> (Baker) Shimizu	Korean meadow false-hellebore 긴잎여로 (Gin-ip-yeo-ro)
<i>Veratrum maackii</i> var. <i>parviflorum</i> (Maxim. ex Miq.) H.Hara	Blue false-hellebore 파란여로 (Pa-ran-yeo-ro)
<i>Veratrum nigrum</i> L.	Black false-hellebore 참여로 (Cham-yeo-ro)
<i>Veratrum oxysepalum</i> Turcz.	East Asian white false-hellebore 박새 (Bak-sae)

T

Scientific name	English name Korean name (Romanization)
<i>Veratrum versicolor</i> Nakai	White false-hellebore 흰여로 (Huin-yeo-ro)
<i>Veratrum versicolor</i> f. <i>brunnea</i> Nakai	Reddish-flower false-hellebore 붉은여로 (Bul-geun-yeo-ro)
<i>Veratrum versicolor</i> f. <i>viride</i> Nakai	Greenish flower false-hellebore 푸른여로 (Pu-reun-yeo-ro)
Verbena L. [Verbenaceae]	Vervain 마편초속 (Ma-pyeon-cho-sok) [마편초과]
<i>Verbena officinalis</i> L.	Common verbena 마편초 (Ma-pyeon-cho)
VERBENACEAE J.St.-Hil.	Verbena family 마편초과 (Ma-pyeon-cho-gwa)
Veronica L. [Scrophulariaceae]	Speedwell 개불알풀속 (Gae-bul-al-pul-sok) [현삼과]
<i>Veronica anagallis-aquatica</i> L.	Blue water speedwell 큰물칭개나물 (Keun-mul-ching-gae-na-mul)
<i>Veronica dahurica</i> Steven	Daurian spike speedwell 구와꼬리풀 (Gu-wa-kko-ri-pul)
<i>Veronica didyma</i> var. <i>lilacina</i> (H.Hara) T.Yamaz.	Wayside speedwell 개불알풀 (Gae-bul-al-pul)
<i>Veronica kiusiana</i> Furumi	Long-hairy spike speedwell 넓은잎꼬리풀 (Neol-beun-ip-kko-ri-pul)
<i>Veronica kiusiana</i> var. <i>diamantiaca</i> (Nakai) T.Yamaz.	Geumgangsan spike speedwell 봉래꼬리풀 (Bong-rae-kko-ri-pul)
<i>Veronica kiusiana</i> var. <i>glabrifolia</i> (Kitag.) Kitag.	Smooth-leaf spike speedwell 큰산꼬리풀 (Keun-san-kko-ri-pul)
<i>Veronica kiusiana</i> var. <i>villosa</i> Yamaz.	Villous spike speedwell 털넓은잎꼬리풀 (Teol-neol-beun-ip-kko-ri-pul)
<i>Veronica linariifolia</i> Pall. ex Link	Linear-leaf spike speedwell 꼬리풀 (Kko-ri-pul)

Scientific name	English name Korean name (Romanization)
<i>Veronica linariifolia</i> var. <i>dilatata</i> (Nakai & Kitag.) Nakai & Kitag.	Large linear-leaf spike speedwell 큰꼬리풀 (Keun-kko-ri-pul)
* <i>Veronica linariifolia</i> var. <i>villosula</i> (Nakai) T.B.Lee	Hairy linear-leaf spike speedwell 털꼬리풀 (Teol-kko-ri-pul)
* <i>Veronica linariifolia</i> f. <i>alba</i> T.B.Lee	White linear-leaf spike speedwell 흰꼬리풀 (Huin-kko-ri-pul)
<i>Veronica longifolia</i> L.	Long-leaf spike speedwell 긴산꼬리풀 (Gin-san-kko-ri-pul)
<i>Veronica nakaiana</i> Ohwi	Ulleungdo spike speedwell 섬꼬리풀 (Seom-kko-ri-pul)
<i>Veronica ovata</i> Nakai	Jejudo spike speedwell 넓은산꼬리풀 (Neol-beun-san-kko-ri-pul)
<i>Veronica peregrina</i> L.	Purslane speedwell 문모초 (Mun-mo-cho)
<i>Veronica pyrethrina</i> Nakai	Large-spike speedwell 큰구와꼬리풀 (Keun-gu-wa-kko-ri-pul)
<i>Veronica rotunda</i> Nakai	Round-leaf spike speedwell 둥근산꼬리풀 (Dung-geun-san-kko-ri-pul)
<i>Veronica rotunda</i> var. <i>coreana</i> (Nakai) T.Yamaz.	Korean spike speedwell 지리산꼬리풀 (Ji-ri-san-kko-ri-pul)
<i>Veronica rotunda</i> var. <i>subintegra</i> (Nakai) T.Yamaz.	Mountain spike speedwell 산꼬리풀 (San-kko-ri-pul)
* <i>Veronica stelleri</i> var. <i>longistyla</i> f. <i>rufescens</i> Y.N.Lee	Pink high-mountain speedwell 흰분홍두메투구꽃 (Huin-bun-hong-du-me-tu-gu-kot)
<i>Veronica stelleri</i> var. <i>longistyla</i> Kitag.	High-mountain speedwell 두메투구꽃 (Du-me-tu-gu-kkot)
<i>Veronica tenella</i> All.	Brightblue speedwell 방패꽃 (Bang-pae-kkot)
<i>Veronica undulata</i> Wall.	Undulate speedwell 물칭개나물 (Mul-ching-gae-na-mul)
Veronicastrum [Scrophulariaceae]	Veronicastrum 냉초속 (Naeng-cho-sok) [현삼과]

U

Scientific name	English name Korean name (Romanization)
<i>Veronicastrum sibiricum</i> (L.) Pennell	Siberian veronicastrum 냉초 (Naeng-cho)
<i>Veronicastrum tubiflorum</i> (Fisch. & C.A.Mey.) H.Hara	Willow-leaf veronicastrum 버들잎꼬리풀 (Beo-deul-ip-kko-ri-pul)
Viburnum L. [Caprifoliaceae]	Viburnum 산분꽃나무속 (San-bun-kkot-na-mu-sok) [인동과]
<i>Viburnum burejaeticum</i> Regel & Herder	Manchurian viburnum 산분꽃나무 (San-bun-kkot-na-mu)
<i>Viburnum carlesii</i> Hemsl.	Korean spice viburnum 분꽃나무 (Bun-kkot-na-mu)
<i>Viburnum dilatatum</i> Thunb.	Linden viburnum 가막살나무 (Ga-mak-sal-na-mu)
<i>Viburnum erosum</i> Thunb.	Leather-leaf viburnum 덜꿩나무 (Deol-kkwong-na-mu)
<i>Viburnum erosum</i> var. <i>taquetii</i> (H.Lév.) Rehder	Dissected-leaf viburnum 가새털꿩나무 (Ga-sae-deol-kkwong-na-mu)
<i>Viburnum erosum</i> var. <i>vegetum</i> Nakai	Large-leaf viburnum 개덜꿩나무 (Gae-deol-kkwong-na-mu)
<i>Viburnum furcatum</i> Blume	Forked viburnum 분단나무 (Bun-dan-na-mu)
<i>Viburnum japonicum</i> (Thunb.) Sprengel	Wax-leaf viburnum 푸른가막살 (Pu-reun-ga-mak-sal)
<i>Viburnum koreanicum</i> Nakai	Korean viburnum 배암나무 (Bae-am-na-mu)
<i>Viburnum odoratissimum</i> var. <i>awabuki</i> (K.Koch) Zabel ex Rümpler	Sweet viburnum 아왜나무 (A-wae-na-mu)
<i>Viburnum opulus</i> var. <i>calvescens</i> (Rehder) H.Hara	Smooth-cranberrybush viburnum 백당나무 (Baek-dang-na-mu)
* <i>Viburnum opulus</i> f. <i>puberulum</i> (Kom.) Sugim.	Hairy-cranberrybush viburnum 털백당나무 (Teol-baek-dang-na-mu)
<i>Viburnum wrightii</i> Miq.	Wright's viburnum 산가막살나무 (San-ga-mak-sal-na-mu)

Scientific name	English name Korean name (Romanization)
<i>Viburnum wrightii</i> var. <i>stipitatum</i> Nakai	Stipulate Wright's viburnum 덧잎가막살나무 (Deot-ip-ga-mak-sal-na-mu)
<i>Vicia L.</i> [Fabaceae]	Vetch 나비나물속 (Na-bi-na-mul-sok) [콩과]
<i>Vicia amurensis</i> Oett.	Amur vetch 별완두 (Beol-wan-du)
<i>Vicia amoena</i> Fisch. ex DC.	Cheder vetch 갈퀴나물 (Gal-kwi-na-mul)
* <i>Vicia amoena</i> f. <i>albiflora</i> Y.N.Lee	White cheder vetch 흰갈퀴나물 (Huin-gal-kwi-na-mul)
<i>Vicia amurensis</i> var. <i>pallida</i> (Turcz.) Kitag.	Pale Amur vetch 숲갈퀴나물 (Sup-gal-kwi-na-mul)
<i>Vicia anguste-pinnata</i> Nakai	Narrowly pinnate vetch 가는갈퀴나물 (Ga-neun-gal-kwi-na-mul)
<i>Vicia angustifolia</i> L. ex Reichard	Narrow-leaf vetch 가는살갈퀴 (Ga-neun-sal-gal-kwi)
<i>Vicia angustifolia</i> var. <i>minor</i> (Bertol.) Ohwi	Lesser narrow-leaf vetch 가는갈퀴 (Ga-neun-gal-kwi)
<i>Vicia angustifolia</i> var. <i>segetilis</i> (Thuill.) Arcang.	Infield narrow-leaf vetch 살갈퀴 (Sal-gal-kwi)
<i>Vicia bifolia</i> Nakai	Lesser two-leaf vetch 잔나비나물 (Jan-na-bi-na-mul)
<i>Vicia chosenensis</i> Ohwi	Yellow-flower vetch 노랑갈퀴 (No-rang-gal-kwi)
<i>Vicia cracca</i> L.	Turfed vetch 등갈퀴나물 (Deung-gal-kwi-na-mul)
* <i>Vicia heptajuga</i> Nakai	Seven-pair-leaflet vetch 선등갈퀴 (Seon-deung-gal-kwi)
<i>Vicia hirsuta</i> (L.) Gray	Hairy vetch 새완두 (Sae-wan-du)
<i>Vicia hirticalycina</i> Nakai	Korean bird vetch 나래완두 (Na-rae-wan-du)

Scientific name	English name Korean name (Romanization)
<i>Vicia japonica</i> A.Gray	Wide-leaf Asian vetch 넓은잎갈퀴 (Neol-beun-ip-gal-kwi)
<i>Vicia linearifolia</i> Y.N.Lee	Gyebang vetch 계방나비나물 (Gye-bang-na-bi-na-mul)
<i>Vicia nipponica</i> Matsum.	Four-leaf vetch 네잎갈퀴나물 (Ne-ip-gal-kwi-na-mul)
<i>Vicia pseudoorobus</i> Fisch. & C.A.Mey.	Large-leaf vetch 큰등갈퀴 (Keun-deung-gal-kwi)
<i>Vicia pseudoorobus</i> f. <i>albiflora</i> (Nakai) T.B.Lee	White large-leaf vetch 흰큰등갈퀴 (Huin-keun-deung-gal-kwi)
<i>Vicia tenuifolia</i> Roth	Fine-leaf vetch 가는등갈퀴 (Ga-neun-deung-gal-kwi)
<i>Vicia tetrasperma</i> (L.) Schreb.	Lentil vetch 얼치기완두 (Eol-chi-gi-wan-du)
<i>Vicia unijuga</i> A.Braun	Two-leaf vetch 나비나물 (Na-bi-na-mul)
<i>Vicia unijuga</i> var. <i>apoda</i> Nakai	Beautiful two-leaf vetch 꽃나비나물 (Kkot-na-bi-na-mul)
<i>Vicia unijuga</i> var. <i>ohwiana</i> (Hosok.) Nakai	Dense-flower two-leaf vetch 함경나비나물 (Ham-gyeong-na-bi-na-mul)
<i>Vicia unijuga</i> var. <i>ouensanensis</i> f. <i>albiflora</i> Y.N.Lee	White two-leaf vetch 흰큰나비나물 (Huin-keun-na-bi-na-mul)
<i>Vicia unijuga</i> var. <i>ouensanensis</i> H.Lév.	Large two-leaf vetch 큰나비나물 (Keun-na-bi-na-mul)
<i>Vicia unijuga</i> var. <i>venusta</i> Nakai	Sweet two-leaf vetch 광양나비나물 (Gwang-yang-na-bi-na-mul)
<i>Vicia unijuga</i> f. <i>albiflora</i> Nakai	White-beautiful two-leaf vetch 흰꽃나비나물 (Huin-kkot-na-bi-na-mul)
<i>Vicia unijuga</i> f. <i>angustifolia</i> Makino ex Ohwi	Narrow two-leaf vetch 긴잎나비나물 (Gin-ip-na-bi-na-mul)
<i>Vicia unijuga</i> f. <i>minor</i> Nakai	Hallasan two-leaf vetch 애기나비나물 (Ae-gi-na-bi-na-mul)

Scientific name	English name Korean name (Romanization)
<i>Vicia venosa</i> (Willd.) Maxim.	Venose vetch 연리갈퀴 (Yeon-ri-gal-kwi)
<i>Vicia venosa</i> var. <i>albiflora</i> (Turcz.) Maxim.	Northern meadow vetch 큰네잎갈퀴 (Keun-ne-ip-gal-kwi)
<i>Vicia venosa</i> var. <i>cuspidata</i> Maxim.	Gwangneung vetch 광릉갈퀴 (Gwang-reung-gal-kwi)
<i>Vigna</i> Savi [Fabaceae]	Cowpea 동부속 (Dong-bu-sok) [콩과]
<i>Vigna angularis</i> var. <i>nipponensis</i> (Ohwi) Ohwi & H.Ohashi	Wild red cowpea 새팥 (Sae-pat)
<i>Vigna nakashimae</i> (Ohwi) Ohwi & H.Ohashi	Common Asian cowpea 좀돌팥 (Jom-dol-pat)
<i>Vigna vexillata</i> var. <i>tsusimensis</i> Matsum.	Seashore black-eye cowpea 돌동부 (Dol-dong-bu)
<i>Viola</i> L. [Violaceae]	Violet 제비꽃속 (Je-bi-kkot-sok) [제비꽃과]
<i>Viola acuminata</i> Ledeb.	Long-stem violet 줄방제비꽃 (Jol-bang-je-bi-kkot)
<i>Viola acuminata</i> f. <i>glaberrima</i> (H.Hara) Kitam.	Glabrous-acuminate violet 민줄방제비꽃 (Min-jol-bang-je-bi-kkot)
<i>Viola albida</i> Palib.	Taebaek violet 태백제비꽃 (Tae-baek-je-bi-kkot)
<i>Viola albida</i> var. <i>chaerophylloides</i> (Regel) F.Maek. ex H.Hara	Namsan violet 남산제비꽃 (Nam-san-je-bi-kkot)
<i>Viola albida</i> f. <i>takahashii</i> (Makino) W.T.Lee	Maple-leaf violet 단풍제비꽃 (Dan-pung-je-bi-kkot)
<i>Viola biflora</i> L.	Arctic yellow violet 장백제비꽃 (Jang-baek-je-bi-kkot)
<i>Viola blandaeformis</i> Nakai	Thin-leaf violet 얇은잎제비꽃 (Yeol-beun-ip-je-bi-kkot)

V

Scientific name	English name Korean name (Romanization)
<i>Viola boissieuana</i> Makino	Delicate violet 각시제비꽃 (Gak-si-je-bi-kkot)
<i>Viola brevistipulata</i> var. <i>minor</i> Nakai	Hairy-yellow violet 털노랑제비꽃 (Teol-no-rang-je-bi-kkot)
<i>Viola collina</i> Besser	Hill violet 둥근털제비꽃 (Dung-geun-teol-je-bi-kkot)
<i>Viola crassa</i> Makino	Alpine violet 구름제비꽃 (Gu-reum-je-bi-kkot)
<i>Viola diamantiaca</i> Nakai	Geumgang violet 금강제비꽃 (Geum-gang-je-bi-kkot)
<i>Viola diamantiaca</i> f. <i>glabrior</i> (Kitag.) Kitag.	Glabrous Geumgang violet 민금강제비꽃 (Min-geum-gang-je-bi-kkot)
<i>Viola epipsila</i> Ledeb.	Dwarf-marsh violet 누운제비꽃 (Nu-un-je-bi-kkot)
<i>Viola grypoceras</i> A.Gray	Creeping Korean violet 낚시제비꽃 (Nak-si-je-bi-kkot)
<i>Viola grypoceras</i> var. <i>exilis</i> (Miq.) Nakai	Small creeping violet 애기낚시제비꽃 (Ae-gi-nak-si-je-bi-kkot)
<i>Viola grypoceras</i> var. <i>exilis</i> f. <i>albiflora</i> Nakai	White small creeping violet 흰애기낚시제비꽃 (Huin-ae-gi-nak-si-je-bi-kkot)
<i>Viola grypoceras</i> var. <i>pubescens</i> Nakai	Hairy creeping violet 털낚시제비꽃 (Teol-nak-si-je-bi-kkot)
<i>Viola hirtipes</i> S.Moore	White-hair violet 흰털제비꽃 (Huin-teol-je-bi-kkot)
<i>Viola hondoensis</i> W.Becker & H.Boissieu	Chinese-mallow-leaf violet 아욱제비꽃 (A-uk-je-bi-kkot)
<i>Viola ibukiana</i> Makino	Hwaomsa violet 화엄제비꽃 (Hwa-eom-je-bi-kkot)
<i>Viola japonica</i> Langsd. ex DC.	Japanese violet 왜제비꽃 (Wae-je-bi-kkot)
<i>Viola kapsanensis</i> Nakai	Gapsan violet 갑산제비꽃 (Gap-san-je-bi-kkot)

Scientific name	English name Korean name (Romanization)
* <i>Viola kapsanensis</i> f. <i>albiflora</i> (Nakai) T.B.Lee	White Gapsan violet 흰갑산제비꽃 (Huin-gap-san-je-bi-kkot)
<i>Viola keiskei</i> Miq.	Short-hair violet 잔털제비꽃 (Jan-teol-je-bi-kkot)
<i>Viola kusanoana</i> Makino	Northern long-stem violet 큰줄방제비꽃 (Keun-jol-bang-je-bi-kkot)
<i>Viola lactiflora</i> Nakai	Milky-white violet 흰젖제비꽃 (Huin-jeot-je-bi-kkot)
<i>Viola mandshurica</i> W.Becker	Manchurian violet 제비꽃 (Je-bi-kkot)
<i>Viola mirabilis</i> L.	Wonder violet 넓은잎제비꽃 (Neol-beun-ip-je-bi-kkot)
<i>Viola obtusa</i> (Makino) Makino	Musky violet 사향제비꽃 (Sa-hyang-je-bi-kkot)
<i>Viola orientalis</i> (Maxim.) W.Becker	Oriental yellow violet 노랑제비꽃 (No-rang-je-bi-kkot)
<i>Viola ovato-oblonga</i> (Miq.) Makino	Long-leaf violet 긴잎제비꽃 (Gin-ip-je-bi-kkot)
<i>Viola ovato-oblonga</i> f. <i>pubescens</i> F.Maek.	Hairy long-leaf violet 털긴잎제비꽃 (Teol-gin-ip-je-bi-kkot)
<i>Viola patrinii</i> DC. ex Ging.	White-flower violet 흰제비꽃 (Huin-je-bi-kkot)
<i>Viola phalacrocarpa</i> Maxim.	Red-flower violet 털제비꽃 (Teol-je-bi-kkot)
<i>Viola phalacrocarpa</i> f. <i>glaberrima</i> (W.Becker) F.Maek. ex H.Hara	Glabrous red-flower violet 민동제비꽃 (Min-dung-je-bi-kkot)
<i>Viola raddeana</i> Regel	Erect violet 선제비꽃 (Seon-je-bi-kkot)
<i>Viola rossii</i> Hemsl.	Conical-leaf violet 고깔제비꽃 (Go-kkal-je-bi-kkot)
<i>Viola sacchalinensis</i> H.Boissieu	Sakhalin violet 왜줄방제비꽃 (Wae-jol-bang-je-bi-kkot)

Scientific name	English name Korean name (Romanization)
<i>Viola selkirkii</i> Pursh ex Goldie	Great-spur violet 뫼제비꽃 (Moe-je-bi-kkot)
<i>Viola selkirkii</i> f. <i>albiflora</i> (Nakai) F.Maek. ex H.Hara	White Selkirk's violet 흰뫼제비꽃 (Huin-moe-je-bi-kkot)
<i>Viola seoulensis</i> Nakai	Seoul violet 서울제비꽃 (Seo-ul-je-bi-kkot)
<i>Viola takesimana</i> Nakai	Ulleungdo violet 섬제비꽃 (Seom-je-bi-kkot)
<i>Viola thibaudieri</i> Franch. & Sav.	Persicaria-leaf violet 여뀌잎제비꽃 (Yeo-kkwi-ip-je-bi-kkot)
<i>Viola tokubuchiana</i> var. <i>takedana</i> (Makino) F.Maek.	Sunny violet 민둥뫼제비꽃 (Min-dung-moe-je-bi-kkot)
<i>Viola variegata</i> Fisch. ex Link	Variegated-leaf violet 알록제비꽃 (Al-rok-je-bi-kkot)
<i>Viola variegata</i> var. <i>chinensis</i> Bunge	Purple variegated-leaf violet 자주알록제비꽃 (Ja-ju-al-rok-je-bi-kkot)
<i>Viola verecunda</i> A.Gray	Hidden violet 콩제비꽃 (Kong-je-bi-kkot)
<i>Viola verecunda</i> var. <i>semilunaris</i> Maxim.	Semilunar-leaf violet 반달콩제비꽃 (Ban-dal-kong-je-bi-kkot)
<i>Viola violacea</i> Makino	Purple-leaf violet 자주잎제비꽃 (Ja-ju-ip-je-bi-kkot)
<i>Viola Websteri</i> Hemsl.	Big violet 왕제비꽃 (Wang-je-bi-kkot)
<i>Viola woosanensis</i> Y.N.Lee & J.Kim	Ulleungdo sweet violet 우산제비꽃 (U-san-je-bi-kkot)
<i>Viola yamatsutae</i> Ishid. ex Kitag.	Kyeongseong violet 경성제비꽃 (Gyeong-seong-je-bi-kkot)
<i>Viola yazawana</i> Makino	Dwarf Geumgang violet 애기금강제비꽃 (Ae-gi-geum-gang-je-bi-kkot)
<i>Viola yedoensis</i> Makino	Field purpleflower violet 호제비꽃 (Ho-je-bi-kkot)

Scientific name	English name Korean name (Romanization)
VIOLACEAE Batsch	Violet family 제비꽃과 (Je-bi-kkot-gwa)
Viscum L. [Loranthaceae]	Mistletoe 겨우살이속 (Gyeo-u-sal-i-sok) [겨우살이과]
<i>Viscum album</i> var. <i>coloratum</i> (Kom.) Ohwi	Korean mistletoe 겨우살이 (Gyeo-u-sal-i)
<i>Viscum coloratum</i> f. <i>rubroaurantiacum</i> (Makino) Kitag.	Red-berry Korean mistletoe 붉은겨울살이 (Bul-geun-gyeo-ul-sal-i)
VITACEAE Juss.	Grape family 포도과 (Po-do-gwa)
Vitex L. [Verbenaceae]	Chastetree 순비기나무속 (Sun-bi-gi-na-mu-sok) [마편초과]
<i>Vitex negundo</i> var. <i>incisa</i> (Lam.) C.B.Clarke	Five-leaf chastetree 좀목형 (Jom-mok-hyeong)
<i>Vitex rotundifolia</i> L.f.	Beach vitex 순비기나무 (Sun-bi-gi-na-mu)
Vitis L. [Vitaceae]	Grape, Grapevines 포도속 (Po-do-sok) [포도과]
<i>Vitis amurensis</i> Rupr.	Amur grapevine 왕머루 (Wang-meo-ru)
<i>Vitis coignetiae</i> Pulliat ex Planch.	Crimson grapevine 마루 (Meo-ru)
<i>Vitis coignetiae</i> f. <i>glabrescens</i> (Nakai) H.Hara	Ulleungdo crimson grapevine 섬머루 (Seom-meo-ru)
<i>Vitis ficifolia</i> var. <i>sinuata</i> (Regel) H.Hara	Sinuate mulberry-leaf grapevine 까마귀머루 (Kka-ma-gwi-meo-ru)
<i>Vitis ficifolia</i> f. <i>glabrata</i> (Nakai) W.T.Lee	Smooth mulberry-leaf grapevine 청까마귀머루 (Cheong-kka-ma-gwi-meo-ru)
<i>Vitis flexuosa</i> Thunb.	Creeping grapevine 새머루 (Sae-meo-ru)

Scientific name	English name Korean name (Romanization)
VITTARIACEAE Ching	Shoestring fern family 일엽아재비과 (Il-yeop-a-jae-bi-gwa)
W	
<i>Wahlenbergia</i> Schrad. ex Roth [Campanulaceae]	Wahlenbergia 애기도록지속 (Ae-gi-do-ra-ji-sok) [초롱꽃과]
<i>Wahlenbergia marginata</i> (Thunb.) A.DC.	Southern rockbell 애기도라지 (Ae-gi-do-ra-ji)
<i>Waldsteinia</i> Willd. [Rosaceae]	Barren strawberry 나도양지꽃속 (Na-do-yang-ji-kkot-sok) [장미과]
<i>Waldsteinia ternata</i> (Stephan) Fritsch	Siberian barren strawberry 나도양지꽃 (Na-do-yang-ji-kkot)
<i>Wedelia</i> Jacq. [Asteraceae]	Creepingoxeye, Wedelia 깻금불초속 (Gaet-geum-gul-cho-sok) [국화과]
<i>Wedelia chinensis</i> (Osbeck) Merr.	Chinese wedelia 긴깻금불초 (Gin-gaet-geum-bul-cho)
<i>Wedelia prostrata</i> Hemsl.	Beach prostrating wedelia 깻금불초 (Gaet-geum-bul-cho)
<i>Weigela</i> Thunb. [Caprifoliaceae]	Weigela 병꽃나무속 (Byeong-kkot-na-mu-sok) [인동과]
<i>Weigela florida</i> (Bunge) A.DC.	Old-fashion weigela 붉은병꽃나무 (Bul-geun-byeong-kkot-na-mu)
<i>Weigela florida</i> f. <i>alba</i> (Carrière) Rehder	<u>see</u> <i>Weigela florida</i> (Bunge) A.DC.
<i>Weigela florida</i> f. <i>candida</i> (Voss) Rehder	<u>see</u> <i>Weigela florida</i> (Bunge) A.DC.
<i>Weigela florida</i> f. <i>subtricolor</i> Nakai	<u>see</u> <i>Weigela florida</i> (Bunge) A.DC.

Scientific name	English name Korean name (Romanization)
<i>Weigela hortensis</i> C.A.Mey.	Garden weigela 골병꽃나무 (Gol-byeong-kkot-na-mu)
<i>Weigela hortensis</i> f. <i>nivea</i> Bonard	Nivea garden weigela 흰골병꽃나무 (Huin-gol-byeong-kkot-na-mu)
<i>Weigela praecox</i> (Lemoine) L.H.Bailey	Early-blooming weigela 소영도리나무 (So-yeong-do-ri-na-mu)
<i>Weigela praecox</i> var. <i>pilosa</i> (Nakai) Nakai	Hairy early-flowering weigela 산소영도리나무 (San-so-yeong-do-ri-na-mu)
<i>Weigela subsessilis</i> (Nakai) L.H.Bailey	Korean weigela 병꽃나무 (Byeong-kkot-na-mu)
<i>Weigela subsessilis</i> var. <i>mollis</i> Uyeki	see <i>Weigela subsessilis</i> (Nakai) L.H.Bailey
<i>Weigela toensis</i> Nakai	see <i>Weigela subsessilis</i> (Nakai) L.H.Bailey
<i>Wikstroemia</i> Endl. [Thymelaeaceae]	False ohelo 산탁나무속 (San-dak-na-mu-sok) [팔꽃나무과]
<i>Wikstroemia ganpi</i> (Siebold & Zucc.) Maxim.	Geomundo false ohelo 거문도닥나무 (Geo-mun-do-dak-na-mu)
<i>Wikstroemia trichotoma</i> (Thunb.) Makino	Montane false ohelo 산탁나무 (San-dak-na-mu)
<i>Wisteria</i> Nutt. [Fabaceae]	Wisteria 등속 (Deung-sok) [콩과]
<i>Wisteria floribunda</i> (Willd.) DC.	Japanese wisteria 등 (Deung)
<i>Wisteria floribunda</i> f. <i>alba</i> Rehder & E.H.Wilson	White Japanese wisteria 흰등 (Huin-deung)
<i>Wolffia</i> Horkel ex Schleid. [Lemnaceae]	Duckweed, Watermeal 분개구리밥속 (Bun-gae-gu-ri-bap-sok) [개구리밥과]
<i>Wolffia arrhiza</i> (L.) Horkel ex Wimm.	Rootless watermeal 분개구리밥 (Bun-gae-gu-ri-bap)

W

Scientific name	English name Korean name (Romanization)
<i>Woodsia</i> R.Br. [Dryopteridaceae]	Cliff fern, Woodsia 우드풀속 (U-deu-pul-sok) [면마과]
<i>Woodsia glabella</i> R.Br. ex Richards	Smooth woodsia 애기ガ률고사리 (Ae-gi-ga-mul-go-sa-ri)
<i>Woodsia ilvensis</i> (L.) R.Br.	Rusty woodsia 두메우드풀 (Du-me-u-deu-pul)
<i>Woodsia intermedia</i> Tagawa	Intermediate woodsia 줌우드풀 (Jom-u-deu-pul)
<i>Woodsia macrochlaena</i> Mett. ex Kuhn	Wide-blade woodsia 참우드풀 (Cham-u-deu-pul)
<i>Woodsia manchuriensis</i> Hook.	Manchurian woodsia 만주우드풀 (Man-ju-u-deu-pul)
<i>Woodsia microsora</i> Kodama	Geumgang woodsia 금강가률고사리 (Geum-gang-ga-mul-go-sa-ri)
<i>Woodsia polystichoides</i> D.C.Eaton	Holly-fern woodsia 우드풀 (U-deu-pul)
<i>Woodsia polystichoides</i> f. <i>sinuata</i> (Hook.) Kitag.	Sinuate holly-fern woodsia 애기면모고사리 (Ae-gi-myeon-mo-go-sa-ri)
<i>Woodsia pseudoilvensis</i> Tagawa	False-elba woodsia 매가률고사리 (Me-ga-mul-go-sa-ri)
<i>Woodsia saitoana</i> Tagawa	Korean woodsia 좁쌀우드풀 (Jop-ssal-u-deu-pul)
<i>Woodsia subcordata</i> Turcz.	Subcordate woodsia 산우드풀 (San-u-deu-pul)
<i>Woodwardia</i> Sm. [Blechnaceae]	Chain fern 새깃아재비속 (Sae-git-a-jae-bi-sok) [새깃아재비과]
<i>Woodwardia japonica</i> (L.f.) Sm.	Asian chain fern 새깃아재비 (Sae-git-a-jae-bi)

Scientific name	English name Korean name (Romanization)
X	
<i>Xylosma</i> G.Forst. [Flacourtiaceae]	Brushhollyes, Xylosmas 산유자나무속 (San-yu-ja-na-mu-sok) [산유자나무과]
<i>Xylosma congesta</i> (Lour.) Merr.	Shiny xylosma 산유자나무 (San-yu-ja-na-mu)
Y	
<i>Youngia</i> Cass. [Asteraceae]	Youngia 뽀리뱅이속 (Ppo-ri-baeng-i-sok) [국화과]
<i>Youngia japonica</i> (L.) DC.	Oriental false hawksbeard 뽀리뱅이 (Ppo-ri-baeng-i)
<i>Youngia japonica</i> subsp. <i>longiflora</i> Babc. & Stebbins	Long-head oriental false hawksbeard 긴꽃뽀리뱅이 (Gin-kkot-ppo-ri-baeng-i)
Z	
<i>Zannichellia</i> L. [Potamogetonaceae]	Horned pondweed 뿔말속 (Ppul-mal-sok) [가래과]
<i>Zannichellia palustris</i> L.	Horned pondweed 뿔말 (Ppul-mal)
<i>Zanthoxylum</i> L. [Rutaceae]	Prickly-ash 초피나무속 (Cho-pi-na-mu-sok) [운향과]
<i>Zanthoxylum ailanthoides</i> Siebold & Zucc.	Alianthus-like prickly-ash 머귀나무 (Meo-gwi-na-mu)
<i>Zanthoxylum coreanum</i> Nakai	Large-leaflet prickly-ash 왕초피나무 (Wang-cho-pi-na-mu)
<i>Zanthoxylum fauriei</i> (Nakai) Ohwi	Lesser alianthus-like prickly-ash 좀머귀나무 (Jom-meo-gwi-na-mu)
<i>Zanthoxylum piperitum</i> (L.) DC.	Cho-phi (Korean pepper) 초피나무 (Cho-pi-na-mu)

X

Y

Z

Scientific name	English name Korean name (Romanization)
<i>Zanthoxylum piperitum</i> f. <i>pubescens</i> (Nakai) W.T.Lee	Hairy Korean prickly-ash 털초피나무 (Teol-cho-pi-na-mu)
<i>Zanthoxylum planispinum</i> Siebold & Zucc.	Winged prickly-ash 개산초 (Gae-san-cho)
<i>Zanthoxylum schinifolium</i> Siebold & Zucc.	Mastic-leaf prickly ash 산초나무 (San-cho-na-mu)
<i>Zanthoxylum schinifolium</i> var. <i>inermis</i> (Nakai) T.B.Lee	Smooth mastic-leaf prickly ash 민산초나무 (Min-san-cho-na-mu)
* <i>Zanthoxylum schinifolium</i> f. <i>microphyllum</i> (Nakai) W.T.Lee	Small mastic-leaf prickly ash 좀산초나무 (Jom-san-cho-na-mu)
Zelkova Spach [Ulmaceae]	Zelkova 느티나무속 (Neu-ti-na-mu-sok) [느릅나무과]
<i>Zelkova serrata</i> (Thunb.) Makino	Sawleaf zelkova 느티나무 (Neu-ti-na-mu)
Zizania L. [Poaceae]	Wild rice 줄속 (Jul-sok) [벼과]
<i>Zizania latifolia</i> (Griseb.) Turcz. ex Stapf	Manchurian wild rice 줄 (Jul)
Zizyphus Adans. [Rhamnaceae]	Zizyphus 대추나무속 (Dae-chu-na-mu-sok) [갈매나무과]
<i>Zizyphus jujuba</i> Mill.	Jujube 뭣대추나무 (Moet-dae-chu-na-mu)
* <i>Zizyphus jujuba</i> var. <i>hoonensis</i> (Kawamoto) T.B.Lee	Boeun jujube 보은대추나무 (Bo-eun-dae-chu-na-mu)
Zostera L. [Zosteraceae]	Eelgrass, Marine eelgrass, Simply eelgrass 거머리말속 (Geo-meo-ri-mal-sok) [거머리말과]
<i>Zostera asiatica</i> Miki	Asian eelgrass 왕거머리말 (Wang-geo-meo-ri-mal)

Scientific name	English name Korean name (Romanization)
<i>Zostera caespitosa</i> Miki	Tufted eelgrass 포기거머리말 (Po-gi-geo-meo-ri-mal)
<i>Zostera caulescens</i> Miki	Northeastern eelgrass 수거머리말 (Su-geo-meo-ri-mal)
<i>Zostera geojeensis</i> H.Shin, Cho & Y.S.Oh	Sub-nod eelgrass 좀마디거머리말 (Jom-ma-di-geo-meo-ri-mal)
<i>Zostera japonica</i> Asch. & Graebn.	Dwarf eelgrass 애기거머리말 (Ae-gi-geo-meo-ri-mal)
<i>Zostera marina</i> L.	Common eelgrass 거머리말 (Geo-meo-ri-mal)
ZOSTERACEAE Dumort.	Eelgrass family, Seagrass family 거머리말과 (Geo-meo-ri-mal-gwa)
<i>Zoysia</i> Willd. [Poaceae]	Lawngrass, Zoysia Willd, Zoysiagrass 잔디속 (Jan-di-sok) [벼과]
<i>Zoysia japonica</i> Steud.	Korean lawngrass 잔디 (Jan-di)
<i>Zoysia japonica</i> var. <i>pallida</i> Nakai ex Honda	Pale Korean lawngrass 푸른잔디 (Pu-reun-jan-di)
<i>Zoysia macrostachya</i> Franch. & Sav.	Big-spike lawngrass 왕잔디 (Wang-jan-di)
<i>Zoysia sinica</i> Hance	Seaside lawngrass 갯잔디 (Gaet-jan-di)
<i>Zygadenus</i> Endl. [Liliaceae]	Zygadenus 나도여로속 (Na-do-yeo-ro-sok) [백합과]
<i>Zygadenus sibiricus</i> (L.) A.Gray	Siberian death camas 나도여로 (Na-do-yeo-ro)
ZYGOPHYLLACEAE R.Br.	Caltrop family 남가새과 (Nam-ga-sae-gwa)

Z

A

- Abelia 89 / 332
 Abundant-flower meliosma 63 / 537
Acanthaceae Juss 258 / 333
Acanthus family 258 / 333
 acaton grasses 83 / 644
Achlys 183 / 335
Aconite 299 / 336
Aconogonon 198 / 337
Actinidia 82 / 338
Actinostemma 104 / 339
 Acuminate goosefoot 99 / 406
 Acuminate-leaf pondweed 108 / 587
 Acuminate-leaf snoutbean 284 / 606
 Acute-leaf evergreen spindletree 260 / 410
 155 / 463
 Acute-leaf Indian dendranthema 4 / 436
 Acute-leaf sneezewort yarrow 286 / 335
 Acute-serrate white oak 246 / 599
 Acute-tip adonis 182 / 342
 Acute-tip-fruit lousewort 278 / 563
Acuti variabilis oak 240 / 599
 Adder's tongue 211 / 462
 Adder's tongue family 34 / 551
 Adder's-tongue ferns 62 / 552
Adderstongue 62 / 552
Adenostemma 119 / 341
Adina 42 / 342
Adlumia 257 / 342
Adonis 145 / 342
Adoxa 214 / 342
Aeginetia 209 / 343
 Aggregate Korean red pine 69 / 575
 Aging chive 96 / 348
Agrimony 265 / 343
Ainsliaea 83 / 344
Aizoon stonecrop 2 / 632
Ajania 186 / 344
Akebia 227 / 345
 Akebian fruit orchid 227 / 433
Alangium 132 / 345
Alangium family 132 / 345
Alaska knotweed 146 / 583
Albizia 231 / 345
Albizzias 231 / 345
 Alder 216 / 348
 Aleutian groundsel 168 / 635
 Aleutian managrass 96 / 481
 Alianthus-like prickly-ash 111 / 683
Aliena × *mongolica* oak 145 / 601
Aliena × *serrata* oak 12 / 601
Alkaligrass 10 / 595
Allheal 60 / 590
 Alpine bearberry 315 / 357
Alpine bistort 200 / 374
Alpine bittercress 204 / 387
Alpine bog blueberry 160 / 668
Alpine broad-leaf allium 160 / 348
Alpine buckler fern 301 / 447
Alpine bulrush 209 / 661
Alpine burnet 97 / 620
Alpine calamint 97 / 416
Alpine carpesium 96 / 400
Alpine clubmoss 163 / 529
Alpine coronate sawwort 307 / 635
Alpine dentate skullcap 190 / 631
Alpine enchanter's nightshade
 260 / 410
Alpine forget-me-not 165 / 461
Alpine goutweed 222 / 343
Alpine juniper 37 / 505
Alpine knotweed 198 / 337
Alpine lapland rosebay 85 / 605
Alpine lupine clover 242 / 662
Alpine milkvetch 176 / 368
Alpine modest primrose 176 / 589
Alpine monk's-hood 11 / 336
Alpine pearlwort 29 / 615
Alpine pearly everlasting 40 / 351
Alpine pink 41 / 440
Alpine pondweed 254 / 586
Alpine reedgrass 148 / 381
Alpine sainfoin sweetvetch 72 / 486
Alpine scabious 41 / 626
Alpine self-heal 96 / 590
Alpine sheep's fescue 96 / 469
Alpine sweetgrass 167 / 489
Alpine sweetvetch 116 / 486
Alpine three-leaf ladybell 35 / 341
Alpine timothy 165 / 570
Alpine vernalgrass 302 / 354
Alpine violet 41 / 676
Alpine willow 110 / 616
Alpine yarrow 299 / 335
Alpine-snowbed gentian 112 / 477
Alpine-swamp groundsel 121 / 654
Alplily 14 / 524
Alternate-flower thread sedge 175 / 398
Amaranth 152 / 349
Amaranth family 152 / 349
Amaryllis family 191 / 349
American searocket 172 / 381
American silvertop 26 / 480
American sloughgrass 23 / 371
American yellowrocket 62 / 371
Amethystea 23 / 350
Amitostigma 143 / 350
Ammannia 249 / 350
 Amplexicaul swallow-wort 187 / 429
Amrok angelica 168 / 354
Amrokgang sedge 269 / 393
Amur adonis 145 / 342
Amur anemone 100 / 352
Amur angelica 260 / 353
Amur barberry 110 / 371
Amur cherry 177 / 590
Amur choke cherry 18 / 591
Amur corktree 316 / 569
Amur daylily 284 / 487
Amur grapevine 219 / 679
Amur honeysuckle 40 / 525
Amur jack-in-the-pulpit 99 / 358
Amur linden 305 / 657
Amur maackia 82 / 531
Amur maple 196 / 334
Amur mountain ash 85 / 641
Amur mouse-ear chickweed 10 / 404
Amur ninebark 159 / 572
Amur Northern bedstraw 72 / 474
Amur poppy 325 / 559
Amur rose 172 / 609
Amur saussurea 139 / 622
Amur silvergrass 121 / 541
Amur stoncrop 290 / 633
Amur valerian 176 / 668
Amur vetch 141 / 673
Amur wallflower 146 / 461
Amur water-chestnut 318 / 660
Amur willowherb 312 / 456
Amur wood fern 201 / 446
Amur yellow-flower broomrape
 203 / 554
Anagallidium 87 / 351
Anemone 129 / 352
Anemone cinquefoil 6 / 587
Angelica 85 / 353
Angular willowherb 96 / 456
Aniseed tree 151 / 496
Anisetree 151 / 496
Anmyondo wide-bract solomon's seal
 201 / 581
Annual bluegrass 171 / 579
Annual mitrewort 141 / 542
Annual rabbit's-foot grass 26 / 583
Antlerfern 118 / 405
Aphananthe 303 / 354
Appendicular sedge 104 / 399
Apple 155 / 533
Apricot fern 245 / 449
Arabidopsis 208 / 355
Arabidopsis 208 / 355
Aralia family 95 / 357
Arborvitae 80 / 656

Arching hollyfern 163 / 433
 Arctic daisy 159 / 436
 Arctic raspberry 309 / 611
 Arctic starflower 48 / 662
 Arctic stitchwort 61 / 540
 Arctic yellow violet 238 / 675
 Arctous 315 / 357
 Arenaria 142 / 358
 Argus groundsel 200 / 634
 Aristate goosefoot 128 / 407
 Aristate mitra sedge 31 / 395
 Aristate sweetroot 51 / 555
 Arrow bamboo 228 / 593
 Arrow grass family 261 / 503
 Arrowgrass 261 / 662
 Arrowhead 144 / 615
 Arrowhead-leaf ragwort 315 / 517
 Arrow-leaf smartweed 123 / 566
 Articulation-bearing spodiopogon 48 / 644
 Arum family 273 / 356
 Aruncus 21 / 362
 Arundinella 294 / 362
 Ash 122 / 472
 Ashgrey sedge 317 / 390
 Ashy pipewort 36 / 460
 Asian baneberry 77 / 338
 Asian beach jackbean 309 / 386
 Asian beaked hazel 266 / 423
 Asian bentgrass 32 / 344
 Asian birdsfoot-trefoil 140 / 527
 Asian bistort 141 / 374
 Asian bittercress 81 / 387
 Asian black birch 119 / 373
 Asian blue cohosh 60 / 401
 Asian bluestar 240 / 351
 Asian burnet 4 / 621
 Asian buttercup 240 / 601
 Asian chain fern 169 / 682
 Asian coastal wormwood 283 / 360
 Asian common ladyfern 138 / 370
 Asian common sweepseed 66 / 648
 Asian copperleaf 55 / 333
 Asian crowngrass 269 / 562
 Asian cutgrass 32 / 512
 Asian dayflower 84 / 418
 Asian dwarf pennywort 176 / 493
 Asian eelgrass 218 / 684
 Asian fawnlily 211 / 462
 Asian five-minute grass 27 / 663
 Asian flatsedge 133 / 430
 Asian flowering ash 189 / 472
 Asian golden bladderwort 101 / 667
 Asian goldenrod 124 / 640
 Asian greater celandine 205 / 406

Asian hairy-scale hollyfern 293 / 357
 Asian hazel 21 / 423
 Asian hedgehyssop 279 / 482
 Asian herb bennet 138 / 480
 Asian hornbeam 20 / 400
 Asian jack-in-the-pulpit 116 / 359
 Asian lacquer tree 90 / 659
 Asian leafless bird's nest orchid 206 / 548
 Asian liverleaf 76 / 488
 Asian lizard's tail 167 / 622
 Asian lobelia 191 / 524
 Asian lopseed 300 / 570
 Asian madder 57 / 610
 Asian marshweed 42 / 520
 Asian mazus 256 / 535
 Asian milkwort 97 / 581
 Asian minor rabbit's-foot grass 188 / 583
 Asian mitchella 313 / 542
 Asian mock orange 57 / 569
 Asian montane woodruff 157 / 364
 Asian moonseed 170 / 537
 Asian mountain fringe 257 / 342
 Asian murainagrass 26 / 500
 Asian oak fern 166 / 483
 Asian pearlwort 17 / 615
 Asian pearly everlasting 82 / 351
 Asian pink 192 / 439
 Asian pogonia 282 / 580
 Asian prince's pine 110 / 407
 Asian red raspberry 111 / 612
 Asian royal fern 34 / 556
 Asian seashore saltbush 25 / 370
 Asian serviceberry 272 / 350
 Asian single-sorus sleepwort 265 / 365
 Asian siphonostegia 239 / 638
 Asian sprangletop 100 / 514
 Asian spring stitchwort 168 / 540
 Asian subulate fescue 218 / 468
 Asian supplejack 109 / 372
 Asian surfgrass 31 / 571
 Asian swamp groundsel 187 / 635
 Asian sweetleaf 77 / 650
 Asian tape grass 67 / 669
 Asian tearthumb 112 / 566
 Asian trailplant 112 / 339
 Asian twinleaf 55 / 503
 Asian twinsorus fern 202 / 443
 Asian vetch-like sweetvetch 66 / 486
 Asian walking fern 29 / 385
 Asian water plantain 264 / 346
 Asian water-nymph 95 / 546
 Asian white swallow-wort 126 / 429
 Asian wild flax 21 / 522
 Asian willow-leaf yellowhead 138 / 498

Asian yellow spring bedstraw 185 / 475
 Asian eightpetal dryas 84 / 446
 Asian jasmine 106 / 660
 Asian knotweed 313 / 467
 Asian northern willowherb 257 / 456
 Asian pennywort 143 / 403
 Asian plantain 264 / 576
 Asian platanthera 73 / 577
 Asian sand sedge 299 / 393
 Asparagus 153 / 363
 Asphodel 174 / 658
 Aspleniaceae Newman 56 / 364
 Aster 271 / 365
 Astilboides 18 / 367
 Asymmetric spleenwort 80 / 365
 Attractylodes 168 / 370
 Attenuate St. Johnswort 272 / 495
 Attractive hollyfern 188 / 356
 Aucuba 196 / 370
 Augustinowicz's sedge 148 / 389
 Auricled widelip orchid 308 / 522
 Australian dodder 197 / 427
 Australian laurel 92 / 576
 Autumn cudweed 46 / 593
 Autumn fern 315 / 447
 Autumn olive 144 / 451
 Autumnal-sand sedge 78 / 389
 Autumn-flower olive 144 / 451
 Avens 138 / 479
 Awl-fruit sedge 210 / 398
 Awned rice flatsedge 47 / 431
 Awned vernalgrass 54 / 354
 Awnless velvet bentgrass 125 / 344
 Azalea 262 / 604

B

Baby Asian platanthera 208 / 577
 Baby buckler fern 208 / 448
 Baby-saw autumn fern 208 / 447
 Baby's-breath 87 / 484
 Baekdu sedge 135 / 396
 Baekdusan gentian 135 / 477
 Baekdusan birch 136 / 373
 Baekdusan bittercress 96 / 387
 Baekdusan globe-flower 204 / 664
 Baekdusan lanciniata rockfoil 136 / 625
 Baekdusan ponerochis 71 / 585
 Baekdusan primrose 250 / 589
 Baekdusan spurge 135 / 465
 Baekun flowering ash 137 / 473
 Baekun hogfennel 137 / 567
 Baekun kuhlhasseltia orchid 137 / 507
 Baekun saussurea 137 / 623
 Baekun wild pear 137 / 598

Baekyang broomrape 137 / 554	Beard Northeast Asian alder 309 / 349	Big-ear twinsorus fern 255 / 444
Bagflower 78 / 415	Beard white deadnettle 38 / 509	Big-flower alpine lousewort 283 / 562
Bahiagrasses 270 / 562	Bearded cow-wheat 192 / 536	Big-flower bittercress 286 / 388
Baical meadow-rue 131 / 655	Bearded fringe gentian 192 / 478	Big-flower clematis 280 / 414
Bakdal birch 131 / 373	Bearded maple 275 / 333	Big-flower lady's slipper 145 / 432
Bakha 132 / 537	Bearded wildmint 292 / 537	Big-flower ladybell 91 / 339
Baeunksan daylily 137 / 487	Beardgrass 129 / 376	Big-flower lousewort 283 / 562
Balloon-flower 91 / 578	Beardless iris 185 / 499	Big-flower morning-star lily 286 / 519
Balsam family 145 / 371	Beautiful corydalis 158 / 423	Big-head saussurea 288 / 623
Bamboo 219 / 572	Beautiful eulalia 21 / 462	Big lady's slipper orchid 220 / 432
Bamboo fern 8 / 418	Beautiful-flower water iris 59 / 498	Big-leaf damnacanthus 193 / 434
Bamboo-leaf oak 8 / 600	Beautiful ladybell 46 / 340	Big-leaf golden saxifrage 129 / 409
Bamboo-leaf pondweed 86 / 586	Beautiful two-leaf vetch 58 / 674	Big-leaf hare's ear 21 / 380
Baneberry 77 / 338	Beautiful Wolf's lilac 57 / 652	Big-leaf tick clover 91 / 439
Bangahpul 134 / 501	Beautiful-woodland bittercress 59 / 387	Big male-scale sedge 275 / 394
Barberry 110 / 371	Beautyberry 235 / 383	Big muhly 285 / 545
Barberry family 110 / 371	Bedstraw 12 / 474	Big nightshade 219 / 640
Barley-like orchid 313 / 379	Beech 71 / 467	Big pipewort 279 / 460
Barnyard grass 94 / 305 / 450	Beech family 267 / 467	Big-root cymbidium 88 / 428
Barnyard millets 305 / 450	Beech fern 176 / 568	Big shaggy wood fern 286 / 447
Barren strawberry 64 / 680	Beggar lice 91 / 438	Big-spike lawnglass 220 / 685
Barrenwort 168 / 457	Beggarticks 91 / 373	Big springparsley 285 / 428
Barundi sacaton grass 65 / 645	Beijing mock orange 203 / 569	Big sticky smartweed 281 / 567
Basally-pored-seed buckthorn 265 / 603	Belamcanda 141 / 371	Big-tongue jack sedge 207 / 392
Basketgrass 256 / 552	Bellard's kobresia 249 / 506	Big twinsorus fern 279 / 443
Basswood 305 / 657	Bellflower 276 / 385	Big unequal-lobe brake fern 282 / 595
Bayberry 183 / 545	Bellflower family 276 / 385	Big violet 220 / 678
Bayberry family 183 / 546	Benjamin bush 172 / 521	Big-wheat sedge 219 / 394
Bay-rum tree 183 / 545	Bent 32 / 343	Bighead carpesium 213 / 400
Bay-tree 318 / 532	Bent-beak sedge 26 / 393	Bijindo bean 153 / 449
Beach bluebell 27 / 538	Bentgrass 32 / 343	Billion-dollar grasses 305 / 450
Beach morning glory 25 / 384	Bermuda grass 224 / 430	Bilobed grewia 237 / 483
Beach pink 181 / 440	Berry catchfly 90 / 636	Bindweed 112 / 384
Beach prostrating wedelia 25 / 680	Berteroella 237 / 372	Bindweed family 112 / 419
Beach-sand aster 177 / 365	Betony 174 / 645	Biond's hackberry 302 / 402
Beach silvertop 26 / 480	Betony-leaf mazus 175 / 535	Bipinnate lace fern 54 / 539
Beach vetchling 27 / 510	Bibaldo seashore linden 22 / 658	Birch 233 / 372
Beach vitex 193 / 679	Bibari skullcap 152 / 631	Birch family 233 / 373
Beach wormwood 325 / 361	Bifid bladderwort 102 / 667	Bird cherry 44 / 591
Bead-root orchid 200 / 489	Biflorate wedgelet fern 25 / 642	Bird's egg cucumber 170 / 537
Bead selaginella 42 / 634	Big Asian platanthera 285 / 577	Bird's nest orchid 170 / 548
Beaded yellow corydalis 214 / 422	Big attenuate St. Johnswort 279 / 495	Bird's-nest fern 300 / 364
Beadfern 239 / 495	Big autumn fern 285 / 447	Bird-foot forest poppy 170 / 493
Beads linden 214 / 657	Big beaksedge 279 / 607	Birdleg dimeria 235 / 442
Beak sedge 282 / 397	Big blu lilyturf 111 / 523	Biro gentian 152 / 476
Beak willow 212 / 618	Big bog bulrush 187 / 628	Birthroot 214 / 663
Beaked-fruit narrow mitra sedge 146 / 397	Big-bract hare's ear 101 / 379	Birthwort 214 / 259 / 359 / 663
Beakgrain 224 / 440	Big-bract monk's-hood 175 / 337	Birthwort family 259 / 359
Beakrush 37 / 606	Big breea 285 / 378	Biseul false-starwort 153 / 593
Beaksedge 37 / 606	Big bristled-leaf cow-wheat 170 / 536	Bishop's caps 63 / 542
Beard filmy fern 192 / 494	Big buckler fern 285 / 448	Bishop's hat 168 / 457
Beard grass 188 / 583	Big caudate hollyfern 284 / 357	Bistort 106 / 141 / 374 / 582
Beard Hackel's cleistogenes 192 / 413	Big clubmoss 219 / 491	Bitter fleabane 125 / 459
	Big cross holly fern 284 / 585	Bittercress 316 / 386
	Big-ear spleenwort 23 / 364	Bitterswee 77 / 402

Bittersweet family 77 / 402	Blueberry 163 / 667	Brilliant campion 291 / 528
Bitterwood 184 / 573	Blue-eye grass 101 / 638	Bristle dontostemon 280 / 445
Black amplexicaul swallow-wort 30 / 429	Bluegrass 302 / 578	Bristle honeysuckle 290 / 526
Black bedstraw 30 / 474	Blue-leaf white oak 273 / 599	Bristle oriental bittersweet 15 / 402
Black climbing swallow-wort 318 / 429	Blue-scarlet pimpernel 104 / 351	Bristle woundwort 294 / 645
Black crucifera habenaria 134 / 484	Bluestar 240 / 351	Bristled false-starwort 194 / 594
Black false-hellebore 270 / 669	Bluestem 129 / 190 / 376 / 627	Bristled-fruit bedstraw 291 / 475
Black honeysuckle 202 / 526	Bluethread 139 / 380	Bristlegrass 14 / 635
Black jack 91 / 373	Bluish dendranthema 69 / 436	Bristle-hair aster 27 / 366
Black jetbead 143 / 606	Blunt-leaf sandwort 18 / 542	Bristleless spikerush 217 / 453
Black northern asphodel 30 / 659	Blunt-leaf sea milkwort 26 / 480	Bristle-tip edelweiss 163 / 513
Black pine 37 / 575	Blunt-lobe spicebush 172 / 521	Bristly fruit lacquer tree 22 / 660
Black pipewort 30 / 460	Blyxa 217 / 375	Bristly-margin angelica 272 / 353
Black sweetleaf 30 / 650	Boat orchid 144 / 428	Bristly yarrow 297 / 335
Black verticillate paris 30 / 561	Boeun jujube 144 / 684	Brittle false pimpernel 223 / 522
Blackberry 160 / 611	Bog arum 162 / 382	Brittle water-nymph 298 / 547
Black-berry magnolia vine 318 / 627	Bog blueberry 101 / 668	Broad arrow-head smartweed 73 / 566
Black-cone Korean fir 30 / 333	Bog bulrush 251 / 628	Broad evergreen witch hazel 74 / 444
Black-end swallow-wort 136 / 429	Bog chickweed 141 / 645	Broad flat rock tree 154 / 532
Black-flower Korean clematis 223 / 414	Bog orchid 310 / 484	Broad-leaf bamboo 244 / 621
Black-flower lespedeza 30 / 516	Bog rosemary 238 / 351	Broad-leaf bamboo 243 / 622
Black-flower widelip orchid 318 / 523	Bog sedge 249 / 506	Broad-leaf cattail 284 / 665
Black-fruit hackberry 31 / 402	Bog-stars 119 / 561	Broad-leaf cottonsedge 286 / 461
Black-scale holly fern 226 / 584	Bog yellowcress 185 / 608	Broad-leaf crepidiastrum 239 / 425
Black-scale ladyfern 148 / 369	Bogbean 244 / 537	Broad-leaf currant 73 / 608
Black-spike sedge 13 / 389	Bohyeon false-starwort 144 / 593	Broad-leaf globe thistle 285 / 450
Black-tiny sedge 203 / 391	Bokbunja 144 / 611	Broad-leaf hackberry 238 / 403
Bladderfern 129 / 433	Boneset 101 / 464	Broad-leaf long-tail iris 72 / 499
Bladderferns 306 / 433	Bongdongcham oak 145 / 601	Broad-leaf mannagrass 219 / 481
Bladdernut 35 / 645	Bonnet bellflower 89 / 417	Broad-leaf olive 144 / 451
Bladdernut family 35 / 645	Borage family 261 / 376	Broad-leaf phacelurus 114 / 568
Bladderwort 299 / 666	Border privet 259 / 519	Broad-leaf willowherb 73 / 456
Bladderwort family 299 / 512	Boston ivy 85 / 561	Broad-spike melic 199 / 536
Blady grass 105 / 497	Bothriospermum 58 / 376	Broad-wing bugseed 57 / 420
Bleeding heart 46 / 441	Botrypus 81 / 377	Brome 269 / 378
Bletilla 232 / 375	Bowl-shape-scale sedge 237 / 396	Brome grasses 269 / 378
Blister sedge 170 / 399	Box 317 / 380	Broomrape 276 / 553
Blood iris 151 / 499	Box-leaf holly 59 / 496	Broom-rape 276 / 553
Bloodgrass 49 / 500	Boxwood 317 / 380	Broomrapa family 214 / 553
Bloodgrasses 88 / 500	Boxwood family 317 / 380	Broussonetia 82 / 379
Bloody-root stellera 305 / 646	Brachybotrys 85 / 377	Brown linden 297 / 658
Blue acute-serrate white oak 275 / 599	Brackish zone seepweed 49 / 649	Brown oriental photinia 104 / 589
Blue amethystea 23 / 350	Brake fern 146 / 594	Brown's sedge 320 / 389
Blue cohosh 60 / 401	Brakenfern 35 / 594	Brownish beak willow 136 / 618
Blue false-hellebore 300 / 669	Branched horsetail 20 / 458	Browntop 63 / 539
Blue Korean oak 274 / 599	Branched Indian plantain 9 / 560	Brush grass 186 / 656
Blue locoweed 38 / 557	Branching aizoon stonecrop 9 / 632	Brushhollies 164 / 683
Blue mountain-heath 7 / 571	Branching British yellowhead 9 / 498	Buckbean 244 / 537 / 538
Blue rocket 299 / 336	Branching rhodiola 9 / 604	Buckbean family 244 / 537
Blue water speedwell 282 / 670	Branching rock pine 9 / 555	Buckler fern 38 / 446
Bluebead 65 / 416	Brasenia 194 / 378	Buckthorn 11 / 603
Bluebeard 277 / 401	Braun's holly fern 247 / 583	Buckthorn family 11 / 602
Bluebells 27 / 538	Breea 245 / 378	Buckwheat family 106 / 581
	Bride corydalis 11 / 422	Budding rockcress 165 / 356
	Brightblue speedwell 134 / 671	

Buerger's figwort 311 / 630
 Buerger's maackia 17 / 531
 Buerger's pipewort 238 / 460
 Bugbane 77 / 195 / 338 / 409
 Bugle 244 / 345
 Bugleweed 195 / 244 / 345 / 529
 Bugseed 312 / 419
 Bujeon angelica 146 / 417
 Bujeon helleborine 146 / 457
 Bujeon larkspur 146 / 435
 Bulbiferous woodnettle 313 / 509
 Bulbil stonecrop 169 / 494
 Bulbophyllum 278 / 379
 Bulbos stonecrop 108 / 633
 Bull's-horn corydalis 189 / 421
 Bulrush 33 / 146 / 209 / 279 / 628 / 661 / 665
 Bulrush-like beakseedge 37 / 607
 Bumald's bladdernut 35 / 645
 Bunchberry dogwood 304 / 420
 Bunge's corydalis 258 / 421
 Bunge's hackberry 253 / 402
 Bunge's reedgrass 151 / 381
 Bupleurum 196 / 379
 Bur-reed 318 / 642
 Bur-reed family 318 / 642
 Burbark 35 / 664
 Burman bristle fern 79 / 508
 Burmannia family 139 / 380
 Burnet 216 / 620
 Burnet rose 98 / 609
 Burnet saxifrage 268 / 574
 Burning bush 137 / 441
 Burning bush spindletree 315 / 462
 Burr marigolds 91 / 373
 Busch's corydalis 264 / 421
 Bush clovers 199 / 514
 Bush oriental bittersweet 89 / 402
 Bushkiller 29 / 402
 Butterbur 111 / 567
 Buttercup family 123 / 601
 Buttercups 123 / 601
 Butterweed 43 / 637
 Butterwort 140 / 574
 By-gone ostericum 14 / 556
 Byeonsan winter aconite 142 / 459

C

Cabbage family 198 / 378
 Calamus 272 / 338
 Calanthe 171 / 382
 Caldesia 99 / 382
 California butterwort 140 / 574
 Callalily 162 / 382
 Callianthemum 110 / 383

Caltrop family 69 / 685
 Camel's foot 145 / 431
 Camellia 95 / 384
 Camphor tree 77 / 410
 Campion 61 / 95 / 528 / 636
 Campitosorus 29 / 385
 Campylotropis 59 / 385
 Canary grass 12 / 568
 Candle-shape maple 146 / 335
 Candleberry 183 / 545
 Cane 310 / 362
 Canegrass 269 / 458
 Canton buttercup 289 / 601
 Capillary wormwood 157 / 360
 Capricornis sedge 210 / 390
 Capsella 70 / 386
 Carlesia 93 / 399
 Carnation 301 / 439
 Carnation family 174 / 401
 Carpesium 84 / 399
 Carpet bugle 244 / 345
 Carpetgrass 244 / 362
 Carpetweed 173 / 542
 Carpetweed family 173 / 542
 Carrot family 167 / 355
 Carrot fern 175 / 551
 Caryopteris 277 / 401
 Cashew family 217 / 351
 Castor aralia 228 / 506
 Cat's ear 48 / 495
 Cat's-foot 136 / 354
 Catbriers 274 / 639
 Catchfly 61 / 237 / 636
 Catclaw buttercup 14 / 602
 Catmints 18 / 549
 Catninetail 146 / 665
 Catnip 18 / 549
 Catsfoot 136 / 354
 Cattail 146 / 665
 Cattail bristlegrass 2 / 635
 Cattail family 146 / 665
 Caudate autumn fern 6 / 446
 Caudate hollyfern 56 / 357
 Caudate-leaf hackberry 304 / 403
 Caudate-leaf mulberry 56 / 544
 Caudate tick clover 95 / 438
 Cayratia 29 / 401
 Celadine 205 / 406
 Celery family 167 / 355
 Celery-leaf buttercup 15 / 602
 Celery-sand wormwood 19 / 359
 Centella 143 / 403
 Centipeda 258 / 403
 Centipede's foot orchid 260 / 413
 Centranthera 181 / 403

Cephalanthera 227 / 403
 Cephaelotaxus 19 / 404
 Ceylon hound's tongue 178 / 430
 Chaff flower 189 / 335
 Chaff panicgrass 15 / 559
 Chain fern 169 / 682
 Chain fern family 169 / 375
 Cham-ssuk 270 / 360
 Chamaegastrodia 208 / 405
 Chamnamul 268 / 574
 Champion autumn fern 243 / 446
 Champion's bluethread 206 / 380
 Chang's silvergrass 238 / 541
 Changchaen spikerush 92 / 453
 Changing-color ixeris 7 / 502
 Channelled water plantain 288 / 346
 Chastetree 193 / 679
 Cheat grasses 269 / 378
 Cheder vetch 12 / 673
 Cheesewood 92 / 576
 Cheon-ma 273 / 476
 Cherry 141 / 590
 Cherry prinsepia 154 / 590
 Cherry-leaf sweetleaf 31 / 650
 Chervil 239 / 354
 Chess grasses 269 / 378
 Chestnut 133 / 401
 Chestnut-leaf colysis fern 133 / 417
 Chestnut-leaf fern 133 / 547
 Chickweed 142 / 645
 Chickweed sparrow 264 / 539
 Chilbo metananarthecium 278 / 538
 Chinampo alkaligrass 10 / 596
 Chinese arborvitae 276 / 578
 Chinese barberry 85 / 372
 Chinese castanea 210 / 401
 Chinese dodder 26 / 427
 Chinese gooseberry family 82 / 339
 Chinese juniper 311 / 505
 Chinese mulberry 93 / 544
 Chinese needlegrass 66 / 647
 Chinese peashrub 36 / 386
 Chinese spirea 86 / 643
 Chinese thistle 243 / 411
 Chinese wedelia 49 / 680
 Chinese winterberry currant 54 / 607
 Chinese yam 105 / 442
 Chinese-mallow-leaf violet 201 / 676
 Chingan mountain bugseed 229 / 419
 Chinkapin 114 / 401
 Chinnampo saussurea 70 / 622
 Chinquapin 114 / 401
 Chionographis 197 / 408
 Chloranthus 314 / 408
 Chloranthus family 314 / 408

Chocolate vine 227 / 345	Coastal green bristlegrass 24 / 636	Common oreorchis 13 / 553
Cho-phi 276 / 683	Coastal hogfennel 25 / 568	Common polypody 123 / 583
Chosen ladybell 220 / 341	Coastal lespedeza 310 / 515	Common pricklegrass 27 / 426
Chosenia 171 / 408	Coastal mock-cypress 25 / 506	Common reed 11 / 570
Chosen-willow 171 / 408	Coastal olive 78 / 451	Common rush 37 / 503
Choseon gentian 320 / 476	Coastal rock sedge 128 / 389	Common spurge 86 / 465
Choseon sheep's fescue 191 / 468	Coastal rockcress 27 / 356	Common St. Paul's wort 243 / 636
Chrysanth honeysuckle 10 / 525	Coastal small reedgrass 27 / 382	Common stimpsonia 229 / 647
Chrysanthemum anemone 43 / 352	Coastal-stringy stonecrop 25 / 633	Common sweet flag 272 / 338
Chrysanthemum bedstraw 43 / 474	Cobbler's pegs 91 / 373	Common symphyllocarpus 22 / 649
Chrysanthemum-leaf mountain yam 43 / 443	Cockspur grass 305 / 450	Common tetragonia 139 / 654
Chrysanthemum-leaf synurus 43 / 651	Codonopsis 89 / 416	Common tick clover 16 / 439
Chuckley pear 272 / 349	Coelachne 252 / 417	Common verbena 107 / 670
Ciliate cat's ear 48 / 495	Coeloglossum viride 22 / 433	Common water-chestnut 74 / 660
Ciliate fiurena 31 / 473	Coelopleurum 146 / 417	Common willow 226 / 618
Ciliate hairy arundinella 169 / 362	Cohosh 60 / 195 / 401 / 409	Common wood sorrel 204 / 557
Ciliate wheatgrass 185 / 455	Cold-growing cymbidium 308 / 428	Common woodrush 159 / 527
Ciliated-fruit sedge 212 / 389	Colicroot 259 / 346	Compressed michelia 275 / 539
Ciliate-petal chickweed 220 / 646	Colicweed 259 / 346	Cone-fruit platycarya 44 / 577
Cinnamon 77 / 410	Colored grapefern 158 / 626	Conical-leaf violet 33 / 677
Cinnamon fern 60 / 555	Coloured wildginger 116 / 363	Coniogramme 34 / 418
Cinquefoil 210 / 587	Colt's-foot-leaf Indian plantain 268 / 560	Connected aster 127 / 365
Circular lip galaearis 65 / 473	Columbine 110 / 355	Connivent-wing mono maple 264 / 334
Citron daylily 37 / 487	Colyssis 185 / 417	Conspicuous smartweed 59 / 565
Clasp-leaf twisted-stalk 256 / 648	Common adenostemma 119 / 341	Contorted fringe gentian 57 / 478
Clausia 285 / 412	Common Asian cowpea 248 / 675	Convallaria 227 / 418
Clavate bentgrass 158 / 344	Common Asian trigonotis 58 / 663	Coon's tail 151 / 405
Clearweed 122 / 573	Common astilboides 18 / 367	Copperleaf 55 / 333
Cleisostoma 260 / 413	Common bistort 269 / 374	Coralbead 89 / 416
Cleistogenes 87 / 413	Common bladderwort 299 / 667	Coralberry 136 / 357
Clematis 227 / 413	Common bluebead lily 65 / 416	Coralroot 167 / 419
Cleyera 153 / 415	Common bluebeard 277 / 401	Corchoropsis 55 / 419
Cliff fern 224 / 682	Common bog rosemary 206 / 351	Cordata enchanter's nightshade 190 / 410
Climbing fern 197 / 530	Common breea 245 / 378	Coreanomecon 109 / 419
Climbing fig 219 / 469	Common bromé 269 / 378	Cork spindletree 86 / 462
Climbing gentian 91 / 663	Common calanthe 171 / 382	Corktree 316 / 569
Climbing hydrangea 101 / 492	Common camellia 94 / 385	Corn dog grass 146 / 665
Climbing seedbox 212 / 527	Common carpesium 84 / 400	Corn gromwell 23 / 523
Climbing swallow-wort 90 / 429	Common chickweed 142 / 646	Corn lilies 212 / 669
Clinopodium 277 / 415	Common corydalis 312 / 423	Corniculate spurred gentian 86 / 485
Closed-flower hosta 255 / 490	Common cotoneaster 98 / 424	Cornopteris 155 / 420
Cloud Asian platanthera 41 / 577	Common cottongrass 271 / 461	Cortusa 255 / 421
Cloudberry 262 / 611	Common daphniphyllum 247 / 434	Coastal mosslike stonecrop 103 / 633
Clover 298 / 662	Common eelgrass 28 / 685	Cotoneaster 177 / 424
Club weeping fern 134 / 514	Common fairybell 227 / 444	Cotton-grass 316 / 461
Clubmoss 81 / 173 / 491 / 529	Common Korean currant 113 / 608	Cottongrass 316 / 461
Clubmoss family 173 / 528	Common Korean platanthera 165 / 577	Cottongrass 316 / 461
Club-rush 33 / 628	Common leafflower 212 / 571	Cottonwood 156 / 585
Cluster amaryllis 169 / 529	Common leptopyrum 129 / 514	Cow parsnip 211 / 488
Clustered dock 117 / 613	Common lophotocarpus 245 / 526	Cowbane 92 / 409
Coast oriental bittersweet 310 / 402	Common mare's-tail 188 / 489	Cowberry 226 / 668
Coastal chive 26 / 347	Common moonwort 135 / 377	Cowpea 95 / 675
Coastal dimeria 25 / 442	Common mouse-ear chickweed 239 / 404	Cowtail pine 19 / 404
Coastal glossy plantain 28 / 577	Common nipplewort 19 / 509	Cow-wheat 58 / 536

Crab apples 155 / 533
 Crabapples 155 / 533
 Crabgrass 129 / 442
 Crabs 155 / 533
 Cracking Melon 164 / 627
 Cranesbills 259 / 478
 Creeper 85 / 561
 Creeper-like sedge 90 / 397
 Creeping beach ikeris 27 / 502
 Creeping bentgrass 203 / 344
 Creeping bokbunja 8 / 613
 Creeping broad-leaf sedge 87 / 398
 Creeping buttercup 48 / 602
 Creeping catchfly 216 / 637
 Creeping cedar 173 / 529
 Creeping goosefoot 313 / 407
 Creeping grapevine 170 / 679
 Creeping ikeris 251 / 502
 Creeping Korean violet 68 / 676
 Creeping lilyturf 16 / 523
 Creeping managrass 226 / 481
 Creeping narrow-leaf sedge 260 / 395
 Creeping rose-gold pussy willow
 79 / 617
 Creeping sedge 87 / 390
 Creeping sibbaldia 71 / 636
 Creeping smartweed 90 / 565
 Creeping three-lobe beggartick 79 / 374
 Creeping wood sorrel 39 / 557
 Creepingoxeye 47 / 680
 Cremasta 210 / 424
 Crenate fern 223 / 548
 Crepidiastrixeris 314 / 425
 Crepidiastrum 33 / 425
 Crepidomanes 40 / 425
 Crested dogstail grass 154 / 430
 Crested late-summer mint 311 / 454
 Cretan brake fern 282 / 594
 Crimson grapevine 111 / 679
 Cross holly fern 198 / 584
 Crow corn 259 / 346
 Crow dipper 133 / 574
 Crow's pillow 54 / 603
 Crowberry 195 / 456
 Crowberry family 195 / 455
 Crowded Korean red pine 212 / 575
 Crown rockcress 234 / 356
 Crowngrass 270 / 562
 Crucifers family 198 / 378
 Cruciform habenaria 22 / 484
 Cyprisnus 33 / 426
 Cucubalus 90 / 427
 Cucullate Neottianthe orchid 41 / 549
 Cudrania 60 / 427
 Cudweed 221 / 482

Cudweeds 104 / 593
 Cumbungi 146 / 665
 Cupgrass 62 / 460
 Cupscale grass 119 / 614
 Curled pondweed 109 / 586
 Curled-stigma sedge 53 / 389
 Curly willow 270 / 618
 Curly grass family 197 / 627
 Curly sedge 80 / 397
 Currant 55 / 607
 Curve monk'shooe 287 / 336
 Curved-awn fimbrystis 127 / 471
 Curved-utricle sedge 168 / 390
 Curved-tooth thyrocarpus 88 / 657
 Cuspidate deadnettle 312 / 509
 Cuspidate girardinia 284 / 480
 Cute azalea 252 / 605
 Cut-leaf emperor oak 54 / 599
 Cutgrass 32 / 512
 Cyclogramma 65 / 427
 Cyclosorus 142 / 427
 Cylindrical rockcress 271 / 356
 Cylindrical-stigma willowherb 113 / 456
 Cypress family 276 / 427
 Cyrtosia 227 / 433

D

Dactylorhiza viridis 22 / 433
 Dadhoae hosta 81 / 490
 Daechung rose 88 / 610
 Daegu clematis 86 / 414
 Dagga family 167 / 386
 Dahurian rhododendron 165 / 605
 Dahurian angelica 41 / 353
 Dahurian asparagus 109 / 363
 Dahurian bedstraw 284 / 474
 Dahurian buckthorn 11 / 603
 Dahurian bugbane 80 / 409
 Dahurian clustered bellflower 233 / 385
 Dahurian cranesbill 165 / 478
 Dahurian false-hellebore 38 / 669
 Dahurian juniper 83 / 505
 Dahurian larch 231 / 510
 Dahurian lespedeza 313 / 515
 Dahurian loosestrife 253 / 531
 Dahurian milkvetch 234 / 368
 Dahurian morning glory 174 / 384
 Dahurian pasque-flower 149 / 596
 Dahurian snowparsley 156 / 416
 Dahurian wheatgrass 26 / 455
 Dahurian wintergreen 312 / 597
 Dallis grasses 270 / 562
 Damnacanthus 313 / 434
 Dandelion 125 / 652

Danyang aster 83 / 365
 Daphne 300 / 434
 Daphniphyllum 43 / 434
 Daphniphyllum family 43 / 434
 Dark-bark spruce 7 / 572
 Dark-flower pipewort 30 / 460
 Date-plum 35 / 443
 Daurian spike speedwell 42 / 670
 David elm 85 / 666
 David vetchling 315 / 510
 Dayflower family 84 / 418
 Dayflowers 84 / 418
 Daylily 226 / 487
 Deadnettle 38 / 508
 Declinate bugseed 53 / 419
 Decumbent bugle 48 / 345
 Decumbent corydalis 253 / 421
 Decurrent colysis fern 283 / 417
 Deeply-lobe deltoid synurus 7 / 651
 Deeply-lobe saussurea 154 / 624
 Deeply-serrate-leaf ostericum 196 / 556
 Deergrass 33 / 628
 Deersfoot fern 72 / 435
 Deinostema 263 / 435
 Delicate amitostigma 143 / 350
 Delicate maiden silvergrass 5 / 541
 Delicate skullear 203 / 631
 Delicate starviolet 192 / 486
 Delicate violet 10 / 676
 Deltoid synurus 191 / 651
 Dendranthema 159 / 436
 Dendrobium 173 / 436
 Dendropanax 317 / 437
 Dense watergrass 59 / 379
 Dense-flower bladderwort 228 / 667
 Dense-flower bristlegrass 190 / 635
 Dense-flower two-leaf vetch 309 / 674
 Dense-flower spikerush 128 / 453
 Dense-fruit dittany 136 / 441
 Dense-fruit valerian 39 / 668
 Dense-leaf sellarginella 21 / 634
 Densiflora elatostema 115 / 452
 Dentata × aliena × serrata hybrid oak
 103 / 600
 Dentata × aliena hybrid oak 103 / 600
 Dentata × mongolica × aliena hybrid oak
 103 / 600
 Dentata × mongolica × serrata hybrid oak
 103 / 600
 Dentata × mongolica hybrid oak
 103 / 600
 Dentate dontostemon 5 / 445
 Dentate-lobe alpine bell 255 / 421
 Denticulate-petal arctic raspberry 7 / 611
 Deodeok 89 / 417

Deokwoo hogfennel	89 / 567	Dog's tooth grass	224 / 430	Dwarf false indigo	70 / 498
Depressed plantain	297 / 576	Dog's-tooth violet	211 / 462	Dwarf false-starwort	90 / 593
Devil's bush	8 / 454	Dogbane	190 / 355	Dwarf fan-shape columbine	306 / 355
Devil's helmet	299 / 336	Dogbane family	312 / 355	Dwarf Geumgang violet	204 / 678
Devil's woodnettle	163 / 509	Dogstail grass	154 / 430	Dwarf horsetail	250 / 458
Devilwood	115 / 555	Dog-strangling vine	136 / 429	Dwarf Indian skullcap	247 / 631
Diamond bluebell	46 / 485	Dogwood	277 / 420	Dwarf juniper	80 / 505
Diamond buckthorn	196 / 603	Dogwood family	277 / 420	Dwarf Korean plum yew	79 / 404
Diapensia	202 / 440	Don's sedge	323 / 390	Dwarf lilyturf	184 / 552
Diapensia family	202 / 440	Donggang pasque-flower	94 / 596	Dwarf-marsh violet	79 / 676
Diaphanous flatsedge	56 / 430	Dongrae thistle	94 / 412	Dwarf milkwort	209 / 581
Diarthron	201 / 441	Dontostemon	5 / 444	Dwarf rainbow pink	68 / 440
Dichotomous anemone	6 / 352	Doomangang sedge	258 / 399	Dwarf rock pine	68 / 539
Dichotomous swertia	87 / 351	Dooryard dock	16 / 614	Dwarf sand sedge	249 / 397
Dickin's sedge	91 / 390	Dopatrium	102 / 445	Dwarf sanicle	208 / 621
Dickwort	137 / 551	Dotted beadfern	239 / 495	Dwarf Siberian pine	80 / 575
Dictamnus	137 / 441	Dotted rockfoil	298 / 625	Dwarf small-leaf birch	18 / 373
Different-scale sedge	162 / 392	Double balloon-flower	32 / 578	Dwarf smartweed	87 / 565
Different-spike sedge	230 / 392	Double-petal Franchet's buttercup	32 / 601	Dwarf solomon's seal	10 / 582
Diffformed flatsedge	202 / 430	Double Siebold's magnolia	32 / 532	Dwarf spikemoss	221 / 634
Digitaria-like sedge	129 / 392	Downward-hair cranesbill	294 / 478	Dwarf willow	68 / 617
Diluted swertia	21 / 649	Downward-hairy eyebright	296 / 466	Dwarf woodland Korean iris	76 / 498
Dimeria	235 / 442	Downward-leaf ladyfern	28 / 369	Dyer's woad	88 / 500
Diminutive rotala	3 / 610	Downy East Asian alder	236 / 349	Dysophylla	118 / 449
Dimorphous-spike sedge	229 / 390	Downy golden-and-silver honeysuckle	236 / 525	Dystaenia	179 / 449
Diopyros	13 / 443	Downy shield-fern	287 / 428		
Discoid-involucrue alpine yarrow		Draba	58 / 445	E	
	166 / 335	Dragonhead	223 / 445	Eared Indian plantain	44 / 559
Discolor cinquefoil	187 / 587	Drooping carpesium	248 / 400	Eared ladyfern	36 / 369
Disporum	204 / 444	Drooping-flower false spiraea	251 / 640	Early barnyard grass	78 / 450
Dissected eupatorium	11 / 464	Drooping-fruit hedge mustard	44 / 638	Early-blooming bistort	228 / 374
Dissected-leaf barved-vein maple		Drooping woodreed	63 / 410	Early-blooming gentian	145 / 477
	49 / 334	Dropping bell flower	85 / 377	Early-blooming honeysuckle	217 / 526
Dissected-leaf Manchurian saussurea		Dropseed grasses	259 / 644	Early-blooming ivy honeysuckle	53 / 525
	54 / 623	Dry rockjasmine	35 / 352	Early-blooming weigela	184 / 681
Dissected mulberry	7 / 544	Dryopsis	323 / 446	Early coralroot	167 / 419
Dissected-leaf monk's-hood	3 / 336	Dryopteridaceae	Hartert 112 / 446	Early forsythia	107 / 471
Dissected-leaf mountain hawthorn		Duchesnea	138 / 449	Early yellowrocket	145 / 371
	7 / 424	Duck lettuce	122 / 556	East Asian aerides	65 / 632
Dissected-leaf porcelainberry	7 / 350	Duck potato	144 / 615	East Asian alder	216 / 348
Dissected-leaf viburnum	7 / 672	Duckmeat	15 / 644	East Asian alpine forget-me-not	165 / 461
Dissected-leaf wormwood	43 / 361	Duckweed	148 / 246 / 512 / 681	East Asian arrow root	278 / 596
Dissected-leaf yellow corydalis	2 / 423	Duckweed family	15 / 512	East Asian ash	122 / 472
Dissected-petal montane poppy	11 / 559	Duckweed fern	118 / 370	East Asian basketgrass	252 / 417
Ditch bluegrass	40 / 579	Dumasia	153 / 449	East Asian beakgrain	223 / 440
Ditch grasses	257 / 614	Dumortier's daylily	10 / 487	East Asian beautyberry	234 / 383
Ditch sedge	92 / 388	Dunbaria	213 / 449	East Asian buttercup	123 / 602
Dittany	137 / 441	Dutchman's pipe	259 / 359	East Asian cinquefoil	102 / 587
Divaricate carpesium	50 / 400	Dwarf abelia	248 / 332	East Asian clustered gentian	38 / 477
Diverse-flower chickweed	231 / 646	Dwarf bittercress	57 / 388	East Asian cutgrass	62 / 512
Diverse-petal angelica	236 / 353	Dwarf bog birch	251 / 373	East Asian deer's foot	183 / 335
Diversileaf jack-in-the-pulpit	95 / 358	Dwarf corydalis	68 / 422	East Asian dwarf mosla	4 / 544
Divided cinquefoil	107 / 588	Dwarf eelgrass	203 / 685	East Asian edelweiss	222 / 513
Dock	184 / 613				
Dodder	170 / 427				

- | | | |
|--|--|---|
| <p>East Asian euchresta 107 / 462
 East Asian eurya 156 / 466
 East Asian fairy orchid 265 / 550
 East Asian false rue anemone 63 / 456
 East Asian false-starwort 49 / 594
 East Asian floatingheart 251 / 550
 East Asian glabrate browntop 126 / 539
 East Asian gland fern 260 / 560
 East Asian grapefern 159 / 626
 East Asian greenbrier 274 / 639
 East Asian groundsel 187 / 653
 East Asian hackberry 301 / 403
 East Asian harebell 215 / 368
 East Asian hogweed 211 / 488
 East Asian hophornbeam 171 / 556
 East Asian island eurya 179 / 466
 East Asian loosely-leaf marsh fern 236 / 538
 East Asian low medow-rue 247 / 655
 East Asian mallotus 215 / 533
 East Asian monk's-hood 307 / 336
 East Asian mountain yam 268 / 442
 East Asian mudgrass 122 / 593
 East Asian necklace fern 151 / 522
 East Asian nervilia 215 / 549
 East Asian nettle 199 / 666
 East Asian orixa 169 / 553
 East Asian ostericum 115 / 556
 East Asian peppervine 9 / 350
 East Asian physalastrum 7 / 572
 East Asian platiantha 11 / 577
 East Asian pollia 64 / 581
 East Asian primrose 209 / 590
 East Asian sage 98 / 619
 East Asian sanicle 268 / 621
 East Asian saussurea 279 / 623
 East Asian sedge 23 / 393
 East Asian seepweed 277 / 649
 East Asian shield sundew 61 / 446
 East Asian shorthusk 84 / 377
 East Asian skunk cabbage 207 / 650
 East Asian slender smartweed 2 / 567
 East Asian soup-mint 134 / 501
 East Asian spikerush 217 / 453
 East Asian squill 116 / 628
 East Asian stripe maple 158 / 334
 East Asian swertia 200 / 649
 East Asian teasel 166 / 444
 East Asian thesium 241 / 656
 East Asian thrixspermum 153 / 656
 East Asian twinsorus fern 23 / 443
 East Asian water-chestnut 106 / 660
 East Asian white birch 233 / 373
 East Asian white false-hellebore 131 / 669
 East Asian wildparsley 300 / 426</p> | <p>East Asian willow smartweed 138 / 565
 East Asian wintergreen 76 / 597
 East Asian wood fern 263 / 448
 East Asian yellow water-lily 22 / 549
 East Indian hollyfern 3 / 357
 East Indian walnut 231 / 345
 Easter flower 309 / 596
 Eastern brakenfern 34 / 594
 Eastern marsh fern 272 / 656
 East-Liaoning oak 54 / 600
 Ebenaceae Gürke 12 / 450
 Ebony family 12 / 450
 Echinosphora 15 / 450
 Eclipta 308 / 451
 Edelweiss 187 / 512
 Edgeworth's hogpeanut 171 / 351
 Edible amaranth 152 / 349
 Edible aster 271 / 366
 Edible bluebelle honeysuckle 89 / 524
 Edible tulip 164 / 665
 Eelgrass 28 / 67 / 669 / 684
 Eelgrass family 28 / 685
 Ehretia 187 / 451
 Eight-leaf chocolate vine 212 / 345
 Eight-stamen pondweed 102 / 586
 Elaeocarpus 85 / 452
 Elaeocarpus family 85 / 452
 Elatostema 112 / 452
 Elder 102 / 620
 Elderberry 102 / 620
 Elegance female holly 13 / 496
 Elegant hogfennel 2 / 567
 Elegant ladyfern 39 / 369
 Elephant-ear 93 / 372
 Elephant-eared saxifrage 93 / 372
 Elephant's ears 93 / 372
 Eleutherococcus 215 / 454
 Ellipsoid amur rose 51 / 609
 Elliptic colysis fern 185 / 417
 Elliptic-fruit bog blueberry 50 / 668
 Elliptic-fruit Wichura's rose 50 / 610
 Elliptic-leaf saussurea 158 / 623
 Elm 81 / 665
 Elm family 80 / 665
 Elm-leaf spirea 230 / 643
 Elongate bean fern 53 / 512
 Elongate Korean lespedeza 81 / 515
 Elongate wavy-leaf basketgrass 271 / 552
 Elongate-fruit Korean barberry 213 / 372
 Elongate-leaf bugseed 52 / 419
 Elongate-leaf goat willow 253 / 616
 Elongate-leaf rhodiola 92 / 604
 Elsholtzia 311 / 454
 Emarginate eurya 224 / 466
 Enchanter's nightshade 295 / 410</p> | <p>Engler's beech 71 / 467
 Engler's sellquea fern 279 / 426
 English sundew 51 / 446
 Entire-leaf abelia 130 / 332
 Entire-leaf false goat's beard 223 / 367
 Eol-chi-gi lady's slipper 211 / 433
 Epimedium 168 / 457
 Epipogium 226 / 457
 Eranthis 71 / 459
 Erect Asian madder 280 / 610
 Erect cephalanthera 227 / 403
 Erect hedgeparsley 156 / 659
 Erect hygrophila 122 / 493
 Erect ladybell 174 / 339
 Erect mulhy 176 / 545
 Erect St. Johnswort 36 / 495
 Erect wetchling 175 / 511
 Erect violet 175 / 677
 Erecta fig 273 / 469
 Erect selaginella 175 / 634
 Erect willow 175 / 618
 Erman's birch 156 / 373
 Esculent barnyard grass 305 / 450
 Esthwaite waterweed 31 / 492
 Euchiton 304 / 462
 Euchresta 107 / 462
 Eulalia 21 / 462
 Eumenol angelica 15 / 353
 Eurasian mouse-ear chickweed 148 / 404
 Eurasian water-milfoil 229 / 546
 Eurasian woodrush 162 / 528
 European goldenrod 161 / 640
 European starflower 267 / 662
 European stickseed 101 / 509
 Eurya 156 / 466
 Euryale 8 / 466
 Euscaphis 109 / 466
 Eutrema 36 / 466
 Even white rot 305 / 493
 Evening primrose family 128 / 551
 Evergreen spindletree 157 / 463
 Evergreen spleenwort 157 / 364
 Evergreen witch hazel 244 / 444
 Everlasting 136 / 354
 Eyebright 253 / 465</p> |
|--|--|---|

F

- Fabre's oak 103 / 599
 Fairy moss 118 / 370
 Fairy orchids 265 / 550
 Fairy slipper 305 / 384
 Fairy slipper orchid 305 / 384
 Fairy wings 168 / 457
 Fallopia 84 / 467

False bindweed 112 / 384	Few-spike bulrush 316 / 629	Five-rib thyme 136 / 657
False bittercress 253 / 387	Few-spikelet fimbriystylis 243 / 471	Five-vein vetchling 213 / 511
False brome 194 / 378	Few-vein marsh fern 10 / 532	Flabellate sedge 317 / 391
False bush-clover 59 / 385	Few-twig asparagus 134 / 363	Flacourinia family 164 / 471
False-Chinese sedge 310 / 396	Fibrilloose short-stem sedge 28 / 389	Flagellar cinquefoil 90 / 588
False Chinese swertia 234 / 649	Field aster 200 / 367	Flat-bush bog blueberry 44 / 668
False Chosen-willow 64 / 408	Field dock 207 / 613	Flatleaf bladderwort 23 / 667
False daisy 308 / 451	Field horsetail 188 / 458	Flatsedges 134 / 430
False-elba woodssia 112 / 682	Field purpleflower violet 313 / 678	Flat-stalk bulrush 248 / 629
False goat's beard 77 / 367	Field rush 53 / 504	Flax 201 / 522
False-hellebore 212 / 669	Field sensitive pea 266 / 405	Flax family 201 / 521
False java water-dropwort 17 / 551	Field touch-me-not 120 / 497	Flaxleaf Diarthron 201 / 441
False ladyfern 120 / 369	Field Ussurian pear 100 / 598	Fleabane 16 / 459
False lily of the valley 95 / 533	Field-flat fimbriystylis 101 / 471	Fleawort 264 / 576
False mannagrass 249 / 659	Fig 117 / 469	Fleshy peracarpia 314 / 564
False melic 313 / 627	Figleaf goosefoot 249 / 407	Floating arrowhead 88 / 615
False melic grass 313 / 627	Fig-marigold family 139 / 344	Floating fern family 172 / 619
False needlegrass 192 / 595	Figwort 311 / 630	Floating marsh marygold 205 / 384
False ohelo 159 / 681	Figwort family 311 / 631	Floating watermoss 172 / 619
False pimpernel 134 / 522	Filamentous meadow-rue 283 / 655	Floatingheart 211 / 550
False rue anemone 63 / 456	Filarees 43 / 461	Floating-leaf pondweed 279 / 586
False scraggy lace fern 32 / 539	Filifolium 198 / 469	Flower two-leaf fimbriystylis 70 / 470
False spiraea 194 / 640	Filiform rockjasmine 206 / 352	Flowering quince 113 / 405
False spirea 77 / 367	Filmy fern 192 / 272 / 494 / 535	Foam flower 311 / 657
False spleenwort 262 / 437	Filmy fern family 272 / 494	Foetid's bugbane 316 / 409
False-starwort 18 / 593	Fimbry 306 / 470	Foldwing 231 / 441
False twayblade 66 / 522	Fimbrystylis 306 / 470	Forbes' knotweed 13 / 467
False Uibong wild pear 22 / 598	Fin maiden spleenwort 260 / 494	Ford's clockfern 19 / 406
False wheatgrass 17 / 517	Fine-leaf lily 283 / 520	Forest poppy 305 / 493
False winnow willow 23 / 617	Fine-leaf vetch 3 / 674	Forest-live sedge 194 / 390
False wormwood 109 / 360	Fine-point mannagrass 88 / 481	Forget-me-not 15 / 545
Falsenettle 114 / 375	Fine-stalk nutrush 205 / 630	Forked fern 133 / 441
Fan-leaf mountain yam 147 / 442	Finger-grass 129 / 442	Forked fern 304 / 481
Farfugium 292 / 468	Fir clubmoss 248 / 491	Forked viburnum 148 / 672
Fastigiate-branch willowherb 317 / 456	Fir clubmosses 81 / 491	Forked-stem adonis 9 / 342
Fastigiate-wetland smartweed 4 / 565	Firm Indian plantain 144 / 560	Forking fern family 304 / 481
Father-and-child plant 304 / 462	Firmosses 81 / 491	Forsythia 15 / 471
Fatoua 155 / 468	Firs 239 / 333	Fortune's hollyfern 188 / 433
Fatsia 300 / 468	Fischer's dragonhead 223 / 445	Fortune's loosestrife 263 / 530
Faurie's bamboo fern 14 / 418	Fischer's mouse-ear chickweed	Fountaingrass 193 / 563
Faurie's ladyfern 161 / 369	285 / 404	Four-angle enchanter's nightshade
Fawn lily 211 / 462	Fischer's ragwort 37 / 517	109 / 411
Feather grass 66 / 647	Fishing-rod-like sedge 68 / 391	Four-flower sedge 78 / 397
Feather unequal-lobe brake fern 54 / 595	Five-appendages trapella 192 / 661	Four-leaf bedstraw 11 / 475
Fedde's wormwood 154 / 360	Five-finger tongue fern 83 / 597	Four-leaf clover 74 / 534
Felt fern 173 / 200 / 597 / 649	Five-flavor magnolia vine 216 / 627	Four-leaf madder 71 / 611
Fen milkvetch 24 / 368	Five-leaf carpetweed 173 / 542	Four-leaf paris 74 / 561
Fen-sedge 277 / 412	Five-leaf chastetree 249 / 679	Four-leaf vetch 74 / 674
Fescue 53 / 468	Five-leaf chocolate vine 227 / 345	Four-nerve eulalia 289 / 462
Few-flower brome 56 / 378	Five-leaf gynostemma 94 / 483	Four-petal Asian lobelia 170 / 524
Few-flower conehead 134 / 648	Five-minute grass 27 / 663	Four-season orchid 183 / 428
Few-flower currant 130 / 608	Five-palmette-leaf raspberry 216 / 612	Four-spin coon's tail 216 / 405
Few-flower sedge 161 / 396	Five-petal loosestrife 314 / 531	Fowl bluegrass 80 / 579
Few-flower spindletree 317 / 463	Five-pinnate-leaf trailing raspberry	Foxtail 14 / 104 / 349 / 635
Few-flower St. Johnswort 263 / 495	216 / 613	Foxtail fountaingrass 193 / 564

Foxtail grass 104 / 349
 Fragile fern 306 / 433
 Fragile ferns 306 / 433
 Fragrant eupatorium 101 / 464
 Fragrant fern 256 / 447
 Fragrant necklace fern 169 / 522
 Fragrant orchid 185 / 483
 Fragrant snowbell 265 / 648
 Franchet's buttercup 222 / 601
 Fraxinella 137 / 441
 Freyn's cinquefoil 182 / 588
 Friendly lily 296 / 519
 Fringed brome 154 / 378
 Fringed gentian 192 / 478
 Fringed orchid 241 / 577
 Fringetree 229 / 407
 Fritillary 301 / 473
 Frog orchid 22 / 434
 Frogbit 232 / 492
 Frog's bit family 232 / 492
 Fryer's pondweed 174 / 586
 Fumewort 312 / 421
 Fumitory family 312 / 473

G

Gaenari 15 / 471
 Gagea 258 / 473
 Galcham oak 12 / 599
 Galearis 65 / 473
 Galingales 134 / 430
 Galjolcham oak 12 / 601
 Ganggye clearweed 13 / 573
 Ganggye willow 13 / 617
 Gangwon ladyfern 14 / 369
 Gapsan violet 13 / 676
 Garden Asian dayflower 281 / 418
 Garden asparagus 153 / 363
 Garden dock 192 / 613
 Garden stonecrop 60 / 493
 Garden weigela 36 / 681
 Gardneria 215 / 476
 Gas plant 137 / 441
 Gastrochilus 47 / 476
 Gastrodia 273 / 476
 Gaya touch-me-not 8 / 497
 Gayasan ladybell 8 / 340
 Gayasan silvery-hair saussurea 8 / 624
 Gentian 223 / 476
 Gentian family 223 / 477
 Geoje raspberry 29 / 612
 Geomun jack-in-the-pulpit 29 / 359
 Geomun maiden silvergrass 29 / 541
 Geomundo evergreen spindletree

181 / 463

Geomundo false ohelo 29 / 681
 Georing's lemon grass 20 / 428
 Geranium 259 / 478
 Geranium family 259 / 478
 Germaner 38 / 654
 Geumgang bluebell 46 / 485
 Geumgang bluegrass 46 / 579
 Geumgang groundsel 45 / 634
 Geumgang rockjasmine 45 / 352
 Geumgang saussurea 45 / 622
 Geumgang twisted-stalk 45 / 648
 Geumgang violet 46 / 676
 Geumgang woodsia 45 / 682
 Geumgangchoronkot 46 / 485
 Geumgangsan rockfoil 268 / 625
 Geumgangsan spike speedwell 145 / 670
 Geumgangsan wild pear 45 / 598
 Geumsan purple spotted gastrochilus
 47 / 476
 Ghost plant 64 / 543
 Giant butterbur 111 / 567
 Giant chickweed 189 / 646
 Giant corydalis 280 / 422
 Giant cranesbill 283 / 478
 Giant dock 312 / 613
 Giant false-starwort 279 / 594
 Giant hyssop 135 / 343
 Giant knotweed 221 / 468
 Giant meadowsweet 286 / 470
 Giant plantain 221 / 576
 Giant tapering glade fern 218 / 438
 Giant-pussy willow 219 / 616
 Gibbous sedge 64 / 391
 Ginseng 215 / 230 / 454 / 554
 Girardinia 284 / 480
 Glabrate sedge 37 / 391
 Glabrate wildginger 10 / 362
 Glabrous-acuminata violet 127 / 675
 Glabrous Baical anemone 131 / 352
 Glabrous beak willow 226 / 619
 Glabrous beautyberry 127 / 383
 Glabrous brilliant campion 329 / 528
 Glabrous colicroot 212 / 346
 Glabrous cranesbill 146 / 478
 Glabrous Dahurian rose 126 / 610
 Glabrous deutzia 122 / 439
 Glabrous erect Asian madder 124 / 611
 Glabrous-flower mountain bedstraw
 126 / 475
 Glabrous-fruit corchoropsis 55 / 419
 Glabrous fruit mercury 165 / 538
 Glabrous Galcham oak 273 / 599
 Glabrous Geumgang violet 124 / 676
 Glabrous harlequin glorybower 28 / 415
 Glabrous Indian pipe 71 / 543

Glabrous Jolgolcham oak 275 / 599
 Glabrous Korean boxwood 181 / 380
 Glabrous Korean cinquefoil 180 / 587
 Glabrous-leaf Bokbunja 274 / 611
 Glabrous-leaf scabious 125 / 626
 Glabrous-leaf trailing raspberry 274 / 613
 Glabrous macropoda holly 124 / 496
 Glabrous Manchurian alder 125 / 348
 Glabrous monk's-hood 126 / 336
 Glabrous red-flower violet 125 / 677
 Glabrous-red raspberry 66 / 612
 Glabrous-sarcandra herb 257 / 621
 Glabrous shiny spurge 127 / 465
 Glabrous Siebold's smartweed 125 / 566
 Glabrous sticky-stem pearlwort 190 / 615
 Glabrous Tam-ra starviolet 127 / 486
 Glabrous ternate grapefern 34 / 626
 Glabrous turk's-cap lily 126 / 520
 Glabrous vlassoviana thistle 128 / 412
 Glabrous white peony 127 / 558
 Gland fern 155 / 560
 Gland-less pruina-shoot willow 250 / 618
 Glandular-bristle multiflora rose
 297 / 609
 Glandular false spiraea 240 / 640
 Glandular ladyfern 269 / 368
 Glandular-stalk St. Paul's wort
 297 / 636
 Glandular-style Indian plantain 31 / 559
 Glandular taeniophyllum 29 / 652
 Glandular wood fern 238 / 449
 Glabrous forked-leaf cinquefoil
 121 / 587
 Glasswort 299 / 616
 Glaucose-black magnolia vine 330 / 627
 Glaucous bluegrass 234 / 579
 Glaucous Oldham's blueberry 262 / 668
 Glechoma 50 / 480
 Gleditsia 256 / 480
 Gleichenia 304 / 481
 Glenwoodgrass 249 / 614
 Glittering chive 3 / 348
 Global-fruit golden saxifrage 46 / 409
 Global-spike bistort 98 / 374
 Globe-flower 47 / 664
 Globe thistles 239 / 450
 Globe yellowcress 41 / 608
 Globose fimbriystylis 100 / 471
 Globose phaeosperma 159 / 568
 Globular great burnet 42 / 620
 Globular-spike sedge 263 / 392
 Glochidion 244 / 481
 Glomerate flatsedge 120 / 431
 Glorybower 78 / 415
 Glossy adina 42 / 342

Glossy privet 85 / 519
 Glossy-leaf carpesium 273 / 400
 Glossy-leaf paper plant 300 / 468
 Gmelin's buttercup 119 / 601
 Gmelin's saltbush 2 / 370
 Gmelin's sedge 89 / 392
 Gmelin's wormwood 89 / 360
 Goat willow 312 / 616
 Goat's-thorn 316 / 367
 Goatsbeard 21 / 362
 Goering's cymbidium 144 / 428
 Goering's wood fern 131 / 447
 Golden buckler fern 48 / 447
 Golden cephalanthera 46 / 404
 Golden dock 47 / 614
 Golden hair fern 48 / 495
 Golden lace 106 / 562
 Golden saxifrage 39 / 408
 Golden-flower lily 46 / 520
 Golden-friut solomon's seal 316 / 639
 Goldenrain tree 113 / 507
 Goldenrod 124 / 640
 Golden-saxifrage 39 / 408
 Golden-yellow wormwood 47 / 359
 Goldenbanner 28 / 656
 Golpul 37 / 503
 Gondre 34 / 412
 Goosefoot 113 / 406
 Goosefoot family 113 / 406
 Goosegrass 219 / 454
 Goosegrass sedge 214 / 391
 Gooseneck loosestrife 280 / 530
 Goseong hybrid bulrush 35 / 629
 Gourd family 131 / 427
 Goutweed 161 / 343
 Goyang lespedeza 35 / 516
 Granny's bonnet 110 / 355
 Grape 301 / 679
 Grape family 301 / 679
 Grapefern 135 / 377
 Grapevines 301 / 679
 Grass family 141 / 580
 Grass-leaf sweet flag 174 / 338
 Grass-like leaf ponerorchis 67 / 585
 Grass of parnassus 119 / 561
 Grassweed 33 / 628
 Grassy-leaf yellow iris 47 / 499
 Gray willow 283 / 618
 Gray's figwort 24 / 630
 Gray's golden saxifrage 39 / 409
 Grayish bird cherry 320 / 591
 Great burnet 216 / 620
 Great duckmeat 15 / 644
 Great flatsedge 218 / 431
 Great hairy willowherb 282 / 456

Greater celandine 205 / 406
 Greater platianthera 241 / 577
 Great-spur viola 115 / 678
 Green autumn fern 275 / 447
 Green bean fern 278 / 512
 Green-berry magnolia vine 275 / 627
 Green-calyx abeliophyllum 303 / 333
 Green-calyx enchanter's nightshade
 303 / 411
 Green-calyx mioneonnamu 303 / 332
 Green Cheon-ma 303 / 476
 Green-cone Khingan fir 274 / 333
 Green-cone Korean fir 302 / 333
 Green dragon 87 / 574
 Green dragons, Pinellia 133 / 574
 Green fairybell 284 / 444
 Green-flower bamboo-leaf orchid 78 / 428
 Green-flower helleborine 274 / 457
 Green-flower solomon's seal 213 / 639
 Green-flower stonecrop 178 / 494
 Green large-bract mosla 303 / 544
 Green-leaf marsh fern 302 / 532
 Green tall gastrodia 303 / 476
 Green tapping glade fern 302 / 438
 Green thread sedge 78 / 398
 Green twinsorus fern 31 / 444
 Green Uibong wild pear 275 / 598
 Green wormwood 223 / 362
 Greenbriers 274 / 639
 Greenish black-end swallow-wort
 303 / 429
 Greenish bluegrass 275 / 580
 Greenish flower false-hellebore 303 / 670
 Greenish foxtail fountaingrass 275 / 564
 Greenish juncea lespedeza 274 / 515
 Greenland cinquefoil 80 / 588
 Greenland labrador tea 309 / 511
 Grewia 237 / 482
 Greyblue spicebush 13 / 521
 Gromwells 262 / 523
 Ground ivy 50 / 480
 Ground little rose 247 / 406
 Ground pine 152 / 244 / 345 / 529
 Ground pines 173 / 529
 Groundcone 216 / 376
 Groundsel 187 / 653
 Groundsels 47 / 634
 Gueldenstaedtia 208 / 483
 Gwangneung ash 39 / 472
 Gwangneung beakgrain 39 / 440
 Gwangneung buckler fern 39 / 448
 Gwangneung friendly lily 39 / 519
 Gwangneung ladyfern 44 / 369
 Gwangneung skullcap 39 / 632
 Gwangneung vetch 39 / 675

Gwangneung wheatgrass 39 / 455
 Gwanmo bluegrass 38 / 579
 Gwanmo rock pine 11 / 554
 Gyebang vetch 33 / 674
 Gyeongsseong saussurea 33 / 623
 Gyeopul 32 / 512
 Gymnadenia 185 / 483
 Gymnospermium 306 / 483
 Gynostemma 94 / 483
 Gyraea five-minute grass 40 / 663
 Gypsywort 195 / 529

H

Hackberry 301 / 402
 Hackel's cleistogenes 87 / 413
 Hackelia 105 / 484
 Haenke's rush 24 / 504
 Hairgrass 250 / 438
 Hairless Asian calamint 303 / 415
 Hair-less barnyard grass 87 / 450
 Hairless East Asian ash 125 / 472
 Hairless woundwort 174 / 645
 Hair-like sedge 116 / 390
 Hair-spreading lespedeza 102 / 516
 Hairsedge 113 / 379
 Hairstalk St. Paul's wort 262 / 636
 Hairy agrimony 265 / 343
 Hairy alpine bistort 295 / 375
 Hairy Amur corktree 298 / 569
 Hairy arundinella 294 / 362
 Hairy Asian moonseed 294 / 537
 Hairy beach vetchling 289 / 511
 Hairy bird cherry 329 / 591
 Hairy bistort 312 / 374
 Hairy border privet 297 / 519
 Hairy burning bush spindletree 298 / 463
 Hairy butterwort 296 / 574
 Hairy catchfly 296 / 636
 Hairy chrysanthia honeysuckle
 293 / 525
 Hairy cone-fruit platycarya 290 / 577
 Hairy corydalis 298 / 422
 Hairy crabweed 155 / 468
 Hairy creeping broad-leaf sedge
 291 / 390
 Hairy creeping violet 290 / 676
 Hairy cupgrass 62 / 461
 Hairy early-flowering weigela
 163 / 681
 Hairy East Asian alder 295 / 348
 Hairy East Asian cinquefoil 291 / 587
 Hairy false spleenwort 297 / 437
 Hairy false-hellebore 212 / 669
 Hairy forest-live sedge 114 / 391

Hairy forsythia 238 / 472	Hairy skunk vine 289 / 558	Halla rush 307 / 504
Hairy Freyn's wormwood 293 / 360	Hairy small-leaf privet 252 / 518	Halla willowherb 307 / 457
Hairy golden-and-silver honeysuckle 295 / 525	Hairy spicebush 296 / 521	Hallasan azalea 307 / 605
Hairy golden saxifrage 289 / 409	Hairy-star jasmine 291 / 660	Hallasan bittercress 140 / 387
Hairy hardy kiwi 291 / 338	Hairy swallow-wort 6 / 429	Hallasan buttercup 130 / 601
Hairy harlequin glorybower 291 / 415	Hairy thread-leaf chive 294 / 347	Hallasan corydalis 288 / 422
Hairy hay-scented fern 235 / 437	Hairy twin-leaf twayblade 295 / 548	Hallasan cranebill 180 / 479
Hairy holly fern 289 / 584	Hairy two-leaf fimbrystilis 298 / 470	Hallasan false-nettle 177 / 376
Hairy horn fern 294 / 420	Hairy vetch 171 / 673	Hallasan ladybell 252 / 341
Hairy knotweed 294 / 337	Hairy vetch-like sweetvetch 290 / 486	Hallasan marsh parnassus 206 / 561
Hairy Korean aspen 293 / 585	Hairy virgate wormwood 293 / 361	Hallasan small dandelion 249 / 652
Hairy Korean cranesbill 291 / 478	Hairy wheatgrass 289 / 455	Hallasan two-leaf vetch 204 / 674
Hairy Korean hawthorn 293 / 424	Hairy white-flower smartweed 324 / 565	Hallasan willow 103 / 617
Hairy Korean lespezea 296 / 516	Hairy whitlow-grass 290 / 445	Hallasan wormwood 180 / 360
Hairy Korean mountain ash 297 / 641	Hairy whorled-leaf ladybell 296 / 341	Hamheung ikeris 309 / 502
Hairy Korean pearl bush 289 / 467	Hairy wild chervil 296 / 354	Hamilton's spindletree 269 / 463
Hairy Korean prickly-ash 297 / 684	Hairy woodland peony 292 / 558	Hancock's sedge 310 / 392
Hairy Korean rhododendron 297 / 605	Hairy Yalu river primrose 297 / 589	Handaeri ragwort 306 / 517
Hairy Korean spruce 296 / 572	Hairy-bract cow-wheat 292 / 536	Han-ran 308 / 428
Hairy-leaf dense-fruit dittany 292 / 442	Hairy-cranberrybush viburnum 292 / 672	Haplopterus 230 / 485
Hairy labrador tea 136 / 511	Hairy-false mornig glory 112 / 384	Hard bluegrass 302 / 579
Hairy linear-leaf spike speedwell 290 / 671	Hairy-fruit yellow bedstraw 294 / 475	Hard bristlegrass 245 / 635
Hairy long-leaf falsenettle 290 / 375	Hairy-leaf mountain isodon 293 / 501	Hardy geranium 168 / 479
Hairy long-leaf violet 290 / 677	Hairy-leaf Ussurian pear 293 / 598	Hardy kiwi 82 / 338
Hairy lophotocarpus 296 / 526	Hairy-leaf yellow bedstraw 296 / 476	Hare's foot fern 72 / 435
Hairy Maack's larkspur 296 / 435	Hairy-marsh vetchling 295 / 511	Harebell 215 / 368
Hairy madder 224 / 611	Hairy-sepal clausia 285 / 413	Harlequin glorybower 78 / 415
Hairy Manchurian cherry 289 / 591	Hairy-style eleutherio 180 / 454	Hart's-tongue fern 36 / 571
Hairy Manchurian currant 21 / 608	Hairy-vein knotweed 65 / 467	Haspan flatsedge 113 / 431
Hairy Manchurian lousewort 292 / 563	Hairy-vein lettuce 163 / 508	Hastate-leaf smartweed 8 / 565
Hairy Manchurian paint maple 292 / 335	Hairy-yellow violet 291 / 676	Hawberry 162 / 424
Hairy Manchurian poplar 298 / 585	Halfchaff sedge 182 / 523	Hawkweed 245 / 489
Hairy Maximowicz's rose 295 / 609	Half-white leafy lespedeza 328 / 515	Hawthorn 82 / 162 / 424 / 603
Hairy miniature mosla 297 / 544	Halla beaksedge 307 / 607	Hayscented fern 235 / 437
Hairy mock buckthorn 294 / 615	Halla catchfly 308 / 636	Hazelnut 21 / 423
Hairy Mongolian deutzia 292 / 439	Halla cheon-ma 308 / 476	Headed-flower figwort 115 / 630
Hairy monk'shooe 78 / 336	Halla chive 307 / 348	Heal-all 60 / 174 / 590 / 645
Hairy mountain ash 236 / 641	Halla dendranthera 307 / 436	Heart-leaf hornbeam 55 / 400
Hairy mountain blueberry 292 / 667	Halla edelweiss 308 / 513	Heart-leaf Indian madder 12 / 611
Hairy mouse-ear chickweed 296 / 404	Halla edible aster 308 / 366	Heart-leaf pepperglass 202 / 513
Hairy Northeast Asian alder 292 / 349	Halla false goat's beard 307 / 367	Heart-shape walnut 265 / 503
Hairy oriental bittersweet 291 / 402	Halla false-hellebore 308 / 669	Heath family 262 / 459
Hairy oriental bush cherry 295 / 591	Halla hosta 307 / 491	Hedgehyssop 280 / 482
Hairy oriental photinia 295 / 589	Halla leafless bird's nest orchid 307 / 548	Hedgemustard 75 / 638
Hairy porcelainberry 289 / 350	Halla lettuce 306 / 508	Hedgenettle 174 / 645
Hairy prickly castor oil tree 295 / 506	Halla lousewort 308 / 562	Hedgeparsley 156 / 659
Hairy Pungsan spruce 288 / 573	Halla mint 307 / 454	Helleborine 84 / 457
Hairy purple loosestrife 293 / 531	Halla monk'shooe 308 / 337	Heloniopsis 272 / 487
Hairy rockcress 296 / 356	Halla northern asphodel 307 / 659	Hemiptelea 195 / 488
Hairy Sargent's cherry 149 / 591	Halla oreorchis 306 / 553	Hemistepha 262 / 488
Hairy Siberian crabapple 295 / 533	Halla pimpinella 308 / 574	Hemlock 186 / 664
Hairy Siebold's smartweed 292 / 566	Halla quilwort 307 / 501	Hemlock parsley 166 / 418
		Hemlock water parsnip 18 / 638
		Hemp dogbane 190 / 355
		Hemp family 167 / 386

Hempnettle 298 / 474
 Hemp-nettle 298 / 474
 Henbit deadnettle 38 / 509
 Hepatica 76 / 488
 Herbaceous seepweed 310 / 649
 Herb-sophia 238 / 438
 Herminium 200 / 488
 Hermitgold clematis 18 / 414
 Heron's bill 43 / 461
 Heterocarpous tick clover 235 / 438
 Heteroglumous reedgrass 100 / 381
 Heterophyllous water parsnip 87 / 638
 Heterophylly false-starwort 18 / 593
 Heuksando hosta 318 / 491
 Heuksan rose 318 / 609
 Hibiscus family 201 / 534
 Hidden violet 278 / 678
 Hidden-petal bluethread 139 / 380
 High mountain cinquefoil 251 / 588
 High mountain rush 267 / 503
 Highland saussurea 97 / 624
 Highly-branch aster 217 / 366
 High-mountain angelica 35 / 417
 High-mountain burnet 41 / 620
 High-mountain ladyfern 96 / 369
 High-mountain speedwell 97 / 671
 High-mountain wormwood 158 / 361
 High-mountain woodrush 40 / 528
 Hill sedge 211 / 396
 Hill violet 100 / 676
 Hirsute raspberry 237 / 612
 Hitch hikers 91 / 438
 Hogfennel 48 / 567
 Hogpeanut 171 / 350
 Hogusan saussurea 71 / 624
 Hogweed 211 / 488
 Holly 13 / 496
 Holly family 13 / 355
 Holly fern 66 / 91 / 188 / 356 / 433 / 583
 Holly-fern woodsia 224 / 682
 Hololeion 56 / 490
 Hondo sedge 230 / 392
 Honewort 300 / 426
 Honeysuckle 230 / 524
 Honeysuckle family 230 / 386
 Hongdo crepidiastrixeris 314 / 425
 Hongdo daylily 314 / 487
 Hongdo saussurea 314 / 624
 Hongno orange raspberry 8 / 612
 Hooked big-flower lousewort 146 / 563
 Hooked-spine bittersweet 303 / 402
 Hooked-thorn raspberry 30 / 612
 Hop 315 / 491
 Hop family 167 / 386
 Hophornbeam 171 / 556

Hop-hornbeam 171 / 556
 Hopchner's sedge 208 / 398
 Horizontal Chinese juniper 105 / 505
 Horn fern 155 / 420
 Hornbeam 172 / 400
 Horned holly 312 / 496
 Horned pondweed 155 / 683
 Hornwort 151 / 311 / 354 / 405
 Hornwort family 151 / 405
 Horny goat weed 168 / 457
 Horsefly's eye 101 / 445
 Horsetail 185 / 458
 Horsetail family 185 / 457
 Horse-tail knotweed 16 / 583
 Horsetail-like spikerush 54 / 453
 Hortensia 190 / 492
 Hosan catchfly 313 / 637
 Hosta 153 / 490
 Hosta-leaf orchid 152 / 658
 Hound's tongue 178 / 430
 Hovenia 311 / 491
 Hulter's licorice-root 48 / 518
 Humbert's sedge 281 / 392
 Humifuse spurge 103 / 465
 Hurricane lilies 169 / 529
 Hwang-gi 316 / 368
 Hwaomsa violet 315 / 676
 Hyacinth orchid 232 / 375
 Hyacinth-flower clematis 143 / 414
 Hybrid beautyberry 20 / 383
 Hybrid broad-leaf olive 282 / 451
 Hybrid complex 211 / 433
 Hybrid false spleenwort 22 / 437
 Hybrid spleenwort 29 / 364
 Hydrangea 190 / 492
 Hydrangea vine 130 / 628
 Hydrella 31 / 492
 Hydrocharis 232 / 492
 Hymenophyllum 260 / 494
 Hypericum 119 / 494
 Hypodematium 48 / 495
 Hystrix 191 / 495

I

Ice plant family 139 / 344
 Idesia 228 / 496
 Ilwol hosta 231 / 490
 Imgae green-flower helleborine 231 / 457
 Impatiens 120 / 497
 Incertae false spiraea 275 / 641
 Incheon ladybell 230 / 340
 Incheon wormwood 206 / 361
 Incised corydalis 233 / 422
 Incised-leaf aster 7 / 366

Indian broomrape 209 / 343
 Indian dammanthus 313 / 434
 Indian dendranthema 12 / 436
 Indian goosegrass 219 / 454
 Indian hemp 190 / 355
 Indian jointvetch 231 / 343
 Indian lettuce 218 / 508
 Indian lovegrass 282 / 459
 Indian marshweed 124 / 520
 Indian pennywort 305 / 493
 Indian pipe 193 / 543
 Indian pipe family 193 / 543
 Indian plantain 132 / 559
 Indian rotala 105 / 610
 Indian skullcap 36 / 631
 Indigo 103 / 497
 Infield narrow-leaf vetch 167 / 673
 Inflated solomon's seal 299 / 582
 Insignificant bristle fern 40 / 425
 Intermediate corchoropsis 202 / 419
 Intermediate dendranthema 229 / 436
 Intermediate fringed pink 59 / 440
 Intermediate woodsia 251 / 682
 Interrupted fern 228 / 555
 Involute spikemoss 130 / 634
 Iris 151 / 498
 Iris family 151 / 498
 Irregular-streak newltsie 169 / 548
 Island bluegrass 181 / 580
 Island corydalis 181 / 421
 Island devilwood 131 / 555
 Island gardneria 215 / 476
 Island golden calanthe 47 / 382
 Island jack-in-the-pulpit 181 / 358
 Island large-bract mosla 180 / 544
 Island narrow-leaf bittercress 179 / 387
 Island ninebark 177 / 572
 Island plantain 181 / 576
 Island pokeweed 180 / 572
 Island ramie 179 / 375
 Island single-leaf fern 180 / 485
 Island small-leaf nettle 179 / 666
 Island thistle 121 / 411
 Isodon 161 / 500
 Isopyrum 108 / 501
 Ivory lady's slipper 123 / 432
 Ivory-flower meseomnamu 169 / 332
 Ivory-flowered abeliophyllum 169 / 332
 Ivy 187 / 486
 Ivy morning glory 205 / 384
 Ixeridium 200 / 502
 Ixeris 175 / 502

J

- Jabyeong saussurea* 233 / 622
Jackbean 310 / 386
Jack-in-the-pulpit 273 / 358
Jack's mock orange 58 / 569
Jacob's ladder 289 / 580
Jalu ragwort 51 / 517
Jangseong sedge 238 / 393
Japanese angelica 24 / 354
Japanese burbark 35 / 664
Japanese camphor tree 172 / 410
Japanese catnip 312 / 627
Japanese chinquapin 114 / 401
Japanese cleyeria 153 / 415
Japanese clover 109 / 507
Japanese clovers 199 / 514
Japanese dodder 170 / 427
Japanese honey locust 256 / 480
Japanese lasianthus 117 / 510
Japanese moorgrass 264 / 542
Japanese myrmecis 17 / 546
Japanese quillwort 120 / 501
Japanese shield fern 162 / 448
Japanese swallow-wort 90 / 429
Japanese thistle 21 / 411
Japanese violet 222 / 676
Japanese wisteria 101 / 681
Java water-dropwort 123 / 550
Jeffersonia 55 / 502
Jeju aster 242 / 366
Jeju Buerger's figwort 243 / 630
Jeju cinquefoil 243 / 588
Jeju clearweed 243 / 573
Jeju clubmoss 50 / 491
Jeju cross holly fern 242 / 584
Jeju falsenettle 242 / 376
Jeju flowering cherry 242 / 592
Jeju habenaria 242 / 484
Jeju hirsute raspberry 243 / 612
Jeju holly fern 241 / 584
Jeju knotweed 243 / 583
Jeju leafless lecanorichis 242 / 511
Jeju long-leaf falsenettle 242 / 375
Jeju membranous milkvetch 243 / 368
Jeju mountain willow 242 / 616
Jeju narrow-leaf bittercress 243 / 387
Jeju needlegrass 242 / 647
Jeju pennycwort 243 / 493
Jeju pipewort 241 / 460
Jeju purple reedgrass 242 / 381
Jeju quillwort 242 / 501
Jeju rush-like bulrush 243 / 629
Jeju spear colysis fern 243 / 417
Jeju spurge 242 / 465

- Jeju surprise lily* 242 / 530
Jeju violet crabgrass 287 / 442
Jejudo barberry 179 / 372
Jejudo beautyberry 170 / 383
Jejudo buckthorn 246 / 603
Jejudo bugbane 222 / 410
Jejudo buttercup 222 / 602
Jejudo cranesbill 181 / 478
Jejudo glandular loosestrife 177 / 530
Jejudo hydrangea 288 / 492
Jejudo ladybell 180 / 341
Jejudo maackia 185 / 531
Jejudo maiden silvergrass 47 / 541
Jejudo multiflora rose 252 / 609
Jejudo ragwort 28 / 518
Jejudo raspberry 242 / 612
Jejudo spike speedwell 72 / 671
Jejudo spindletree 99 / 463
Jejudo twinsorus fern 180 / 443
Jejudo unequal-lobe brake fern
287 / 595
Jeombongsan thistle 240 / 412
Jeongreungcham oak 240 / 599
Jeongseon rock pine 240 / 554
Jeongyeong thistle 240 / 411
Jeonju pogostemon 239 / 449
Jersey cudweed 104 / 593
Jerusalem sage 184 / 570
Jeruselem thorn 25 / 558
Jewelweed 120 / 497
Jindo lespedeza 262 / 516
Jiri crepidiastrum 260 / 425
Jiri holly fern 260 / 584
Jiri honeysuckle 260 / 525
Jiri meadowsweet 261 / 469
Jiri monk's-hood 261 / 336
Jiri spurge 260 / 465
Jiri tailed-leaf isodon 261 / 500
Jirisan ash 119 / 472
Jirisan bamboo 13 / 622
Jirisan false-starwort 261 / 594
Jirisan horn fern 261 / 420
Jirisan ladyfern 261 / 369
Jirisan sheep's fescue 261 / 468
Jirisan snowbell 252 / 648
Jirisan spreading-hair eleuthero
261 / 454
Jirisan twilight lily 261 / 520
Job's tears wormwood 227 / 360
Jodo cheesetree 244 / 481
Jointgrass 189 / 487
Jointwetch 232 / 343
Jolcham oak 246 / 600
Jolgalmacham oak 246 / 599
Jolkin's spurge 202 / 465

- Jujube* 115 / 684
Jumping holly fern 68 / 584
Juncea lespedeza 102 / 515
Juneberry 272 / 349
Junegrass 92 / 507
Juniper 311 / 504
Junos-hair fern 202 / 341
Juteleaf raspberry 191 / 611
- K**
- Kadsura* 70 / 505
Kadsura pepper 318 / 575
Kadsura vine 70 / 505
Kaema hawkweed oxtongue 16 / 573
Kalkora mimosa 220 / 346
Kamchatka bedstraw 291 / 474
Kamchatka fleabane 161 / 459
Kamchatka goatsbeard 79 / 362
Kamchatka hemlock 166 / 418
Kamchatka Indian plantain 66 / 559
Kamchatka plantain 23 / 576
Kamchatka pleurospermum 222 / 578
Kamchatka red elder 260 / 620
Kamchatka trillium 214 / 663
Kando valerian 11 / 669
Kangaroo grass 186 / 656
Kelp-leaf weeping fern 82 / 513
Katniss 144 / 615
Kerria 316 / 506
Khingan fir 148 / 333
Kidney weed 201 / 441
Kidney-leaf wintergreen 279 / 597
King solomon's-seal 98 / 581
King wood fern 221 / 448
Kirengeshoma 64 / 506
Kirilow's indigo 103 / 497
Kiwi 82 / 338
Kiwi family 82 / 339
Kneeling angelica 222 / 353
Knorrinia 195 / 506
Knotgrass 106 / 582
Knotweed 106 / 582
Kobus magnolia 114 / 532
Koelreuteria 113 / 507
Komarov's bluegrass 278 / 579
Komarov's bugbane 195 / 410
Komarov's bulrush 38 / 629
Komarov's currant 56 / 607
Komarov's hawthorn 228 / 424
Komarov's Russian thistle 191 / 619
Komarov's saussurea 152 / 623
Konara oak 246 / 600
Korean abelialeaf 123 / 332
Korean abeliophyllum 123 / 332

Korean aging chive 268 / 347	Korean filmy fern 207 / 494	Korean mountain spurge 96 / 464
Korean agrimony 165 / 343	Korean fir 41 / 333	Korean mountain vetchling 162 / 511
Korean alpine eyebright 208 / 466	Korean flowering cherry 220 / 592	Korean mouse-ear chickweed 148 / 405
Korean alpine fleabane 40 / 459	Korean forest poppy 109 / 419	Korean mulberry 162 / 544
Korean alpine gentian 35 / 477	Korean frog orchid 302 / 434	Korean murainagrass 270 / 500
Korean anemone 314 / 352	Korean gentian 223 / 477	Korean necklace pod 15 / 450
Korean angelica 268 / 354	Korean ginseng 230 / 559	Korean needlegrass 267 / 647
Korean angelica tree 95 / 357	Korean gland fern 269 / 560	Korean neillia 124 / 547
Korean arborvitae 80 / 656	Korean goatsbeard 306 / 362	Korean oak 103 / 599
Korean aspen 156 / 585	Korean go-bon 34 / 354	Korean pasque-flower 308 / 596
Korean atactyloides 86 / 370	Korean goldenbell tree 15 / 471	Korean paulownia 215 / 562
Korean autumn olive 220 / 451	Korean goldenrod 66 / 640	Korean pear 309 / 598
Korean azalea 166 / 606	Korean goosefoot 268 / 407	Korean pearl bush 9 / 467
Korean bamboo 196 / 622	Korean hackberry 221 / 403	Korean pentactina 45 / 564
Korean barberry 110 / 372	Korean hawkweed 55 / 489	Korean pepper 276 / 683
Korean bellflower 181 / 385	Korean hawkweed oxtongue 189 / 573	Korean photinia 251 / 589
Korean big-fruit stitchwort 266 / 540	Korean hogfennel 96 / 567	Korean pickled-peel onion 245 / 348
Korean birch 29 / 373	Korean holly fern 267 / 584	Korean pigweed 290 / 370
Korean bird's nest 66 / 673	Korean honeysuckle 194 / 525	Korean pimpinella 5 / 574
Korean bittercress 266 / 387	Korean hornbeam 184 / 400	Korean pine 237 / 575
Korean black currant 54 / 608	Korean hydrangea 104 / 492	Korean plum yew 279 / 404
Korean blackberry 144 / 611	Korean Indian plantain 267 / 560	Korean poplar 122 / 585
Korean blueberry 163 / 667	Korean indigo 125 / 497	Korean prickly thistle 128 / 412
Korean bluegrass 250 / 579	Korean Jerusalem sage 163 / 570	Korean privet 180 / 518
Korean boxwood 317 / 380	Korean kirengesoma 64 / 506	Korean pyramid bugle 244 / 345
Korean buckthorn 289 / 603	Korean knotweed 167 / 467	Korean quillwort 268 / 501
Korean bugle 232 / 345	Korean lady's bedstraw 266 / 474	Korean raspberry 160 / 612
Korean bugleweed 20 / 529	Korean lady's slipper 39 / 432	Korean red elder 73 / 620
Korean butterweed 43 / 637	Korean ladybell 59 / 340	Korean red pine 183 / 575
Korean calanthe 179 / 382	Korean lawnglass 235 / 685	Korean rhododendron 262 / 605
Korean caryota-leaf hollyfern 270 / 433	Korean lespediza 244 / 515	Korean rhubarb 237 / 604
Korean castanea 133 / 401	Korean lilac 240 / 651	Korean rock fern 31 / 585
Korean cinquefoil 94 / 587	Korean libanotis 290 / 517	Korean rocky chive 93 / 347
Korean clematis 183 / 414	Korean linden 213 / 657	Korean rose 326 / 609
Korean clover 98 / 507	Korean loosestrife 271 / 530	Korean scopolia 124 / 630
Korean corydalis 245 / 423	Korean lovegrass 45 / 458	Korean sedge 245 / 390
Korean cow-wheat 50 / 536	Korean maidenhair fern 34 / 341	Korean sheep's fescue 267 / 468
Korean cranesbill 98 / 478	Korean maple 85 / 334	Korean small-flower pellitory 277 / 561
Korean creeping raspberry 257 / 612	Korean Maximowicz's rose 220 / 609	Korean snake sage 269 / 619
Korean crowberry 195 / 456	Korean meadow false-hellebore 52 / 669	Korean solomon's seal 256 / 582
Korean dandelion 125 / 653	Korean meadow spirea 11 / 644	Korean spice viburnum 148 / 672
Korean dendranthema 158 / 436	Korean meadow-rue 214 / 655	Korean spike speedwell 261 / 671
Korean dendropanax 317 / 437	Korean meadowsweet 288 / 470	Korean spindletree 271 / 463
Korean deutzia 110 / 439	Korean milkvetch 240 / 368	Korean spirea 271 / 643
Korean dogwood 160 / 420	Korean mint 135 / 343	Korean spreading yew 176 / 653
Korean early lilac 191 / 651	Korean mistletoe 32 / 679	Korean spruce 255 / 572
Korean edelweiss 187 / 513	Korean mock orange 33 / 569	Korean stewartia 74 / 647
Korean elephant-ear 93 / 372	Korean monkshood 136 / 336	Korean sun pear 278 / 598
Korean epimedium 168 / 457	Korean montane aster 79 / 366	Korean swamppink 272 / 487
Korean eyebright 55 / 465	Korean mountain ash 300 / 641	Korean sweetheart tree 109 / 466
Korean fairybell 226 / 444	Korean mountain burnet 164 / 620	Korean sweetleaf 178 / 650
Korean false goat's beard 193 / 367	Korean mountain castanea 161 / 401	Korean tailed-leaf isodon 98 / 500
Korean false-starwort 266 / 593	Korean mountain cherry 158 / 591	Korean tapering glade fern 37 / 437
Korean figwort 298 / 631	Korean mountain magnolia 309 / 532	Korean thistle 34 / 412
Korean filifolium 236 / 469		Korean trigonotis 267 / 663

Korean twisted-stalk 221 / 648
 Korean uniform wood fern 267 / 449
 Korean valerian 260 / 668
 Korean viburnum 135 / 672
 Korean water crowfoot 110 / 602
 Korean water-chestnut 226 / 660
 Korean weigela 143 / 681
 Korean wheatgrass 34 / 455
 Korean widelip orchid 267 / 523
 Korean wild chive 84 / 347
 Korean wildginger 234 / 363
 Korean willow 138 / 617
 Korean winter hazel 330 / 423
 Korean woodruff 12 / 364
 Korean woodsia 253 / 682
 Korean wormwood 199 / 361
 Korsakow's monochoria 121 / 543
 Korshinsky's sedge 226 / 393
 Korthal mistletoe 95 / 507
 Kramer's navelwort 232 / 551
 Kramer's rush 151 / 504
 Kramer's widelip orchid 61 / 523
 Kudzu 278 / 596
 Kuhl Hasseltia 137 / 507
 Kummerowia 109 / 507
 Kuril bamboo 180 / 622
 Kusnezoff's monk's-hood 229 / 336
 Gwanmo sedge 11 / 389
 Kyeongseong violet 33 / 678

L

Labrador tea 136 / 511
 Lace fern 255 / 527
 Lacebark elm 268 / 666
 Lacefern 69 / 426
 Laceshrub 43 / 646
 Laciniate rockfoil 41 / 625
 Laciniate-flower campion 241 / 528
 Lacosteopsis 79 / 508
 Lacquer tree 217 / 659
 Ladder-shape gland fern 155 / 560
 Ladies tresses 287 / 644
 Ladies' tress 287 / 644
 Ladies'-tresses 287 / 644
 Lady's slipper orchid 75 / 432
 Lady's slipper orchids 145 / 432
 Lady's tresses 287 / 644
 Ladybells 235 / 339
 Ladyfern 14 / 368
 Lagopsis 320 / 508
 Lamarck's ladybell 97 / 340
 Lamb's ears 174 / 645
 Lampwick plant 184 / 570
 Lance Asiabell 89 / 417

Lance colysis fem	271 / 418	Lastrea	286 / 510
Lance-leaf northern bedstraw	124 / 474	Late-blooming hosta	310 / 491
Lanceolate rocky forsythia	51 / 472	Late-blooming solomon's seal	81 / 582
Lanceolate sedge	44 / 393	Laurel family	77 / 511
Lanceolate-leaf cow-wheat	205 / 536	Laurel willow	133 / 617
Langsdorf's reedgrass	162 / 381	Lawn marsh pennywort	305 / 493
Lapland rosebay	316 / 605	Lawngrass	235 / 685
Laportea	318 / 509	Leadwort family	27 / 578
Lappland reedgrass	105 / 381	Leaf between flower	58 / 377
Larch	231 / 510	Leafflower	213 / 571
Larchlike stitchwort	71 / 540	Leafless epipogium	226 / 457
Lardizabala family	227 / 509	Leafless lecanorhachis	117 / 511
Large-bract mosla	160 / 544	Leaf-like-calyx deepblue honeysuckle	
Large-bract mountain hawthorn	231 / 424	16 / 524	
Large clearweed	282 / 573	Leafy lespedeza	270 / 515
Large deltoid synurus	284 / 651	Leafy spurge	321 / 464
Large false solomon's seal	220 / 639	Least water-lily	221 / 549
Large false spleenwort	285 / 437	Least willow	278 / 618
Large-flower Asian calamint	59 / 415	Leather flower	227 / 413
Large-flower Chinese peashrub	133 / 386	Leatherleaf	263 / 405
Large-flower deutzia	130 / 439	Leather-leaf viburnum	89 / 672
Large-flower indigo	280 / 497	Leathery wood fern	152 / 447
Large-flower motherwort	188 / 513	Leathery holly fern	279 / 584
Large-flower saussurea	172 / 623	Lecanorhachis	117 / 511
Large-flower widelip orchid	280 / 523	Lehman's sedge	105 / 393
Large-fruit amaranth	79 / 349	Leibnitzia sunbonnet	186 / 512
Large-fruit elm	219 / 666	Lemmaphyllum	278 / 512
Large Jejudo twinsorus fern	283 / 443	Lemon grass	20 / 428
Large Komarov's bittercress	281 / 387	Lentil vetch	211 / 674
Large Komarov's saussurea	282 / 623	Lentoid sedge	152 / 396
Large-leaf dogwood	37 / 420	Leopard lily	141 / 371
Large-leaf falsenettle	222 / 375	Leopard plant	37 / 292 / 468 / 517
Large-leaf labrador tea	219 / 511	Leopard's bane	299 / 336
Large-leaf mountain isodon	55 / 501	Lepisorus	231 / 513
Large-leaf paniculous supplejack	111 / 372	Leptogramma	263 / 514
Large-leaf vetch	281 / 674	Leptopyrum	129 / 514
Large-leaf viburnum	16 / 672	Leptorumohra	218 / 514
Large-leaflet prickly-ash	221 / 683	Lespedeza	199 / 514
Large linear-leaf spike speedwell	280 / 671	Lesser alianthus-like prickly-ash	
Large-sepal corydalis	12 / 422	248 / 683	
Large-spike sedge	220 / 397	Lesser bladderwort	198 / 667
Large-spike speedwell	280 / 671	Lesser cattail	206 / 665
Large tetrapetal swertia	285 / 649	Lesser clubmosses	147 / 633
Large two-leaf vetch	281 / 674	Lesser fimbriostylis	129 / 471
Large wand lespedeza	80 / 515	Lesser lilyturf	248 / 523
Large wavy-leaf basketgrass	208 / 552	Lesser narrow-leaf vetch	2 / 673
Large widelip orchid	217 / 523	Lesser oriental bulrush	251 / 628
Large wood sorrel	280 / 557	Lesser rattlesnake plantain	206 / 482
Larger red autumn fern	286 / 447	Lesser solomon's seal	98 / 582
Larkspur	240 / 435	Lesser tetrapetal swertia	74 / 649
Lasianthus	117 / 510	Lesser tiger lily	258 / 520
		Lesser two-leaf vetch	235 / 673
		Lesser wintergreen	255 / 597
		Lettuce	218 / 508
		Leucanthemella	287 / 517

Leveille's big-leaf hare's ear 251 / 380	Lizard's tail family 167 / 622	Long-peduncle chrysanthia honeysuckle 239 / 525
Leveille's swamp fern 65 / 427	Lobed actinostemma 104 / 339	Long-peduncle lespedeza 59 / 516
Libanotis 290 / 517	Lobelia 194 / 524	Long-peduncle pilose lespedeza 49 / 516
Licorice-root 48 / 518	Lobulate-leaf Korean mountain ash 140 / 641	
Ligulate sedge 12 / 392	Locoweed 97 / 316 / 367 / 557	Long-petal false-hellebore 303 / 669
Lilac 191 / 651	Long arrow-head smartweed 50 / 565	Long-petal globe-flower 280 / 664
Lilac clustered gentian 213 / 477	Long beech fern 6 / 568	Long pine-cone bulrush 134 / 629
Lilac daphne 300 / 434	Long-beak buttercup 15 / 602	Long-rostrate sedge 305 / 394
Lilac self-heal 60 / 590	Long-beard porcupine 191 / 496	Long-seed willowherb 128 / 457
Lily 137 / 519	Long-bract cephalanthera 227 / 404	Long-sepal Donggang pasque-flower 50 / 596
Lily family 137 / 519	Long false spleenwort 65 / 438	Long-spike fimbristylis 286 / 471
Lily of the valley 227 / 419	Long-frond holly fern 178 / 584	Long-stalk low meadow-rue 281 / 655
Lilyleaf ladybell 66 / 340	Long-fruit autumn olive 51 / 451	Long-stamen chive 160 / 347
Lilyturf 111 / 523	Long-fruit Korean mountain ash 53 / 641	Long-stem bur-reed 53 / 642
Lime trees 305 / 657	Long-fruit tick clover 50 / 439	Long-stem violet 246 / 675
Limelight wood fern 57 / 447	Long-glandular eyebright 283 / 466	Long-style catchfly 277 / 637
Linden family 305 / 658	Long-hair filmy fern 46 / 535	Long-tail iris 10 / 499
Linden viburnum 6 / 672	Long-hair rockfoil 292 / 625	Long-tail spleenwort 56 / 364
Lindley eupatorium 36 / 464	Long-hairy spike speedwell 73 / 670	Long-tail-spike sedge 159 / 398
Linear arrow-head smartweed 254 / 566	Long-head oriental false hawksbeard 50 / 683	Longcalyx pink 194 / 440
Linear three-leaf ladybell 5 / 341	Long-leaf alpine willow 50 / 616	Loose spike browntop 281 / 540
Linear-fruit blyxa 217 / 375	Long-leaf Asian hollyfern 52 / 433	Loose St. Johnswort 246 / 495
Linear-leaf bedstraw 196 / 475	Long-leaf bay-tree 183 / 532	Loose-flower hornbeam 172 / 400
Linear-leaf British yellowhead 2 / 498	Long-leaf beak willow 52 / 619	Loose-leaf sellaginella 152 / 634
Linear-leaf chive 175 / 347	Long-leaf burnet 51 / 620	Loosely-flower Jacob's ladder 9 / 580
Linear-leaf habenaria 236 / 484	Long-leaf chickweed 52 / 646	Loosely-leaf marsh fern 100 / 538
Linear-leaf Korean gentian 264 / 477	Long-leaf fringetree 52 / 407	Loosely-spike sedge 198 / 393
Linear-leaf leucantheme 287 / 517	Long-leaf Hallasan willow 52 / 617	Loose-spike smartweed 229 / 565
Linear-leaf pternopetalum 132 / 595	Long-leaf Indian hawthorn 52 / 603	Loosestrife 147 / 531
Linear-leaf spike speedwell 57 / 670	Long-leaf knotweed 49 / 337	Loosestrife family 147 / 531
Linear-leaf thistle 139 / 411	Long-leaf Korean aspen 52 / 585	Lophatherum 245 / 526
Linear-leaf willow 254 / 618	Long-leaf Korean boxwood 53 / 380	Lopseed 300 / 570
Linear-sorus lance fern 194 / 527	Long-leaf lespedeza 52 / 515	Lopseed family 300 / 571
Lineate-leaf felt fern 224 / 597	Long-leaf mountain isodon 52 / 501	Lotus rock pine 214 / 554
Lip ferns 19 / 406	Long-leaf mountain spirea 52 / 643	Lousewort 188 / 562
Lipfern 19 / 406	Long-leaf spike speedwell 51 / 671	Lovegrass 269 / 458
Lipocarpha 182 / 523	Long-leaf sticky-stem pearlwort 53 / 615	Low sedge 4 / 392
Lithuania mannagrass 276 / 481	Long-leaf thesium 53 / 656	Low torularia 214 / 659
Litsea 54 / 524	Long-leaf valerian 52 / 668	Loxogramme 255 / 527
Little lovegrass 250 / 458	Long-leaf violet 52 / 677	Lucid asparagus 273 / 363
Little moonwort 246 / 377	Long-leaflet Manchurian walnut 49 / 503	Ludwigia 212 / 527
Little platanthera 308 / 577	Long loose-flower hornbeam 51 / 400	Lupine clover 84 / 662
Little pondweed 203 / 586	Long Mokpo sedge 50 / 391	Lusterless holly fern 49 / 584
Little rose 247 / 406	Long-mountain maiden saussurea 51 / 625	Lycoris 169 / 529
Little shaggy shield fern 209 / 447	Long narrow-leaf nettle 49 / 666	Lyngbye's sedge 164 / 394
Little valerian 252 / 668	Long omphalotrix 199 / 551	Lyrate-leaf rockcress 115 / 356
Little-beak gymnospermium 306 / 483	Long-pedicel milkvetch 50 / 368	Lyre-leaf nightshade 135 / 639
Littleleaf buckthorn 92 / 603	Long-pedicel pennywort 286 / 493	Lyre-shape hemistepeta 262 / 488
Littleleaf peashrub 247 / 386	Long-pedicel snake tongue starviolet 50 / 486	Maaack's arrow-head smartweed 63 / 566
Littleleaf pondweed 2 / 586		
Live-for-ever 61 / 493		
Liverleaf 76 / 488		
Liverwort 76 / 488		
Livid sedge 95 / 394		
Lizard's tail 167 / 622		

M

Maack's aster 246 / 366
 Maack's bugleweed 207 / 529
 Maack's larkspur 285 / 435
 Maack's pondweed 171 / 586
 Maack's sedge 287 / 394
 Maack's spindletree 254 / 463
 Maackia 82 / 531
 Maacki's pondweed 171 / 586
 Machilus 318 / 532
 Mackenzie's sedge 283 / 394
 Macropoda holly 88 / 496
 Macropodus daphniphyllum 43 / 434
 Macrothelypteris 10 / 532
 Maculate sedge 116 / 394
 Madder 57 / 610
 Madder family 57 / 611
 Madwoman's milk 101 / 465
 Maehwamareum 110 / 602
 Maekdo raspberry 111 / 612
 Maengsan abelia 88 / 332
 Maesa 154 / 532
 Maesa family 154 / 532
 Magnolia 114 / 532
 Magnolia family 114 / 532
 Magnolia vine 216 / 626
 Magnus aster 218 / 366
 Maiden chloranthus 216 / 408
 Maiden fern 272 / 655
 Maiden sawwort 10 / 624
 Maiden silvergrass 270 / 541
 Maidenhair fern 38 / 341
 Maidenhair fern family 34 / 594
 Maidenhair spleenwort 265 / 365
 Malaxis 229 / 533
 Male fern 38 / 446
 Mallotus 215 / 533
 Manchurian aging chive 250 / 347
 Manchurian alder 121 / 348
 Manchurian angelica 92 / 357
 Manchurian ash 100 / 472
 Manchurian baby's-breath 87 / 484
 Manchurian beakgrain 56 / 441
 Manchurian bird's nest orchid 170 / 548
 Manchurian bittercress 107 / 388
 Manchurian buttercup 107 / 601
 Manchurian cherry 20 / 591
 Manchurian clematis 227 / 414
 Manchurian currant 55 / 608
 Manchurian elm 68 / 666
 Manchurian hazel 118 / 423
 Manchurian honeysuckle 121 / 526
 Manchurian iris 108 / 499
 Manchurian isopyrum 107 / 501
 Manchurian ladybell 108 / 340
 Manchurian larch 108 / 510

Manchurian lilac 24 / 651
 Manchurian lime 266 / 657
 Manchurian lousewort 108 / 563
 Manchurian paint maple 107 / 334
 Manchurian pipevine 102 / 359
 Manchurian poplar 316 / 585
 Manchurian red pine 107 / 575
 Manchurian rockfoil 323 / 625
 Manchurian saussurea 90 / 623
 Manchurian sedge 108 / 394
 Manchurian shrubby cinquefoil 322 / 588
 Manchurian smartweed 107 / 565
 Manchurian tick clover 205 / 439
 Manchurian Turk's-cap Lily 108 / 520
 Manchurian viburnum 162 / 672
 Manchurian violet 241 / 677
 Manchurian walnut 6 / 503
 Manchurian water-chestnut 108 / 660
 Manchurian wild rice 257 / 684
 Manchurian wildginger 108 / 363
 Manchurian woodsia 108 / 682
 Manchurian yellow loosestrife 55 / 530
 Mangosteen family 119 / 416
 Mankyu's clematis 40 / 414
 Mankyu'a 241 / 534
 Mannagrass 123 / 481
 Manchurian maple 145 / 334
 Manchurian peashrub 266 / 386
 Many-bract bothriospermum 267 / 376
 Many-branch golden saxifrage 8 / 409
 Many-branch whitlow-grass 40 / 445
 Many-flower ammannia 249 / 350
 Many-flower ladybell 193 / 340
 Many-flower tylophora 222 / 665
 Many-fold sequence bentgrass 212 / 344
 Many-head ikeris 141 / 502
 Many-head rock pine 82 / 554
 Many-sepal anemone 60 / 353
 Many-spike flatsedge 26 / 431
 Many-stem black pine 37 / 575
 Many-stem Jejudo beautyberry 250 / 383
 Many-stem Korean red pine 132 / 575
 Many-stem wild calamint 288 / 416
 Maple 83 / 333
 Maple family 83 / 335
 Maple-leaf ainsliaea 83 / 344
 Maple-leaf mountain yam 83 / 442
 Maple-leaf mukdenia 93 / 545
 Maple-leaf violet 83 / 675
 Mare's-tail 188 / 489
 Mare's-tail family 188 / 489
 Margaric leaf rock pine 263 / 554
 Margaric spikerush 322 / 453
 Marine eelgrass 28 / 684
 Maritime jujuba 25 / 558
 Marlberry 232 / 357
 Marsdenia 65 / 534
 Marsh arrowgrass 122 / 662
 Marsh calla 162 / 382
 Marsh cinquefoil 121 / 587
 Marsh cudweed 221 / 482
 Marsh dewflower 156 / 545
 Marsh false spleenwort 263 / 437
 Marsh fern 155 / 560
 Marsh grass-of-parnassus 119 / 561
 Marsh horsetail 20 / 458
 Marsh ladybell 264 / 340
 Marsh marigold 95 / 384
 Marsh penny 305 / 493
 Marsh sedge 81 / 389
 Marsh St. Johnswort 118 / 661
 Marsh willowherb 139 / 456
 Marshfire glasswort 299 / 616
 Marsh-rosemary 28 / 42 / 520
 Marshweed 74 / 520
 Mastic-leaf prickly ash 166 / 684
 Maule's quince 304 / 405
 Maximowicz's hawthorn 200 / 424
 Maximowicz's rose 223 / 609
 Maximowicz's berteroella 237 / 372
 Maximowicz's eyebright 202 / 466
 Maximowicz's hololeion 56 / 490
 Maximowicz's Jerusalem sage 283 / 570
 Maximowicz's ostericum 3 / 556
 Maximowicz's rush 197 / 504
 Maximowicz's saussurea 139 / 623
 Maximowicz's sedge 220 / 394
 Maximowicz's willow 265 / 617
 Maximowicz's woodruff 14 / 364
 Mayflower 95 / 533
 May-tree 162 / 424
 Mazus 256 / 534
 Meadow adder's tongue 247 / 552
 Meadow anemone 309 / 596
 Meadow barnyard grass 248 / 450
 Meadow buttercup 206 / 601
 Meadow catchfly 208 / 636
 Meadow horsetail 121 / 458
 Meadow little willow 100 / 618
 Meadow monk's-hood 176 / 337
 Meadow-rue 60 / 654
 Meadow-sweet 288 / 469
 Mecodium 272 / 535
 Medicineplant 119 / 341
 Medium hairy-fruit lady's bedstraw 20 / 475

Medium-fruit elm 258 / 666	Mitrasacme 141 / 542	Moonseed family 170 / 537
Mechanis 140 / 535	Mixed nerwed-scale sedge 236 / 388	Moonwort 135 / 377
Megaleranthis 113 / 535	Moccasin flower 145 / 432	Moor-king lousewort 87 / 563
Melic 199 / 536	Mock buckthorn 168 / 615	Moor rush 88 / 504
Melic grass 199 / 536	Mock orange 33 / 569	Moongrass 264 / 542
Meliosma 63 / 537	Mock strawberry 126 / 449	Morning glory 112 / 384
Melothria 170 / 537	Mockstrawberry cinquefoil 248 / 587	Morning glory family 112 / 419
Memorial rose 243 / 609	Modemipul 113 / 535	Morning-star lily 306 / 519
Mercurialis 165 / 538	Moehringia 18 / 542	Moschatel family 214 / 342
Mercuries 165 / 538	Mokpo sedge 115 / 391	Mosla 258 / 544
Metanarthecium 278 / 538	Mokpo spurge 115 / 465	Mosquito fern 118 / 370
Metaplexis 131 / 538	Mokpo wide-bract solomon's seal	Mosquitofern 118 / 370
Metathelypteris 100 / 538		Moss pipewort 203 / 460
Meterostachys 68 / 538	Mokryeon 114 / 532	Moss roses 189 / 586
Meyendorf's aster 21 / 366	Mollis' swamp fern 263 / 514	Mosslike stonecrop 131 / 633
Meyer's cherry 147 / 591	Mongolian clearweed 114 / 573	Motherwort 230 / 513
Meyer's sedge 262 / 395	Mongolian dandelion 292 / 652	Mountain aristate sweetroot 265 / 555
Mezereum family 300 / 656	Mongolian deutzia 108 / 439	Mountain ash 105 / 641
Michelia 275 / 539	Mongolian false needlegrass 192 / 595	Mountain Asian calamint 166 / 415
Microcarpaea 264 / 539	Mongolian milkvetch 316 / 368	Mountain aster 163 / 366
Microsorium 272 / 539	Mongolian mulberry 115 / 544	Mountain avens 84 / 446
Midget crabapple 21 / 534	Mongolian oak 196 / 600	Mountain bedstraw 157 / 475
Mile-a-minute 106 / 582	Mongolian saussurea 148 / 623	Mountain blueberry 160 / 667
Milktree 156 / 548	Mongolian snakegourd 306 / 661	Mountain bluegrass 97 / 579
Milkvetch 316 / 367	Mongolica × serrata oak 196 / 600	Mountain buckler fern 165 / 446
Milkweed family 131 / 363	Moniliform dendrobium 173 / 437	Mountain bush cherry 164 / 590
Milkwort 26 / 480	Moniliform rhizome solomon's seal	Mountain cat-tail sedge 158 / 393
Milkwort family 225 / 581		Mountain chrysanthia honeysuckle
Milkworts 225 / 581	Moniliform skullcap 41 / 632	158 / 525
Milky-white violet 327 / 677	Monk's-hood 299 / 336	Mountain clubmoss 115 / 529
Milletgrass 62 / 540	Monkey-flowers 119 / 540	Mountain coronate sawwort 162 / 635
Mimosa 231 / 346	Monnier's snowparsley 140 / 416	Mountain cottonsedge 97 / 461
Miniature mosla 258 / 544	Mono maple 34 / 334	Mountain daphne 96 / 434
Miniature sedge 206 / 390	Mono-sorus maidenhair fern 177 / 342	Mountain everlasting 135 / 354
Miniature stonecrop 204 / 633	Monochoria 121 / 543	Mountain false-starwort 158 / 594
Miniature widelip orchid 66 / 523	Mono-sorus maidenhair fern 177 / 342	Mountain figwort 279 / 630
Minor hosta 250 / 491	Monotropastrum 64 / 543	Mountain germander 38 / 654
Minor pogonia 134 / 580	Montane alder 97 / 349	Mountain golden saxifrage 158 / 409
Mint 132 / 537	Montane angelica 96 / 353	Mountain hawthorn 162 / 424
Mint family 60 / 508	Montane aster 140 / 366	Mountain heathers 7 / 571
Minute bittercress 209 / 388	Montane bedstraw 96 / 475	Mountain-heaths 7 / 571
Minute blue dayflower 204 / 418	Montane buckler fern 115 / 448	Mountain hogfennel 159 / 568
Minute duckweed 246 / 512	Montane clearweed 161 / 573	Mountain hydrangea 163 / 492
Minute rock pine 249 / 554	Montane dandelion 161 / 653	Mountain Indian plantain 132 / 560
Minute sawwort 236 / 635	Montane dock 112 / 614	Mountain isodon 161 / 500
Minute-gibbous sedge 277 / 397	Montane false ohelo 159 / 681	Mountain knotweed 161 / 337
Miquel's mazus 79 / 535	Montane honeysuckle 97 / 525	Mountain Korean maple 159 / 334
Miquel's pipewort 20 / 460	Montane ladyfern 165 / 369	Mountain ladyfern 158 / 368
Miseonnamu 123 / 332	Montane poppy 97 / 559	Mountain-leathery grapefern 83 / 626
Miss Kim lilac 289 / 651	Montane sedge 163 / 399	Mountain locoweed 321 / 557
Mission bells 301 / 473	Montane spirea 165 / 643	Mountain maiden saussurea 157 / 625
Mistletoe 32 / 679	Montane woodrush 96 / 528	Mountain maiden silvergrass 115 / 541
Mitchella 313 / 542	Montane wormwood 163 / 361	Mountain meadow buttercup 161 / 601
Miterworts 63 / 542	Montane-woolly saussurea 97 / 624	Mountain melic 220 / 536
Mitra sedge 32 / 395	Moonseed 170 / 537	Mountain nerved-fruit sedge 229 / 394

Mountain oriental cherry 236 / 592
 Mountain pasque-flower 166 / 596
 Mountain ridge bluegrass 247 / 579
 Mountain rock pine 113 / 555
 Mountain skullcap 158 / 632
 Mountain sorrel 64 / 557
 Mountain spike speedwell 159 / 671
 Mountain toothwort 22 / 510
 Mountain twinsorus fern 96 / 443
 Mousebane 299 / 336
 Mouse-ear chickweed 239 / 404
 Mud sedge 88 / 394
 Mudeung nutrush 116 / 629
 Mudeung saussurea 116 / 623
 Mudgrasses 122 / 593
 Mudwort 102 / 521
 Mugunghwa 116 / 489
 Mugwort 200 / 359
 Muhyi 259 / 545
 Mukdenia 93 / 545
 Mulberry 155 / 543
 Mulberry family 155 / 543
 Mulberry mistletoe 56 / 527
 Mulberry-leaf linden 155 / 658
 Mulcham oak 122 / 600
 Multiciliate holly fern 66 / 584
 Multifidous-leaf catnip 24 / 627
 Multiflora rose 265 / 609
 Multilobe mukdenia 281 / 545
 Multi-lobe selliqa fern 277 / 426
 Multipetalous Korean azalea 108 / 606
 Multi-ridge meadowsweet 271 / 470
 Multi-stem lovegrass 152 / 459
 Munbae 117 / 598
 Munsu bamboo 117 / 362
 Murainagrass 189 / 500
 Murdannia 156 / 545
 Musan ragwort 116 / 518
 Musan sedge 117 / 388
 Musk orchid 64 / 489
 Musk-flowers 119 / 540
 Muskroot 213 / 342
 Muskroot-like semiaquilegia 15 / 634
 Musky violet 157 / 677
 Mustard flowers family 198 / 378
 Mustard-color lady's slipper 32 / 432
 Mustards family 198 / 378
 Myeongcheon catchfly 113 / 637
 Myeongcheon wormwood 113 / 361
 Myeong-yi 225 / 347
 Myohyang saussurea 116 / 623
 Myrmecis 17 / 546
 Myrsine family 232 / 546
 Mysore thorn 196 / 381

N
 Nadopungran 65 / 632
 Naejang twinsorus fern 70 / 444
 Naeng-i 70 / 386
 Najad family 232 / 492
 Naked-anther ternstroemia 318 / 654
 Naked ground berry 202 / 665
 Naked mitrewort 63 / 542
 Namdo corydalis 69 / 422
 Namhae spirea 70 / 643
 Namhae wild pear 70 / 598
 Nampotaesan rockfoil 141 / 625
 Namsan violet 69 / 675
 Nangrim reedgrass 70 / 382
 Nangrimisan saussurea 293 / 624
 Nanocnide 63 / 547
 Narcissus anemone 129 / 352
 Narrow arrow-head smartweed 53 / 564
 Narrow-bract ragwort 210 / 517
 Narrow East Asian hogweed 253 / 488
 Narrow-flower Asian dayflower 248 / 418
 Narrow gland fern 287 / 560
 Narrow-head ragwort 36 / 518
 Narrow-leaf alpine bistort 207 / 375
 Narrow-leaf Amur silvergrass 4 / 541
 Narrow-leaf arrowhead 144 / 615
 Narrow-leaf autumn-flower olive 254 / 451
 Narrow-leaf bittercress 199 / 387
 Narrow-leaf buckler fern 5 / 446
 Narrow-leaf campion 3 / 528
 Narrow-leaf dock 4 / 614
 Narrow-leaf erecta fig 254 / 469
 Narrow-leaf false-starwort 4 / 594
 Narrow-leaf flowering ash 251 / 472
 Narrow-leaf goosefoot 3 / 407
 Narrow-leaf grewia 251 / 483
 Narrow-leaf hawkweed 245 / 489
 Narrow-leaf hosta 164 / 490
 Narrow-leaf Japanese thistle 254 / 411
 Narrow-leaf knotweed 284 / 583
 Narrow-leaf Korean barberry 254 / 372
 Narrow-leaf labrador tea 253 / 511
 Narrow-leaf ladybell 186 / 339
 Narrow-leaf ladyfern 4 / 369
 Narrow-leaf mint 5 / 454
 Narrow-leaf nettle 4 / 666
 Narrow-leaf nightshade 254 / 639
 Narrow-leaf pasque-flower 5 / 596
 Narrow-leaf prickly castor oil tree 5 / 506
 Narrow-leaf reedgrass 136 / 381
 Narrow-leaf rhodiola 254 / 604

Narrow-leaf riparian greenbrier 254 / 639
 Narrow-leaf rock pine 206 / 554
 Narrow-leaf skunk vine 253 / 558
 Narrow-leaf solomon's seal 277 / 582
 Narrow-leaf vetch 3 / 673
 Narrow-leaf willow 4 / 618
 Narrow mitra sedge 198 / 397
 Narrow oriental wormwood 198 / 360
 Narrow quillwort 3 / 501
 Narrow saline seepweed 255 / 648
 Narrow-scale sedge 3 / 398
 Narrow-spicate flatsedge 224 / 431
 Narrow sword fern 257 / 549
 Narrow two-leaf vetch 51 / 674
 Narrow whorled-leaf ladybell 6 / 341
 Narrow-wingstem rush 142 / 504
 Narrowly pinnate vetch 2 / 673
 Navelwort 232 / 551
 Necklace fern 151 / 522
 Necklacepod 35 / 640
 Needle fir 238 / 333
 Needle grass 66 / 647
 Needle juniper 75 / 505
 Needle-leaf bog rosemary 238 / 352
 Needle-leaf sedge 100 / 391
 Needle sedge 128 / 396
 Needle spikerush 190 / 453
 Needlegrass 2 / 647
 Neilia 62 / 547
 Neocheiropteris 133 / 547
 Neofinetia 304 / 547
 Neolindleya 256 / 547
 Neolitsea 270 / 548
 Neonchul lespedeza 72 / 515
 Northeast Asian ajania 186 / 345
 Neotriblemma 139 / 548
 Neotribleparia 223 / 548
 Neottia 170 / 548
 Neottianthe orchid 41 / 549
 Nepal cranesbill 164 / 479
 Nepal pennywort 286 / 493
 Nepal smartweed 163 / 566
 Nepalese browntop 63 / 540
 Nepalese monkey-flower 119 / 540
 Nerved-fruit sedge 40 / 395
 Nerved-leaf pternopetalum 172 / 595
 Nerved-mitra sedge 210 / 395
 Nerved-scale sedge 36 / 388
 Nervilia 215 / 549
 Netted adder's tongue 232 / 552
 Nettle 199 / 666
 Nettle family 199 / 666
 Nettle-leaf mint 140 / 535
 Netvein hollyfern 188 / 433

- | | | |
|--|--|--|
| New spike smartweed 171 / 566 | Northern pink 259 / 440 | One-flower wintergreen 313 / 542 |
| New wild flag iris 196 / 499 | Northern pipevine 269 / 359 | Onion 147 / 347 |
| Newlitssea 270 / 548 | Northern rockjasmine 113 / 352 | Oniongrass 199 / 536 |
| Nicker 197 / 381 | Northern saussurea 156 / 622 | Onychium 175 / 551 |
| Night-flowering catchfly 108 / 637 | Northern shield fern 147 / 447 | Ophiopogon 111 / 552 |
| Nightshade 9 / 639 | Northern spleenwort 132 / 364 | Oplopanax 102 / 553 |
| Nightshade family 8 / 639 | Northern tall marsh fern 293 / 561 | Opposite-leaf eupatorium 140 / 464 |
| Ninebark 159 / 572 | Northern upside-down fern 218 / 514 | Opposite-leaf paper mulberry 106 / 379 |
| Nipplewort 19 / 205 / 406 / 509 | Northern water hemlock 92 / 409 | Orach 25 / 370 |
| Nivea garden weigela 319 / 681 | Northern wormwood 260 / 359 | Orange campion 95 / 528 |
| Nodding beggartick 253 / 373 | Northland cottonsedge 176 / 461 | Orange stonecrop 48 / 633 |
| Nodding lily 185 / 519 | Norway sedge 31 / 395 | Orange-flower surprise lily 137 / 530 |
| Nodding saxifrage 200 / 625 | Notched-leaf tall lespedeza 147 / 516 | Orange-fruit huckleberry 166 / 402 |
| Nodding stickseed 104 / 484 | Nude asphodel 59 / 659 | Oribicular sedge 42 / 398 |
| Node smartweed 112 / 566 | Nut-bearing torreya 153 / 659 | Orchid family 68 / 553 |
| Non-eupistis falsoenettle 303 / 376 | Nutgall tree 149 / 606 | Oreocnide 153 / 553 |
| Non-perianth bristleless spikerush 117 / 453 | Nutgrass flatsedge 311 / 431 | Oreorchis 13 / 553 |
| Nonspicy smartweed 129 / 566 | Nutmeg yew 153 / 659 | Oriental arborvitae 276 / 578 |
| Normal closed-flower hosta 269 / 490 | Nutrush 71 / 629 | Oriental bamboo fern 34 / 418 |
| Northeast Asian alder 89 / 349 | Nutrushes 71 / 629 | Oriental bamboo plant 217 / 375 |
| Northeast Asian curly dock 270 / 613 | Nutsedges 71 / 430 | Oriental bittersweet 77 / 402 |
| Northeast Asian neillia 62 / 547 |
O | Oriental buckthorn 167 / 603 |
| Northeast Asian red elder 102 / 620 | Oak 268 / 599 | Oriental bulrush 185 / 629 |
| Northeast Asian wild strawberry 102 / 472 | Oak family 267 / 467 | Oriental bush cherry 229 / 591 |
| Northeastern eelgrass 190 / 685 | Oak fern 298 / 483 | Oriental cattail 146 / 665 |
| Northeastern goldenbanner 28 / 656 | Oak ferns 298 / 483 | Oriental chaff flower 188 / 335 |
| Northeastern scabious 186 / 626 | Oak-leaf goosefoot 276 / 407 | Oriental chive 166 / 347 |
| Northem alder 104 / 348 | Oatgrass 236 / 664 | Oriental columbine 109 / 355 |
| Northem asphodel 193 / 658 | Oblanceolate erect cephalanthera 127 / 404 | Oriental cork oak 44 / 600 |
| Northem baby rose 43 / 609 | Oblong-fruit buckthorn 213 / 603 | Oriental false hawksbeard 154 / 683 |
| Northem bamboo 244 / 621 | Oblong-leaf Korean mountain ash 53 / 641 | Oriental fescue 160 / 468 |
| Northem beak sedge 120 / 397 | Oblong-leaf salomonia 143 / 619 | Oriental flowering cherry 141 / 592 |
| Northem bedstraw 51 / 474 | Oblong-sorus lance fern 255 / 527 | Oriental Indian plantain 126 / 560 |
| Northem bugleweed 294 / 529 | Oboval-leaf ehretia 187 / 451 | Oriental knight's larkspur 271 / 436 |
| Northem bur-reed 254 / 642 | Odaesan golden saxifrage 215 / 408 | Oriental korthal mistletoe 94 / 507 |
| Northem buttercup 147 / 601 | Odaesan iris 75 / 499 | Oriental ladyfern 14 / 369 |
| Northem dendranthema 159 / 436 | Odaesan waterrush 215 / 528 | Oriental milkwort 143 / 581 |
| Northem edelweiss 100 / 513 | Odor bluebeard 78 / 663 | Oriental motherwort 230 / 513 |
| Northem field horsetail 148 / 458 | Oiltree 205 / 540 | Oriental ostrich fern 16 / 534 |
| Northem groundcone 216 / 376 | Old man's beard 227 / 413 | Oriental penthorum 67 / 564 |
| Northem Korean bedstraw 290 / 474 | Old world adder's tongue 82 / 552 | Oriental persimmon 12 / 443 |
| Northem Korean figwort 176 / 630 | Old world forked fern 133 / 441 | Oriental photinia 226 / 589 |
| Northem lipfern 161 / 406 | Oldenlandia 137 / 551 | Oriental raisin tree 311 / 491 |
| Northem long-stem violet 285 / 677 | Old-fashion weigela 150 / 680 | Oriental skunk cabbage 201 / 650 |
| Northem maidenhair fern 38 / 342 | Oldham's blueberry 240 / 667 | Oriental smartweed 22 / 566 |
| Northem meadow bittercress 159 / 388 | Oldham's meliosma 309 / 537 | Oriental spirea 52 / 643 |
| Northem meadow sedge 109 / 399 | Oldham's tick clover 281 / 438 | Oriental vining fig 114 / 469 |
| Northem meadow vetch 281 / 675 | Oleaster 144 / 451 | Oriental waterfern 118 / 405 |
| Northem moonwort 112 / 377 | Oleaster family 144 / 451 | Oriental water-starwort 142 / 383 |
| Northem mountain bittercress 221 / 388 | Olive family 122 / 551 | Oriental water-willow 258 / 505 |
| Northem-mountain meadow-rue 115 / 655 | Omphalotrix 199 / 551 | Oriental white oak 12 / 599 |
| Northern onion 238 / 347 | | Oriental woodland bulrush 30 / 629 |

Oriental yellow violet 76 / 677
 Oriental yellowhead 47 / 498
 Orientvine 133 / 637
 Orixa 169 / 553
 Ornamental onion 147 / 347
 Orostachys 130 / 554
 Orpine 61 / 493
 Orychophragmus 184 / 555
 Osmunda 34 / 555
 Ostericum 115 / 556
 Ostrich fern 274 / 534
 Ottelia 122 / 556
 Oval fruit linden 225 / 658
 Oval ludwigia 80 / 527
 Oval-leaf cow-wheat 202 / 536
 Oval-leaf knotweed 25 / 582
 Oval-leaf Korean privet 99 / 518
 Oval-leaf privet 221 / 519
 Ovate blunt-lobe spicebush 99 / 521
 Ovate spikerush 98 / 453
 Ovate-leaf atractylodes 168 / 370
 Ovate-leaf bistort 79 / 374
 Ovate-leaf deepblue honeysuckle
 99 / 525
 Ovate-leaf deinostema 99 / 435
 Ovoid-fruit Ussurian pear 275 / 598
 Oxtongue 189 / 573

P

Pacific firmoss 81 / 491
 Pacific island clearweed 122 / 573
 Pacific island flatsedge 134 / 430
 Pacific mosquitofern 282 / 371
 Paddy bittercress 78 / 387
 Paddy field glenwoodgrass 119 / 615
 Paired-fruit willow 199 / 616
 Pala'a lace fern 129 / 643
 Palpalai 94 / 539
 Pale Amur vetch 194 / 673
 Pale false managrass 249 / 659
 Pale-green stem rush 302 / 504
 Pale Korean lawnglass 303 / 685
 Pale-flower Thunberg's geranium
 326 / 479
 Pale smartweed 325 / 565
 Pale touch-me-not 123 / 497
 Pale yellow corydalis 40 / 422
 Pallas' spurge 70 / 465
 Pallid long-rostrate sedge 198 / 394
 Pallid lotus-leaf meadow-rue 57 / 655
 Palmate-leaf alangium 83 / 345
 Palmate-leaf raspberry 83 / 612
 Palmate maple 83 / 334
 Palmate shred umbrella plant 224 / 650

Panicgrass 49 / 559
 Paniced Korean deutzia 56 / 439
 Paniculate swallow-wort 166 / 429
 Paniculous supplejack 274 / 372
 Paper mulberry 59 / 379
 Papillous rush 274 / 504
 Papilo sedge 188 / 391
 Papoose root 60 / 401
 Papyrus sedges 134 / 430
 Parasitic maiden fern 293 / 428
 Parathelypteris 155 / 560
 Paris 168 / 561
 Parnassus-leaf caldesia 99 / 382
 Parsley family 167 / 355
 Parsley fern 147 / 426
 Pasque-flower 309 / 596
 Pasture spikesedge 59 / 507
 Patience dock 146 / 614
 Patrinia 106 / 562
 Paulownia 216 / 562
 Pax's sedge 86 / 396
 Pea 213 / 510
 Pea family 278 / 467
 Peach-nanking cherry 144 / 590
 Pear 135 / 598
 Pearl bush 9 / 467
 Pearlwort 17 / 615
 Pearly everlasting 82 / 160 / 351
 Peashrub 36 / 386
 Pedicellate three-stamen waterwort
 120 / 452
 Peduncled wide-leaf low sedge 218 / 396
 Pedunculate abelia 291 / 332
 Pellonia 301 / 563
 Peltitory 17 / 561
 Pellucid spikerush 225 / 453
 Pendular Korean red pine 272 / 575
 Pendulate thistle 284 / 411
 Pendulous rockcress 80 / 356
 Pentactina 46 / 564
 Penthorum 67 / 564
 Peony 235 / 558
 Peony family 235 / 558
 Pepper 318 / 575
 Pepper family 318 / 576
 Peppergrass 81 / 513
 Peppervine 16 / 350
 Pepperwort 81 / 513
 Peracarpa 314 / 564
 Pere David's cherry 161 / 590
 Perennial false aster 138 / 505
 Perfect aquatic weed 31 / 492
 Perfoliate pondweed 73 / 587
 Persicaria-leaf violet 212 / 678
 Persimmon trees 13 / 443
 Petaloid meadow-rue 58 / 655
 Petersen's false spleenwort 288 / 438
 Petiolate tongue fern 207 / 597
 Petiole pheasant tail fern 178 / 576
 Peucedanum 48 / 567
 Phacellanthus 9 / 568
 Phacelurus 114 / 568
 Phaenosperma 49 / 568
 Pheasant tail fern 60 / 576
 Pheasant's eye 145 / 342
 Phlox family 58 / 580
 Phryma 300 / 570
 Phtheirospermum 64 / 571
 Phyllitis 36 / 571
 Physaliastrum 7 / 572
 Pickleweed 299 / 616
 Picrasma 184 / 573
 Pigmy water-lily 190 / 550
 Pigweed 152 / 349
 Pileose bellflower 107 / 417
 Pileose elm-leaf spirea 295 / 643
 Pileose enchanter's nightshade 23 / 410
 Pileose Korean hill cherry 289 / 591
 Pileose lespedeza 40 / 516
 Pileose rocky forsythia 293 / 472
 Pilose giant-pussy willow 295 / 616
 Pilose leaf sedge 293 / 396
 Pimpamel 104 / 351
 Pimpinella 268 / 574
 Pincushion plant 202 / 440
 Pincushions 275 / 626
 Pine 183 / 574
 Pine family 183 / 574
 Pinecone bulrush 185 / 629
 Pine-leaf sedge 186 / 389
 Pinellia 133 / 574
 Pink 301 / 439
 Pink Indian skullcap 214 / 631
 Pink baby's-breath 3 / 484
 Pink catchfly 149 / 636
 Pink corydalis 101 / 423
 Pink family 174 / 401
 Pink hairy spotted lady's slipper
 149 / 432
 Pink high-mountain speedwell 323 / 671
 Pink loosestrife 149 / 531
 Pink-flower abeliophyllum 149 / 332
 Pink-flower bugle 70 / 345
 Pink-flower marsh St.Johnswort
 118 / 661
 Pink-flower miconia 149 / 332
 Pink-flower shiny mint 149 / 455
 Pink-flower wintergreen 149 / 597
 Pinkroot family 106 / 524
 Pinnate rice flatsedge 224 / 431

Pinnate-compound crepidiastrum		Popyeong water-chestnet	302 / 661
	55 / 425	Porcelainberry	16 / 350
Pinnate-leaf scabious	275 / 626	Potae sedge	302 / 398
Pinnate-lobe bristle fern	68 / 508	Potanin's rush	136 / 504
Pinnatifid-radiate beggartick	42 / 374	Pourthiae	226 / 589
Pipevine	259 / 359	Prairie crocus	309 / 596
Pipewort	36 / 459	Prairie Junegrass	92 / 507
Pipewort family	36 / 459	Prematured autumn olive	217 / 452
Pittosporum family	92 / 576	Pretty pigmy water-lily	10 / 550
Pittosporums	92 / 576	Prickled vine smartweed	112 / 566
Plagiogyria	60 / 576	Pricklegrass	27 / 426
Plagiogyria family	60 / 576	Prickly castor oil tree	228 / 506
Plantain	264 / 576	Prickly rose	230 / 609
Plantain family	264 / 576	Prickly smartweed	128 / 565
Plantain lily	153 / 490	Prickly waterlily	8 / 466
Platycarya	44 / 577	Prickly-ash	276 / 683
Platycodon	92 / 578	Prickly-iyrs	274 / 639
Plebeian sage	135 / 619	Pride-of-rochester	108 / 439
Pleurosoriopsis	246 / 578	Primrose	209 / 589
Pleurospermum	78 / 578	Primrose family	209 / 590
Plum	141 / 590	Primrose-willow	212 / 527
Plum yew	19 / 404	Prince's pine	110 / 407
Plum yew family	19 / 404	Prinsepia	154 / 590
Plumeless sawwort	162 / 635	Prism-fruit rush	269 / 504
Pocheon dendranthema	302 / 436	Privet	259 / 518
Pod grass	238 / 626	Procumbens Chinese juniper	181 / 505
Pogonia	134 / 580	Procumbent sticky germander	90 / 654
Pointed-petal trillium	284 / 663	Prostrate corydalis	79 / 422
Poison ivy	217 / 659	Prostrate false pimpernel	134 / 522
Poison oak	217 / 659	Protuding mannagrass	263 / 481
Poison parsnip	92 / 409	Protuding spleenwort	194 / 364
Poison-bulb	117 / 426	Prunia-shoot willow	148 / 618
Poke sallet	232 / 572	Pseudocyclosorus	241 / 592
Pokeberry	232 / 572	Pseudo-glaucous sedge	199 / 391
Pokebush	232 / 572	Pseudostellaria	18 / 593
Pokeroot	232 / 572	Pternopetalum	132 / 595
Pokeweed family	232 / 572	Pterygocalyx	254 / 595
Pokeweeds	232 / 572	Pterygopleurum	172 / 595
Pollia	64 / 581	Pubescent spirea	200 / 644
Polygala	225 / 581	Puerto Rico fimbristylis	209 / 470
Polymorphic angelica	44 / 354	Puncturevine	69 / 661
Polypondy	123 / 583	Pungdo spurge	304 / 464
Polypondy family	33 / 583	Pungsan spruce	305 / 573
Polystichum	66 / 583	Punks	146 / 665
Pond lovegrass	10 / 458	Purple Asian burnet	233 / 621
Pond-lily	22 / 549	Purple alpine clematis	234 / 413
Pondweed	6 / 586	Purple arrow bamboo	234 / 593
Pondweed family	6 / 587	Purple autumn fern	234 / 448
Ponerorchis	67 / 585	Purple awn muhly	259 / 545
Ponyfoot	201 / 441	Purple beautyberry	251 / 383
Poongdo solomon's seal	304 / 582	Purple-flower angelica	129 / 353
Poongdo winter aconite	304 / 459	Purple-flower bladderwort	233 / 667
Poplar	156 / 585	Purple-flower rattlebox	315 / 426
Poppy	210 / 559	Purple-flower solomon's seal	234 / 638
Poppy family	210 / 559	Purple-flower stonecrop	233 / 494
			257 / 463
Purple-fruit porcelainberry			
Purple globe thistle			
Purple glume flatsedge			
Purple Hyacinth-flower clematis			
Purple lady's slipper orchid			
Purple-leaf bangahpul			
Purple-leaf violet			
Purple lettuce			
Purple loosestrife			
Purple maiden silvergrass			
Purple marshlocks			
Purple reedgrass			
Purple-stem berry catchfly			
Purple swallow-wort			
Purple variegated-leaf violet			
Purple wood sorrel			
Purplish field mosla			
Purplish wheatgrass			
Purslane			
Purslane family			
Purslane speedwell			
Pussytoes			
Puzzleglass			
Pyeonggang juniper			
Pyeongyang spurge			
Pygmy arrowhead			
Pygmy mitrewort			
Pygmyweed			
Pyrosia			
Q			
Quadrifid-leaf laceshrub			
Quassia family			
Queen coralbead			
Queen of all Poisons			
Queen's-veil maiden-fern			
Quihoui privet			
Quillwort			
Quillwort family			
R			
Rabbit-ear iris			
Rabbit's foot ferns			
Rabbit's-foot grass			
Racemos Jacob's ladder			
Racemos ladybell			
Racemos locoweed			
Radde's sedge			
Radiate beggartick			
Radical-flower lousewort			
Radicans winter creeper spindletree			

Radish 117 / 602	Reddish-brown hardy kiwi 178 / 339	Rock carlesia 93 / 399
Ragwort 37 / 517	Reddish-flower false-hellebore 150 / 670	Rock clematis 131 / 413
Ragworts 47 / 634	Reddish-yellow surprise lily 149 / 530	Rock lace fern 94 / 539
Rainbow pink 301 / 439	Red-foot wormwood 89 / 361	Rock pine 130 / 554
Rainforest spleenwort 54 / 364	Redroot gromwell 261 / 523	Rock pine 130 / 554
Ramie 114 / 375	Red-spike beaksedge 150 / 607	Rock polypody 249 / 583
Randy beef grass 168 / 238 / 457	Red-spot swertia 240 / 649	Rock primrose 94 / 590
Rannoch-rush 123 / 626	Redstem 249 / 350	Rock whitlow-grass 159 / 445
Rare clubmoss 107 / 529	Red-stem mulberry 150 / 544	Rockbrake 147 / 426
Rattle milkvetch 233 / 367	Red-stem spikemoss 19 / 634	Rockcap fern 123 / 583
Rattlebox 315 / 426	Redtop bentgrass 319 / 344	Rockcress 237 / 355
Rattlepods 315 / 426	Red-twigs maple 195 / 334	Rockfoils 141 / 625
Rattlesnake fern 81 / 377	Red-wood evergreen oak 149 / 599	Rockjasmine 145 / 352
Rattlesnake plantain 157 / 482	Reed 11 / 570	Rock-loving sedge 130 / 394
Rattlesnake-root 220 / 589	Reed canary grass 12 / 568	Rocky-alpine groundsel 130 / 654
Rebun big-flower lady's slipper 105 / 432	Reed grass 163 / 381	Rocky-dendranthemum 130 / 436
Recurved-leaf saussurea 51 / 624	Reedmace 146 / 665	Rocky-forsythia 157 / 472
Red Asian knotweed 151 / 467	Reflexed-margined single-leaf fern 230 / 485	Rocky-golden lace 93 / 562
Red baneberry 150 / 338	Reflex-flower anemone 317 / 353	Rocky-hydrangea vine 130 / 628
Red-bark dogwood 322 / 420	Regel's threewingnut 123 / 664	Rocky licorice-root 24 / 518
Red-bark oak 14 / 599	Reindeer woodrush 247 / 528	Rocky-lousewort 130 / 563
Red-based leaf sedge 307 / 391	Remarkable callianthemum 110 / 383	Rocky-mint 209 / 455
Red-berry Korean mistletoe 149 / 679	Remarkable sedge 56 / 395	Rocky-moss-rose stonecrop 94 / 633
Red-brown bird cherry 266 / 591	Resupinate lousewort 188 / 563	Rodger's-bronze leaf 91 / 608
Red-brown mountain ash 78 / 641	Retusa fringetree 229 / 407	Rodgersia 91 / 608
Red-center goosefoot 112 / 407	Rhamnella 54 / 603	Roe-buck-pimpinella 77 / 574
Red-cone Korean fir 150 / 333	Rhaponticum 154 / 604	Rooting-bulrush 92 / 629
Red-cone spruce 149 / 572	Rheumatum root 55 / 502	Rooting-trigonotis 29 / 663
Red false bush-clover 150 / 385	Rhodiola 92 / 604	Rootless-watermeal 148 / 681
Red fescue 218 / 469	Rhododendron 262 / 604	Rose 237 / 608
Red-flower rosebay 314 / 604	Rhodotypos 82 / 143 / 603 / 606	Rose-family 237 / 610
Red-flower sanicle 150 / 621	Rhombic-leaf goosefoot 274 / 407	Rose-gold-pussy willow 26 / 617
Red-flower violet 296 / 677	Rhubarb 88 / 604	Rose-sharon 116 / 489
Red-flower Wichura's rose 314 / 610	Rhynchospermum 276 / 606	Rosebay 262 / 604
Red-fruit bearberry 314 / 357	Rice-cutgrass 246 / 512	Rosebay-willowherb 149 / 456
Red-fruit spicebush 152 / 521	Rice-paddy marshweed 184 / 520	Rosemallow 116 / 489
Red-hair enchanter's nightshade 151 / 410	Ricefield-flatsedge 269 / 431	Rose-root-rhodiola 130 / 604
Red-hair mountain ash 221 / 641	Ricefield-water-nymph 67 / 546	Rosette-carpesium 205 / 400
Red Korean meadowsweet 150 / 470	Richardson's-brome 19 / 379	Rosy-cow-wheat 58 / 536
Red Korean pyramid bugle 150 / 345	Rigescens-sedge 262 / 397	Rosy-lady's-slipper 237 / 432
Red least water-lily 69 / 549	Rigid-lace fern 94 / 539	Rotala 106 / 610
Red-nerve hardy kiwi 77 / 338	Rigid-branch-yew 256 / 653	Rough-bentgrass 49 / 344
Red nettle-leaf mint 150 / 535	Ring-cup-oak 255 / 600	Rough-bluegrass 283 / 580
Red-petiole mono maple 150 / 334	Ringen's-jack-in-the-pulpit 286 / 358	Rough-hair-hound's-tongue 219 / 430
Red-spurge 150 / 464	Riparian-chosen-willow 171 / 408	Rough-hay-scented-fern 157 / 437
Red winnow willow 150 / 617	Riparian-greenbrier 128 / 639	Rough-hedgeparsley 19 / 659
Reddish-alpine yarrow 151 / 335	River-bulrush 282 / 628	Rough-melic 270 / 536
Reddish-Amur mountain ash 266 / 641	Riverside-chive 13 / 347	Rough-mock-orange 177 / 569
Reddish-butterbur 16 / 567	Riverside-wormwood 121 / 361	Rough-pellonia 301 / 563
Reddish-foxtail fountaingrass 150 / 564	Robust-beautyberry 220 / 383	Rough-potato 131 / 538
Reddish-honeysuckle 314 / 526	Robust-korean-mock-orange 218 / 569	Rough-seed-bedstraw 74 / 475
Reddish-marsh-smartweed 49 / 567	Robust-pipewort 72 / 459	Rough-surface-aster 55 / 365
Reddish-rattlesnake plantain 150 / 482	Robust-solomon's-seal 219 / 582	Rough-woundwort 20 / 645
	Rock-buckler-fern 131 / 448	Round-fruit-abeliophyllum 98 / 332
		Round-fruit-blyxa 217 / 375

Round-fruit miseonnamu 98 / 332
 Round-leaf Indian hawthorn 99 / 603
 Round-leaf beads linden 99 / 657
 Round-leaf camphor tree 99 / 410
 Round-leaf holly 111 / 496
 Round-leaf hylotelephium 99 / 494
 Round-leaf ladybell 100 / 339
 Round-leaf mukdenia 93 / 545
 Round-leaf spike speedwell 98 / 671
 Round-leaf stonecrop 99 / 633
 Round-leaf sundew 61 / 446
 Round rockfoil 42 / 625
 Round sedge 120 / 397
 Round wax-leaf privet 99 / 518
 Rowdy lamb herb 168 / 457
 Royal azalea 273 / 605
 Royal fern family 34 / 556
 Rubia 57 / 610
 Ruderal chaff-flower 294 / 335
 Rue family 225 / 614
 Rufous woodrush 170 / 528
 Rugose rose 310 / 609
 Runner reed 84 / 570
 Running clubmoss 173 / 529
 Running mountain basketgrass 9 / 552
 Rupestrine dragon's head 140 / 445
 Rush 37 / 503
 Rush family 37 / 503
 Rush sandwort 142 / 358
 Rush-like bulrush 217 / 628
 Russian pigweed 62 / 370
 Russian thistle 191 / 619
 Rusty fimbri stylis 28 / 471
 Rusty woodsia 97 / 682
 Ryegrass sedge 312 / 394

S

Sabia family 63 / 614
 Sacaton grass 259 / 645
 Sacaton grasses 259 / 644
 Sakhalin mitra sedge 9 / 396
 Sakhalin reedgrass 157 / 382
 Sakhalin tiny sedge 75 / 390
 Sage 135 / 619
 Sagebrush 200 / 359
 Sageretia 168 / 615
 Sago pondweed 186 / 587
 Sail fern 142 / 428
 Sakhalin corktree 315 / 569
 Sakhalin violet 222 / 677
 Salomonia 143 / 619
 Salt grass 10 / 595
 Salt sandspurry 24 / 642
 Saltbush 25 / 370

Samsu false-hellebore 168 / 669
 Sand pear 93 / 598
 Sandalwood family 83 / 621
 Sandspurrys 24 / 642
 Sandworts 62 / 540
 Sandy skulcap 266 / 632
 Sanicle 268 / 621
 Sanicle-leaf megalanthis 113 / 535
 Sanicula-leaf golden lace 46 / 562
 Sarcandra 257 / 621
 Sargent's cherry 161 / 591
 Sarvis 272 / 349
 Sarvisberry 272 / 349
 Saskatoon 272 / 349
 Satintail 105 / 497
 Saururus 167 / 622
 Saussurea 276 / 622
 Sawgrass 277 / 412
 Sawleaf zelkova 81 / 684
 Sawtooth oak 169 / 599
 Saw-wort 276 / 622
 Saxifrage 141 / 625
 Saxifrage family 141 / 625
 Scabious 275 / 626
 Scabrous aphanthe 303 / 355
 Scabrous scissors-like sedge 45 / 391
 Scabrous-leaf sedge 273 / 398
 Scaly holly fern 152 / 584
 Scarlet groundsel 163 / 653
 Scattered ladybell 114 / 340
 Scattered-flower skullcap 82 / 631
 Scented-tops 62 / 386
 Sceptridium 34 / 626
 Scheuchzeria family 238 / 626
 Schindler's lespediza 236 / 516
 Schisandra 216 / 626
 Schisandra family 216 / 627
 Schizopetion 164 / 627
 Schlechtendal's rattlesnake plantain 157 / 482
 Schmidt's ragwort 16 / 518
 Schmidt's sedge 268 / 398
 Schoberia-like asparagus 153 / 363
 Schulz's bittercress 254 / 388
 Scilla 116 / 628
 Scissors-like sedge 160 / 391
 Scopolia 124 / 630
 Scorzonera 189 / 630
 Sea arrowgrass 261 / 662
 Sea blueberry 114 / 667
 Sea club rush 110 / 629
 Sea loving seagrass 310 / 485
 Sea rosemary 114 / 358
 Sea sandwort 26 / 490
 Seabeach sandwort 26 / 490

Seaberry 17 / 485
 Seablites 67 / 648
 Seagrass 310 / 485
 Seagrass family 28 / 685
 Sea-lavender 28 / 520
 Searocket 172 / 381
 Seashore alkaligrass 25 / 596
 Seashore aster 24 / 367
 Seashore black-eye cowpea 93 / 675
 Sea-shore carrot 25 / 435
 Seashore catchfly 27 / 636
 Seashore falsenettle 219 / 376
 Seashore milkvetch 28 / 368
 Seashore oriental wormwood 27 / 360
 Seashore pink 28 / 440
 Seashore rock starviolet 68 / 486
 Seashore snowparsley 26 / 416
 Seashore sowthistle 155 / 640
 Seashore spatulate aster 309 / 366
 Seashore toadflax 310 / 521
 Seashore wild radish 25 / 602
 Seashore yellow corydalis 24 / 423
 Seaside groundsel 225 / 635
 Seaside lawnglass 27 / 685
 Seaside liverleaf 169 / 488
 Seaside mulberry 179 / 544
 Seaside sandplant 26 / 490
 Sea-spurreys 24 / 642
 Sea wheatgrass 24 / 517
 Securinega 39 / 632
 Sedakov's sedge 68 / 398
 Sedge 157 / 388
 Sedges 157 / 430
 Sedirea 65 / 632
 Seepweed 67 / 648
 Self-heal 174 / 645
 Self-heals 60 / 590
 Sellaginella 147 / 633
 Semiaquilegia 15 / 634
 Semilunar-leaf violet 132 / 678
 Sensitive fern 209 / 551
 Sensitive pea 266 / 405
 Seok-gok 173 / 437
 Seorak spurge 176 / 464
 Seosura sedge 172 / 393
 Seoul bird cherry 173 / 591
 Seoul catchfly 5 / 637
 Seoul meadow-rue 233 / 655
 Seoul mock orange 173 / 569
 Seoul saussurea 148 / 624
 Seoul sedge 32 / 388
 Seoul sheep's fescue 173 / 469
 Seoul Ussurian pear 117 / 598
 Seoul violet 173 / 678
 Seoul violet crabgrass 173 / 442

Seoul wildginger 173 / 363	Shining sorghum 191 / 642	Siberian crabapple 209 / 533
Sericea lespedeza 153 / 515	Shinleaf family 76 / 597	Siberian currant 7 / 607
Sericosea newlitae 270 / 548	Shiny autumn fern 132 / 448	Siberian death camas 65 / 685
Serpentroot 189 / 630	Shiny bugleweed 194 / 529	Siberian elm 153 / 666
Serrate Amur jack-in-the-pulpit 273 / 358	Shiny-leaf Korean rhododendron 132 / 605	Siberian filifolium 198 / 469
Serrate ladybell 298 / 339	Shiny mint 59 / 455	Siberian geranium 259 / 479
Serrate-leaf Amur linden 301 / 657	Shiny spurge 268 / 465	Siberian ginseng 215 / 454
Serrate-leaf chloranthus 58 / 408	Shiny xylosma 164 / 683	Siberian jointgrass 189 / 487
Serrate-leaf flowering ash 188 / 473	Shiny-spike sedge 132 / 399	Siberian knorringia 195 / 506
Serrate-leaf rockcress 131 / 356	Shoestring fern family 230 / 680	Siberian larkspur 240 / 435
Serrate-leaf saussurea 10 / 623	Shore juniper 310 / 505	Siberian lettuce 233 / 508
Serrate-leaf water-nymph 286 / 547	Short Asian beaked hazel 143 / 423	Siberian lily 69 / 520
Serrate nanocnide 63 / 547	Short-awn foxtail grass 104 / 349	Siberian locoweed 195 / 557
Serrate-petal hydrangea 58 / 492	Short-beak hazel 143 / 423	Siberian meadowsweet 83 / 470
Serrate-petal rockfoil 130 / 625	Short bristle-like hair ixeris 175 / 502	Siberian monk's-hood 76 / 336
Serrate sawwort 236 / 635	Short-calyx Asian hornbeam 85 / 400	Siberian mountain ash 160 / 641
Serviceberry 272 / 349	Short erect cephalanthera 57 / 404	Siberian oatgrass 195 / 664
Sesame family 267 / 562	Short forest-live sedge 126 / 390	Siberian onion 225 / 347
Sesellike libanotis 4 / 517	Short-fruit pimpernel 268 / 574	Siberian peppergrass 195 / 513
Sessile lobelia 194 / 524	Short-fruit rosebay 107 / 604	Siberian sea rosemary 114 / 358
Setaceous-bract fimbriostylis 31 / 470	Short-hair spring sedge 12 / 390	Siberian spikemoss 197 / 634
Setaceous-leaf pipewort 8 / 460	Short-hair violet 236 / 677	Siberian spindletree 317 / 463
Seven-pair-leaflet vetch 174 / 673	Short-leaf asparagus 28 / 363	Siberian spodiopogon 280 / 644
Sewer vine 33 / 558	Short-leaf bluestemgrass 190 / 627	Siberian swallow-wort 210 / 429
Shadblow 272 / 349	Short-leaf sedge 211 / 395	Siberian veronicastrum 71 / 672
Shadbush 272 / 349	Short-leaf spikesedge 300 / 507	Siberian wheatgrass 18 / 455
Shadow sedge 62 / 398	Short-leaf wormwood 45 / 360	Siberian wormwood 42 / 360
Shadwood 272 / 349	Short-pedicel Korean cinquefoil 270 / 587	Sickle neofinetia 304 / 547
Shady anemone 194 / 353	Short plumous clematis 250 / 413	Sickle-leaf hare's ear 270 / 380
Shady dwarf lilyturf 197 / 552	Short raceme rattlesnake plantain 179 / 482	Sidebells wintergreen 169 / 597
Shady groundsel 47 / 635	Short-rhizome hollyfern 251 / 357	Siebold's chinquapin 42 / 401
Shady horn fern 228 / 420	Short-petal globe-flower 47 / 664	Siebold's clubmoss 258 / 492
Shady Jerusalem sage 184 / 570	Short-stalk oriental smartweed 265 / 566	Siebold's falsenettle 52 / 376
Shady juncea lespedeza 297 / 515	Short-stalk slimtop meadow-rue 51 / 655	Siebold's greenbrier 273 / 639
Shady ladyfern 203 / 368	Short-stem sedge 274 / 389	Siebold's hosta 283 / 491
Shady meadow-rue 44 / 655	Short-style spurge 83 / 465	Siebold's Manchurian walnut 218 / 503
Shady mucronate sedge 45 / 396	Short vetchling 207 / 510	Siebold's spurge 90 / 465
Shady nipplewort 44 / 509	Shorthusk 84 / 377	Siebold's red elder 14 / 620
Shady saussurea 45 / 624	Showy mistletoe family 32 / 526	Sievers wormwood 167 / 361
Shady short-fruit pimpenella 45 / 574	Showy stonecrop 281 / 494	Silk plants 231 / 346
Shaggy shield fern 299 / 447	Shredded umbrella plant 207 / 650	Silk tree 231 / 346
Shallow maple-leaf ainsliaea 8 / 344	Shrub lespedeza 198 / 514	Silk trees 231 / 346
Shallow-teeth spleenwort 174 / 365	Shrubby oreocnide 130 / 553	Silkworm thorn 59 / 427
Shallow-tooth ladyfern 23 / 369	Shrubby sophora 35 / 640	Silky juncea lespedeza 23 / 515
Sharp-leaf privet 160 / 518	Shrubby Indian madder 89 / 611	Silky oriental spirea 290 / 643
Sharp-tipped-leaf solomon's seal 255 / 581	Shuttlecock fern 273 / 534	Silky-hair fimbriostylis 296 / 471
Sheathed monochoria 119 / 543	Sibbaldia 71 / 636	Silky-hair shrub lespedeza 294 / 514
Sheathed sedge 264 / 399	Siberian barren strawberry 64 / 680	Silver clockfern 146 / 406
Sheep's fescue 53 / 468	Siberian bluegrass 195 / 579	Silver Korean red pine 228 / 575
Shepherd's purse 70 / 386	Siberian cherry 195 / 592	Silver meadow-rue 227 / 654
Shield fern 38 / 447	Siberian columbine meadow-rue 60 / 654	Silver vine 16 / 338
Shikoku marbled cranebill 155 / 479		Silverberry 144 / 451
Shining paper mulberry 124 / 379		Silverberry-like taxillus 267 / 653
		Silvergrass 211 / 541
		Silverly wormwood 317 / 359

Silvertop 26 / 480	Slender-leaf mock orange 210 / 570	Small hairy agrimony 252 / 343
Silvery mountain ash 105 / 641	Slender-leaf phacelurus 4 / 568	Small-head lipocarpha 181 / 523
Silvery sedge 162 / 389	Slender-leaf skullcap 2 / 632	Small-head silverly wormwood 253 / 359
Silvery-hair saussurea 228 / 623	Slender-leaf wormwood 5 / 360	Small Japanese silvergrass 211 / 541
Simon's poplar 86 / 585	Slender mountain sandwort 38 / 358	Small-leaf autumn olive 126 / 452
Simple bridalwreath spirea 245 / 643	Slender Northern bamboo 178 / 621	Small-leaf beautyberry 187 / 383
Simple bugbane 276 / 410	Slender-pedicel sedge 302 / 398	Small-leaf Kakuda figwort 253 / 630
Simple-leaf false spleenwort 139 / 548	Slender pipewort 2 / 460	Small-leaf Korean angelica tree 205 / 357
Simple-leaf riverside wormwood 223 / 361	Slender-racemous currant 247 / 607	Small-leaf Korean hornbeam 250 / 400
Simple-stem bur-reed 318 / 642	Slender Russian thistle 186 / 619	Small-leaf mountain isodon 215 / 501
Simple stonecrop 125 / 633	Slender shadow sedge 44 / 399	Small-leaf nettle 207 / 666
Simple unequal-lobe brake fern 177 / 595	Slender-stem rush 118 / 504	Small-leaf privet 252 / 518
Simply eelgrass 28 / 684	Slender two-leaf fimbriostylis 6 / 470	Small-leaf Siberian crabapple 251 / 533
Sinan calanthe 196 / 382	Slender water-nymph 197 / 546	Small-leaf trailing raspberry 156 / 612
Sinchang dendranthema 196 / 436	Slender wheatgrass 2 / 455	Small loosestrile 246 / 530
Single delight 313 / 542	Slender wild calamint 208 / 416	Small magenta plant 231 / 441
Single delight 313 / 543	Slender willowherb 249 / 457	Small maple-leaf ainsliaea 248 / 344
Single-flower anemone 222 / 352	Slightly-asymmetric spleenwort 235 / 365	Small marsh willowherb 206 / 456
Single-flower honeysuckle 145 / 526	Slim-stem lily 102 / 519	Small mastic-leaf prickly ash 250 / 684
Single-flower iris 68 / 499	Slim-stem reedgrass 210 / 382	Small Maximowicz's holeoleion 247 / 490
Single-flower serpentroot 112 / 630	Slipper orchids 145 / 432	Small moss-like fern 246 / 578
Single-leaf cremastra 210 / 424	Sloughgrass 23 / 371	Small mountain meadow buttercup 250 / 601
Single-leaf felt fern 284 / 597	Sluggish sedge 258 / 393	Small mucronate sedge 209 / 395
Single-leaf wintergreen 314 / 597	Small Amur adonis 206 / 342	Small-needle sedge 206 / 392
Single-spike chloranthus 314 / 408	Small beaksedge 246 / 607	Small nerved-fruit sedge 203 / 393
Sinomenium 133 / 637	Small-bean-like orchid 278 / 379	Small nutrush 71 / 629
Sinuata holly-fern woodsia 205 / 682	Small blueberry 207 / 668	Small paper mulberry 204 / 379
Sinuata mulberry-leaf grapevine 54 / 679	Small box-leaf holly 247 / 496	Small-petal yellowhead 239 / 498
Sinujiu chickweed 196 / 646	Small carpetgrass 244 / 362	Small pipewort 246 / 460
Siphonostegia 239 / 638	Small copse knotweed 204 / 467	Small pondweed 197 / 587
Sirises 231 / 346	Small corydalis 222 / 421	Small reed 163 / 381
Six-leaf madder 9 / 611	Small creeping violet 204 / 676	Small-seed yellowcress 246 / 608
Six-petal clematis 254 / 414	Small daylily 207 / 487	Small shiny-spike sedge 206 / 399
Six-sepal clematis 244 / 413	Small Dickin's sedge 248 / 392	Small spirea 252 / 643
Skullcap 36 / 631	Small false spleenwort 252 / 437	Small-square spikerush 248 / 453
Skunk cabbage 201 / 650	Small flatsedge 143 / 431	Small-squarrose-leaf gentian 247 / 477
Skunk vine 33 / 558	Small-flower Asian calamint 277 / 415	Small-star woodrush 142 / 528
Skyblue broomrape 276 / 553	Small-flower beggarticks 55 / 373	Small-stone-wall spleenwort 131 / 365
Slender angelica 34 / 354	Small-flower bittercress 248 / 388	Small-virgin's bower clematis 235 / 414
Slender bistort 3 / 374	Small-flower false pimpernel 78 / 522	Small-water-chestnut 205 / 661
Slender catchfly 3 / 637	Small-flower forget-me-not 15 / 545	Small white touch-me-not 160 / 497
Slender cattail 57 / 665	Small-flower knotweed 21 / 338	Small willow 247 / 618
Slender chickweed 197 / 646	Small-flower mountain calamint 97 / 416	Small yellow spring bedstraw 207 / 475
Slender-culm thick-nerve sedge 256 / 397	Small-flower pellitory 17 / 561	Smaller Indian plantain 211 / 560
Slender cottonsedge 235 / 461	Small-flower scented-tops 62 / 386	Smallest mint 253 / 454
Slender-fruit Korean rhododendron 307 / 605	Small-flower seaberry 17 / 485	Smartweeds 212 / 564
Slender kentucky bluegrass 6 / 579	Small-flower sedge 253 / 395	Smilacina 187 / 638
Slender-leaf bedstraw 248 / 474	Small-flower solomon's seal 203 / 582	Smilaxes 274 / 639
Slender-leaf duck lettuce 4 / 556	Small-fruit knotweed 266 / 338	Smith's purple willow 86 / 618
Slender-leaf Indian lettuce 5 / 508	Small-fruit rugose rose 23 / 610	Smooth mulberry-leaf grapevine 273 / 679
Slender-leaf marsh fern 5 / 560	Small gagea 208 / 473	Smooth Asian fescue 17 / 469
	Small gland fern 250 / 560	
	Small-glum fescue 53 / 469	

Smooth bedstraw 125 / 474	Sonchus-leaf crepidastrum 33 / 425	Spindletree 315 / 462
Smooth-cranberrybush viburnum 135 / 672	Songak 187 / 486	Spined Japanese thistle 8 / 411
Smooth eupatorium 125 / 464	Songak ivy 187 / 486	Spineless Japanese honey locust 127 / 480
Smooth filmy fern 252 / 535	Songni lespedeza 184 / 516	Spineless rugose rose 128 / 610
Smooth forked fern 203 / 481	Songni stonecrop 184 / 633	Spinose rock pine 231 / 555
Smooth-fruit narrow mitra sedge 261 / 397	Songni tilingia 184 / 658	Spinulose tape grass 67 / 669
Smooth-fruit pubescent spirea 276 / 644	Sorbus-leaf yellow raspberry 29 / 613	Spiny stickseed 94 / 509
Smooth gland fern 127 / 560	Sorghum 191 / 642	Spiny water-nymph 124 / 547
Smooth-leaf honeysuckle 273 / 526	South enchanter's nightshade 295 / 411	Spiral-leaf jack-in-the-pulpit 80 / 358
Smooth-leaf raspberry 274 / 611	South tilingia 87 / 658	Spiral polypody 67 / 583
Smooth-leaf scarlet groundsel 126 / 653	Southern adder's tongue 62 / 552	Spiral widgeon grass 67 / 614
Smooth-leaf spike speedwell 283 / 670	Southern bugbane 20 / 409	Spirea 245 / 643
Smooth linear-leaf habenaria 127 / 484	Southern crabgrass 129 / 442	Spleenwort 56 / 364
Smooth long-beak buttercup 124 / 602	Southern lacefern 69 / 427	Spleenwort family 56 / 364
Smooth maiden silvergrass 258 / 541	Southern rockbell 205 / 680	Split-lip hempnettle 298 / 474
Smooth mastic-leaf prickly ash 126 / 684	Southern seepweed 134 / 648	Spodiopogon 48 / 644
Smooth Maximowicz's sedge 143 / 395	Southern shaggy shield fern 69 / 448	Spoon-leaf yellow loosestrife 25 / 531
Smooth mountain twinsorus fern 125 / 443	Sowthistle 133 / 640	Spotless bonnet bellflower 303 / 417
Smooth oriental photinia 127 / 589	Soybean 278 / 482	Spotless Schlechtendal's rattlesnake plantain 274 / 482
Smooth ring-cup oak 127 / 600	Spanish needle 91 / 373	Spotted bellflower 275 / 385
Smooth Siberian crabapple 127 / 533	Sparse-flower sedge 142 / 398	Spotted corydalis 240 / 422
Smooth Siebold's greenbrier 127 / 639	Spatulate-leaf abelia 255 / 332	Spotted lady's slipper 293 / 432
Smooth silverweed 124 / 588	Spatulate-leaf rockcress 255 / 356	Spotted laurel 196 / 370
Smooth solomon's seal 126 / 639	Spatulate-leaf stonecrop 255 / 633	Spotted wildginger 22 / 363
Smooth water crowfoots 125 / 602	Spatulate-leaf swertia 142 / 649	Sprangletop 100 / 514
Smooth wavy-leaf basketgrass 127 / 552	Spatulate rock pine 98 / 554	Sprawling dickwort 242 / 551
Smooth wood false brome 126 / 378	Spear grass 66 / 647	Spreading chickweed 203 / 646
Smooth wood whitlow-grass 124 / 445	Spear star fern 271 / 539	Spreading false goat's beard 263 / 367
Smooth woodland peony 126 / 558	Spearhead Indian plantain 292 / 560	Spreading knotweed 221 / 337
Smooth woodsia 203 / 682	Spear-leaf selliqaea fern 33 / 426	Spreading mannagrass 53 / 481
Smotherweed 88 / 506	Speedwell 19 / 670	Spreading sneezeweed 258 / 403
Snake grass 185 / 458	Sphallerocarpus 117 / 642	Spreading swamp bloodgrass 79 / 500
Snake tongue starviolet 137 / 486	Sphenomeris 129 / 642	Spreading wildginger 47 / 363
Snake vine 309 / 647	Spicate falsenettle 247 / 376	Spreading willow 80 / 617
Snakeroot 101 / 464	Spicate lousewort 229 / 563	Spreading-branch ladybell 74 / 339
Snakeroots 225 / 581	Spicebush 172 / 521	Spreading-hair eleuthero 295 / 454
Snapweed 120 / 497	Spicewood 172 / 521	Spring gueldenstaedtia 208 / 483
Snoutbean 213 / 606	Spider brake fern 145 / 595	Spring smartweed 145 / 567
Snow cinquefoil 228 / 588	Spiderwort family 84 / 418	Springparsley 285 / 428
Snow lotus 276 / 622	Spike colicroot 259 / 346	Spruce 7 / 572
Snow-white saussurea 137 / 624	Spike mulberry mistletoe 56 / 527	Spurge 87 / 464
Snowbell 103 / 648	Spike oatgrass 236 / 664	Spurge family 87 / 465
Snowbell tree 103 / 648	Spike rosebay 57 / 605	Spurred gentian 86 / 484
Snowdon alplily 14 / 524	Spiked beaksedge 35 / 607	Square-stem spikerush 74 / 453
Snowparsley 273 / 416	Spiked dactylorhiza 185 / 434	Square-stem statice 27 / 521
Snowy false lily of the valley 304 / 533	Spike-flower germander 14 / 654	Squarrose-leaf gentian 42 / 477
Soapberry family 117 / 621	Spikemoss 147 / 633	Squaw root 60 / 401
Softest sedge 214 / 395	Spikemoss family 147 / 634	Squill 116 / 628
Soft-stem bulrush 279 / 628	Spikenard 95 / 357	Squirrel foot 145 / 432
Solomon's seal 98 / 187 / 581 / 638	Spikerushes 128 / 452	Squirrel's-foot fern 72 / 435
Solsae 186 / 656	Spikesedge 300 / 507	Ssuk 199 / 361
	Spikesedges 128 / 452	St. Johnswort 119 / 494
	Spindle 315 / 462	St. Olaf's candlestick 313 / 543
	Spindle tree 317 / 463	

St. Paul's wort 262 / 636	Stork's bill 43 / 461	Sweet cicely 51 / 555
Staff tree 77 / 402	Straight fern 49 / 377	Sweet flag 272 / 338
Staff vine 77 / 402	Straight-angle mono maple 218 / 334	Sweet gale 183 / 545
Staff vine family 77 / 402	Straight-awn fimbriстиlis 203 / 471	Sweet hydrangea 181 / 492
Staghorn clubmoss 120 / 529	Straight-bean Japanese honey locust 201 / 480	Sweet mountain yam 10 / 443
Stalked-spike bulrush 118 / 629	Strata fen-sedge 277 / 412	Sweet peas 213 / 510
Stalkless-flower eleutherero 215 / 454	Strawberry 102 / 472	Sweet two-leaf vetch 39 / 674
Stanavoi clematis 31 / 414	Stream-bank ikeris 70 / 502	Sweet viburnum 201 / 672
Star sedge 309 / 391	Streptolirion 90 / 647	Sweet william 301 / 439
Star-anise 151 / 496	Striation-flower alplily 61 / 524	Sweet woodruff 174 / 364
Star-anise family 151 / 496	Stringy stonecrop 93 / 633	Sweet wormwood 16 / 359
Star-flower fairybell 204 / 444	Strobilanthes 134 / 648	Sweet-autumn clematis 270 / 414
Star-flower gromwell 132 / 524	Styrax 103 / 648	Sweetgrass 311 / 489
Starflower 48 / 662	Styrax family 103 / 648	Sweet-grass 123 / 481
Starviolet 192 / 486	Subcordate woodsia 164 / 682	Sweetleaf 77 / 650
Statice 28 / 520	Subnod eelgrass 248 / 685	Sweetleaf family 77 / 649
Staunton's bugseed 312 / 420	Subumbellate sedge 41 / 398	Sweetpepperbush 110 / 415
Stauntonia 111 / 645	Suffrutescent securinega 39 / 632	Sweetroot 51 / 555
Stauntonia vine 111 / 645	Sugarcane 19 / 614	Sweetvetch 116 / 486
Steep cap 145 / 432	Sugarplum 272 / 349	Swertia 200 / 649
Stellera 305 / 646	Sumac 149 / 606	Swollen-node white-top bluegrass 106 / 579
Stephanandra 43 / 646	Summer fimbriстиlis 249 / 470	Sword fern 257 / 549
Stephania 309 / 646	Summer-flowering calanthe 212 / 382	Sword-leaf actinodaphne 226 / 524
Stephen's stork's bill 43 / 461	Summer-white oiltree 205 / 540	Sword-leaf crepidiastrum 24 / 425
Sterculia family 142 / 647	Sunan maiden silvergrass 193 / 541	Sword-leaf dogbane 22 / 355
Stewartia 11 / 647	Sunbonnets 186 / 512	Sword-leaf Jeongyeong thistle 5 / 411
Stewart's catnip 75 / 549	Sundew 61 / 445	Sword-leaf upright ladybell 50 / 340
Stickseed 101 / 509	Sundew family 61 / 446	Sword-leaf wood fern 81 / 448
Stickseeds 91 / 373	Sunflower family 43 / 367	Sword-like hosta 229 / 490
Stickwilly 12 / 475	Sunny violet 125 / 678	Sword-like sedge 74 / 399
Sticky catchfly 61 / 637	Summer-place cinquefoil 210 / 588	Sycamore-leaf falsenettle 17 / 376
Sticky East Asian alder 225 / 348	Supplejack 109 / 372	Symplylocarpus 22 / 649
Sticky germander 177 / 654	Surfgrass 171 / 571	Syneleisis 224 / 650
Sticky phtheirospermum 64 / 571	Surprise lily 169 / 529	Synurus 191 / 650
Sticky smartweed 61 / 567	Suwon aspen 193 / 585	
Sticky-stem pearlwort 279 / 615	Suwon sedge 193 / 396	
Stiff clubmoss 20 / 529	Swallow-tail marsh fern 241 / 592	
Stiff holly fern 7 / 584	Swallowwort 205 / 406	
Stiff shrubby cinquefoil 121 / 588	Swallow-wort 136 / 429	
Stiky colicroot 61 / 346	Swamp bloodgrass 49 / 500	
Stimpsonia 229 / 647	Swamp blueberry 72 / 668	
Stinging nettles 199 / 666	Swamp red currant 79 / 608	
Stinky black currant 128 / 607	Swamp shield-fern 30 / 428	
Stipulate willow 58 / 618	Swamp Siebold's smartweed 197 / 566	
Stipulate Wright's viburnum 90 / 673	Swamp willow 264 / 617	
Stitchwort 62 / 142 / 540 / 645	Swamplily 118 / 425	
Stolon golden saxifrage 204 / 408	Swamppink 272 / 487	
Stolon water crowfoot 63 / 602	Swamp-silky willow 82 / 616	
Stolon-bearing anemone 182 / 353	Swampweed 122 / 493	
Stolon-bearing wormwood 73 / 361	Swamp-white loosestrife 118 / 531	
Stoloniferous trigonotis 90 / 662	Swan potato 144 / 615	
Stonecrop 61 / 93 / 493 / 632	Sweep's woodbrush 60 / 527	
Stonecrop family 93 / 424	Sweet bonnet bellflower 205 / 417	
Stoneseeds 262 / 523	Sweet cheon-ma 208 / 406	
Stone-wall spleenwort 93 / 365		

T

Taean daylily 288 / 487
Taebaek cranesbill 288 / 479
Taebaek stonecrop 288 / 633
Taebaek violet 288 / 675
Taeniophyllum 29 / 652
Taihyun's abelia 257 / 332
Tailed calyx-lobe saussurea 56 / 624
Tailed corydalis 192 / 421
Tailed-leaf isodon 216 / 500
Tall bugseed 237 / 420
Tall gastrodia 273 / 476
Tall-helmet monk'shood 328 / 336
Tall lespedeza 304 / 516
Tall marsh fern 287 / 561
Tall oplapanax 102 / 553
Tall reed 281 / 570
Tall rotala 308 / 610

Tall smartweed 237 / 566	Thread-leaf chive 197 / 347	Tipularia 152 / 658
Tall stonecrop 287 / 494	Thread pipewort 196 / 460	Toad lilies 154 / 662
Tall widelip orchid 286 / 522	Thread sedge 197 / 396	Toad lily 154 / 662
Tall-woolly saussurea 86 / 624	Three-appendages trapella 182 / 661	Toad rush 204 / 503
Tallow Tree 156 / 548	Three-color Korean lespedeza 167 / 516	Toadflax 310 / 521
Tam-ra gastrochilus 287 / 476	Three-finger tongue fern 182 / 597	Tobacco-leaf saussurea 84 / 622
Tam-ra starviolet 288 / 486	Three-flower bedstraw 20 / 475	Toco grass 189 / 500
Tansy 199 / 652	Three-flower Korean clematis	Tofieldia 174 / 658
Tansymustard 238 / 438	309 / 414	Tokoro mountain yam 91 / 443
Tape grass 67 / 669	Three-flower maple 145 / 335	Tomentose condor-vine 65 / 534
Tape-grass family 232 / 492	Three-fruit white peony 271 / 558	Tomentose corchoropsis 190 / 419
Tappering glade fern 289 / 438	Three-hull rush 40 / 504	Tongue fern 173 / 597
Taquet's smartweed 32 / 567	Three-leaf arrowhead 141 / 616	Tongyeong bittercress 299 / 387
Tartarian aster 17 / 367	Three-leaf clematis 156 / 413	Toothed clubmoss 138 / 492
Tatarian honeysuckle 320 / 526	Three-leaf false lily of the valley	Toothed ikeridium 200 / 502
Tatarinow's rattlesnake-root 21 / 589	182 / 533	Tooth-margine wintergreen 204 / 597
Taxillus 267 / 653	Three-leaf Komarov's bugbane	Toothwort 22 / 510
Tea camellia 265 / 385	182 / 410	Torreya 153 / 659
Tea family 265 / 655	Three-leaf ladybell 235 / 341	Torularia 214 / 659
Tearthumb 106 / 582	Three-leaf monk'shooe 182 / 337	Touch-me-not 120 / 497
Teasel 166 / 444	Three-leaf white chick azalea 183 / 605	Tower rockcress 237 / 356
Teasel family 166 / 444	Three-lobe beggartick 6 / 374	Trachelospermum 106 / 660
Teazel 166 / 444	Three-lobe crabapple 201 / 534	Trailing crabgrass 249 / 442
Teeth-margin crepidiastrum 228 / 425	Three-lobe cranesbill 252 / 479	Trailing raspberry 111 / 612
Tender monkey-flower 206 / 540	Three-petal bedstraw 3 / 475	Trailplant 112 / 339
Terebinthaceous hogfennel 48 / 568	Three-some flowering ash 33 / 473	Transverse Brown's sedge 315 / 389
Terete-leaf Thunberg's chive 98 / 348	Three-stamen waterwort 120 / 452	Trapella 192 / 661
Ternate-leaf water parsnip 182 / 638	Thrixspermum 153 / 656	Traveller's joy 227 / 413
Ternstroemia 318 / 654	Thujae 80 / 656	Tree clethra 110 / 415
Tetragonia 139 / 654	Thunberg's bay-tree 317 / 532	Tree spikemoss 147 / 634
Tetterwort 205 / 406	Thunberg's chive 162 / 348	Trefol 140 / 527
The frog orchid 22 / 433	Thunberg's daylily 76 / 488	Tri flower 214 / 663
Thesium 241 / 656	Thunberg's geranium 229 / 479	Tri-wing maidenhair spleenwort
Thick bluegrass 281 / 579	Thunberg's helleborine 84 / 457	23 / 365
Thick-leaf Indian skullcap 104 / 631	Thunberg's smartweed 34 / 567	Triangular bulrush 182 / 628
Thick-leaf pennywort 305 / 493	Thunberg's solomon's seal 160 / 582	Triangular onion 182 / 347
Thick-leaf summer spirea 104 / 643	Thyme 136 / 656	Triangular lettuce 96 / 508
Thick-nerve sedge 286 / 397	Thyme-leaf sandwort 142 / 358	Triangular-leaf ladyfern 41 / 369
Thick-sepal clematis 252 / 413	Thyrocarpus 88 / 657	Triangular Thunberg's onion 182 / 348
Thick-stem aster 4 / 366	Tick clove 91 / 438	Triceps chestnut rush 176 / 503
Thick sweetleaf 156 / 650	Tickseed 312 / 419	Trichosanthes 306 / 661
Thin autumn fern 214 / 448	Tickseed sunflowers 91 / 373	Tricuspidate falsoonetle 29 / 376
Thin-leaf knotweed 210 / 338	Tickseeds 91 / 373	Tricyrtis 154 / 662
Thin-leaf milkwort 225 / 581	Tick-trefoil 91 / 438	Trigonotis 58 / 662
Thin-leaf spirea 89 / 643	Tidal-marsh flatsedge 71 / 431	Trillium 214 / 663
Thin-leaf violet 214 / 675	Tiger lily 267 / 520	Trilobe monk'shooe 182 / 336
Thin-lobe corydalis 176 / 422	Tilingia 24 / 658	Trilobed-leaf alangium 132 / 345
Thin Northern lipfern 148 / 406	Timothy 165 / 570	Trin's bentgrass 31 / 344
Thin sphallerocarpus 117 / 642	Tiny ardisia 167 / 358	Triparted-leaf eupatorium 311 / 464
Thin-spiculate sedge 215 / 392	Tiny bristle fern 147 / 425	Tripterospermum 91 / 663
Thistle 212 / 411	Tiny moonwort 68 / 377	Tripterygium 123 / 663
Thomapple 162 / 424	Tiny sedge 236 / 389	Tropical fimbriystylis 128 / 470
Thornless Southern raspberry 178 / 613	Tiny St. Johnswort 203 / 495	Trout lily 211 / 462
Thorny currant 54 / 607	Tiny water-chestnut 119 / 660	True autumn fern 271 / 448
Thoroughwort 101 / 464	Tiny weeping fern 207 / 513	True needle spikerush 268 / 453

True wormwood 270 / 360
 Truncate flowering cherry 304 / 592
 Tuberous false-starwort 91 / 593
 Tuberous-rooted meadow-rue 159 / 655
 Tuberous water parsnip 13 / 638
 Tubiflorous phacellanthus 9 / 568
 Tubocapsicum 202 / 664
 Tubular-flower swamppink 193 / 487
 Tuft St. Johnswort 82 / 495
 Tufted eelgrass 301 / 685
 Tufted hairgrass 250 / 438
 Tufted loosestrife 138 / 531
 Tufted rock-living sedge 131 / 394
 Tule 279 / 628
 Tule potato 144 / 615
 Tulip 164 / 665
 Tumbleweed 312 / 419
 Turczaninov's melic 280 / 536
 Turfed vetch 101 / 673
 Turfy sedge 301 / 389
 Tussock cottongrass 316 / 461
 Tussock grass 250 / 438
 Tutsan 119 / 494
 Twig-sedge 277 / 412
 Twilight lily 306 / 520
 Twinflower 105 / 522
 Twin-flower anemone 199 / 353
 Twining monk's-hood 5 / 337
 Twining pterygocalyx 253 / 595
 Twining streptolirion 90 / 647
 Twining swallow-wort 183 / 429
 Twinleaf 55 / 502
 Twin-leaf twayblade 199 / 549
 Twinsorus fern 255 / 443
 Twisted bur-reed 70 / 642
 Twisted-stalk 257 / 647
 Two-color-scale holly fern 61 / 584
 Two leaf beadrush 95 / 533
 Two-leaf cremastra 98 / 425
 Two-leaf fimbriostylis 306 / 470
 Two-leaf oreorchis 98 / 553
 Two-leaf vetch 67 / 674
 Two-seed sedge 3 / 390
 Two-spikelet fimbriostylis 57 / 471
 Two-spin water-chestnut 281 / 660
 Two-tip sedge 166 / 393
 Two-toothed beak sedge 317 / 392
 Twofork oatgrass 165 / 664
 Typhophora 222 / 665

U

Uda needle sedge 18 / 399
 Uibong wild pear 226 / 598
 Ulleung bluegrass 225 / 580

Ulleung catchfly 225 / 637
 Ulleung dendranthema 225 / 436
 Ulleung goldenrod 225 / 640
 Ulleungdo abelia 178 / 332
 Ulleungdo alder 180 / 349
 Ulleungdo aster 180 / 366
 Ulleungdo barberry 219 / 371
 Ulleungdo cotoneaster 177 / 424
 Ulleungdo crimson grapevine 179 / 679
 Ulleungdo deadnettle 177 / 509
 Ulleungdo dystaenia 179 / 450
 Ulleungdo elder 109 / 620
 Ulleungdo figwort 181 / 631
 Ulleungdo flowering cherry 179 / 592
 Ulleungdo hare's ear 179 / 380
 Ulleungdo hemlock 186 / 664
 Ulleungdo honeysuckle 177 / 525
 Ulleungdo jack-in-the-pulpit 178 / 359
 Ulleungdo ladyfern 177 / 368
 Ulleungdo linden 181 / 657
 Ulleungdo liverleaf 178 / 488
 Ulleungdo lotus rock pine 225 / 554
 Ulleungdo maple 178 / 334
 Ulleungdo Miss Kim lilac 177 / 651
 Ulleungdo raspberry 178 / 613
 Ulleungdo rockcress 180 / 356
 Ulleungdo spike speedwell 178 / 671
 Ulleungdo stonecrop 177 / 633
 Ulleungdo sweet violet 224 / 678
 Ulleungdo thyme 179 / 657
 Ulleungdo turk's-cap lily 179 / 520
 Ulleungdo violet 180 / 678
 Ulleungdo white pine 180 / 575
 Ulleungdo willow 179 / 617
 Umbel rice flatsedge 167 / 431
 Umbelled rockjasmine 145 / 352
 Umbrella elatostema 224 / 452
 Umbrella lousewort 44 / 563
 Umbrella-sedge 31 / 473
 Umbrella-sedges 134 / 430
 Understory skullcap 44 / 631
 Undivided chrysanthemum-leaf synurus 124 / 651
 Undulate speedwell 122 / 671
 Unequal-lobe brake fern 133 / 594
 Unicorn root 259 / 346
 Unifloral clematis 222 / 413
 Uniflower swisscentaury 154 / 604
 Uniform wood fern 37 / 448
 Uni-spikelet fimbriostylis 190 / 471
 Upright Asian swallow-wort 175 / 429
 Upright cranesbill 175 / 478
 Upright golden saxifrage 174 / 409
 Upright Korean red pine 45 / 575
 Upright ladybell 86 / 340

Upright monk's-hood 263 / 337
 Upright solomon's seal 174 / 582
 Upright water hemlock 4 / 409
 Upright yellow corydalis 174 / 422
 Upright-spike flatsedge 189 / 431
 Upside-down hollyfern 230 / 357
 Urn orchid 232 / 375
 Uruguay fountaingrass 61 / 564
 Ussuri bellflower 183 / 417
 Ussuri bluegrass 13 / 580
 Ussuri buckthorn 266 / 603
 Ussuri fritillary 301 / 473
 Ussuri river leafflower 213 / 571
 Ussuri river platanthera 65 / 577
 Ussuri saussurea 42 / 625
 Ussuri sedge 198 / 399
 Ussuri skullcap 312 / 632
 Ussuri spikerush 118 / 453
 Ussuri splindletree 66 / 463
 Ussuri thistle 211 / 411
 Ussuri weeping fern 164 / 514
 Ussurian pear 160 / 598
 Ussurian water-milfoil 175 / 546
 Uydo surprise lily 226 / 530

V

Valerian 260 / 668
 Valerian family 106 / 669
 Valley wood fern 33 / 448
 Vallis 67 / 669
 Variable spleenwort 204 / 365
 Variable-leaf yellowcress 14 / 608
 Variegate creeping narrow-leaf sedge 116 / 395
 Variegate cretan brake fern 202 / 595
 Variegate cucullate neotianthe orchid 239 / 483
 Variegate jack-in-the-pulpit 240 / 359
 Variegate Korean blueberry 172 / 667
 Variegate lesser solomon's seal 116 / 582

Variegated maiden silvergrass 211 / 541
 Variegated-leaf hardy kiwi 259 / 338
 Variegated-leaf pondweed 201 / 586
 Variegated-leaf violet 202 / 678
 Vase vine 227 / 413
 Velutinous rattlesnake plantain 293 / 482
 Velvet bentgrass 30 / 344
 Velvet common bistort 297 / 374
 Velvet cransebill 224 / 479
 Velvet Daurian wheatgrass 158 / 455
 Velvet Korean figwort 231 / 631
 Velvet red elder 297 / 620
 Velvet woundwort 224 / 645

Venose vetch 213 / 675
 Venus' shoes 145 / 432
 Verbena family 107 / 670
 Vernal grasses 311 / 354
 Vernal water-starwort 120 / 384
 Vernalgrasses 311 / 354
 Veronicastrum 71 / 671
 Verrucosole fimbriostylis 303 / 470
 Verticillate paris 168 / 561
 Verticillate rhynchospermum 276 / 606
 Verticillate valerian 183 / 668
 Vervain 107 / 670
 Vesper iris 88 / 498
 Vetch 67 / 673
 Vetchlings 213 / 510
 Viburnum 162 / 672
 Vidal's ladyfern 157 / 369
 Vidal's mountain honeysuckle 218 / 526
 Villous dunbaria 213 / 449
 Villous spike speedwell 291 / 670
 Vine-like fern 197 / 530
 Violet 241 / 675
 Violet blood iris 263 / 499
 Violet crabgrass 126 / 442
 Violet deinostema 263 / 435
 Violet family 241 / 679
 Violet orychnophragmus 184 / 555
 Violet Stanavoi clematis 255 / 414
 Violet-flower Odaesan iris 144 / 499
 Virgate wormwood 153 / 361
 Virgin's bower 227 / 413
 Virginia creeper 85 / 561
 Viscous cinquefoil 61 / 588
 Vlassoviana thistle 326 / 412

W

Wahlenbergia 205 / 680
 Wakerobin 214 / 663
 Wallflower 200 / 461
 Wallichian's rush 192 / 504
 Wallich's bulrush 79 / 629
 Wall-rue 94 / 365
 Walnut 6 / 503
 Walnut family 6 / 503
 Walnut tree 6 / 503
 Walter's dogwood 109 / 421
 Wando corydalis 218 / 423
 Wando evergreen oak 19 / 599
 Wando lespedeza 251 / 516
 Wapato 144 / 615
 Warty tall gaistrodia 308 / 476
 Water chestnut 69 / 453
 Water clover 74 / 534
 Water clover family 74 / 534

Water crowfoots 123 / 601
 Water fern 118 / 370
 Water fern family 118 / 561
 Water hemlock 92 / 409
 Water horsetail 120 / 458
 Water lilies 191 / 550
 Water mudwort 102 / 521
 Water parsnip 18 / 638
 Water pennywort 305 / 493
 Water pepper 212 / 565
 Water plantain 288 / 346
 Water pygmyweed 86 / 658
 Water smartweed 121 / 564
 Water star 118 / 449
 Water-starwort family 142 / 383
 Water-arum 162 / 382
 Water-chestnut 106 / 660
 Water-chestnut family 106 / 661
 Water-dropwort 123 / 550
 Watergrass 113 / 379
 Waterhorehound 195 / 529
 Water-hyacinth family 121 / 585
 Waterlily 191 / 550
 Water-lily 22 / 191 / 549 / 550
 Water-lily family 190 / 550
 Watermeal 148 / 681
 Water-milfoil 121 / 546
 Watermilfoil family 17 / 485
 Watermoss 172 / 619
 Water-nymph 67 / 546
 Waternymph family 232 / 492
 Water-nymph family 67 / 546
 Water-plantain family 288 / 346
 Water-primrose 212 / 527
 Water-purslane 212 / 527
 Watershield 193 / 378
 Water-starwort 142 / 383
 Waterthyme 31 / 492
 Waterwheel plant 140 / 346
 Water-willow 259 / 505
 Waterwort 120 / 452
 Waterwort family 120 / 452
 Wavy bittercress 316 / 387
 Wavy Mongolian oak 122 / 600
 Wavy-leaf basketgrass 256 / 552
 Wavy-leaf honeysuckle 42 / 526
 Wax lacquer tree 30 / 660
 Waxberry tree 183 / 546
 Wax-leaf privet 38 / 518
 Wax-leaf viburnum 302 / 672
 Wax-myrtle 183 / 545
 Waxy managrass 31 / 481
 Wayside speedwell 19 / 670
 Weak ikeris 140 / 502
 Weak smartweed 182 / 565

Wedelia 47 / 680
 Weeping fern 231 / 513
 Weeping white mulberry 272 / 544
 Weeping willow 20 / 616
 Weigela 143 / 680
 Western dock 298 / 613
 Western purple cranesbill 149 / 479
 Western touch-me-not 75 / 497
 Wetland skulcap 221 / 632
 Wet-sand sedge 264 / 388
 Weyrich's azalea 267 / 606
 Wheatgrass 17 / 455
 Whipcord eyelash fern 89 / 584
 Whippoorwill shoe 145 / 432
 Whisk fern 186 / 594
 Whisk fern family 186 / 594
 White adder's mouth 228 / 533
 White alder family 110 / 415
 White alpine dentate skullcap 324 / 631
 White amur rose 324 / 609
 White Asian fawnlily 325 / 462
 White Asian platanthera 327 / 577
 White Asian pogonia 328 / 580
 White Asian sweetleaf 321 / 650
 White-back greenbrier 175 / 639
 White balloon-flower 135 / 578
 White bamboo-leaf orchid 257 / 428
 White beaksedge 319 / 607
 White beatiful-flower saussurea 319 / 624
 White-beautiful two-leaf vetch 320 / 674
 White beautyberry 326 / 383
 White-berry raspberry 144 / 613
 White big-flower lady's slipper 323 / 432
 White big-flower ladybell 321 / 339
 White bistort 323 / 374
 White bluebeard 328 / 401
 White bristly-margin angelica 323 / 353
 White burnet 284 / 621
 White camellia 321 / 385
 White Canadian burnet 325 / 621
 White catchfly 326 / 637
 White cheder vetch 319 / 673
 White chick azalea 328 / 605
 White-clustered bellflower 326 / 385
 White common breea 327 / 378
 White crown rockcress 327 / 356
 White Dahurian bedstraw 319 / 474
 White daphne 136 / 434
 White deadnettle 221 / 509
 White decumbent corydalis 327 / 421
 White-double balloon-flower 319 / 578
 White East Asian buttercup 322 / 602
 White-egret flower 310 / 484

White false-hellebore 325 / 670	White-flower small corydalis 326 / 421	White marsh ladybell 328 / 340
White field touch-me-not 322 / 497	White-flower smartweed 320 / 565	White minor hosta 327 / 491
White Fischer's dragon's head 326 / 445	White-flower squill 322 / 628	White minute rock pine 327 / 555
White five-rib thyme 323 / 657	White-flower surprise lily 324 / 530	White mountain-heath 319 / 571
White flatsedge 323 / 431	White-flower twisted-stalk 320 / 648	White-mountain wormwood 152 / 361
White forsythia 123 / 332	White-flower violet 327 / 677	White narrow-flower Asian dayflower 320 / 418
White foxtail fountaingrass 324 / 564	White-flower vlassoviana thistle 320 / 412	White narrow-leaf blue-eye grass 322 / 638
White fringed pink 324 / 440	White-flower water iris 321 / 498	White nettle-leaf mint 323 / 535
White Gapsan violet 319 / 677	White-flower wineberry 319 / 613	White Oldham's tick clover 328 / 439
White Geumgang bluebell 320 / 485	White-flower Zollinger's gentian 328 / 477	White oriental swamppink 328 / 487
White goosefoot 322 / 407	White-flowering Korean dandelion 322 / 652	White oval-leaf cow-wheat 325 / 536
White-flower Asian jasmine 138 / 660	White-hair Amur mountain ash 329 / 641	White pipewort 319 / 460
White-flower Baekdusan primrose 327 / 589	White-hair dandelion 329 / 653	White prickly thistle 323 / 412
White-flower Biro gentian 323 / 477	White-hair golden saxifrage 320 / 409	White-scale wood fern 323 / 446
White-flower bittercress 123 / 387	White-hair violet 329 / 676	White scattered ladybell 322 / 340
White-flower blood iris 323 / 499	White-hair yellow bedstraw 329 / 475	White Selkirk's violet 322 / 678
White-flower campion 321 / 528	White-hairy spotted lady's slipper 329 / 432	White serrate ladybell 329 / 339
White-flower corydalis 330 / 421	White hairless fleabane 320 / 459	White shrub lespedeza 325 / 514
White-flower dwarf milkwort 325 / 581	White Hallasan cranesbill 324 / 479	White small creeping violet 325 / 676
White-flower East Asian monk's-hood 329 / 337	White hedge morning glory 322 / 384	White snowdrop 71 / 459
White-flower East Asian primrose 325 / 590	White hosta 323 / 490	White spike sedge 326 / 395
White-flower false Chinese swertia 326 / 649	White Hyacinth-flower clematis 327 / 414	White spirea 99 / 643
White-flower golden lace 104 / 562	White incised corydalis 326 / 422	White stem serpentrout 189 / 630
White-flower Halla mint 329 / 454	White Japanese thistle 319 / 411	White stringflower 197 / 408
White-flower helleborine 321 / 457	White Japanese wisteria 322 / 681	White tailed-leaf isodon 325 / 500
White-flower high mountain cinquefoil 327 / 588	White Korean azalea 324 / 606	White tall lespedeza 329 / 516
White-flower Ilwol hosta 326 / 490	White Korean bellflower 324 / 385	White tapering glade fern 329 / 438
White-flower Indian skullcap 319 / 631	White Korean false goat's beard 324 / 367	White three-leaf ladybell 326 / 341
White-flower Jacob's ladder 320 / 580	White Korean lespedeza 327 / 515	White toothed ikeridium 325 / 502
White-flower Jeju-do buttercup 326 / 602	White Korean lilac 327 / 651	White top bluegrass 198 / 578
White-flower Jerusalem sage 324 / 570	White Korean meadowsweet 328 / 470	White two-leaf vetch 328 / 674
White-flower Kirilow's indigo 322 / 497	White Korean pyramid bugle 327 / 345	White Ulleungdo Miss Kim lilac 324 / 651
White-flower Korean cranesbill 321 / 478	White lapland rosebay 330 / 605	White-villus monk's-hood 271 / 337
White-flower Korean gentian 326 / 477	White large-leaf vetch 328 / 674	White-wild morning glory 328 / 384
White-flower Korean rhododendron] 327 / 605	White large-sepal corydalis 319 / 422	White wild pink 329 / 440
White-flower Korean thistle 319 / 412	White leafy lespedeza 326 / 412	White wild strawberry 322 / 472
White-flower ladies' tresse 328 / 644	White long-tail iris 319 / 515	White woodland peony 137 / 558
White-flower lady's bedstraw 324 / 475	White lilyleaf ladybell 321 / 340	White woodland thistle 321 / 412
White-flower lagopsis 320 / 508	White linear-leaf spike speedwell 320 / 671	Whitescale flatsedge 303 / 431
White-flower lousewort 324 / 563	White-lobe Korean dendranthema 42 / 436	Whitetooth 162 / 424
White-flower mint 329 / 454	White long-tail iris 319 / 499	Whitish Freyn's wormwood 324 / 360
White-flower montane poppy 321 / 559	White Maack's larkspur 327 / 435	Whitish gentian 164 / 476
White-flower mountain locoweed 97 / 557	White magnus aster 325 / 366	Whitish-purple monk's-hood 257 / 336
White-flower Odaesan iris 321 / 499	White maiden silvergrass 325 / 541	Whitlow-grasses 58 / 445
White-flower royal azalea 328 / 605	White many-bract bothriospermum 328 / 377	Whole-leaf Indian hawthorn 82 / 604
White-flower self-heal 321 / 590		Whorled-leaf ladybell 277 / 341
White-flower shiny mint 321 / 455		Whorled-leaf lousewort 41 / 563

Wide-elliptic rock pine 302 / 554	Willow 138 / 617	Wood sorrel 40 / 556
Wide Korean maple 72 / 334	Willow family 138 / 616	Wood sorrel family 40 / 556
Wide-leaf aizoon stonecrop 280 / 632	Willow-leaf evergreen oak 266 / 600	Wood whitlow-grass 58 / 445
Wide-leaf Amur mountain ash 73 / 641	Willow-leaf lance fern 139 / 527	Woodland chickweed 282 / 646
Wide-leaf Amur silvergrass 73 / 541	Willow-leaf Manchurian lilac 138 / 651	Woodland forget-me-not 222 / 545
Wide-leaf Asian vetch 72 / 674	Willow-leaf privet 139 / 519	Woodland horsetail 81 / 458
Wide-leaf chrysanthia honeysuckle 73 / 525	Willow-leaf spicebush 78 / 521	Woodland peony 164 / 558
Wide-leaf deepblue honeysuckle 73 / 525	Willow-leaf spirea 57 / 644	Woodland thistle 91 / 412
Wide-leaf honeysuckle 322 / 526	Willow-leaf veronicastrum 139 / 672	Woodland wormwood 44 / 362
Wide-leaf hosta 72 / 490	Willow-leaf white-flower smartweed 187 / 565	Woodreed 63 / 410
Wide-leaf labrador tea 77 / 511	Willow spindletree 139 / 464	Woodruff 14 / 363
Wide-leaf ladyfern 72 / 370	Willowherb 128 / 456	Woodrush 60 / 527
Wide-leaf low sedge 73 / 396	Wilson's elm 80 / 666	Woodsia 224 / 682
Wide-leaf Maximowicz's woodruff 72 / 364	Wind flower 309 / 596	Woolly-fruit sedge 140 / 393
Wide-leaf monk'shooe 74 / 337	Windingsnoutbean 213 / 606	Woolly-fruit pubescent spirea 176 / 644
Wide-leaf mountain hawthorn 73 / 424	Windings-leaf iris 287 / 498	Woolly-fruit red elder 291 / 620
Wide-leaf Ulleungdo yew 317 / 653	Wine raspberry 37 / 613	Woolly-hair saussurea 118 / 624
Wide-leaf valerian 74 / 668	Wing monk'shooe 69 / 337	Woolly gray willow 297 / 618
Wide-leaf wormwood 73 / 361	Winged beech fern 176 / 569	Woolly-leaf saussurea 187 / 622
Widelip orchid 66 / 522	Winged corydalis 69 / 421	Woolly-leaf sedge 295 / 393
Wide-petal pipewort 72 / 460	Winged prickly-ash 20 / 684	Woolly lespediza 21 / 516
Wide-sepal Geumgang bluebell 30 / 485	Winged-fruit Russian thistle 66 / 619	Woolly mock orange 329 / 569
Wide willow-leaf evergreen oak 74 / 600	Wingstem rush 69 / 503	Woolly narrow-leaf bittercress 294 / 387
Widgeon grass 257 / 614	Winnow willow 287 / 617	Woolly-scale sedge 68 / 392
Widgeonweed 257 / 614	Winter aconite 71 / 459	Woolly-stem cranesbill 12 / 478
Widow's tears 84 / 418	Winter-berry currant 16 / 607	Wormseed wallflower 200 / 462
Wild apples 155 / 533	Winter-berry spindletree 252 / 463	Wormwood 200 / 359
Wild calla 162 / 382	Winter creeper spindletree 250 / 463	Woundwort 174 / 645
Wild carrot 85 / 435	Winter cress 62 / 371	Wright's filmy fern 272 / 535
Wild chervil 239 / 354	Winter hazel 330 / 423	Wright's viburnum 157 / 672
Wild dampalsu trees 85 / 452	Winter raspberry 32 / 611	Wrinkled cinquefoil 86 / 588
Wild flag iris 147 / 499	Wintergreen 76 / 407	Wrinkled-glume yellow bristlegrass 256 / 635
Wild hop 315 / 491	Wintergreen 110 / 596	Wrinkled-margin gymnanenia 256 / 547
Wild lilyturf 111 / 552	Wintergreens 48 / 662	Wrinkled mock strawberry 138 / 449
Wild morning glory 282 / 384	Winter-hazel 244 / 444	
Wild pear 272 / 349	Wisteria 101 / 681	
Wild-plum 272 / 349	Witch hazel family 244 / 485	
Wild red cowpea 171 / 675	Woad 88 / 500	
Wild rice 258 / 684	Wolf's bane 299 / 336	
Wild rye 94 / 517	Wolf's lilac 290 / 652	
Wild soybean 19 / 482	Women's bane 299 / 336	
Wild-spring cherry 217 / 592	Wonder violet 73 / 677	
Wild sugarcane 36 / 614	Wonsan cinquefoil 225 / 588	
Wild wasabi 245 / 466	Wonsan rush 185 / 504	
Wildginger 245 / 362	Wonsan spikerush 225 / 452	
Wildrye 26 / 455	Wood bluegrass 176 / 579	
Wilford's cranesbill 183 / 479	Wood false brome 194 / 378	
Wilford's spleenwort 315 / 365	Wood fern 38 / 446	
Wilford's swallow-wort 191 / 430	Wood fern family 112 / 446	
Wilford's hay-scented fern 285 / 437	Wood lacquer tree 158 / 660	
Willow 70 / 616	Wood milletgrass 62 / 540	
	Wood rush 60 / 527	
	Wood-rush 60 / 527	
	Wood small reed 165 / 381	

Yellow flatsedge 100 / 431	Yellow oriental columbine 75 / 355	Yellowish white-flowering Korean dandelion 321 / 652
Yellow floatingheart 76 / 550	Yellow-paint maple 289 / 334	Yentai fimbriстиlis 135 / 471
Yellow-flower broomrape 316 / 554	Yellow rocket 62 / 371	Yew 256 / 653
Yellow-flower hedge mustard 75 / 638	Yellow rosemallow 315 / 489	Yew family 256 / 653
Yellow-flower rosebay 75 / 604	Yellow scopolia 75 / 630	Yin yang huo 168 / 457
Yellow-flower spanish needle 291 / 373	Yellow slim-stem lily 75 / 519	Youngdo dandelion 215 / 652
Yellow-flower vetch 75 / 673	Yellow star-of-Bethlehem 258 / 473	Youngia 154 / 683
Yellow friendly lily 76 / 519	Yellow surprise lily 262 / 530	
Yellow-fruit hackberry 76 / 403	Yellow-swamp foxglove 181 / 403	
Yellow-fruit hirsute raspberry 75 / 612	Yellow toadflax 254 / 521	
Yellow golden saxifrage 78 / 408	Yellow water-lily 266 / 550	
Yellow indian pipe 41 / 543	Yellow-white rattlesnake-root 220 / 589	
Yellow Korean pasque-flower 76 / 596	Yellow wood sorrel 174 / 557	Zelkova 81 / 684
Yellow loosestrife 271 / 530	Yellowcress 14 / 608	Ziziphus 88 / 684
Yellow-mantle sedge 207 / 395	Yellowhead 47 / 498	Zollinger's gentian 280 / 477
Yellow Mongolian snakegourd 76 / 662	Yellowish velvety-leaf litsea 54 / 524	Zoysia Willd 235 / 685
	Yellowish-white bladderwort 148 / 667	Zoysiagrass 235 / 685
		Zygadenus 65 / 685

Z

- Zelkova 81 / 684
 Ziziphus 88 / 684
 Zollinger's gentian 280 / 477
 Zoysia Willd 235 / 685
 Zoysiagrass 235 / 685
 Zygadenus 65 / 685

A

Ae-gi-an-jeun-bu-chae 207 / 650
 Ae-gi-ban-deul-sa-cho 206 / 399
 Ae-gi-ba-neul-kkot 206 / 456
 Ae-gi-ba-neul-sa-cho 206 / 392
 Ae-gi-ba-wi-sol 206 / 554
 Ae-gi-beo-eo-meon-cho 206 / 380
 Ae-gi-bi-ssul 206 / 361
 Ae-gi-bok-su-cho 206 / 342
 Ae-gi-bom-mat-i 206 / 352
 Ae-gi-bu-deul 206 / 665
 Ae-gi-cham-ban-di 208 / 621
 Ae-gi-cheon-il-sa-cho 208 / 398
 Ae-gi-cheon-ma 208 / 406
 Ae-gi-cheon-ma-sok 208 / 405
 Ae-gi-dak-na-mu 204 / 379
 Ae-gi-dak-ui-deong-gul 204 / 467
 Ae-gi-dak-ui-jang-pul 204 / 418
 Ae-gi-dam-bae-pul 205 / 400
 Ae-gi-deo-deok 205 / 417
 Ae-gi-deok-san-pul 205 / 630
 Ae-gi-deung 205 / 540
 Ae-gi-deung-sok 205 / 540
 Ae-gi-do-duk-nom-ui-gal-go-ri
 205 / 439
 Ae-gi-dong-ui-na-mul 205 / 384
 Ae-gi-do-ra-ji 205 / 680
 Ae-gi-do-ra-ji-sok 205 / 680
 Ae-gi-du-reup-na-mu 205 / 357
 Ae-gi-ga-jil-byeo-lkkot 203 / 646
 Ae-gi-gam-dung-sa-cho 203 / 391
 Ae-gi-ga-mul-go-sa-ri 203 / 682
 Ae-gi-ga-rae 203 / 586
 Ae-gi-geo-meo-ri-mal 203 / 685
 Ae-gi-geum-gang-je-bi-kkot 204 / 678
 Ae-gi-geum-mae-hwa 204 / 664
 Ae-gi-gi-rin-cho 204 / 633
 Ae-gi-go-chu-na-mul 203 / 495
 Ae-gi-go-gwang-na-mu 203 / 569
 Ae-gi-gok-jeong-cho 203 / 460
 Ae-gi-gol-mu-kkot 203 / 631
 Ae-gi-gol-pul 204 / 503
 Ae-gi-gwaeng-i-bap 204 / 557
 Ae-gi-gwaeng-i-nun 204 / 408
 Ae-gi-gyeo-i-sal 203 / 344
 Ae-gi-ha-neul-ji-gi 209 / 470
 Ae-gi-huin-sa-cho 209 / 395
 Ae-gi-hwang-sae-naeng-i 209 / 388
 Ae-gi-hwang-sae-pul 209 / 661
 Ae-gi-hwang-sae-pul-sok 209 / 661
 Ae-gi-hyang-yu 209 / 455
 Ae-gi-il-yeop-cho 207 / 513
 Ae-gi-i-sak-sa-cho 207 / 395
 Ae-gi-jang-dae 208 / 355
 Ae-gi-jang-dae-sok 208 / 355

Ae-gi-jang-gu-chae 208 / 636
 Ae-gi-ja-un 208 / 483
 Ae-gi-ja-un-sok 208 / 483
 Ae-gi-je-bi-ran 208 / 577
 Ae-gi-ji-ne-go-sa-ri 208 / 447
 Ae-gi-jok-je-bi-go-sa-ri 208 / 448
 Ae-gi-jop-ssal-pul 208 / 466
 Ae-gi-jung-ui-mu-reut 208 / 473
 Ae-gi-ju-reum-jo-gae-pul 208 / 552
 Ae-gi-kko-ri-go-sa-ri 204 / 365
 Ae-gi-ma-reum 205 / 660
 Ae-gi-mi-na-ri-a-jae-bi 205 / 601
 Ae-gi-mul-kkwa-ri-a-jae-bi 206 / 540
 Ae-gi-mul-kkwa-ri-a-jae-bi 206 / 540
 Ae-gi-mul-mae-hwa 206 / 561
 Ae-gi-mu-yeop-ran 206 / 548
 Ae-gi-myeo-neu-ri-bap-pul 205 / 536
 Ae-gi-myeon-mo-go-sa-ri 205 / 682
 Ae-gi-na-bi-na-mul 204 / 674
 Ae-gi-naeng-i 204 / 387
 Ae-gi-nak-si-je-bi-kkot 204 / 676
 Ae-gi-na-ri 204 / 444
 Ae-gi-na-ri-sok 204 / 444
 Ae-gi-no-ru-bal 204 / 597
 Ae-gi-pul 209 / 581
 Ae-gi-sa-cheol-ran 206 / 482
 Ae-gi-sa-cho 206 / 390
 Ae-gi-seok-nam 206 / 351
 Ae-gi-seok-wi 207 / 597
 Ae-gi-sol-na-mul 207 / 475
 Ae-gi-song-i-pul 207 / 563
 Ae-gi-ssi-beom-kko-ri 207 / 375
 Ae-gi-sswae-gi-pul 207 / 666
 Ae-gi-su-yeom-i-kki 207 / 494
 Ae-gi-su-yeong 207 / 613
 Ae-gi-swip-ssa-ri 207 / 529
 Ae-gi-tap-kkot 208 / 416
 Ae-gi-top-ji-ne-go-sa-ri 209 / 447
 Ae-gi-ttong-pul 205 / 406
 Ae-gi-ttong-pul-sok 205 / 406
 Ae-gi-u-san-na-mul 207 / 650
 Ae-gi-wan-du 207 / 510
 Ae-gi-wol-gyul 207 / 668
 Ae-gi-won-chu-ri 207 / 487
 Ae-gi-yeom-ju-sa-cho 207 / 392
 Ae-gwaeng-i-sa-cho 203 / 393
 Aeng-cho 209 / 590
 Aeng-cho-gwa 209 / 590
 Aeng-cho-sok 209 / 589
 A-geu-bae-na-mu 201 / 534
 A-gu-jang-na-mu 200 / 644
 A-gwang-na-mu 200 / 424
 A-ja-bi-gwa-jeul 201 / 480
 Al-bang-dong-sa-ni 202 / 430
 Al-kkwa-ri 202 / 664
 Al-kkwa-ri-sok 202 / 664
 Al-myeo-neu-ri-bap-pul 202 / 536
 Al-rok-je-bi-kkot 202 / 678
 Al-rok-keun-bong-ui-kko-ri 202 / 595
 A-ma-gwa 201 / 521
 A-ma-pul 201 / 441
 A-ma-pul-sok 201 / 441
 A-ma-sok 201 / 522
 Am-baem-go-sa-ri 203 / 368
 Am-dae-geuk 202 / 465
 Am-goe-bul-na-mu 202 / 526
 Am-gong-jak-go-sa-ri 202 / 341
 Am-go-sa-ri 202 / 443
 Am-ha-neul-ji-gi 203 / 471
 Am-kka-chi-kkae 202 / 419
 Am-mae 202 / 440
 Am-mae-gwa 202 / 440
 Am-mae-sok 202 / 440
 Am-pul-go-sa-ri 203 / 481
 Am-su-dung-gul-re 203 / 582
 A-mul-go-sa-ri 201 / 446
 An-jeun-bu-chae 201 / 650
 An-jeun-bu-chae-sol 201 / 650
 An-jeun-ga-rae 201 / 586
 An-jeun-ip-da-dak-naeng-i 202 / 513
 An-jeun-jop-ssal-pul 202 / 466
 An-myeon-yong-dung-gul-re 201 / 581
 Ap-rok-deo-bu-sal-i 203 / 554
 A-uk-gwa 201 / 534
 A-uk-je-bi-kkot 201 / 676
 A-uk-me-pul 201 / 441
 A-uk-me-pul-sok 201 / 441
 A-wae-na-mu 201 / 672

B

Ba-bo-yeo-kkwi 129 / 566
 Ba-da-ji-gi 128 / 470
 Ba-di-na-mul 129 / 353
 Ba-di-pul 129 / 514
 Ba-di-pul-sok 129 / 514
 Bae-am-cha-jeu-gi 135 / 619
 Bae-am-cha-jeu-gi-sok 135 / 619
 Bae-am-na-mu 135 / 672
 Bae-cho-hyang 135 / 343
 Bae-cho-hyang-sok 135 / 343
 Baek-bu-ja 136 / 336
 Baek-dang-na-mu 135 / 672
 Baek-do-ra-ji 135 / 578
 Baek-du-sa-cho 135 / 396
 Baek-du-san-ba-wi-chwi 136 / 625
 Baek-du-san-dae-geuk 135 / 465
 Baek-du-san-go-sa-ri-sam 135 / 377
 Baek-du-san-go-sa-ri-sam-sok
 135 / 377
 Baek-du-san-gu-seul-bung-i 135 / 477

Baek-du-san-ja-jak-na-mu	136 / 373	Bak-sae	131 / 669	Ba-ram-go-sa-ri	129 / 433
Baek-du-san-teok-ssuk	135 / 354	Bal-pul-go-sa-ri	133 / 441	Ba-ram-ha-neul-ji-gi	129 / 471
Baek-du-san-teok-ssuk-sok	136 / 354	Bal-pul-go-sa-ri-sok	133 / 441	Ba-ram-kkot	129 / 352
Baek-du-sil-gol-pul	136 / 504	Bam-il-yeop	133 / 547	Ba-ram-kkot-sok	129 / 352
Baek-hap-gwa	137 / 519	Bam-il-yeop-sok	133 / 547	Bat-ha-neul-ji-gi	135 / 471
Baek-hap-sok	137 / 519	Bam-ip-go-sa-ri	133 / 417	Bat-ttuk-oe-pul	134 / 522
Baek-hwa-deung	138 / 660	Bam-na-mu	133 / 401	Bat-ttuk-oe-pul-sok	134 / 522
Baek-jak-yak	137 / 558	Bam-na-mu-sok	133 / 401	Ba-wi-chae-song-hwa	131 / 633
Baek-mi-kkot	136 / 429	Ban-dal-kong-je-bi-kkot	132 / 678	Ba-wi-daeng-gang-na-mu	130 / 332
Baek-mi-kkot-sok	136 / 429	Ban-deul-git-go-sa-ri	132 / 364	Ba-wi-dol-kkot	130 / 604
Baek-ri-hyang	136 / 657	Ban-deul-jin-dal-rae	132 / 605	Ba-wi-go-sa-ri	129 / 643
Baek-ri-hyang-sok	136 / 656	Ban-deul-ji-ne-go-sa-ri	132 / 448	Ba-wi-go-sa-ri-sok	129 / 642
Baek-ryang-geum	136 / 357	Ban-deul-sa-cho	132 / 399	Ba-wi-gu-jeol-cho	130 / 436
Baek-san-beo-deul	136 / 618	Ban-di-ji-chi	132 / 524	Ba-wi-gwaeng-i-nun	129 / 409
Baek-san-cha	136 / 511	Ban-di-mi-na-ri	132 / 595	Ba-wi-jang-dae	131 / 356
Baek-san-cha-sok	136 / 511	Ban-di-mi-na-ri-sok	132 / 595	Ba-wi-jok-je-bi-go-sa-ri	131 / 448
Baek-san-sae-pul	136 / 381	Ba-neul-eong-geong-kwi	128 / 412	Ba-wi-jom-go-sa-ri	131 / 365
Baek-seo-hyang	136 / 434	Ba-neul-gol	128 / 453	Ba-wi-jong-deong-gul	131 / 413
Baek-seol-chwi	137 / 624	Ba-neul-gol-sok	128 / 452	Ba-wi-kka-chi-bap-na-mu	130 / 608
Baek-seon	136 / 441	Ba-neul-kka-chi-bap-na-mu	128 / 607	Ba-wi-mal-bal-do-ri	130 / 439
Baek-seon-sok	137 / 441	Ba-neul-kkot	128 / 457	Ba-wi-mi-na-ri-a-jae-bi	130 / 601
Baek-un-bae-na-mu	137 / 598	Ba-neul-kkot-gwa	128 / 551	Ba-wi-mo-si	130 / 553
Baek-un-chwi	137 / 623	Ba-neul-kkot-sok	128 / 456	Ba-wi-po-gi-sa-cho	131 / 394
Baek-un-gi-reum-na-mul	137 / 567	Ba-neul-myéong-a-ju	128 / 407	Ba-wi-sa-cho	130 / 394
Baek-un-pul	137 / 486	Ba-neul-sa-cho	128 / 396	Ba-wi-sol	130 / 554
Baek-un-pul-sok	137 / 551	Ba-neul-yeo-kkwi	128 / 565	Ba-wi-sol-sok	130 / 554
Baek-un-ran	137 / 507	Bang-a-pul	134 / 501	Ba-wi-som-na-mul	130 / 654
Baek-un-ran-sok	137 / 507	Bang-dong-sa-ni	133 / 430	Ba-wi-son	130 / 634
Baek-un-san-won-chu-ri	137 / 487	Bang-dong-sa-ni-a-jae-bi	134 / 430	Ba-wi-song-i-pul	130 / 563
Baek-un-soe-mul-pu-re	137 / 473	Bang-dong-sa-ni-dae-ga-ri	134 / 431	Ba-wi-su-guk	130 / 628
Baek-yang-deo-bu-sal-i	137 / 554	Bang-dong-sa-ni-sok	134 / 430	Ba-wi-su-guk-sok	130 / 628
Baek-yang-kkot	137 / 530	Bang-ga-ji-ttong-sok	133 / 640	Ba-wi-teum-go-sa-ri	131 / 447
Baem-go-sa-ri	138 / 370	Bang-gi	133 / 637	Ba-wi-tteok-pul	130 / 625
Baem-mu	138 / 480	Bang-gi-sok	133 / 637	Beo-deu-jaeng-i-na-mul	138 / 505
Baem-mu-sok	138 / 479	Bang-mang-i-il-yeop-cho	134 / 514	Beo-deul-ba-neul-kkot	139 / 456
Baem-top	138 / 492	Bang-pae-kkot	134 / 671	Beo-deul-bun-chwi	139 / 623
Baem-ttal-gi	138 / 449	Bang-seok-na-mul	134 / 648	Beo-deul-cham-bit	139 / 548
Baem-ttal-gi-sok	138 / 449	Bang-ul-bi-jja-ru	134 / 363	Beo-deul-cham-bit-sok	139 / 548
Bae-na-mu-sok	135 / 598	Bang-ul-go-raeng-i	134 / 629	Beo-deul-chwi	139 / 622
Bae-pung-deung	135 / 639	Bang-ul-kkot	134 / 648	Beo-deul-gae-hoe-na-mu	138 / 651
Ba-i-kal-ba-ram-kkot	131 / 352	Bang-ul-kkot-sok	134 / 648	Beo-deul-geum-bul-cho	138 / 498
Ba-i-kal-kkwong-ui-da-ri	131 / 655	Bang-ul-nan-cho	134 / 484	Beo-deul-gyeo-i-sak-yeo-kkwi	138 / 565
Bak-dal-mok-seo	131 / 555	Bang-ul-sae-ran	134 / 580	Beo-deul-hoe-na-mu	139 / 464
Bak-dal-na-mu	131 / 373	Bang-ul-sae-ran-sok	134 / 580	Beo-deul-il-yeop	139 / 527
Bak-gwa	131 / 427	Ban-ha	133 / 574	Beo-deul-ip-cong-geong-kwi	139 / 411
Bak-ha	132 / 537	Ban-ha-sok	133 / 574	Beo-deul-ip-kko-ri-pul	139 / 672
Bak-ha-sok	132 / 537	Ban-jiak-beo-deul	133 / 617	Beo-deul-jwi-ttong-na-mu	139 / 519
Bak-ju-ga-ri	131 / 538	Ban-jjok-go-sa-ri	133 / 594	Beo-deul-kka-chi-su-yeom	138 / 531
Bak-ju-ga-ri-gwa	131 / 363	Ban-song	132 / 575	Beo-deul-myeong-a-ju	138 / 407
Bak-ju-ga-ri-sok	131 / 538	Ban-yong-gol-dam-cho	133 / 386	Beo-deu-na-mu	138 / 617
Bak-jwi-na-mu	132 / 345	Ba-raeng-i	129 / 442	Beo-deu-na-mu-gwa	138 / 616
Bak-jwi-na-mu-gwa	132 / 345	Ba-raeng-i-sa-cho	129 / 392	Beo-deu-na-mu-sok	138 / 616
Bak-jwi-na-mu-mul	132 / 560	Ba-raeng-i-sae	129 / 376	Beo-eo-meon-cho	139 / 380
Bak-jwi-na-mul-sok	132 / 559	Ba-raeng-i-sae-sok	129 / 376	Beo-eo-meon-cho-gwa	139 / 380
Bak-jwi-na-mu-sok	132 / 345	Ba-raeng-i-sok	129 / 442		

Beo-eo-meon-cho-sok 139 / 380
 Beol-bae-na-mu 140 / 641
 Beol-deung-gol-na-mul 140 / 464
 Beol-gae-mi-chwi 140 / 366
 Beol-kkae-deong-gul 140 / 535
 Beol-kkae-deong-gul-sok 140 / 535
 Beol-kkae-naeng-i 140 / 387
 Beol-kkae-pul 140 / 445
 Beol-no-rang-i 140 / 527
 Beol-no-rang-i-sok 140 / 527
 Beol-re-jap-i-je-bi-kkot 140 / 574
 Beol-re-jap-i-sok 140 / 574
 Beol-re-meok-i-mal 140 / 346
 Beol-re-meok-i-mal-sok 140 / 346
 Beol-sa-cho 140 / 393
 Beol-sa-sang-ja 140 / 416
 Beol-sseum-ba-gwi 141 / 502
 Beol-wan-du 141 / 673
 Beom-bu-chae 141 / 371
 Beom-bu-chae-sol 141 / 371
 Beom-kko-ri 141 / 374
 Beom-kko-ri-sok 141 / 374
 Beom-ui-gwi 141 / 625
 Beom-ui-gwi-gwa 141 / 625
 Beom-ui-gwi-sok 141 / 625
 Beon-haeng-cho 139 / 654
 Beon-haeng-cho-gwa 139 / 344
 Beon-haeng-cho-sok 139 / 654
 Beot-eum-sseum-ba-gwi 140 / 502
 Beot-na-mu 141 / 592
 Beot-na-mu-sok 141 / 590
 Beot-pul 141 / 616
 Bi-ba-ri-gol-mu-kkot 152 / 631
 Bi-bi-chu-nan-cho 152 / 658
 Bi-bi-chu-nan-cho-sok 152 / 658
 Bi-bi-chu-sok 153 / 490
 Bi-dan-bun-chwi 152 / 623
 Bi-dan-ssuk 152 / 361
 Bi-go-sa-ri 151 / 522
 Bi-go-sa-ri-sok 151 / 522
 Bi-ja-na-mu 153 / 659
 Bi-ja-na-mu-sok 153 / 659
 Bi-ja-ran 153 / 656
 Bi-ja-ran-sok 153 / 656
 Bi-jin-do-kong 153 / 449
 Bi-jin-do-kong-sok 153 / 449
 Bi-jja-ru 153 / 363
 Bi-jja-ru-sok 153 / 363
 Bi-ju-gi-na-mu 153 / 415
 Bi-ju-gi-na-mu-sok 153 / 415
 Bi-re-na-mu 154 / 532
 Bi-re-na-mu-gwa 154 / 532
 Bi-re-na-mu-sok 154 / 532
 Bi-mok-na-mu 152 / 521
 Bin-chu-na-mu 154 / 590

Bin-chu-na-mu-sok 154 / 590
 Bi-neul-gae-gwan-jung 152 / 584
 Bi-neul-go-sa-ri 152 / 447
 Bi-neul-i-kki 152 / 634
 Bi-neul-sa-cho 152 / 396
 Bi-neul-seok-song 152 / 529
 Bi-no-ri 152 / 459
 Bi-nyeo-gol-pul 151 / 504
 Bip-sae-gwi-ri 154 / 378
 Bi-reum 152 / 349
 Bi-reum-gwa 152 / 349
 Bi-reum-sok 152 / 349
 Bi-ro-yong-dam 152 / 476
 Bi-seul-gae-byeol-kkot 153 / 593
 Bi-ssuk 153 / 361
 Bi-sul-na-mu 153 / 666
 Bi-su-ri 153 / 515
 Bit-sal-sae 154 / 430
 Bit-sal-sae-sok 154 / 430
 Bit-sal-seo-deol-chwi 154 / 624
 Bi.yang-na-mu-sok 153 / 553
 Bo-chun-hwa 144 / 428
 Bo-chun-hwa-sok 144 / 428
 Bo-eun-dae-chu-na-mu 144 / 684
 Bo-hyeon-gae-byeol-kkot 144 / 593
 Bok-bun-ja-ttal-gi 144 / 611
 Bok-ja-gi 145 / 335
 Bok-jang-na-mu 145 / 334
 Bok-ju-meo-ni-ran 145 / 432
 Bok-ju-meo-ni-ran-sok 145 / 432
 Bok-sa-aeng-do-na-mu 144 / 590
 Bok-su-cho 145 / 342
 Bok-su-cho-sok 145 / 342
 Bok-ttal-na-mu 144 / 613
 Bol-re-goe-bul-na-mu 145 / 526
 Bom-gu-seul-bung-i 145 / 477
 Bom-mat-i 145 / 352
 Bom-mat-i-kkot-sok 145 / 352
 Bom-na-do-naeng-i 145 / 371
 Bom-yeo-kkwi 145 / 567
 Bong-dong-cham-na-mu 145 / 601
 Bong-rae-kko-ri-pul 145 / 670
 Bong-seon-hwa-gwa 145 / 371
 Bong-ui-kko-ri 145 / 595
 Bong-ui-kko-ri-sok 146 / 594
 Bo-pul 144 / 615
 Bo-pul-sok 144 / 615
 Bo-ra-no-rang-mu-nui-but-kkot
 144 / 499
 Bo-ri-bap-na-mu 144 / 451
 Bo-ri-jang-na-mu 144 / 451
 Bo-ri-su-na-mu 144 / 451
 Bo-ri-su-na-mu-gwa 144 / 451
 Bo-ri-su-na-mu-sok 144 / 451
 Bu-chae-but-kkot 147 / 499
 Bu-chae-goe-bul-i-kki 147 / 425
 Bu-chae-ma 147 / 442
 Bu-chae-ssa-ri 147 / 516
 Bu-cheo-kkot 147 / 531
 Bu-cheo-kkot-gwa 147 / 531
 Bu-cheo-kkot-sok 147 / 531
 Bu-cheo-son 147 / 634
 Bu-cheo-son-gwa 147 / 634
 Bu-cheo-son-sok 147 / 633
 Bu-chu-sok 147 / 347
 Bu-deul 146 / 665
 Bu-deul-gwa 146 / 665
 Bu-deul-sok 146 / 665
 Bu-ge-kkot-na-mu 146 / 335
 Bu-jeon-ba-di 146 / 417
 Bu-jeon-ba-di-sok 146 / 417
 Bu-jeon-je-bi-go-kkal 146 / 435
 Bu-jeon-jwi-son-i 146 / 478
 Bu-jeon-ran 146 / 457
 Bu-jeon-song-i-pul 146 / 563
 Bu-ji-kkaeng-i-na-mul 146 / 461
 Buk-ba-wi-go-sa-ri 147 / 426
 Buk-ba-wi-go-sa-ri-sok 147 / 426
 Buk-bun-chwi 148 / 623
 Buk-bu-sit-git-go-sa-ri 148 / 406
 Buk-gae-beot-ji-na-mu 147 / 591
 Buk-ga-si-na-mu 149 / 599
 Buk-gwan-jung 147 / 447
 Buk-jeom-na-do-na-mul 148 / 404
 Buk-mi-na-ri-a-jae-bi 147 / 601
 Buk-na-mu 149 / 606
 Buk-na-mu-sok 149 / 606
 Buk-no-rang-sang-sa-hwa 149 / 530
 Buk-sa-cho 148 / 389
 Buk-sae-bal-go-sa-ri 148 / 369
 Buk-seon-jeom-na-do-na-mul 148 / 405
 Buk-seon-me-ttwi-gi-pi 148 / 381
 Buk-soe-tteu-gi 148 / 458
 Buk-tong-bal 148 / 667
 Bul-geun-beol-kkae-deong-gul
 150 / 535
 Bul-geun-byeong-kkot-na-mu
 150 / 680
 Bul-geun-cham-ban-di 150 / 621
 Bul-geun-dae-geuk 150 / 464
 Bul-geun-dae-san-ppong 150 / 544
 Bul-geun-ga-mun-bi 149 / 572
 Bul-geun-gol-pul-a-jae-bi 150 / 607
 Bul-geun-go-ro-soe 150 / 334
 Bul-geun-gu-sang 150 / 333
 Bul-geun-gyeo-ul-sal-i 149 / 679
 Bul-geun-ho-jang-geun 151 / 467
 Bul-geun-jo-gae-na-mul 150 / 345
 Bul-geun-ki-beo-deul 150 / 617
 Bul-geun-kkot-ssa-ri 150 / 385

Bul-geun-no-ru-sam 150 / 338	Byeong-a-ri-kkot-na-mu 143 / 606	Cham-gal-mae-na-mu 266 / 603
Bul-geun-sa-cheol-ran 150 / 482	Byeong-a-ri-kkot-na-mu-sok 143 / 606	Cham-ga-si-na-mu 266 / 600
Bul-geun-su-keu-ryeong 150 / 564	Byeong-a-ri-nan-cho 143 / 350	Cham-gim-ui-teol 267 / 468
Bul-geun-teol-i-seul 151 / 410	Byeong-a-ri-nan-cho-sok 143 / 350	Cham-gi-saeng-kkot 267 / 662
Bul-geun-teo-ri-pul 150 / 470	Byeong-a-ri-pul 143 / 581	Cham-go-chu-naeng-i 266 / 387
Bul-geun-top-pul 151 / 335	Byeong-gae-am-na-mu 143 / 423	Cham-gol-dam-cho 266 / 386
Bul-geun-yeo-ro 150 / 670	Byeong-jo-hui-pul 143 / 414	Cham-gol-mu-kkot 266 / 632
Bun-beo-deul 148 / 618	Byeong-kkot-na-mu 143 / 681	Cham-gol-pul 267 / 503
Bun-bi-na-mu 148 / 333	Byeong-kkot-na-mu-sok 143 / 680	Cham-gom-bi-neul-go-sa-ri 267 / 449
Bun-chwi 148 / 624	Byeong-mul-gae-am-na-mu 143 / 423	Cham-hoe-na-mu 271 / 463
Bun-dan-na-mu 148 / 672	Byeong-pul 143 / 403	Cham-hwang-sae-pul 271 / 461
Bun-gae-gu-ri-bap 148 / 681	Byeong-pul-sok 143 / 403	Cham-jak-yak 271 / 558
Bun-gae-gu-ri-bap-sok 148 / 681	Byeong-pung-ssam 144 / 560	Cham-jang-dae-na-mul 271 / 356
Bun-hong-ba-neul-kkot 149 / 456	Byeon-san-ba-ram-kkot 142 / 459	Cham-je-bi-go-kkal 271 / 436
Bun-hong-beot-na-mu 149 / 591	Byeo-ruk-a-jae-bi 141 / 542	Cham-ji-ne-go-sa-ri 271 / 448
Bun-hong-hal-mi-kkot 149 / 596	Byeo-ruk-a-jae-bi-sok 141 / 542	Cham-jo-pap-na-mu 271 / 643
Bun-hong-jang-gu-chae 149 / 636	Byeo-ruk-i-ja-ri 142 / 358	Cham-jop-ssal-pul 271 / 530
Bun-hong-jop-ssal-pul 149 / 531	Byeo-ruk-i-ja-ri-sok 142 / 358	Cham-jop-ssal-pul-sok 271 / 530
Bun-hong-jwi-son-i 149 / 479	Byeo-ruk-i-ul-ta-ri 142 / 358	Cham-jul-ba-kkot 271 / 337
Bun-hong-kkot-hyang-yu 149 / 455	Byeo-ruk-na-mul 141 / 645	Cham-ju-reum-jo-gae-pul 271 / 552
Bun-hong-mi-seon-na-mu 149 / 332		Cham-kkae-gwa 267 / 562
Bun-hong-no-ru-bal 149 / 597		Cham-kkot-bat-i 267 / 376
Bun-hong-teol-bok-ju-meo-ni-ran 149 / 432		Cham-kkot-ma-ri 267 / 663
Bun-kkot-na-mu 148 / 672		Cham-kkot-na-mu 267 / 606
Bung-eo-ma-reum 151 / 405		Cham-ma 268 / 442
Bung-eo-ma-reum-gwa 151 / 405		Cham-mul-bu-chu 268 / 501
Bung-eo-ma-reum-sok 151 / 405		Cham-myeong-a-ju 268 / 407
Bung-gen-sae-pul 151 / 381		Cham-na-do-hi-cho-mi 267 / 584
Bu-ri-sil-cheong-sa-cho 146 / 397		Cham-na-mu-gwa 267 / 467
Bu-ryeong-so-ri-jaeng-i 146 / 614		Cham-na-mu-gyeo-u-sal-i 267 / 653
Bu-san-ma-di-pul 146 / 583		Cham-na-mu-gyeo-u-sal-i-sok 267 / 653
Bu-sit-git-go-sa-ri 146 / 406		Cham-na-mul 268 / 574
But-kkot 151 / 499		Cham-na-mul-sok 268 / 574
But-kkot-gwa 151 / 498		Cham-na-mu-sok 268 / 599
But-kkot-sok 151 / 498		Cham-na-rae-bak-jwi 267 / 560
But-sun-na-mu 151 / 496		Cham-na-rae-sae 267 / 647
But-sun-na-mu-gwa 151 / 496		Cham-na-ri 267 / 520
But-sun-na-mu-sok 151 / 496		Cham-na-ri-nan-cho 267 / 523
Byeo-gwa 141 / 580		Cham-neu-reup-na-mu 268 / 666
Byeok-o-dong-gwa 142 / 647		Cham-o-geul-ip-beo-deul 270 / 618
Byeol-go-sa-ri 142 / 428		Cham-sa-da-ri-go-sa-ri 269 / 560
Byeol-go-sa-ri-sok 142 / 427		Cham-sae-bal-go-sa-ri 269 / 368
Byeol-i-kki 142 / 383		Cham-sae-geu-ryeong 269 / 458
Byeol-i-kki-gwa 142 / 383		Cham-sae-geu-ryeong-sok 269 / 458
Byeol-i-kki-sok 142 / 383		Cham-sae-gwi-ri 269 / 378
Byeol-kkot 142 / 646		Cham-sae-gwi-ri-sok 269 / 378
Byeol-kkot-pul 142 / 649		Cham-sae-pi 269 / 562
Byeol-kkot-sok 142 / 645		Cham-sae-pi-sol 270 / 562
Byeol-kkong-ui-bap 142 / 528		Cham-san-bu-chu 269 / 347
Byeol-nal-gae-gol-pul 142 / 504		Cham-sat-gat-sa-cho 269 / 393
Byeol-pung-gyeong-sa-cho 143 / 395		Cham-si-ho 270 / 380
Byeol-sa-cho 142 / 398		Cham-sik-na-mu 270 / 548
Byeong-a-ri-bang-dong-sa-ni 143 / 431		Cham-sik-na-mu-sok 270 / 548
Byeong-a-ri-da-ri 143 / 619		Cham-soe-bo-ri 270 / 500

Cham-soe-go-bi 270 / 433
 Cham-so-ri-jaeng-i 270 / 613
 Cham-ssal-sae 270 / 536
 Cham-ssa-ri 270 / 515
 Cham-ssuk 270 / 360
 Cham-teo-ri-pul 271 / 470
 Cham-ttuk-sa-cho 268 / 398
 Cham-u-deu-pul 270 / 682
 Cham-yang-ji-kkot 270 / 587
 Cham-yeo-ro 270 / 669
 Cha-na-mu 265 / 385
 Cha-na-mu-gwa 265 / 655
 Chang-go-sa-ri 271 / 418
 Chang-il-yeop 271 / 539
 Chang-il-yeop-sok 272 / 539
 Chang-po 272 / 338
 Chang-po-sok 272 / 338
 Cha-pul 266 / 405
 Cha-pul-sok 266 / 405
 Che-kkot 275 / 626
 Che-kkot-sok 275 / 626
 Cheo-jin-ppong-na-mu 272 / 544
 Cheo-jin-so-na-mu 272 / 575
 Cheol-jjuk-kkot 273 / 605
 Cheong-bi-nyeo-gol-pul 274 / 504
 Cheong-bi-su-ri 274 / 515
 Cheong-bok-bun-ja-ttal-gi 274 / 611
 Cheong-bun-bi-na-mu 274 / 333
 Cheong-dak-ui-nan-cho 274 / 457
 Cheong-gal-cham-na-mu 273 / 599
 Cheong-ga-si-deong-gul 273 / 639
 Cheong-goe-bul-na-mu 273 / 526
 Cheong-ji-ne-go-sa-ri 275 / 447
 Cheong-jol-gal-cham-na-mu 275 / 599
 Cheong-kka-ma-gwi-meo-ru 273 / 679
 Cheong-meong-seok-ttal-gi 274 / 613
 Cheong-mi-rae-deong-gul 274 / 639
 Cheong-mi-rae-deong-gul-sok
 274 / 639
 Cheong-myemng-a-ju 274 / 407
 Cheong-na-rae-go-sa-ri 273 / 534
 Cheong-na-rae-go-sa-ri-sok 274 / 534
 Cheong-o-mi-ja 275 / 627
 Cheong-pi-sa-cho 275 / 394
 Cheong-po-a-pul 275 / 580
 Cheong-sa-cheol-ran 274 / 482
 Cheong-sa-cho 274 / 389
 Cheong-sa-jo 274 / 372
 Cheong-si-dak-na-mu 275 / 333
 Cheong-sil-ri 275 / 598
 Cheong-su-keu-ryeong 275 / 564
 Cheong-su-ri-ttal-gi 274 / 611
 Cheong-swi-ttang-na-mu 275 / 641
 Cheong-tteok-gal-na-mu 274 / 599
 Cheon-gung-sok 273 / 416

Cheong-wi-bong-bae-na-mu 275 / 598
 Cheon-il-dam-bae-pul 273 / 400
 Cheon-il-sa-cho 273 / 398
 Cheon-ma 273 / 476
 Cheon-ma-sok 273 / 476
 Cheon-mun-dong 273 / 363
 Cheon-nam-seong 273 / 358
 Cheon-nam-seong-gwa 273 / 356
 Cheon-nam-seong-sok 273 / 358
 Cheon-seon-gwa-na-mu 273 / 469
 Cheo-nyeo-ba-di 272 / 353
 Cheo-nyeo-chi-ma 272 / 487
 Cheo-nyeo-chi-ma-sok 272 / 487
 Cheo-nyeo-go-sa-ri 272 / 656
 Cheo-nyeo-go-sa-ri-sok 272 / 655
 Cheo-nyeo-i-kki 272 / 535
 Cheo-nyeo-i-kki-gwa 272 / 494
 Cheo-nyeo-i-kki-sok 272 / 535
 Cheuk-baek-na-mu 276 / 578
 Cheuk-baek-na-mu-gwa 276 / 427
 Cheuk-baek-na-mu-sok 276 / 578
 Cheung-cheung-dung-gul-re 277 / 582
 Cheung-cheung-go-raeng-i 277 / 412
 Cheung-cheung-go-raeng-i-sok
 277 / 412
 Cheung-cheung-go-ran-cho 277 / 426
 Cheung-cheung-i-kkot 277 / 415
 Cheung-cheung-i-kkot-sok 277 / 415
 Cheung-cheung-jan-dae 277 / 341
 Cheung-cheung-jang-gu-chae 277 / 637
 Cheung-cheung-na-mu 277 / 420
 Cheung-cheung-na-mu-gwa 277 / 420
 Cheung-cheung-na-mu-sok 277 / 420
 Cheung-kkot-na-mu 277 / 401
 Cheung-kkot-na-mu-sok 277 / 401
 Cheung-sil-sa-cho 277 / 397
 Chik 278 / 596
 Chik-sok 278 / 596
 Chil-bo-chi-ma 278 / 538
 Chil-bo-chi-ma-sok 278 / 538
 Chil-bo-gae-mul-tong-i 277 / 561
 Chil-myeon-chi 277 / 649
 Cho-jong-yong 276 / 553
 Cho-jong-yong-sok 276 / 553
 Chong-jeon-gwang-i 276 / 481
 Cho(pi)-na-mu 276 / 683
 Cho(pi)-na-mu-sok 276 / 683
 Cho-pyeong-jo-pap-na-mu 276 / 644
 Cho-rong-kkot 275 / 385
 Cho-rong-kkot-gwa 276 / 385
 Cho-rong-kkot-sok 276 / 385
 Cho-ryeong-mok 275 / 539
 Cho-ryeong-mok-sok 275 / 539
 Chot-dae-seung-ma 276 / 410
 Chu-bun-chwi 276 / 606

Chu-bun-chwi-sok 276 / 606
 Chwi-myemng-a-ju 276 / 407
 Chwi-na-mul-sok 276 / 622

D
 Da-bal-gol-mu-kkot 82 / 631
 Da-buk-ba-wi-sol 82 / 554
 Da-buk-go-chu-na-mul 82 / 495
 Da-buk-tteok-ssuk 82 / 351
 Da-buk-tteok-ssuk-sok 82 / 351
 Da-dak-naeng-i-sok 81 / 513
 Da-do-hae-bi-bi-chu 81 / 490
 Dae-am-gae-bal-na-mul 87 / 638
 Dae-am-sa-cho 87 / 390
 Dae-ban-ha 87 / 574
 Dae-cheong 88 / 500
 Dae-cheong-bu-chae 88 / 498
 Dae-cheong-ga-si-na-mu 88 / 610
 Dae-cheong-ji-chi 88 / 657
 Dae-cheong-ji-chi-sok 88 / 657
 Dae-cheong-sok 88 / 500
 Dae-chu-na-mu-sok 88 / 684
 Dae-dong-yeo-kkwi 87 / 565
 Dae-ga-rae 86 / 586
 Dae-geuk 86 / 465
 Dae-geuk-gwa 87 / 465
 Dae-geuk-sok 87 / 464
 Dae-gu-dol-na-mul 86 / 658
 Dae-gu-dol-na-mul-sok 86 / 658
 Dae-gu-eu-a-ri 86 / 414
 Dae-gu-sa-cho 86 / 396
 Dae-heung-ran 88 / 428
 Dae-hwang-sok 88 / 604
 Dae-ma-cham-na-mul 87 / 658
 Dae-man-pi 87 / 450
 Dae-na-mul 87 / 484
 Dae-na-mul-sok 87 / 484
 Daeng-daeng-i-deong-gul 89 / 416
 Daeng-daeng-i-deong-gul-sok 89 / 416
 Daeng-daeng-i-na-mu 89 / 524
 Daeng-gang-na-mu 88 / 332
 Daeng-gang-na-mu-sok 89 / 332
 Dae-paet-jip-na-mu 88 / 496
 Daep-ssa-ri-sok 88 / 506
 Dae-sa-cho 87 / 398
 Dae-sae-pul 87 / 413
 Dae-sae-pul-sok 87 / 413
 Dae-seong-sseun-pul 87 / 351
 Dae-seong-sseun-pul-sok 87 / 351
 Dae-song-i-pul 87 / 563
 Dae-taek-bi-nyeo-gol-pul 88 / 504
 Dae-taek-gwang-i 88 / 481
 Dae-taek-sa-cho 88 / 394
 Dae-taek-so-gwi-na-mul 88 / 615
 Da-jeong-keum-na-mu 82 / 604

Da-jeong-keum-na-mu-sok 82 / 603	Dan-pung-na-mu-sok 83 / 333	Deul-kkae-pul 100 / 544
Dak-jang-beo-deul 82 / 616	Dan-pung-teo-ri-pul 83 / 470	Deul-me-na-mu 100 / 472
Dak-na-mu-sok 82 / 379	Dan-pung-ttal-gi 83 / 612	Deul-sa-cho 100 / 391
Dak-ui-deong-gul-sok 84 / 467	Dan-yang-ssuk-bu-jaeng-i 83 / 365	Deul-sae-pul 100 / 381
Dak-ui-jang-pul 84 / 418	Da-rae 82 / 338	Deul-tong-bal 101 / 667
Dak-ui-jang-pul-gwa 84 / 418	Da-rae-na-mu-gwa 82 / 339	Deul-tteok-ssuk 100 / 513
Dak-ui-jang-pul-sok 84 / 418	Da-rae-na-mu-sok 82 / 338	Deu-mun-go-sa-ri 100 / 538
Dak-ui-nan-cho 84 / 457	Da-ram-jwi-kko-ri 81 / 491	Deu-mun-go-sa-ri-sok 100 / 538
Dak-ui-nan-cho-sok 84 / 457	Da-ram-jwi-kko-ri-sok 81 / 491	Deung 101 / 681
Dal-gu-ji-pul 84 / 662	Da-reup-na-mu 82 / 531	Deung-chik 102 / 359
Dal-ppu-ri-pul 84 / 570	Da-reup-na-mu-sok 82 / 531	Deung-dae-pul 101 / 465
Dal-rae 84 / 347	Da-si-ma-go-sa-ri-sam 82 / 552	Deung-dae-si-ho 101 / 379
Dam-bae-chwi 84 / 622	Da-si-ma-il-yeop-cho 82 / 513	Deung-e-pul 101 / 445
Dam-bae-pul 84 / 400	Dat-kkot 86 / 485	Deung-e-pul-sol 102 / 445
Dam-bae-pul-sok 84 / 399	Dat-kkot-sok 86 / 484	Deung-gal-kwi-na-mul 101 / 673
Dam-jaeng-i-deong-gul 85 / 561	Deo-su-sal-i-go-sa-ri 89 / 584	Deung-gol-na-mul 101 / 464
Dam-jaeng-i-deong-gul-sok 85 / 561	Deo-deok 89 / 417	Deung-gol-na-mul-sok 101 / 464
Dam-ja-ri-cham-kkot 85 / 605	Deo-deok-sok 89 / 416	Deung-po-ip-ga-rae 102 / 586
Dam-ja-ri-kkot-na-mu 84 / 446	Deok-jin-sa-cho 89 / 392	Deung-po-pul 102 / 521
Dam-ja-ri-kkot-na-mu-sok 84 / 446	Deok-u-gi-reum-na-mul 89 / 567	Deung-po-pul-sok 102 / 521
Dam-pal-su 85 / 452	Deok-kkwong-na-mu 89 / 672	Deung-sim-but-kkot-sok 101 / 638
Dam-pal-su-gwa 85 / 452	Deom-bul-chwi 90 / 623	Deung-sok 101 / 681
Dam-pal-su-sok 85 / 452	Deom-bul-jo-pap-na-mu 89 / 643	Deung-su-guk 101 / 492
Dam-sang-i-sak-pul 84 / 377	Deom-bul-kkok-du-seo-ni 89 / 611	Deu-reong-bang-dong-sa-ni 100 / 431
Dam-sang-i-sak-pul-sok 84 / 377	Deom-bul-no-bak-deong-gul 89 / 402	Deu-reong-sae 100 / 514
Dan-cheon-hyang-na-mu 83 / 505	Deom-bul-o-ri-na-mu 89 / 349	Deu-reong-sae-sol 100 / 514
Dang-beo-deul 86 / 585	Deom-bul-ssuk 89 / 361	Do-duk-nom-ui-gal-go-ri 91 / 439
Dang-bun-chwi 86 / 624	Deong-gul-baem-ttal-gi 90 / 588	Do-duk-nom-ui-gal-go-ri-sok 91 / 438
Dang-dan-pung-na-mu 85 / 334	Deong-gul-bak-ju-ga-ri 90 / 429	Doen-jang-pul 95 / 438
Dang-gae-ji-chi 85 / 377	Deong-gul-byeol-kkot 90 / 636	Dok-hwal 92 / 357
Dang-gae-ji-chi-sok 85 / 377	Deong-gul-byeol-kkot-sok 90 / 427	Do-kkae-bi-ba-neul 91 / 373
Dang-gae-seo-eo-na-mu 85 / 400	Deong-gul-dak-ui-jang-pul 90 / 647	Do-kkae-bi-ba-neul-sok 91 / 373
Dang-geun-sok 85 / 435	Deong-gul-dak-ui-jang-pul-sok	Do-kkae-bi-bu-chae 91 / 608
Dang-gwang-na-mu 85 / 519	90 / 647	Do-kkae-bi-bu-chae-sok 91 / 608
Dang-gwi-sok 85 / 353	Deong-gul-gae-byeol-kkot 90 / 593	Do-kkae-bi-eong-geong-kwi 91 / 412
Dang-hoe-ip-na-mu 86 / 462	Deong-gul-gwak-hyang 90 / 654	Do-kkae-bi-sa-cho 91 / 390
Dang-jan-dae 86 / 340	Deong-gul-kkot-ma-ri 90 / 662	Do-kkae-bi-soe-go-bi 91 / 433
Dang-jo-pap-na-mu 86 / 643	Deong-gul-min-baek-mi-kkot 90 / 429	Do-kko-ro-ma 91 / 443
Dang-ki-beo-deul 86 / 618	Deong-gul-mo-mil 90 / 565	Dok-mi-na-ri 92 / 409
Dang-mae-ja-na-mu 85 / 372	Deong-gul-ot-na-mu 90 / 659	Dok-mi-na-ri-sok 92 / 409
Dang-ma-ga-mok 85 / 641	Deong-gul-sa-cho 90 / 397	Dol-aeng-cho 94 / 590
Dang-neu-reup-na-mu 85 / 666	Deong-gul-yong-dam 91 / 663	Dol-bae-na-mu 93 / 598
Dang-sap-ju 86 / 370	Deong-gul-yong-dam-sok 91 / 663	Dol-bang-pung 93 / 399
Dang-yang-ji-kkot 86 / 588	Deong-i-ppu-ri-gae-byeol-kkot 91 / 593	Dol-bang-pung-sok 93 / 399
Dan-hyang-gwa 83 / 621	Deot-ip-ga-mak-sal-na-mu 90 / 673	Dol-bu-chae 93 / 372
Dan-ju-dae-geuk 83 / 465	Deot-na-mu 90 / 620	Dol-bu-chae-sok 93 / 372
Dan-pung-bak-jwi-na-mu 83 / 345	Deo-wi-ji-gi 89 / 360	Dol-bu-chae-son 93 / 545
Dan-pung-chwi 83 / 344	Deul-bae-na-mu 100 / 598	Dol-bu-chu 93 / 347
Dan-pung-chwi-sok 83 / 344	Deul-ba-ram-kkot 100 / 352	Dol-chae-song-hwa 94 / 633
Dan-pung-go-sa-ri-sam 83 / 626	Deul-beo-deul 100 / 618	Dol-dam-go-sa-ri 93 / 365
Dan-pung-ip-seok-wi 83 / 597	Deul-ha-neul-ji-gi 101 / 471	Dol-dan-pung 93 / 545
Dan-pung-je-bi-kkot 83 / 675	Deul-hyeon-ho-saek 101 / 423	Dol-dan-pung-sok 93 / 545
Dan-pung-ma 83 / 442	Deul-ji-chi 101 / 509	Dol-dong-bu 93 / 675
Dan-pung-na-mu 83 / 334	Deul-ji-chi-sok 101 / 509	Dol-gal-mae-na-mu 92 / 603
Dan-pung-na-mu-gwa 83 / 335	Deul-ji-jjuk-na-mu 101 / 668	Dol-ga-si-na-mu 92 / 610

Dol-gi-ne-mo-gol 92 / 453
 Dol-jan-go-sa-ri 94 / 539
 Dol-jan-go-sa-ri-sok 94 / 539
 Dol-ji-chi 94 / 509
 Dol-jom-go-sa-ri 94 / 365
 Dol-kkot 92 / 604
 Dol-kkot-sok 92 / 604
 Dol-kong 94 / 482
 Dol-ma-ta-ri 93 / 562
 Dol-na-mul 93 / 633
 Dol-na-mul-gwa 93 / 424
 Dol-na-mul-sok 93 / 632
 Dol-oe 94 / 483
 Dol-oe-sol 94 / 483
 Dol-pi 94 / 450
 Dol-ppong-na-mu 93 / 544
 Dol-to-kki-go-sa-ri 94 / 539
 Dol-yang-ji-kkot 94 / 587
 Dong-a-na-ja-seu-mal 95 / 546
 Dong-baek-na-mu 94 / 385
 Dong-baek-na-mu-gyeo-u-sal-i
 94 / 507
 Dong-baek-na-mu-gyeo-u-sal-i-sok
 95 / 507
 Dong-baek-na-mu-sok 95 / 384
 Dong-baek-na-scho 95 / 394
 Dong-bu-sok 95 / 675
 Dong-gang-hal-mi-kkot 94 / 596
 Dong-ja-kkot 95 / 528
 Dong-ja-kkot-sok 95 / 528
 Dong-rae-eong-geong-kwi 94 / 412
 Dong-ui-na-mul 95 / 384
 Dong-ui-na-mul-sok 95 / 384
 Don-na-mu 92 / 576
 Don-na-mu-gwa 92 / 576
 Don-na-mu-sok 92 / 576
 Do-raeng-i-pi 92 / 507
 Do-raeng-i-pi-sok 92 / 507
 Do-raeng-i-sa-cho 92 / 388
 Do-ra-ji 91 / 578
 Do-ra-ji-mo-si-dae 91 / 339
 Do-ra-ji-sok 92 / 578
 Do-ru-bak-i 92 / 629
 Du-ip-gam-ja-nan-cho 98 / 553
 Du-ip-yak-nan-cho 98 / 425
 Du-me-ae-gi-pul 97 / 581
 Du-me-ba-neul-kkot 96 / 456
 Du-me-bu-chu 96 / 348
 Du-me-bun-chwi 97 / 624
 Du-me-cheung-cheung-i 97 / 416
 Du-me-chwi 97 / 624
 Du-me-dae-geuk 96 / 464
 Du-me-dak-na-mu 96 / 434
 Du-me-dam-bae-pul 96 / 400
 Du-me-dang-geun 96 / 353

Du-me-gae-go-sa-ri 96 / 369
 Du-me-gal-kwi 96 / 475
 Du-me-gim-ui-teol 96 / 469
 Du-me-gi-reum-na-mul 96 / 567
 Du-me-go-deul-ppae-gi 96 / 508
 Du-me-go-sa-ri 96 / 443
 Du-me-hong-goe-bul-na-mu 97 / 525
 Du-me-hwang-sae-pul 97 / 461
 Du-me-jan-dae 97 / 340
 Du-me-ja-un 97 / 557
 Du-me-ja-un-sok 97 / 557
 Du-me-kkul-pul 96 / 590
 Du-me-kkwong-ui-bap 96 / 528
 Du-me-mi-kku-ri-gwang-i 96 / 481
 Du-me-naeng-i 96 / 387
 Du-me-o-i-pul 97 / 620
 Du-me-o-ri-na-mu 97 / 349
 Du-me-po-a-pul 97 / 579
 Du-me-tap-pul 97 / 416
 Du-me-tu-gu-kkot 97 / 671
 Du-me-u-deu-pul 97 / 682
 Du-me-yang-gwi-bi 97 / 559
 Dung-geun-bae-am-cha-jeu-gi 98 / 619
 Dung-geun-ba-wi-sol 98 / 554
 Dung-geun-beom-kko-ri 98 / 374
 Dung-geun-geom-ba-neul-gol 98 / 453
 Dung-geun-ha-neul-ji-gi 100 / 471
 Dung-geun-i-jil-pul 98 / 478
 Dung-geun-in-ga-mok 98 / 609
 Dung-geun-ip-bi-reum 99 / 633
 Dung-geun-ip-cham-bit-sal-na-mu
 99 / 463
 Dung-geun-ip-cheon-nam-seong
 99 / 358
 Dung-geun-ip-daeng-daeng-i 99 / 525
 Dung-geun-ip-da-jeong-keum 99 / 603
 Dung-geun-ip-gae-ya-gwang 98 / 424
 Dung-geun-ip-go-chu-pul 99 / 435
 Dung-geun-ip-gwang-na-mu 99 / 518
 Dung-geun-ip-jo-pap-na-mu 99 / 643
 Dung-geun-ip-kkwong-ui-bi-reum
 99 / 494
 Dung-geun-ip-myéong-a-ju 99 / 406
 Dung-geun-ip-nok-na-mu 99 / 410
 Dung-geun-ip-saeng-gang-na-mu
 99 / 521
 Dung-geun-ip-seom-jwi-ttong-na-mu
 99 / 518
 Dung-geun-ip-taek-sa 99 / 382
 Dung-geun-ip-taek-sa-sok 99 / 382
 Dung-geun-ip-yeom-ju-na-mu 99 / 657
 Dung-geun-jan-dae 100 / 339
 Dung-geun-mae-deup-pul 98 / 507
 Dung-geun-mi-seon-na-mu 98 / 332
 Dung-geun-o-ri-bang-pul 98 / 500

Dung-geun-san-bu-chu 98 / 348
 Dung-geun-san-kko-ri-pul 98 / 671
 Dung-geun-teol-je-bi-kkot 100 / 676
 Dung-gul-re 98 / 582
 Dung-gul-re-sok 98 / 581
 Du-reup-na-mu 95 / 357
 Du-reup-na-mu-gwa 95 / 357
 Du-reup-na-mu-sok 95 / 357
 Du-ru-mi-cheon-nam-seong 95 / 358
 Du-ru-mi-kkot 95 / 533
 Du-ru-mi-kkot-sok 95 / 533

E

Eok-sae 211 / 541
 Eok-sae-a-jae-bi 211 / 541
 Eok-sae-sok 211 / 541
 Eol-chi-gi-bok-ju-meo-ni-ran 211 / 433
 Eol-chi-gi-wan-du 211 / 674
 Eol-re-ji 211 / 462
 Eol-re-ji-sok 211 / 462
 Eol-ruk-eok-sae 211 / 541
 Eol-ruk-sa-cho 211 / 395
 Eon-deok-sa-cho 211 / 396
 Eong-geong-kwi 211 / 411
 Eong-geong-kwi-sok 212 / 411
 Eong-seong-gyeo-i-sak 212 / 344
 Eo-ri-byeong-pung 211 / 560
 Eo-ri-gon-dal-bi 210 / 517
 Eo-ri-yeon-kkot 211 / 550
 Eo-ri-yeon-kkot-sok 211 / 550
 Eo-su-ri 211 / 488
 Eo-su-ri-sok 211 / 488
 Eu-a-ri 227 / 414
 Eu-a-ri-sok 227 / 413
 Eum-na-mu 228 / 506
 Eum-na-mu-sok 228 / 506
 Eum-yang-go-bi 228 / 555
 Eun-bang-ul-kkot 227 / 419
 Eun-bang-ul-kkot-sok 227 / 418
 Eun-bun-chwi 228 / 623
 Eun-dae-nan-cho 227 / 404
 Eun-dae-nan-cho-sok 227 / 403
 Eung-dal-go-sa-ri 228 / 420
 Eun-kkwong-ui-da-ri 227 / 654
 Eun-nan-cho 227 / 403
 Eun-song 228 / 575
 Eun-yang-ji-kkot 228 / 588
 Eu-reum-deong-gul 227 / 345
 Eu-reum-deong-gul-gwa 227 / 509
 Eu-reum-deong-gul-sok 227 / 345
 Eu-reum-nan-cho 227 / 433
 Eu-reum-nan-cho-sok 227 / 433

G

Ga-chim-bak-dal 9 / 467
 Ga-chim-bak-dal-sok 9 / 467
 Gae-aeng-do-na-mu 21 / 608
 Gae-a-geu-bae-na-mu 21 / 534
 Gae-a-ma 21 / 522
 Gae-am-na-mu 21 / 423
 Gae-am-na-mu-sok 21 / 423
 Gae-bak-dal-na-mu 18 / 373
 Gae-bak-ha 18 / 549
 Gae-bak-ha-sok 18 / 549
 Gae-bal-na-mul 18 / 638
 Gae-bal-na-mul-sok 18 / 638
 Gae-ba-neul-sa-cho 18 / 399
 Gae-beo-mu-ri 18 / 414
 Gae-beot-ji-na-mu 18 / 591
 Gae-bi-ja-na-mu 19 / 404
 Gae-bi-ja-na-mu-gwa 19 / 404
 Gae-bi-ja-na-mu-sok 19 / 404
 Gae-bip-sae-gwi-ri 19 / 379
 Gae-bo-ri 18 / 455
 Gae-bo-ri-ppaeng-i 19 / 509
 Gae-bo-ri-ppaeng-i-sok 19 / 509
 Gae-bu-cheo-son 19 / 634
 Gae-buk-ga-si-na-mu 19 / 599
 Gae-bul-al-pul 19 / 670
 Gae-bul-al-pul-sok 19 / 670
 Gae-bu-sit-git-go-sa-ri 19 / 406
 Gae-bu-sit-git-go-sa-ri-sok 19 / 406
 Gae-byeol-kkot 18 / 593
 Gae-byeol-kkot-sok 18 / 593
 Gae-byeong-pung 18 / 367
 Gae-byeong-pung-sok 18 / 367
 Gae-byeo-ruk 18 / 542
 Gae-byeo-ruk-sok 18 / 542
 Gae-cha-go-sa-ri 23 / 364
 Gae-cha-jeu-gei 23 / 350
 Gae-cha-jeu-gei-sok 23 / 350
 Gae-cha-kko-ri-go-sa-ri 23 / 365
 Gae-dae-hwang 16 / 614
 Gae-dam-bae 16 / 518
 Gae-dang-ju-na-mu 16 / 607
 Gae-da-rae 16 / 338
 Gae-deol-kkwong-na-mu 16 / 672
 Gae-deul-jjuk-na-mu 16 / 524
 Gae-do-duk-nom-ui-gal-go-ri 16 / 439
 Gae-eok-sae 21 / 462
 Gae-eok-sae-sok 21 / 462
 Gae-eong-geong-kwi 21 / 411
 Gae-ga-ji-go-bi-go-sa-ri 14 / 418
 Gae-gal-kwi 14 / 364
 Gae-gal-kwi-sok 14 / 363
 Gae-gam-chae 14 / 524
 Gae-gam-chae-sok 14 / 524
 Gae-gam-su 14 / 465

Gae-ga-si-na-mu 14 / 599
 Gae-gat-naeng-i 14 / 608
 Gae-gat-naeng-i-sok 14 / 608
 Gae-gi-jang 15 / 559
 Gae-go-sa-ri 14 / 369
 Gae-go-sa-ri-sok 14 / 368
 Gae-gu-ri-bal-top 15 / 634
 Gae-gu-ri-bal-top-sok 15 / 634
 Gae-gu-ri-bap 15 / 644
 Gae-gu-ri-bap-gwa 15 / 512
 Gae-gu-ri-bap-sok 15 / 644
 Gae-gu-ri-gat 14 / 602
 Gae-gu-ri-ja-ri 15 / 602
 Gae-gu-ri-mi-na-ri 15 / 602
 Gae-gu-rit-dae 15 / 353
 Gae-gwak-hyang 14 / 654
 Gae-hae-dang-hwa 23 / 610
 Gae-hoe-hyang 24 / 518
 Gae-hoe-hyang-sok 24 / 658
 Gae-hoe-na-mu 24 / 651
 Gae-hwang-gi 24 / 368
 Gae-hyeong-gae 24 / 627
 Gae-hyeon-sam 24 / 630
 Gae-jam-ja-ri-nan-cho 22 / 484
 Gae-je-bi-nan 22 / 434
 Gae-je-bi-nan-sol 22 / 433
 Gae-jeong-hyang-pul 22 / 355
 Gae-ji-chi 23 / 523
 Gae-jil-gyeong-i 23 / 576
 Gae-ji-beo-ri-sa-cho 23 / 393
 Gae-jok-do-ri-pul 22 / 363
 Gae-jom-jin-go-sa-ri 22 / 437
 Gae-jong-yong 22 / 510
 Gae-jong-yong-sok 22 / 510
 Gae-jung-dae-ga-ri 22 / 649
 Gae-jung-dae-ga-ri-sok 22 / 649
 Gae-ki-beo-deul 23 / 617
 Gae-kkot-ma-ri 15 / 545
 Gae-kkot-ma-ri-sok 15 / 545
 Gae-ma-dip 16 / 583
 Gae-maek-mun-dong 16 / 523
 Gae-mang-cho-sok 16 / 459
 Gae-ma-soe-seo-na-mul 16 / 573
 Gae-meo-ru 16 / 350
 Gae-meo-ru-sok 16 / 350
 Gae-meo-wi 16 / 567
 Gae-mi-chwi 17 / 367
 Gae-mi-ja-ri 17 / 615
 Gae-mi-ja-sok 17 / 615
 Gae-mil 17 / 455
 Gae-mil-a-jae-bi 17 / 517
 Gae-mil-a-jae-bi-sok 18 / 517
 Gae-mi-nan-cho 17 / 546
 Gae-mi-nan-cho-sok 17 / 546
 Gae-mi-na-ri 17 / 551

Gae-mi-tap 17 / 485
 Gae-mi-tap-gwa 17 / 485
 Gae-mi-tap-sok 17 / 485
 Gae-mo-si-pul 17 / 376
 Gae-muk-sae 17 / 469
 Gae-mul-pu-re-na-mu 17 / 531
 Gae-mul-tong-i 17 / 561
 Gae-mul-tong-i-sok 17 / 561
 Gae-myeon-ma 16 / 534
 Gae-na-ri 15 / 471
 Gae-na-ri-sok 15 / 471
 Gae-neu-sam 15 / 450
 Gae-neu-sam-sok 15 / 450
 Gae-no-bak-deong-gul 15 / 402
 Gae-ot-na-mu 22 / 660
 Gae-pa-ri-chae 23 / 515
 Gae-pi 23 / 371
 Gae-pi-sok 23 / 371
 Gae-sa-cheol-ssuk 19 / 359
 Gae-sae-bi-na-mu 20 / 383
 Gae-sal-gu-na-mu 20 / 591
 Gae-san-cho 20 / 684
 Gae-sa-sang-ja 19 / 659
 Gae-sa-tang-su-su 19 / 614
 Gae-sa-tang-su-su-sok 19 / 614
 Gae-seo-co-na-mu 20 / 400
 Gae-seok-jam-pul 20 / 645
 Gae-seok-song 20 / 529
 Gae-seon-gal-kwi 20 / 475
 Gae-seung-ma 20 / 409
 Gae-seung-ma-sol 21 / 362
 Gae-si-ho 21 / 380
 Gae-sil-sa-ri 21 / 634
 Gae-sing-a 21 / 338
 Gae-soe-tteu-gi 20 / 458
 Gae-sok-sae 20 / 458
 Gae-sol-na-mul 20 / 475
 Gae-sol-sae 20 / 428
 Gae-sol-sae-sok 20 / 428
 Gae-ssa-ri 21 / 516
 Gae-sseum-bae 21 / 589
 Gae-sseun-pul 21 / 649
 Gae-ssuk-bu-jaeng-i 21 / 366
 Gae-su-yang-beo-deul 20 / 616
 Gae-su-yeom 20 / 460
 Gae-swip-ssa-ri 20 / 529
 Gaet-bang-dong-sa-ni 26 / 431
 Gaet-bang-pung 26 / 480
 Gaet-bang-pung-sok 26 / 480
 Gaet-ba-raeng-i 25 / 442
 Gaet-ba-wi-go-sa-ri 25 / 642
 Gaet-beo-deul 26 / 617
 Gaet-bom-mat-i 26 / 480
 Gaet-bom-mat-i-kkot-sok 26 / 480
 Gaet-bo-ri 26 / 455

Gaet-bo-ri-sa-cho 26 / 393
 Gaet-bo-ri-sok 26 / 455
 Gaet-bu-chu 26 / 347
 Gaet-byeo-l-kkot 26 / 490
 Gaet-byeo-l-kkot-sok 26 / 490
 Gaet-cheong-sa-cho 28 / 389
 Gaet-cheon-mun-dong 28 / 363
 Gaet-chwi 28 / 518
 Gaet-dae-chu-na-mu 25 / 558
 Gaet-dae-chu-na-mu-sok 25 / 558
 Gaet-daep-ssa-ri 25 / 506
 Gaet-dang-geun 25 / 435
 Gaet-dol-na-mul 25 / 633
 Gae-teol-i-seul 23 / 410
 Gaet-gae-mi-chwi 24 / 367
 Gaet-gae-mi-ja-ri 24 / 642
 Gaet-gae-mi-ja-ri-sok 24 / 642
 Gaet-gang-a-ji-pul 24 / 636
 Gaet-gang-hwal 24 / 354
 Gaet-geum-bul-cho 25 / 680
 Gaet-geum-gul-cho-sok 47 / 680
 Gaet-geu-ryeong 24 / 517
 Gaet-gi-reum-na-mul 25 / 568
 Gaet-go-deul-ppae-gi 24 / 425
 Gaet-goe-bul-ju-meo-ni 24 / 423
 Gaet-gol-pul 24 / 504
 Gaet-gyeo-i-sak 24 / 596
 Gaet-ha-neul-ji-ri 28 / 471
 Gaet-hawl-ryang-na-mul 28 / 656
 Gaet-hawl-ryang-na-mul-sok 28 / 656
 Gaet-hwang-gi 28 / 368
 Gaet-jam-ja-ri-pi 27 / 663
 Gaet-jam-ja-ri-pi-sok 27 / 663
 Gaet-jan-di 27 / 685
 Gaet-jang-dae 27 / 356
 Gaet-jang-gu-chae 27 / 636
 Gaet-je-bi-ssul 27 / 360
 Gaet-ji-chi 27 / 538
 Gaet-ji-chi-sok 27 / 538
 Gaet-jil-gyeong 27 / 521
 Gaet-jil-gyeong-gwa 27 / 578
 Gaet-jil-gyeong-i 28 / 577
 Gaet-jil-gyeong-sok 28 / 520
 Gaet-jo-pul 27 / 382
 Gaet-kka-chi-su-yeom 25 / 531
 Gaet-kku-reo-mi-pul 25 / 596
 Gaet-ma-di-pul 25 / 582
 Gaet-me-kkot 25 / 384
 Gaet-mu 25 / 602
 Gaet-neun-jaeng-i 25 / 370
 Gaet-neun-jaeng-i-sok 25 / 370
 Gae-tong-bal 23 / 667
 Gae-top-go-sa-ri 23 / 443
 Gae-top-nal-go-sa-ri 23 / 369
 Gaet-pae-raeng-i-kkot 28 / 440

Gaet-sa-sang-ja 26 / 416
 Gaet-sil-sae-sam 26 / 427
 Gaet-soe-bo-ri 26 / 500
 Gaet-soe-dol-pi 26 / 583
 Gaet-sseum-ba-gwi 27 / 502
 Gaet-ssuk-bu-jaeng-i 27 / 366
 Gae-ttong-ssuk 16 / 359
 Gaet-wan-du 27 / 510
 Gaet-yul-mu 27 / 426
 Gaet-yul-mu-sok 27 / 426
 Gae-wi-bong-bae-na-mu 22 / 598
 Gae-yeo-kkwi 22 / 566
 Gae-yeom-ju-na-mu 22 / 658
 Gae-yeon-kkot 22 / 549
 Gae-yeon-sok 22 / 549
 Ga-hoe-top 9 / 350
 Ga-ji-ba-wi-sol 9 / 555
 Ga-ji-bok-su-cho 9 / 342
 Ga-ji-cheong-sa-cho 9 / 396
 Ga-ji-deo-bu-sal-i 9 / 568
 Ga-ji-deo-bu-sal-i-sok 9 / 568
 Ga-ji-dol-kkot 9 / 604
 Ga-ji-geum-bul-cho 9 / 498
 Ga-ji-gi-rin-cho 9 / 632
 Ga-ji-go-bi-go-sa-ri 8 / 418
 Ga-ji-gok-jeong-cho 8 / 460
 Ga-ji-gwa 8 / 639
 Ga-ji-gwaeng-i-nun 8 / 409
 Ga-ji-ju-reum-jo-gae-pul 9 / 552
 Ga-ji-kkot-du-seo-ni 9 / 611
 Ga-ji-kkot-go-bi 9 / 580
 Ga-ji-min-bak-jwi 9 / 560
 Ga-ji-sok 9 / 639
 Gak-si-but-kkot 10 / 499
 Gak-si-chwi 10 / 624
 Gak-si-dung-gul-re 10 / 582
 Gak-si-geu-ryeong 10 / 458
 Gak-si-goe-bul-na-mu 10 / 525
 Gak-si-go-sa-ri 10 / 532
 Gak-si-go-sa-ri-sok 10 / 532
 Gak-si-hyeon-ho-saek 11 / 422
 Gak-si-je-bi-kkot 10 / 676
 Gak-si-jok-do-ri-pul 10 / 362
 Gak-si-ma 10 / 443
 Gak-si-mi-kku-ri-gwang-i 10 / 596
 Gak-si-mi-kku-ri-gwang-i-sok 10 / 595
 Gak-si-seo-deol-chwi 10 / 623
 Gak-si-su-ryeon 10 / 550
 Gak-si-tong-jeom-na-do-na-mul 10 / 404
 Gak-si-tu-gu-kkot 11 / 336
 Gak-si-won-chu-ri 10 / 487
 Gal-cham-na-mu 12 / 599
 Gal-dae 11 / 570
 Gal-dae-sok 11 / 570

Gal-gi-jo-pap-na-mu 11 / 644
 Gal-go-ri-ne-ip-gal-kwi 11 / 475
 Gal-jol-cham-na-mu 12 / 601
 Gal-kwi-a-jae-bi 12 / 364
 Gal-kwi-deong-gul 12 / 475
 Gal-kwi-deong-gul-sok 12 / 474
 Gal-kwi-hyeon-ho-saek 12 / 422
 Gal-kwi-kkok-du-seo-ni 12 / 611
 Gal-kwi-na-mul 12 / 673
 Gal-lae-deung-gol-na-mul 11 / 464
 Gal-mae-gi-nan-cho 11 / 577
 Gal-mae-na-mu 11 / 603
 Gal-mae-na-mu-gwa 11 / 602
 Gal-mae-na-mu-sok 11 / 603
 Gal-mi-ba-wi-sol 11 / 554
 Gal-mi-jwi-son-i 12 / 478
 Gal-mi-sa-cho 11 / 389
 Gal-pul 12 / 568
 Gal-pul-sok 12 / 568
 Gal-rae-du-me-yang-gwi-bi 11 / 559
 Gal-sa-cho 12 / 392
 Gal-saek-sa-cho 12 / 390
 Ga-mak-sal-na-mu 6 / 672
 Ga-mak-sa-ri 6 / 374
 Gam-dung-sa-cho 13 / 389
 Gam-guk 12 / 436
 Gam-ja-gae-bal-na-mul 13 / 638
 Gam-ja-nan-cho 13 / 553
 Gam-ja-nan-cho-sok 13 / 553
 Gam-jeol-dae 13 / 467
 Gam-na-mu 12 / 443
 Gam-na-mu-gwa 12 / 450
 Gam-na-mu-sok 13 / 443
 Gam-tae-na-mu 13 / 521
 Gam-tang-na-mu 13 / 496
 Gam-tang-na-mu-gwa 13 / 355
 Gam-tang-na-mu-sok 13 / 496
 Ga-mun-bi-na-mu 7 / 572
 Ga-mun-bi-na-mu-sok 7 / 572
 Gan-do-jwi-o-jum-pul 11 / 669
 Ga-neun-ba-di 3 / 556
 Ga-neun-beom-kko-ri 3 / 374
 Ga-neun-bi-neul-sa-cho 3 / 398
 Ga-neun-cham-na-mul 5 / 574
 Ga-neun-cheung-cheung-jan-dae 6 / 341
 Ga-neun-dae-na-mul 3 / 484
 Ga-neun-da-ri-jang-gu-chae 3 / 637
 Ga-neun-deung-gal-kwi 3 / 674
 Ga-neun-dol-jjeo-gwi 3 / 336
 Ga-neun-dong-ja-kkot 3 / 528
 Ga-neun-gae-mil 2 / 455
 Ga-neun-gae-su-yeom 2 / 460
 Ga-neun-gaet-neun-jaeng-i 2 / 370
 Ga-neun-gae-yeo-kkwi 2 / 567

Ga-neun-gal-kwi 2 / 673	Gang-bu-chu 13 / 347	Geo-meo-ri-mal-sok 28 / 684
Ga-neun-gal-kwi-na-mul 2 / 673	Gang-gye-beo-deul 13 / 617	Geom-eun-byeol-go-sa-ri 30 / 428
Ga-neun-ga-rae 2 / 586	Gang-gye-keun-mul-tong-i 13 / 573	Geom-eun-do-ru-bak-i 30 / 629
Ga-neun-gal-bul-cho 2 / 498	Gang-hwal 14 / 556	Geom-eun-gae-seon-gal-kwi 30 / 474
Ga-neun-geum-gang-a-ji-pul 2 / 635	Gang-won-go-sa-ri 14 / 369	Geom-eun-gae-su-yeom 30 / 460
Ga-neun-gi-reum-na-mul 2 / 567	Gan-jang-pul 11 / 549	Geom-eun-gok-jeong-cho 30 / 460
Ga-neun-gi-rin-cho 2 / 632	Gap-san-je-bi-kkot 13 / 676	Geom-eun-gu-sang 30 / 333
Ga-neun-goe-bul-ju-meo-ni 2 / 423	Gap-san-po-a-pul 13 / 580	Geom-eun-gyeo-i-sak 30 / 344
Ga-neun-gol-mu-kkot 2 / 632	Ga-rae 6 / 586	Geom-eun-jae-na-mu 31 / 650
Ga-neun-ha-neul-ji-gi 6 / 470	Ga-rae-ba-ram-kkot 6 / 352	Geom-eun-jong-deong-gul 31 / 414
Ga-neun-hong-ji-ne-go-sa-ri 6 / 446	Ga-rae-go-sa-ri 6 / 568	Geom-eun-kkot-jang-po 30 / 659
Ga-neun-ip-bang-pung 4 / 517	Ga-rae-gwa 6 / 587	Geom-eun-nang-a-cho 30 / 588
Ga-neun-ip-cheo-nyeo-go-sa-ri 5 / 560	Ga-rae-na-mu 6 / 503	Geom-eun-sat-gat-na-mul 30 / 561
Ga-neun-ip-dok-mi-na-ri 4 / 409	Ga-rae-na-mu-gwa 6 / 503	Geom-eun-som-a-ma-jon 30 / 429
Ga-neun-ip-eok-sae 5 / 541	Ga-rae-na-mu-sok 6 / 503	Geom-eun-itdal-gi 30 / 612
Ga-neun-ip-na-mu 5 / 506	Ga-rae-sok 6 / 586	Geo-mi-go-sa-ri 29 / 385
Ga-neun-ip-gae-byeol-kkot 4 / 594	Ga-rak-ji-na-mul 6 / 587	Geo-mi-go-sa-ri-sok 29 / 385
Ga-neun-ip-gae-go-sa-ri 4 / 369	Ga-sae-deol-kkwong-na-mu 7 / 672	Geo-mi-kko-ri-go-sa-ri 29 / 364
Ga-neun-ip-gam-guk 4 / 436	Ga-sae-ham-gyeong-ttal-gi 7 / 611	Geo-mi-nan-cho-sok 29 / 652
Ga-neun-ip-geu-neul-sa-cho 4 / 392	Ga-sae-ip-gae-meo-ru 7 / 350	Geo-mi-ran 29 / 652
Ga-neun-ip-hal-mi-kkot 5 / 596	Ga-sae-ip-san-sa 7 / 424	Geom-jeong-bang-dong-sa-ni 31 / 473
Ga-neun-ip-hyang-yu 5 / 454	Ga-sae-pppong-na-mu 7 / 544	Geom-jeong-bang-dong-sa-ni-sok 31 / 473
Ga-neun-ip-jan-dae 5 / 341	Ga-sae-sseum-ba-gwi 7 / 502	Geom-jeong-bi-neul-go-sa-ri 31 / 444
Ga-neun-ip-jok-je-bi-go-sa-ri 5 / 446	Ga-sae-ssuk-bu-jaeng-i 7 / 366	Geom-jeong-gae-gwan-jung 31 / 585
Ga-neun-ip-kkot-beo-deul 4 / 618	Ga-sae-su-ri-chwi 7 / 651	Geom-jeong-gyeo-i-sak 31 / 344
Ga-neun-ip-mo-sae-dai 4 / 568	Ga-si-bok-bun-ja-ttal-gi 8 / 613	Geom-jeong-ha-neul-ji-gi 31 / 470
Ga-neun-ip-mul-eok-sae 4 / 541	Ga-si-eong-geong-kwi 8 / 411	Geom-jeong-jin-deul-pi 31 / 481
Ga-neun-ip-mul-jil-gyeong-i 4 / 556	Ga-si-gae-gwan-jung 7 / 584	Geom-jeong-mal 31 / 492
Ga-neun-ip-san-deul-kkae 4 / 544	Ga-si-kka-chi-bap-na-mu 7 / 607	Geom-jeong-mal-sok 31 / 492
Ga-neun-ip-so-ri-jaeng-i 4 / 614	Ga-si-kkwa-ri 7 / 572	Geom-jeong-ta-rae-sa-cho 31 / 395
Ga-neun-ip-ssuk 5 / 360	Ga-si-kkwari-sok 7 / 572	Geom-na-mu-ssa-ri 30 / 516
Ga-neun-ip-sswae-gi-pul 4 / 666	Ga-si-na-mu 8 / 600	Geom-no-rin-jae-na-mu 30 / 650
Ga-neun-ip-wang-go-deul-ppae-gi 5 / 508	Ga-si-o-gal-pi 8 / 454	Geom-paeng-na-mu 31 / 402
Ga-neun-jang-dae 5 / 445	Ga-si-ttal-gi 8 / 612	Geom-san-cho-rong-kkot 30 / 485
Ga-neun-jang-dae-sok 5 / 444	Ga-si-yeo-kkwi 8 / 565	Geo-mun-cheon-nam-seong 29 / 359
Ga-neun-jang-gu-chae 5 / 637	Ga-si-yeon 8 / 466	Geo-mun-do-dak-na-mu 29 / 681
Ga-neun-jeong-yeong-eong-geng-kwi 5 / 411	Ga-si-yeon-sok 8 / 466	Geo-mun-do-gae-mi-ja-ri 29 / 615
Ga-neun-jul-dol-jgeo-gwi 5 / 337	Ga-sol-song 7 / 571	Geo-mun-eok-sae 29 / 541
Ga-neun-ma-di-kkot 3 / 610	Ga-sol-song-sok 7 / 571	Geo-mun-nu-ri-jang-na-mu 28 / 415
Ga-neun-mul-bu-chu 3 / 501	Gat-dae 13 / 622	Geom-yang-ot-na-mu 30 / 660
Ga-neun-myeoeng-a-ju 3 / 407	Ga-ya-dan-pung-chwi 8 / 344	Geo-sen-teol-kkot-ma-ri 29 / 663
Ga-neun-na-rae-sae 2 / 647	Ga-ya-mul-bong-seon 8 / 497	Geum-bang-dong-sa-ni 47 / 431
Ga-neun-ne-ip-gal-kwi 3 / 475	Ga-ya-san-eun-bun-chwi 8 / 624	Geum-bang-mang-i 47 / 635
Ga-neun-o-i-pul 4 / 621	Ga-ya-san-jan-dae 8 / 340	Geum-bang-mang-i-sok 47 / 634
Ga-neun-po-a-pul 6 / 579	Ge-ba-da-mal 31 / 571	Geum-bul-cho 47 / 498
Ga-neun-sa-cho 3 / 390	Ge-bak-jwi-na-mul 31 / 559	Geum-bul-cho-sok 47 / 498
Ga-neun-sal-gal-kwi 3 / 673	Geo-buk-kko-ri 29 / 376	Geum-but-kkot 47 / 499
Ga-neun-san-bu-chu 3 / 348	Geo-je-su-na-mu 29 / 373	Geum-chang-cho 48 / 345
Ga-neun-soe-go-sa-ri 3 / 356	Geo-je-ttal-gi 29 / 612	Geum-eok-sae 47 / 541
Ga-neun-ssuk-bu-jaeng-i 4 / 366	Geo-ji-deong-gul 29 / 402	Geum-gang-ae-gi-na-ri 45 / 648
Ga-neun-teol-baek-mi 6 / 429	Geo-ji-deong-gul-sok 29 / 401	Geum-gang-a-ji-pul 45 / 635
Ga-neun-yeo-kkwi 4 / 565	Geo-ji-ttal-gi 29 / 613	Geum-gang-bom-mat-i 45 / 352
Gang-a-ji-pul-sok 14 / 635	Geo-kku-ri-gae-go-sa-ri 28 / 369	Geum-gang-bun-chwi 45 / 622
	Geo-meo-ri-mal 28 / 685	Geum-gang-cheo-nyeo-i-kki 46 / 535
	Geo-meo-ri-mal-gwa 28 / 685	

Geum-gang-cho-rong-kkot 46 / 485	Gim-ui-teol-sok 53 / 468	Gin-kkot-ppo-ri-baeng-i 50 / 683
Geum-gang-cho-rong-kkot-sok 46 / 485	Gin-bo-ri-su-na-mu 51 / 451	Gin-kong-jja-gae-deong-gul 53 / 512
Geum-gang-ga-mul-go-sa-ri 45 / 682	Gin-bun-chwi 51 / 624	Gin-mae-ja-ip-beo-deul 50 / 616
Geum-gang-in-ga-mok 45 / 564	Gin-byeong-kkot-pul 50 / 480	Gin-mi-kku-ri-nak-si 50 / 565
Geum-gang-in-ga-mok-sok 46 / 564	Gin-byeong-kkot-pul-sok 50 / 480	Gin-mok-po-sa-cho 50 / 391
Geum-gang-jan-dae 46 / 340	Gin-dam-bae-pul 50 / 400	Gin-o-i-pul 51 / 620
Geum-gang-je-bi-kkot 46 / 676	Gin-dang-jan-dae 50 / 340	Gin-pat-bae-na-mu 53 / 641
Geum-gang-po-a-pul 46 / 579	Gin-da-dam-jwi-kko-ri 50 / 491	Gin-saeng-yeol-gwi 51 / 609
Geum-gang-san-dol-bae 45 / 598	Gin-deul-jiuk-na-mu 50 / 668	Gin-san-chwi 51 / 625
Geum-gang-san-ttuk-sa-cho 45 / 391	Gin-do-duk-nom-ui-gal-go-ri 50 / 439	Gin-san-gae-na-ri 51 / 472
Geum-gang-som-bang-mang-i 45 / 634	Gin-dol-ga-si-na-mu 50 / 610	Gin-san-kko-ri-pul 51 / 671
Geum-gang-so-na-mu 45 / 575	Gin-dong-gang-hal-mi-kkot 50 / 596	Gin-sa-sang-ja 51 / 555
Geum-gang-ssuk 45 / 360	Gin-du-ip-gal-kwi 50 / 486	Gin-sa-sang-ja-sok 51 / 555
Geum-gwaeng-i-nun 46 / 409	Gi-neun-mi-na-ri-a-jae-bi 48 / 602	Gin-seo-eo-na-mu 51 / 400
Geum-hon-cho 48 / 495	Gin-gae-byeol-kkot 49 / 594	Gi-reum-dang-gwi 48 / 518
Geum-hon-cho-sok 48 / 495	Gin-gae-gwan-jung 49 / 584	Gi-reum-dang-gwi-sok 48 / 518
Geum-ja-ran 47 / 476	Gin-gae-sing-a 49 / 337	Gi-reum-na-mul 48 / 568
Geum-ja-ran-sok 47 / 476	Gin-gaet-geum-bul-cho 49 / 680	Gi-reum-na-mul-sok 48 / 567
Geum-jok-je-bi-go-sa-ri 48 / 447	Gin-ga-rae-na-mu 49 / 503	Gi-reum-sae 48 / 644
Geum-kkwong-ui-da-ri 46 / 655	Gin-go-ro-soi 49 / 334	Gi-reum-sae-sok 48 / 644
Geum-mae-hwa 47 / 664	Gin-gwaeng-i-ssa-ri 49 / 516	Gi-rin-cho 48 / 633
Geum-mae-hwa-sok 47 / 664	Gin-geo-i-sak 49 / 344	Gi-saeng-kkot 48 / 662
Geum-ma-ta-ri 46 / 562	Gin-heuk-sam-reung 53 / 642	Gi-saeng-kkot-sok 48 / 662
Geum-nan-cho 46 / 404	Gin-ho-mo-cho 53 / 419	Gi-saeng-yeo-kkwi 49 / 567
Geum-nang-hwa 46 / 441	Gin-hwa-sal-yeo-kkwi 53 / 564	Gi-su-cho 49 / 649
Geum-nang-hwa-sok 46 / 441	Gin-ip-byeol-kkot 52 / 646	Git-ban-jiok-go-sa-ri 54 / 595
Geum-na-ri 46 / 520	Gin-ip-cham-ssa-ri 52 / 515	Git-cham-na-mu 54 / 600
Geum-o-jok-do-ri-pul 47 / 363	Gin-ip-da-jeong-keum 52 / 603	Git-deom-bul-chwi 54 / 623
Geum-sae-u-nan-cho 47 / 382	Gin-ip-do-kkae-bi-soe-go-bi 52 / 433	Git-dol-jan-go-sa-ri 54 / 539
Geum-so-ri-jaeng-i 47 / 614	Gin-ip-gal-kwi 51 / 474	Git-go-sa-ri 54 / 364
Geum-ssuk 47 / 359	Gin-ip-gom-chwi 51 / 517	Git-tteok-gal-na-mu 54 / 599
Geum-teol-go-sa-ri 48 / 495	Gin-ip-hoe-yang-mok 53 / 380	Go-bi 34 / 556
Geum-teol-go-sa-ri-sok 48 / 495	Gin-ip-i-pap-na-mu 52 / 407	Go-bi-go-sa-ri 34 / 418
Geum-tteok-ssuk 46 / 593	Gin-ip-jang-da-ri-pul 52 / 419	Go-bi-go-sa-ri-sok 34 / 418
Geu-neul-bo-ri-ppaeng-i 44 / 509	Gin-ip-je-bi-kkot 52 / 677	Go-bi-gwa 34 / 556
Geu-neul-cham-na-mul 45 / 574	Gin-ip-jo-pap-na-mu 52 / 643	Go-bi-sok 34 / 555
Geu-neul-chwi 45 / 624	Gin-ip-jwi-o-jum-pul 52 / 668	Go-bon 34 / 354
Geu-neul-gae-go-sa-ri 44 / 369	Gin-ip-keun-gae-mi-ja-ri 53 / 615	Go-chu-naeng-i 36 / 466
Geu-neul-gol-mu-kkot 44 / 631	Gin-ip-kkeun-kkeun-i-ju-geok 51 / 446	Go-chu-naeng-i-sok 36 / 466
Geu-neul-huin-sa-cho 45 / 396	Gin-ip-kkwong-ui-da-ri 51 / 655	Go-chu-na-mu 35 / 645
Geu-neul-kkwong-ui-da-ri 44 / 655	Gin-ip-mo-si-pul 52 / 376	Go-chu-na-mu-gwa 35 / 645
Geu-neul-sa-cho 44 / 393	Gin-ip-na-bi-na-mul 51 / 674	Go-chu-na-mul 36 / 495
Geu-neul-sil-sa-cho 44 / 399	Gin-ip-pat-bae-na-mu 53 / 641	Go-chu-na-mu-sol 35 / 645
Geu-neul-song-i-pul 44 / 563	Gin-ip-san-bak-hi 52 / 501	Go-deul-ppae-gi 33 / 425
Geu-neul-ssuk 44 / 362	Gin-ip-san-jo-pap-na-mu 52 / 643	Go-deul-ppae-gi-sok 33 / 425
Geu-ryeong 45 / 458	Gin-ip-sa-si-na-mu 52 / 585	Goe-bul-i-kki 40 / 425
Gi-jang-dae-pul 49 / 500	Gin-ip-tteok-beo-deul 52 / 617	Goe-bul-i-kki-sok 40 / 425
Gi-jang-dae-pul-sok 49 / 500	Gin-ip-yeo-ro 52 / 669	Goe-bul-ju-meo-ni 40 / 422
Gi-jang-pul-sok 49 / 568	Gin-ip-yeo-u-beo-deul 52 / 619	Goe-bul-na-mu 40 / 525
Gi-jang-sok 49 / 559	Gin-je-bi-kkul 53 / 656	Go-gwang-na-mu 33 / 569
Gi-gol-pul 53 / 504	Gin-jin-deul-pi 53 / 481	Go-gwang-na-mu-sok 33 / 569
Gil-ma-ga-ji-na-mu 53 / 525	Gin-kko-ri-sswae-gi-pul 49 / 666	Gok-jeong-cho 36 / 460
Gil-ttuk-sa-cho 53 / 389	Gin-kko-dae-hwang-gi 50 / 368	Gok-jeong-cho-gwa 36 / 459
Gim-ui-teol 53 / 468	Gin-kko-go-sa-ri-sam 49 / 377	Gok-jeong-cho-sok 36 / 459
Gim-ui-teol-a-jae-bi 53 / 469	Gin-kko-myeo-neu-ri-bap-pul 50 / 536	Go-kkal-je-bi-kkot 33 / 677

Gol-byeong-kkot-na-mu 36 / 681	Go-yom-na-mu 35 / 443	Gu-sil-jat-bam-na-mu 42 / 401
Gol-dam-cho 36 / 386	Gu-jeol-cho 42 / 436	Gu-sil-sa-ri 42 / 634
Gol-dam-cho-sok 36 / 386	Guk-gyeong-jjil-re 43 / 609	Gu-wa-chwi 42 / 625
Gol-deung-gol-na-mul 36 / 464	Guk-hwa-bang-mang-i 43 / 637	Gu-wa-ga-mak-sa-ri 42 / 374
Gol-gae-go-sa-ri 36 / 369	Guk-hwa-bang-mang-i-sok 43 / 637	Gu-wa-kko-ri-pul 42 / 670
Gol-go-sa-ri 36 / 571	Guk-hwa-ba-ram-kkot 43 / 352	Gu-wa-mal 42 / 520
Gol-go-sa-ri-sok 36 / 571	Guk-hwa-gal-kwi 43 / 474	Gu-wa-mal-sok 42 / 520
Gol-ip-won-chu-ri 37 / 487	Guk-hwa-gwa 43 / 367	Gu-wa-ssuk 42 / 360
Gol-mu-kkot 36 / 631	Guk-hwa-ip-ssuk 43 / 361	Gwaeng-i-bap 39 / 557
Gol-mu-kkot-sok 36 / 631	Guk-hwa-jwi-son-i 43 / 461	Gwaeng-i-bap-gwa 40 / 556
Gol-pul 37 / 503	Guk-hwa-jwi-son-i-sok 43 / 461	Gwaeng-i-bap-sok 40 / 556
Gol-pul-a-jae-bi 37 / 607	Guk-hwa-ma 43 / 443	Gwaeng-i-nun 39 / 409
Gol-pul-a-jae-bi-sok 37 / 606	Guk-hwa-su-ri-chwi 43 / 651	Gwaeng-i-nun-sok 39 / 408
Gol-pul-gwa 37 / 503	Guk-su-na-mu 43 / 646	Gwaeng-i-sa-cha 40 / 395
Gol-pul-sok 37 / 503	Guk-su-na-mu-sok 43 / 646	Gwaeng-i-ssa-ri 40 / 516
Gol-sa-cho 36 / 388	Gul-cham-na-mu 44 / 600	Gwak-hyang 38 / 654
Go-ma-ri 34 / 567	Gul-geo-ri-na-mu 43 / 434	Gwak-hyang-sok 38 / 654
Gom-ban-song 37 / 575	Gul-geo-ri-na-mu-gwa 43 / 434	Gwa-nam-pul 38 / 477
Gom-bi-neul-go-sa-ri 37 / 448	Gul-geo-ri-na-mu-sok 43 / 434	Gwang-dae-na-mul 38 / 509
Gom-chwi 37 / 517	Gul-geun-deul-jjuk-na-mu 44 / 668	Gwang-dae-na-mul-sok 38 / 508
Gom-chwi-sok 37 / 517	Gul-pi-na-mu 44 / 577	Gwang-dae-ssa-ri 39 / 632
Gom-sol 37 / 575	Gul-pi-na-mu-sok 44 / 577	Gwang-dae-ssa-ri-sok 39 / 632
Gom-ttal-gi 37 / 613	Gu-nae-pul 40 / 579	Gwang-dae-su-yeom 38 / 509
Gom-ui-mal-chae-na-mu 37 / 420	Gung-gung-i 44 / 354	Gwang-na-mu 38 / 518
Gon-dal-bi 36 / 518	Gup-eun-no-ran-jang-dae 44 / 638	Gwang-neung-gol 38 / 629
Gong-jak-go-sa-ri 38 / 342	Gu-reum-beom-ui-gwi 41 / 625	Gwang-reung-gae-go-sa-ri 39 / 369
Gong-jak-go-sa-ri-sok 38 / 341	Gu-reum-byeong-a-ri-nan-cho 41 / 549	Gwang-reung-gae-mil 39 / 455
Gop-hyang-na-mu 37 / 505	Gu-reum-byeong-a-ri-nan-cho-sok 41 / 549	Gwang-reung-gal-kwi 39 / 675
Gop-sae-go-sa-ri 37 / 437	Gu-reum-che-kkot 41 / 626	Gwang-reung-gol-mu-kkot 39 / 632
Gop-seul-sa-cho 37 / 391	Gu-reum-gol-pul 40 / 504	Gwang-reung-jok-je-bi-go-sa-ri 39 / 448
Go-raeng-i-sok 33 / 628	Gu-reum-guk-hwa 40 / 459	Gwang-reung-jwi-o-jum-pul 39 / 668
Go-ran-cho 33 / 426	Gu-reum-je-bi-kkot 41 / 676	Gwang-reung-mul-pu-re 39 / 472
Go-ran-cho-gwa 33 / 583	Gu-reum-je-bi-ran 41 / 577	Gwang-reung-teol-jung-na-ri 39 / 519
Go-ran-cho-sok 33 / 426	Gu-reum-kkot-da-ji 40 / 445	Gwang-reung-yo-gang-kkot 39 / 432
Go-ro-soe-na-mu 34 / 334	Gu-reum-kkwong-ui-bap 40 / 528	Gwang-reung-yong-su-yeom 39 / 440
Go-ryeo-eong-geong-kwi 34 / 412	Gu-reum-o-i-pul 41 / 620	Gwang-yang-na-bi-na-mul 39 / 674
Go-ryeo-gae-bo-ri 34 / 455	Gu-reum-pae-raeng-i-kkot 41 / 440	Gwan-jung 38 / 447
Go-ryeo-gong-jak-go-sa-ri 34 / 341	Gu-reum-sa-chu 41 / 398	Gwan-jung-sok 38 / 446
Go-sam 35 / 640	Gu-reum-song-i-pul 41 / 563	Gwan-mo-bak-sae 38 / 669
Go-sam-sok 35 / 640	Gu-reum-tteok-ssuk 40 / 351	Gwan-mo-du-me-ja-un 38 / 557
Go-san-ba-di 35 / 417	Gu-rit-dae 41 / 353	Gwan-mo-gae-mi-ja-ri 38 / 358
Go-san-bom-mat-i 35 / 352	Gu-tye-jong-deong-gul 40 / 414	Gwan-mo-po-a-pul 38 / 579
Go-san-gu-seul-bung-i 35 / 477	Gu-sang-na-mu 41 / 333	Gwi-bak-jwi-na-mul 44 / 559
Go-san-jan-dae 35 / 341	Gu-sang-nan-pul 41 / 543	Gwi-rung-na-mu 44 / 591
Go-sa-ri 34 / 594	Gu-seul-bung-i 42 / 477	Gye-bang-na-bi-na-mul 33 / 674
Go-sa-ri-gwa 34 / 594	Gu-seul-daeng-daeng-i 42 / 526	Gye-gok-go-sa-ri 33 / 448
Go-sa-ri-sam 34 / 626	Gu-seul-gae-go-sa-ri 41 / 369	Gyeo-i-sak 32 / 344
Go-sa-ri-sam-gwa 34 / 551	Gu-seul-gat-naeng-i 41 / 608	Gyeo-i-sak-sok 32 / 343
Go-sa-ri-sam-sok 34 / 626	Gu-seul-gol-mu-kkot 41 / 632	Gyeo-i-sak-yeo-kkwi 32 / 567
Go-sa-ri-sok 35 / 594	Gu-seul-kkot-na-mu-na 42 / 342	Gyeo-ja-bok-ju-meo-ni-ran 32 / 432
Go-seong-gol 35 / 629	Gu-seul-kkot-na-mu-sok 42 / 342	Gyeong-seong-je-bi-kkot 33 / 678
Go-seum-do-ehi-pul 35 / 664	Gu-seul-o-i-pul 42 / 620	Gyeong-seong-sa-cho 32 / 388
Go-seum-do-ehi-pul-sok 35 / 664	Gu-seul-sa-cho 42 / 398	Gyeong-seong-seo-deol-chwi 33 / 623
Go-yang-i-su-yeom 35 / 607	Gu-sil-ba-wi-chwi 42 / 625	Gyeop-dol-jan-go-sa-ri 32 / 539
Go-yang-ssa-ri 35 / 516		

Gyeop-do-ra-ji 32 / 578
 Gyeop-ham-bak-kkot-na-mu 32 / 532
 Gyeo-pul 32 / 512
 Gyeo-pul-sok 32 / 512
 Gyeop-wae-mi-na-ri-a-jae-bi 32 / 601
 Gyeo-rak-gyeo-sa-cho 31 / 395
 Gyeo-sa-cho 32 / 395
 Gyeo-ul-ttal-gi 32 / 611
 Gyeo-u-sal-i 32 / 679
 Gyeo-u-sal-i-gwa 32 / 526
 Gyeo-u-sal-i-sok 32 / 679
 Gye-ryong-soe-mul-pu-re 33 / 473
 Gye-yo-deung 33 / 558
 Gye-yo-deung-sok 33 / 558
 Gyo-rae-jam-ja-ri-pi 40 / 663

H

Hae-byeon-no-bak-deong-gul 310 / 402
 Hae-byeon-no-gan-ju 310 / 505
 Hae-byeon-ssa-ri 310 / 515
 Hae-dang-hwa 310 / 609
 Hae-guk 309 / 366
 Hae-ho-mal 310 / 485
 Hae-ho-mal-sok 310 / 485
 Hae-hong-na-mul 310 / 649
 Hae-in-bi-bi-chu 310 / 491
 Hae-jang-juk-sok 310 / 362
 Hae-nyeo-kong 309 / 386
 Hae-nyeo-kong-sok 310 / 386
 Hae-o-ra-bi-nan-cho 310 / 484
 Hae-o-ra-bi-nan-cho-sok 310 / 484
 Hae-ran-cho 310 / 521
 Hae-ran-cho-sok 310 / 521
 Hae-san-sa-chu 310 / 392
 Haet-sa-cho 310 / 396
 Hal-mi-kkot 308 / 596
 Hal-mi-kkot-sok 309 / 596
 Hal-mi-mil-mang 309 / 414
 Han-ra-bu-chu 307 / 348
 Ham-bak-i 309 / 647
 Ham-bak-i-sok 309 / 646
 Ham-bak-kkot-na-mu 309 / 532
 Ham-buk-o-ri-na-mu 309 / 349
 Ham-buk-sa-cho 309 / 391
 Ham-gyeong-back-san-cha 309 / 511
 Ham-gyeong-na-bi-na-mul 309 / 674
 Ham-gyeong-ttal-gi 309 / 611
 Ham-heung-sseum-ba-gwi 309 / 502
 Han-dae-ri-gom-chwi 306 / 517
 Han-deul-go-sa-ri 306 / 433
 Han-deul-go-sa-ri-sok 306 / 433
 Ha-neul-ji-ge 306 / 470
 Ha-neul-ji-ge-sok 306 / 470
 Ha-neul-mae-bal-top 306 / 355
 Ha-neul-mal-na-ri 306 / 520

Ha-neul-na-ri 306 / 519
 Ha-neul-ta-ri 306 / 661
 Ha-neul-ta-ri-sok 306 / 661
 Han-gye-ryeong-pul 306 / 483
 Han-gye-ryeong-pul-sok 306 / 483
 Han-ma-di-kkot 308 / 610
 Han-ra-ba-neul-kkot 307 / 457
 Han-ra-bi-bi-chu 307 / 491
 Han-ra-cham-chwi 308 / 366
 Han-ra-cham-na-mul 308 / 574
 Han-ra-cheon-ma 308 / 476
 Han-ra-dol-jjeo-gwi 307 / 336
 Han-ra-gae-seung-ma 306 / 362
 Han-ra-gam-ja-nan-cho 306 / 553
 Han-ra-go-deul-ppae-gi 306 / 508
 Han-ra-gol-pul 307 / 504
 Han-ra-gol-pul-a-jae-bi 307 / 607
 Han-ra-gu-jeol-cho 307 / 436
 Han-ra-jam-ja-ri-nan 308 / 577
 Han-ra-jang-gu-chae 308 / 636
 Han-ra-kkot-hyang-yu 307 / 454
 Han-ra-kkot-jang-po 307 / 659
 Han-ra-mul-bu-chu 307 / 501
 Han-ran 308 / 428
 Han-ra-no-ru-o-jum 307 / 367
 Han-ra-ok-jam-nan-cho 308 / 522
 Han-ra-sa-cho 307 / 391
 Han-ra-sae-dung-ji-ran 307 / 548
 Han-ra-san-bi-jang-i 307 / 635
 Han-ra-san-cham-kkot-na-mu 307 / 605
 Han-ra-san-jin-dal-rae 307 / 605
 Han-ra-som-da-ri 308 / 513
 Han-ra-song-i-pul 308 / 562
 Han-ra-tu-gu-kkot 308 / 337
 Han-ra-yeo-ro 308 / 669
 Han-ryeon-cho 308 / 451
 Han-ryeon-cho-sok 308 / 451
 Hap-da-ri-na-mu 309 / 537
 Hap-sil-ri 309 / 598
 Heol-tteok-i-pul 311 / 657
 Heol-tteok-i-pul-sok 311 / 657
 Heot-gae-na-mu 311 / 491
 Heot-gae-na-mu-sok 311 / 491
 Heuk-bak-ju-ga-ri 318 / 429
 Heuk-nan-cho 318 / 523
 Heuk-o-mi-ja 318 / 627
 Heuk-sam-reung 318 / 642
 Heuk-sam-reung-gwa 318 / 642
 Heuk-sam-reung-sok 318 / 642
 Heuk-san-do-bi-bi-chu 318 / 491
 Heuk-san-ga-si 318 / 609
 Heuk-sswae-gi-pul-sok 318 / 509
 Heuk-su-ma-reum 318 / 660
 Hi-eo-ri 330 / 423
 Hi-eo-ri-sok 330 / 423

Ho-ba-neul-kkot 312 / 456
 Ho-beom-kko-ri 312 / 374
 Ho-bi-su-ri 313 / 515
 Ho-dae-hwang 312 / 613
 Hoe-ip-na-mu 317 / 463
 Hoe-mok-na-mu 317 / 463
 Hoe-na-mu 317 / 463
 Hoe-ri-ba-ram-kkot 317 / 353
 Hoe-ryeong-ba-neul-kkot 317 / 456
 Hoe-ryeong-sa-cho 317 / 392
 Hoe-saek-sa-cho 317 / 390
 Hoe-sol-na-mu 317 / 653
 Hoe-yang-mok 317 / 380
 Hoe-yang-mok-gwa 317 / 380
 Hoe-yang-mok-sok 317 / 380
 Ho-gol-mu-kkot 312 / 632
 Ho-gwang-dae-su-yeom 312 / 509
 Ho-ja-deong-gul 313 / 542
 Ho-ja-deong-gul-sok 313 / 542
 Ho-ja-na-mu 313 / 434
 Ho-ja-na-mu-sok 313 / 434
 Ho-jang-geun 313 / 467
 Ho-je-bi-kkot 313 / 678
 Ho-ju-myeong-a-ju 313 / 407
 Hok-nan-cho 313 / 379
 Hok-sswae-gi-pul 313 / 509
 Hol-a-bi-ba-ram-kkot 314 / 352
 Hol-a-bi-kkot-dae 314 / 408
 Hol-a-bi-kkot-dae-gwa 314 / 408
 Hol-a-bi-kkot-dae-sok 314 / 408
 Hol-ip-no-ru-bal 314 / 597
 Hol-kkot-no-ru-bal 313 / 543
 Hol-kkot-no-ru-bal-sok 313 / 543
 Ho-mil-sa-cho 312 / 394
 Ho-mo-cho 312 / 420
 Ho-mo-cho-sok 312 / 419
 Hong-do-go-deul-ppae-gi 314 / 425
 Hong-do-go-deul-ppae-gi-sok 314 / 425
 Hong-do-kka-chi-su-yeom 314 / 531
 Hong-dol-ga-si-na-mu 314 / 610
 Hong-do-seo-deol-chwi 314 / 624
 Hong-do-won-chu-ri 314 / 487
 Hong-goe-bul-na-mu 314 / 526
 Hong-ji-ne-go-sa-ri 315 / 447
 Hong-man-byeong-cho 314 / 604
 Hong-no-do-ra-ji 314 / 564
 Hong-no-do-ra-ji-sok 314 / 564
 Hong-wol-gyul 314 / 357
 Hong-wol-gyul-sok 315 / 357
 Ho-no-ru-bal 312 / 597
 Ho-o-ri-sae 313 / 627
 Ho-o-ri-sae-sok 313 / 627
 Ho-rang-beo-deul 312 / 616
 Ho-rang-ga-si-na-mu 312 / 496

Ho-san-jang-gu-chae 313 / 637	Huin-ga-si-eong-geong-kwi 319 / 411	Huin-keun-bang-ul-sae-ran 328 / 580
Hu-bak-na-mu 317 / 532	Huin-ga-sol-song 319 / 571	Huin-keun-deung-gal-kwi 328 / 674
Hu-bak-na-mu-sok 318 / 532	Huin-geum-gang-ae-gi-na-ri 320 / 648	Huin-keun-do-duk-nom-uu-gal-o-ri 328 / 439
Hu-chu-deung 318 / 575	Huin-geum-gang-cho-rong-kkot 320 / 485	
Hu-chu-gwa 318 / 576	Huin-geu-neul-yong-dam 320 / 476	Huin-keun-gu-seul-bung-i 328 / 477
Hu-chu-sok 318 / 575	Huin-goe-bul-na-mu 320 / 526	Huin-keun-me-kkot 328 / 384
Huin-ae-ji-nak-si-je-bi-kkot 325 / 676	Huin-gol-byeong-kkot-na-mu 319 / 681	Huin-keun-na-bi-na-mul 328 / 674
Huin-ae-gi-pul 325 / 581	Huin-gol-mu-kkot 319 / 631	Huin-kko-ri-pul 320 / 671
Huin-aeng-cho 325 / 590	Huin-gom-ttal-gi 319 / 613	Huin-kko-ri-sa-cho 320 / 389
Huin-al-myeo-neu-ri-bap-pul 325 / 536	Huin-go-ryeo-eong-geong-kwi 319 / 412	Huin-kkot-chang-po 321 / 498
Huin-ba-di-na-mul 323 / 353	Huin-go-yang-i-su-yeom 319 / 607	Huin-kkot-go-bi 320 / 580
Huin-baek-ri-hyang 323 / 657	Huin-gu-reum-guk-hwa 320 / 459	Huin-kkot-gwang-dae-na-mul 320 / 508
Huin-ba-neul-eong-geong-kwi 323 / 412	Huin-gwaeng-i-nun 320 / 409	Huin-kkot-gwang-dae-na-mul-sok 320 / 508
Huin-ba-neul-gol 322 / 453	Huin-gwi-rung-na-mu 320 / 591	Huin-kkot-hyang-yu 321 / 455
Huin-bang-dong-sa-ni 323 / 431	Huin-gyeo-i-sak 319 / 344	Huin-kkot-ip-eong-geong-kwi 320 / 412
Huin-ba-wi-chwi 323 / 625	Huin-gyeop-do-ra-ji 319 / 578	Huin-kkot-jom-dak-ui-jang-pul 320 / 418
Huin-beol-kkae-deong-gul 323 / 535	Huin-han-ra-dol-jjoe-gwi 329 / 337	Huin-kkot-na-bi-na-mul 320 / 674
Huin-beom-kko-ri 323 / 374	Huin-han-ra-kkot-hyang-yu 329 / 454	Huin-kkot-yeo-kkwi 320 / 565
Huin-bi-bi-chu 323 / 490	Huin-heuk-o-mi-ja 330 / 627	Huin-kkul-pul 321 / 590
Huin-bi-neul-go-sa-ri 323 / 446	Huin-hwang-san-cham-kkot 330 / 605	Huin-mal-chae-na-mu 322 / 420
Huin-bi-neul-go-sa-ri-sok 323 / 446	Huin-hyang-yu 329 / 454	Huin-me-kkot 322 / 384
Huin-bi-ro-yong-dam 323 / 477	Huin-hyeon-ho-saek 330 / 421	Huin-mi-na-ri-a-jae-bi 322 / 602
Huin-bok-ju-meo-ni-ran 323 / 432	Huin-i-jil-pul 326 / 479	Huin-min-deul-re 322 / 652
Huin-bun-hong-du-me-tu-gu-kot 323 / 671	Huin-il-wol-bi-bi-chu 326 / 490	Huin-moe-je-bi-kkot 322 / 678
Huin-but-kkot 323 / 499	Huin-in-ga-mok 326 / 609	Huin-mo-si-dae 322 / 340
Huin-cham-kkot-bat-i 328 / 377	Huin-ip-eong-geong-kwi 326 / 412	Huin-mul-bong-seon 322 / 497
Huin-cham-kkot-na-mu 328 / 605	Huin-ip-go-ryeo-eong-geong-kwi 326 / 412	Huin-mul-ssa-ri 322 / 588
Huin-cham-ssa-ri 328 / 515	Huin-i-sak-sa-cho 326 / 395	Huin-mu-reut 322 / 628
Huin-cheol-jjuk 328 / 605	Huin-ja-ju-goe-bul-ju-meo-ni 326 / 422	Huin-myong-a-ju 322 / 407
Huin-cheo-nyeo-chi-ma 328 / 487	Huin-ja-ju-kkot-bang-mang-i 326 / 385	Huin-na-ri-jan-dae 321 / 340
Huin-cheung-kkot-na-mu 328 / 401	Huin-ja-ju-sseun-pul 326 / 649	Huin-no-rang-min-deul-re 321 / 652
Huin-dae-geuk 321 / 464	Huin-jak-sal-na-mu 326 / 383	Huin-no-rang-mu-nui-but-kkot 321 / 499
Huin-dak-ui-nan-cho 321 / 457	Huin-jan-dae 326 / 341	Huin-no-rin-jae-na-mu 321 / 650
Huin-deung 322 / 681	Huin-jang-dae-na-mul 327 / 356	Huin-o-i-pul 325 / 621
Huin-deung-goe-bul-na-mu 322 / 526	Huin-jang-gu-chae 326 / 637	Huin-o-ri-bang-pul 325 / 500
Huin-deung-sim-but-kkot 322 / 638	Huin-je-bi-go-kkal 327 / 435	Huin-pae-raeng-i-kkot 329 / 440
Huin-do-kkae-bi-eong-geong-kwi 321 / 412	Huin-je-bi-kkot 327 / 677	Huin-pul-ssa-ri 329 / 516
Huin-dong-baek-na-mu 321 / 385	Huin-je-bi-ran 327 / 577	Huin-sa-cho 323 / 390
Huin-dong-ja-kkot 321 / 528	Huin-jeong-hyang-na-mu 327 / 651	Huin-saeng-yeol-gwi-na-mu 324 / 609
Huin-do-ra-ji-mo-si-dae 321 / 339	Huin-jeot-je-bi-kkot 327 / 677	Huin-san-cheol-jjuk 324 / 606
Huin-du-me-ja-un 321 / 557	Huin-jin-beom 328 / 336	Huin-sang-sa-hwa 324 / 530
Huin-du-me-yang-gwi-bi 321 / 559	Huin-jin-dal-rac 327 / 605	Huin-san-ssuk 324 / 360
Huin-dung-geun-i-jil-pul 321 / 478	Huin-jin-peo-ri-jan-dae 328 / 340	Huin-seom-cho-rong-kkot 324 / 385
Huin-eok-sae 325 / 541	Huin-jo-baeng-i 327 / 378	Huin-seom-gae-hoe-na-mu 324 / 651
Huin-eol-re-ji 325 / 462	Huin-jo-gae-na-mul 327 / 345	Huin-seom-jwi-son-i 324 / 479
Huin-gae-su-yeom 319 / 460	Huin-jo-hui-pul 327 / 414	Huin-sok-dan 324 / 570
Huin-gak-si-but-kkot 319 / 499	Huin-jom-ba-wi-sol 327 / 555	Huin-sol-na-mul 324 / 475
Huin-gak-si-chwi 319 / 624	Huin-jom-bi-bi-chu 327 / 491	Huin-som-yeo-kkwi 324 / 565
Huin-gal-kwi 319 / 474	Huin-jom-hyeon-ho-saek 327 / 421	Huin-song-i-pul 324 / 563
Huin-gal-kwi-hyeon-ho-saek 319 / 422	Huin-jom-seol-aeng-cho 327 / 589	Huin-ssa-ri 325 / 514
Huin-gal-kwi-na-mul 319 / 673	Huin-jom-yang-ji-kkot 327 / 588	
Huin-gap-sa-je-bi-kkot 319 / 677	Huin-jo-rok-ssa-ri 327 / 515	

Huin-sseum-ba-gwi 325 / 502
 Huin-ssuk 325 / 361
 Huin-su-gol-mu-kkot 324 / 631
 Huin-suk-eun-no-ru-o-jum 324 / 367
 Huin-su-keu-ryeong 324 / 564
 Huin-sul-pae-raeng-i-kkot 324 / 440
 Huin-ta-rae-nan-cho 328 / 644
 Huin-teol-bok-ju-meo-ni-ran 329 / 432
 Huin-teol-dang-ma-ga-mok 329 / 641
 Huin-teol-dong-ja-kkot 329 / 528
 Huin-teol-go-gwang-na-mu 329 / 569
 Huin-teol-go-sa-ri 329 / 438
 Huin-teol-gwi-rung-na-mu 329 / 591
 Huin-teol-je-bi-kkot 329 / 676
 Huin-teol-min-deul-re 329 / 653
 Huin-teol-sol-na-mul 329 / 475
 Huin-teo-ri-pul 328 / 470
 Huin-top-jan-dae 329 / 339
 Huin-ttang-bissa-ri 322 / 497
 Huin-ttat-ttal-gi 322 / 472
 Huin-wae-hyeon-ho-saek 326 / 421
 Huin-wae-jeot-ga-rak-na-mul 326 / 602
 Huin-wang-gaet-ssuk-bu-jaeng-i
 325 / 366
 Huin-yang-gwi-bi 325 / 559
 Huin-yeo-kkwi 325 / 565
 Huin-yeo-ro 325 / 670
 Huin-yong-dam 326 / 477
 Huin-yong-meo-ri 326 / 445
 Hu-pi-hyang-na-mu 318 / 654
 Hu-pi-hyang-na-mu-sok 318 / 654
 Hu-ra-bel-ra-ta-sa-cho 317 / 391
 Hwa-eom-je-bi-kkot 315 / 676
 Hwal-na-mul 315 / 426
 Hwal-na-mul-sok 315 / 426
 Hwal-ryang-na-mul 315 / 510
 Hwang-byeok-na-mu 316 / 569
 Hwang-byeok-na-mu-sok 316 / 569
 Hwang-cheol-na-mu 316 / 585
 Hwang-chil-na-mu 317 / 437
 Hwang-chil-na-mu-sok 317 / 437
 Hwang-geum-som-dae 316 / 639
 Hwang-geun 315 / 489
 Hwang-gi 316 / 368
 Hwang-gi-sok 316 / 367
 Hwang-go-sa-ri 315 / 437
 Hwang-hae-ssuk 317 / 359
 Hwang-jong-yong 316 / 554
 Hwang-mae-hwa 316 / 506
 Hwang-mae-hwa-sok 316 / 506
 Hwang-sae-go-raeng-i 316 / 629
 Hwang-sae-naeng-i 316 / 387
 Hwang-sae-naeng-i-sok 316 / 386
 Hwang-sae-pul 316 / 461
 Hwang-sae-pul-sok 316 / 461

Hwang-sae-seung-ma 316 / 409
 Hwang-san-cha 316 / 605
 Hwan-sam-deong-gul 315 / 491
 Hwan-sam-deong-gul-sok 315 / 491
 Hwa-sal-gom-chwi 315 / 517
 Hwa-sal-na-mu 315 / 462
 Hwa-sal-na-mu-sok 315 / 462
 Hwa-sal-sa-cho 315 / 389
 Hwa-san-gop-seul-sa-cho 315 / 397
 Hwa-tae-hwang-byeok-na-mu 315 / 569
 Hyang-bu-ja 311 / 431
 Hyang-deung-gol-na-mul 311 / 464
 Hyang-gi-pul-sok 311 / 354
 Hyang-mo 311 / 489
 Hyang-mo-sok 311 / 489
 Hyang-na-mu 311 / 505
 Hyang-na-mu-sok 311 / 504
 Hyang-yu 311 / 454
 Hyang-yu-sok 311 / 454
 Hyeong-gae-sok 312 / 627
 Hyeon-ho-saek 312 / 423
 Hyeon-ho-saek-gwa 312 / 473
 Hyeon-ho-saek-sok 312 / 421
 Hyeon-sam 311 / 630
 Hyeon-sam-gwa 311 / 631
 Hyeon-sam-sok 311 / 630
 Hyeop-juk-do-gwa 312 / 355

I

I-dae 228 / 593
 I-dae-sok 228 / 593
 I-go-deul-ppae-gi 228 / 425
 I-hwa-gu-jeol-cho 229 / 436
 I-jil-pul 229 / 479
 Ik-mo-cho 230 / 513
 Ik-mo-cho-sok 230 / 513
 Il-bon-sa-cho 230 / 392
 Il-saek-go-sa-ri 230 / 357
 Il-wol-bi-bi-chu 231 / 490
 Il-wol-san-byeol-kkot 231 / 646
 Il-wol-san-sa-na-mu 231 / 424
 Il-wol-to-hyeon-sam 231 / 631
 Il-yeop-a-jae-bi 230 / 485
 Il-yeop-a-jae-bi-gwa 230 / 680
 Il-yeop-a-jae-bi-sok 230 / 485
 Il-yeop-cho 231 / 513
 Il-yeop-cho-sok 231 / 513
 Im-gye-cheong-dak-ui-nan-cho
 231 / 457
 I-na-mu 228 / 496
 I-na-mu-sok 228 / 496
 In-cheon-jan-dae 230 / 340
 In-dong-deong-gul 230 / 525
 In-dong-gwa 230 / 386
 In-dong-sok 230 / 524

In-ga-mok 230 / 609
 In-ga-mok-jo-pap-na-mu 230 / 643
 In-je-sa-cho 230 / 392
 I-no-ri-na-mu 228 / 424
 In-sam 230 / 559
 In-sam-sok 230 / 559
 I-pap-na-mu 229 / 407
 I-pap-na-mu-sok 229 / 407
 Ip-gal-na-mu 231 / 510
 Ip-gal-na-mu-sok 231 / 510
 Ip-sae-ba-wi-sol 231 / 555
 Ip-sul-mang-cho 231 / 441
 Ip-sul-mang-cho-sok 231 / 441
 I-reun-beom-kko-ri 228 / 374
 I-sak-ba-kkot 229 / 336
 I-sak-bi-bi-chu 229 / 490
 I-sak-bom-mat-i 229 / 647
 I-sak-bom-mat-i-sok 229 / 647
 I-sak-dan-yeop-ran 228 / 533
 I-sak-dan-yeop-ran-sok 229 / 533
 I-sak-gwi-gae 228 / 667
 I-sak-ho-mo-cho 229 / 419
 I-sak-mul-su-se-mi 229 / 546
 I-sak-sa-cho 229 / 390
 I-sak-song-i-pul 229 / 563
 I-sak-yeo-kkwi 229 / 565
 I-sam-sa-cho 229 / 394
 I-seu-ra-ji 229 / 591

J

Ja-ban-pul 232 / 551
 Ja-ban-pul-sok 232 / 551
 Ja-byeong-chwi 233 / 622
 Jae-ssuk 238 / 438
 Jae-ssuk-sok 238 / 438
 Ja-geum-u 232 / 358
 Ja-geum-u-gwa 232 / 546
 Ja-geum-u-sok 232 / 357
 Ja-gwi-na-mu 231 / 346
 Ja-gwi-na-mu-sok 231 / 346
 Ja-gwi-pul 231 / 343
 Ja-gwi-pul-sok 232 / 343
 Ja-jak-na-mu 233 / 373
 Ja-jak-na-mu-gwa 233 / 373
 Ja-jak-na-mu-sok 233 / 372
 Ja-ju-ae-gi-gwaeng-i-bap 234 / 557
 Ja-ju-al-rok-je-bi-kkot 234 / 678
 Ja-ju-bak-ju-ga-ri 233 / 429
 Ja-ju-bang-a-pul 234 / 501
 Ja-ju-bang-ga-ji-ttong 233 / 508
 Ja-ju-bok-ju-meo-ni-ran 234 / 432
 Ja-ju-deong-gul-byeol-kkot 233 / 427
 Ja-ju-gae-hwang-gi 233 / 367
 Ja-ju-gae-meo-ru 233 / 350
 Ja-ju-gae-mil 233 / 455

Ja-ju-ga-neun-o-i-pul 233 / 621	Jang-mi-gwa 237 / 610	Je-ju-gae-gwan-jung 241 / 584
Ja-ju-goe-bul-ju-meo-ni 233 / 422	Jang-mi-sok 237 / 608	Je-ju-geom-jeong-gok-jeong-cho 241 / 460
Ja-ju-hwang-gi 234 / 368	Jan-go-sa-ri 235 / 437	Je-ju-gin-ip-mo-si-pul 242 / 375
Ja-ju-i-dae 234 / 593	Jan-go-sa-ri-sok 235 / 437	Je-ju-go-sa-ri-sam 241 / 534
Ja-ju-ip-je-bi-kkot 234 / 678	Jang-seong-sa-cho 238 / 393	Je-ju-go-sa-ri-sam-sok 241 / 534
Ja-ju-jang-dae-na-mul 234 / 356	Jang-su-go-sa-ri 238 / 449	Je-ju-guk-hwa 242 / 366
Ja-ju-ji-ne-go-sa-ri 234 / 448	Jang-su-man-ri-hwa 238 / 472	Je-ju-ha-neul-ji-gi 243 / 471
Ja-ju-jo-hui-pul 234 / 414	Jang-su-paeng-na-mu 238 / 403	Je-ju-hwang-gi 243 / 368
Ja-ju-jok-do-ri-pul 234 / 363	Jang-ttal-gi 237 / 612	Je-ju-hyeon-sam 243 / 630
Ja-ju-jong-deong-gul 234 / 413	Jan-ip-ba-di 236 / 353	Je-ju-jang-ttal-gi 243 / 612
Ja-ju-kkot-bang-mang-i 233 / 385	Jan-ip-san-bi-jang-i 236 / 635	Je-ju-jin-deuk-chal 243 / 636
Ja-ju-kkwong-ui-be-reum 233 / 494	Jan-na-bi-na-mul 235 / 673	Je-ju-ji-ne-go-sa-ri 243 / 446
Ja-ju-kkwong-ui-da-ri 233 / 655	Jan-nun-sseop-go-sa-ri 235 / 365	Je-ju-jjil-re 243 / 609
Ja-ju-po-a-pul 234 / 579	Jan-sil-ssuk 236 / 469	Je-ju-jo-rit-dae 243 / 622
Ja-ju-som-dae 234 / 638	Jan-sol-ip-sa-cho 236 / 389	Je-ju-keun-mul-tong-i 243 / 573
Ja-ju-ssneun-pul 234 / 649	Jan-teol-beot-na-mu 236 / 592	Je-ju-keun-ok-mae-deup-pul 243 / 583
Ja-ju-ttang-gwi-gae 233 / 667	Jan-teol-deum-mun-go-sa-ri 236 / 538	Je-ju-mo-si-pul 242 / 376
Jak-eun-hwang-sae-pul 235 / 461	Jan-teol-in-dong 236 / 525	Je-ju-mul-bu-chu 242 / 501
Jak-eun-sa-wi-jil-ppang 235 / 414	Jan-teol-je-bi-kkot 236 / 677	Je-ju-mu-yeop-ran 242 / 511
Jak-sal-na-mu 234 / 383	Jan-teol-ma-ga-mok 236 / 641	Je-ju-na-rae-sae 242 / 647
Jak-sal-na-mu-sok 235 / 383	Jan-teol-o-ri-na-mu 236 / 349	Je-ju-ol-chaeng-i-gol 243 / 629
Jak-yak-gwa 235 / 558	Jan-top-bi-jang-i 236 / 635	Je-ju-pi-mak-i 243 / 493
Jak-yak-sok 235 / 558	Jap-gol-sa-cho 236 / 388	Je-ju-sae-pul 242 / 381
Jam-ja-ri-nan-cho 236 / 484	Jap-ssa-ri 236 / 516	Je-ju-san-beo-deul 242 / 616
Jam-ja-ri-pi 236 / 664	Ja-ran 232 / 375	Je-ju-sang-sa-hwa 242 / 530
Jam-ja-ri-pi-sok 236 / 664	Ja-ran-cho 232 / 345	Je-ju-san-ittal-gi 242 / 612
Jan-dae 235 / 341	Ja-ran-sok 232 / 375	Je-ju-sip-ja-go-sa-ri 242 / 584
Jan-dae-sok 235 / 339	Ja-ra-pul 232 / 492	Je-ju-ssa-ri-naeng-i 243 / 387
Jan-di 235 / 685	Ja-ra-pul-gwa 232 / 492	Je-ju-yang-ji-kkot 243 / 588
Jan-di-ba-raeng-i 235 / 442	Ja-ra-pul-sok 232 / 492	Jeol-cho-na-mu 239 / 525
Jan-di-ba-raeng-i-sok 235 / 442	Ja-ri-gong-gwa 232 / 572	Jeol-guk-dae 239 / 638
Jan-di-gal-go-ri 235 / 438	Ja-ri-gong-sok 232 / 572	Jeol-gut-dae 239 / 450
Jan-di-sok 235 / 685	Ja-ru-na-do-go-sa-ri-sam 232 / 552	Jeol-gut-dae-sok 239 / 450
Jang-baek-je-bi-kkot 238 / 675	Jat-na-mu 237 / 575	Jeol-yeong-pul 239 / 425
Jang-baek-pae-raeng-i-kkot 238 / 440	Je-bi-but-kkot 241 / 498	Jeom-bak-i-byeol-kkot-pul 240 / 649
Jang-dae-naeng-i 237 / 372	Je-bi-dong-ja-kkot 241 / 528	Jeom-bak-i-cheon-nam-seong 240 / 359
Jang-dae-naeng-i-sok 237 / 372	Je-bi-go-kkal 240 / 435	Jeom-bak-i-gu-reum-byeong-a-ri-nan-cho 239 / 483
Jang-dae-na-mul 237 / 356	Je-bi-go-kkal-sok 240 / 435	Jeom-bong-san-eong-geong-kwi 240 / 412
Jang-dae-na-mul-sok 237 / 355	Je-bi-kko-ri-go-sa-ri 241 / 592	Jeom-go-sa-ri 239 / 495
Jang-dae-yeo-kkwi 237 / 566	Je-bi-kko-ri-go-sa-ri-sok 241 / 592	Jeom-go-sa-ri-sok 239 / 495
Jang-dae-na-mul 237 / 420	Je-bi-kkot 241 / 677	Jeom-hyeon-ho-saek 240 / 422
Jang-eok-sae 238 / 541	Je-bi-kkot-gwa 241 / 679	Jeom-na-do-na-mul 239 / 404
Jang-gu-bap-na-mu 237 / 483	Je-bi-kkot-sok 241 / 675	Jeom-na-do-na-mul-sok 239 / 404
Jang-gu-bap-na-mu-sok 237 / 482	Je-bi-kkul 241 / 656	Jeom-swi-ttang-na-mu 240 / 640
Jang-gu-chae 237 / 636	Je-bi-kkul-sok 241 / 656	Jeong-geum-na-mu 240 / 667
Jang-gun-dae-sa-cho 237 / 396	Je-bi-nan-cho 241 / 577	Jeong-hyang-na-mu 240 / 651
Jang-gun-pul 237 / 604	Je-bi-nan-cho-sok 241 / 577	Jeong-hyang-pul 240 / 351
Jang-heung-gok-jeong-cho 238 / 460	Je-bi-ssuk 241 / 360	Jeong-hyang-pul-sok 240 / 351
Jang-ji-chae 238 / 626	Je-ju-baek-un-pul 242 / 551	Jeong-neung-cham-na-mu 240 / 599
Jang-ji-chae-gwa 238 / 626	Je-ju-bang-ul-ran 242 / 484	Jeong-seon-ba-wi-sol 240 / 554
Jang-ji-chae-sok 238 / 626	Je-ju-beot-na-mu 242 / 592	
Jang-ji-seok-nam 238 / 352	Je-ju-chang-go-sa-ri 243 / 417	
Jang-ji-seok-nam-sok 238 / 351	Je-ju-dae-geuk 242 / 465	
Jang-mi-bit-bok-ju-meo-ni-ran	Je-ju-dal-gu-ji-pul 242 / 662	

- | | |
|--------------------------------------|---------------------------------------|
| Jeong-seon-hwang-gi 240 / 368 | Jin-peo-ri-jan-dae 264 / 340 |
| Jeong-yeong-eong-geong-kwi | Jin-peo-ri-kka-chi-su-yeom 263 / 530 |
| 240 / 411 | Jin-peo-ri-kkot-na-mu 263 / 405 |
| Jeon-ho 239 / 354 | Jin-peo-ri-kkot-na-mu-sok 263 / 405 |
| Jeon-ho-sok 239 / 354 | Jin-peo-ri-no-ru-o-jum 263 / 367 |
| Jeon-ju-mul-kko-ri-pul 239 / 449 | Jin-peo-ri-sa-cho 264 / 388 |
| Jeon-na-mu 238 / 333 | Jin-peo-ri-sae 264 / 542 |
| Jeon-na-mu-sok 239 / 333 | Jin-peo-ri-sae-sok 264 / 542 |
| Jeon-ui-geum-bul-cho 239 / 498 | Jin-peo-ri-yong-dam 264 / 477 |
| Jeot-ga-rak-na-mul 240 / 601 | Jin-ttang-go-chu-pul 263 / 435 |
| Jeung-san-ssuk 260 / 359 | Jin-ttang-go-chu-pul-sok 263 / 435 |
| Ji-chae 261 / 662 | Jip-kke-go-ro-soe 264 / 334 |
| Ji-chae-gwa 261 / 503 | Ji-po-na-mu 262 / 668 |
| Ji-chae-sol 261 / 662 | Jip-sa-cho 264 / 399 |
| Ji-chi 261 / 523 | Jip-sin-na-mul 265 / 343 |
| Ji-chi-gwa 261 / 376 | Jip-sin-na-mul-sok 265 / 343 |
| Ji-ching-gae 262 / 488 | Ji-reong-ku-na-mu 260 / 620 |
| Ji-ching-gae-sok 262 / 488 | Ji-ri-ba-kkot 261 / 336 |
| Ji-chi-sok 262 / 523 | Ji-ri-dae-geuk 260 / 465 |
| Jil-gyeong-i 264 / 576 | Ji-ri-dae-sa-cho 260 / 395 |
| Jil-gyeong-i-gwa 264 / 576 | Ji-ri-gae-gwan-jung 260 / 584 |
| Jil-gyeong-i-sok 264 / 576 | Ji-ri-gang-hwal 260 / 353 |
| Jil-gyeong-i-taek-sa 264 / 346 | Ji-ri-go-deul-ppae-gi 260 / 425 |
| Jin-beom 263 / 337 | Ji-ri-goe-bul-na-mu 260 / 525 |
| Jin-bo-ra-but-kkot 263 / 499 | Ji-ri-o-ri-bang-pul 261 / 500 |
| Jin-dal-rae 262 / 605 | Ji-ri-san-gae-byeo-kkot 261 / 594 |
| Jin-dal-rae-gwa 262 / 459 | Ji-ri-san-gim-ui-teol 261 / 468 |
| Jin-dal-rae-sok 262 / 604 | Ji-ri-san-go-sa-ri 261 / 369 |
| Jin-deuk-chal 262 / 636 | Ji-ri-san-ha-neul-mal-na-ri 261 / 520 |
| Jin-deuk-chal-sok 262 / 636 | Ji-ri-san-kko-ri-pul 261 / 671 |
| Jin-deul-geom-jeong-sa-cho 262 / 395 | Ji-ri-san-o-gal-pi 261 / 454 |
| Jin-deul-pi 263 / 481 | Ji-ri-san-sup-go-sa-ri 261 / 420 |
| Jin-deul-sa-cho 263 / 392 | Ji-ri-sil-cheong-sa-cho 261 / 397 |
| Jin-deul-ttal-gi 262 / 611 | Ji-ri-teo-ri-pul 261 / 469 |
| Jin-dossa-ri 262 / 516 | Jjak-ja-rae-na-mu 265 / 603 |
| Ji-ne-bal-ran 260 / 413 | Jjal-beun-gae-yeo-kkwi 265 / 566 |
| Ji-ne-bal-ran-sok 260 / 413 | Jjal-beun-sa-sang-ja 265 / 555 |
| Ji-ne-go-sa-ri 260 / 560 | Jjl-re-kkot 265 / 609 |
| Ji-neu-reo-mi-go-sa-ri 260 / 494 | Jjok-beo-deul 265 / 617 |
| Ji-neu-reo-mi-go-sa-ri-sok 260 / 494 | Jjok-dong-back-na-mu 265 / 648 |
| Jin-go-sa-ri 262 / 437 | Jjok-ga-rae-na-mu 265 / 503 |
| Jin-go-sa-ri-sok 262 / 437 | Jjok-jan-go-sa-ri 265 / 365 |
| Jin-heuk-pul 264 / 539 | Jo-a-jae-bi 245 / 635 |
| Jin-heuk-pul-sok 264 / 539 | Jo-baeng-i 245 / 378 |
| Jin-hwang-jeong 264 / 581 | Jo-baeng-i-sok 245 / 378 |
| Jin-geo-ri-go-sa-ri 263 / 448 | Jo-bap-na-mul 245 / 489 |
| Jin-ju-ba-wi-sol 263 / 554 | Jo-bap-na-mul-sok 245 / 489 |
| Jin-ju-go-chu-na-mul 263 / 495 | Jo-do-man-du-na-mu 244 / 481 |
| Jin-nam-po-sa-cho 262 / 397 | Jo-do-man-du-na-mu-sok 244 / 481 |
| Jin-no-rang-sang-sa-hwa 262 / 530 | Jo-gae-na-mul 244 / 345 |
| Jin-peol-hyeon-ho-saek 264 / 421 | Jo-gae-na-mul-sok 244 / 345 |
| Jin-peo-ri-beo-deul 264 / 617 | Jo-gae-pul 244 / 362 |
| Jin-peo-ri-gae-go-sa-ri 263 / 437 | Jo-gae-pul-sok 244 / 362 |
| Jin-peo-ri-go-sa-ri 263 / 514 | Jo-i-sa-sa-cho 245 / 396 |
| Jin-peo-ri-go-sa-ri-sok 263 / 514 | Jok-do-ri-pul 245 / 363 |
| | Jok-do-ri-pul-sok 245 / 362 |
| | Jok-je-bi-go-sa-ri 245 / 449 |
| | Jol-bang-je-bi-kkot 246 / 675 |
| | Jol-cham-na-mu 246 / 600 |
| | Jol-gal-cham-na-mu 246 / 599 |
| | Jom-ba-neul-kkot 249 / 457 |
| | Jom-ba-neul-sa-cho 249 / 506 |
| | Jom-ba-neul-sa-cho-sok 249 / 506 |
| | Jom-ba-raeng-i 249 / 442 |
| | Jom-ba-wi-sol 249 / 554 |
| | Jom-bi-bi-chu 250 / 491 |
| | Jom-bo-ri-sa-cho 249 / 397 |
| | Jom-bu-cheo-kkot 249 / 350 |
| | Jom-bu-cheo-kkot-sok 249 / 350 |
| | Jom-bu-chu 250 / 347 |
| | Jom-bun-beo-deul 250 / 618 |
| | Jom-cham-bit-sal-na-mu 252 / 463 |
| | Jom-cham-kkot 252 / 605 |
| | Jom-cheo-nyeo-i-kki 252 / 535 |
| | Jom-cheung-cheung-jan-dae 252 / 341 |
| | Jom-daeng-gang-na-mu 248 / 332 |
| | Jom-dak-ui-jang-pul 248 / 418 |
| | Jom-dam-bae-pul 248 / 400 |
| | Jom-da-ram-jwi-kko-ri 248 / 491 |
| | Jom-do-kkae-bi-sa-cho 248 / 392 |
| | Jom-dol-pat 248 / 675 |
| | Jom-dol-pi 248 / 450 |
| | Jom-eo-ri-yeon-kkot 251 / 550 |
| | Jom-gae-gat-naeng-i 246 / 608 |
| | Jom-gae-gu-ri-bap 246 / 512 |
| | Jom-gae-gu-ri-bap-sok 246 / 512 |
| | Jom-gae-mi-chwi 246 / 366 |
| | Jom-gae-su-yeom 246 / 460 |
| | Jom-ga-ji-pul 246 / 530 |
| | Jom-gal-mae-na-mu 246 / 603 |
| | Jom-go-chu-na-mul 246 / 495 |
| | Jom-gol-dam-cho 247 / 386 |
| | Jom-gol-mu-kkot 247 / 631 |
| | Jom-go-sa-ri 246 / 578 |
| | Jom-go-sa-ri-sam 246 / 377 |
| | Jom-go-sa-ri-sok 246 / 578 |
| | Jom-go-yang-i-su-yeom 246 / 607 |
| | Jom-gul-geo-ri-na-mu 247 / 434 |
| | Jom-gu-seul-bung-i 247 / 477 |
| | Jom-gyeo-pul 246 / 512 |
| | Jom-ho-rang-beo-deul 253 / 616 |
| | Jom-hwang-hae-ssuk 253 / 359 |
| | Jom-hyang-yu 253 / 454 |
| | Jom-hyeon-ho-saek 253 / 421 |
| | Jom-hyeon-sam 253 / 630 |
| | Jom-ja-jak-na-mu 251 / 373 |
| | Jom-jak-sal-na-mu 251 / 383 |
| | Jom-jang-gu-bap-na-mu 251 / 483 |
| | Jom-jin-go-sa-ri 252 / 437 |
| | Jom-jip-sin-na-mul 252 / 343 |

Jom-jjil-re 252 / 609	Jom-song-i-go-raeng-i 251 / 628	Jo-rit-dae-pul-sok 245 / 526
Jom-jjok-dong-baek-na-mu 252 / 648	Jom-ssa-ri 251 / 516	Jo-rit-dae-sok 244 / 621
Jom-jo-gae-pul 252 / 417	Jom-sseum-ba-gwi 251 / 502	Jo-rok-na-mu 244 / 444
Jom-jo-gae-pul-sok 252 / 417	Jom-swi-ttang-na-mu 251 / 640	Jo-rok-na-mu-gwa 244 / 485
Jom-jong-deong-gul 252 / 413	Jom-teol-jwi-ttong-na-mu 252 / 518	Jo-rok-na-mu-sok 244 / 444
Jom-jo-pap-na-mu 252 / 643	Jom-ttak-chwi 248 / 344	Jo-rok-ssa-ri 244 / 515
Jom-jwi-o-jum 252 / 668	Jom-ttal-gi 248 / 587	Jo-ryeong-eu-a-ri 244 / 413
Jom-jwi-son-i 252 / 479	Jom-u-deu-pul 251 / 682	Jo-seon-hyeon-ho-saek 245 / 423
Jom-jwi-ttong-na-mu 252 / 518	Jom-ya-gwang-na-mu 251 / 533	Jo-seon-ma-neul 245 / 348
Jom-kkae-ip-na-mu 247 / 376	Jom-yang-ji-kkot 251 / 588	Jo-seon-sa-cho 245 / 390
Jom-kke-muk 247 / 490	Jom-yun-no-ri 251 / 589	Ju-geok-bi-bi-chu 255 / 490
Jom-kko-ri-kka-chi-bap-na-mu 247 / 607	Jong-bi-na-mu 255 / 572	Ju-geok-bi-reum 255 / 633
Jom-kkot-beo-deul 247 / 618	Jong-da-ri-kkot 255 / 421	Ju-geok-daeng-gang-na-mu 255 / 332
Jom-kku-reo-mi-pul 247 / 579	Jong-da-ri-kkot-sok 255 / 421	Ju-geok-il-yeop 255 / 527
Jom-kkwang-kkwang-na-mu 247 / 496	Jong-deong-gul 255 / 414	Ju-geok-il-yeop-sok 255 / 527
Jom-kkwong-ui-bap 247 / 528	Jong-dung-gul-re 255 / 581	Ju-geok-jang-dae 255 / 356
Jom-kkwong-ui-da-ri 247 / 655	Jong-ga-si-na-mu 255 / 600	Ju-geok-no-ru-bal 255 / 597
Jom-ma-di-geo-meo-ri-mal 248 / 685	Jo-pap-na-mu 245 / 643	Ju-jeo-ri-go-sa-ri 256 / 447
Jom-mae-ja-gi 248 / 629	Jo-pap-na-mu-sok 245 / 643	Juk-baek-ran 257 / 428
Jom-maek-mun-dong 248 / 523	Jop-eun-baek-san-cha 253 / 511	Juk-dae 256 / 582
Jom-meo-gwi-na-mu 248 / 683	Jop-eun-eo-su-ri 253 / 488	Juk-dae-a-jae-bi 256 / 648
Jom-mi-kku-ri-gwang-i 249 / 659	Jop-eun-hae-hong-na-mul 255 / 648	Juk-dae-a-jae-bi-sok 257 / 647
Jom-mi-kku-ri-gwang-i-sok 249 / 659	Jop-eun-ip-bae-pung-deung 254 / 639	Juk-jeol-cho 257 / 621
Jom-min-deul-re 249 / 652	Jop-eun-ip-bo-ri-jang 254 / 451	Juk-jeol-cho-sok 257 / 621
Jom-min-ha-neul-ji-gi 249 / 470	Jop-eun-ip-cham-bit-sal-na-mu 254 / 463	Jul 257 / 684
Jom-mi-yeok-go-sa-ri 249 / 583	Jop-eun-ip-cheon-seon-gwa 254 / 469	Jul-ba-kkot 257 / 336
Jom-mok-hyeong 249 / 679	Jop-eun-ip-deong-gul-yong-dam 253 / 595	Jul-ba-neul-kkot 257 / 456
Jom-mul-ttuk-sae 249 / 614	Jop-eun-ip-deong-gul-yong-dam-sok 254 / 595	Jul-daeng-gang-na-mu 257 / 332
Jom-myeong-a-ju 249 / 407	Jop-eun-ip-dol-kkot 254 / 604	Jul-go-sa-ri 257 / 549
Jom-na-do-go-sa-ri-sam 247 / 552	Jop-eun-ip-eong-geong-kwi 254 / 411	Jul-go-sa-ri-sok 257 / 549
Jom-na-do-hi-cho-mi 247 / 583	Jop-eun-ip-ga-mak-sa-ri 253 / 373	Jul-hyeon-ho-saek 258 / 421
Jom-naeng-i 248 / 388	Jop-eun-ip-gye-yo-deung 253 / 558	Jul-kkot-ju-meo-ni 257 / 342
Jom-nang-a-cho 247 / 406	Jop-eun-ip-hae-ran-cho 254 / 521	Jul-kkot-ju-meo-ni-sok 257 / 342
Jom-nang-a-cho-sok 247 / 406	Jop-eun-ip-heuk-sam-reung 254 / 642	Jul-mal 257 / 614
Jom-ne-ip-gal-kwi 248 / 474	Jop-eun-ip-mae-ja 254 / 372	Jul-mal-sok 257 / 614
Jom-ne-mo-gol 248 / 453	Jop-eun-ip-mal 254 / 586	Jul-sa-cheol-na-mu 257 / 463
Jom-pung-ge-na-mu 253 / 402	Jop-eun-ip-mi-ki-rra-nik-si 254 / 566	Jul-sa-cho 258 / 393
Jom-sa-cheol-na-mu 250 / 463	Jop-eun-ip-mi-na-mul 254 / 639	Jul-seok-song 258 / 492
Jom-sa-da-ri-go-sa-ri 250 / 560	Jop-eun-ip-mi-na-naeng-i 254 / 388	Jul-sok 258 / 684
Jom-sae-bi-na-mu 250 / 383	Jop-eun-ip-sa-wi-jil-ppang 254 / 414	Jul-ttal-gi 257 / 612
Jom-sae-geu-ryeong 250 / 458	Jop-eun-ip-yuk-ji-kkot-beo-deul 254 / 618	Ju-mok 256 / 653
Jom-sae-po-a-pul 250 / 579	Jop-ssal-naeng-i 253 / 387	Ju-mok-gwa 256 / 653
Jom-sae-pul 250 / 438	Jop-ssal-pul 253 / 531	Ju-mok-sok 256 / 653
Jom-sae-pul-sok 250 / 438	Jop-ssal-pul-sok 253 / 465	Jung-dae-ga-ri-pul 258 / 403
Jom-san-cho-na-mu 250 / 684	Jop-ssal-sa-cho 253 / 395	Jung-dae-ga-ri-pul-sok 258 / 403
Jom-san-mi-na-ri-a-jae-bi 250 / 601	Jop-ssal-u-deu-pul 253 / 682	Jung-jeong-eok-sae 258 / 541
Jom-san-seo-eo-na-mu 250 / 400	Jo-reum-na-mul 244 / 538	Jung-na-ri 258 / 520
Jom-sa-wi-jil-ppang 250 / 413	Jo-reum-na-mul-gwa 244 / 537	Jung-neu-reup-na-mu 258 / 666
Jom-seol-aeng-cho 250 / 589	Jo-reum-na-mul-sok 244 / 537	Jung-sat-gat-sa-cho 258 / 399
Jom-si-ho 251 / 380	Jo-rit-dae 244 / 621	Jung-ui-mu-reut 258 / 473
Jom-soe-go-sa-ri 251 / 357	Jo-rit-dae-pul 245 / 526	Jung-ui-mu-reut-sok 258 / 473
Jom-soe-mul-pu-re 251 / 472		Ju-reum-geum-gang-a-ji-pul 256 / 635
Jom-sok-sae 250 / 458		Ju-reum-go-sa-ri 255 / 444
Jom-sol-bang-ul-go-raeng-i 251 / 628		Ju-reum-go-sa-ri-sok 255 / 443
		Ju-reum-ip 256 / 535

Ju-reum-ip-sok 256 / 534
 Ju-reum-je-bi-ran 256 / 547
 Ju-reum-je-bi-ran-sok 256 / 547
 Ju-reum-jo-gae-pul 256 / 552
 Ju-reum-jo-gae-pul-sok 256 / 552
 Ju-reum-sa-cho 256 / 397
 Ju-yeop-na-mu 256 / 480
 Ju-yeop-na-mu-sok 256 / 480
 Jwi-bang-ul-deong-gul 259 / 359
 Jwi-bang-ul-deong-gul-gwa 259 / 359
 Jwi-bang-ul-deong-gul-sok 259 / 359
 Jwi-da-rae 259 / 338
 Jwi-kkae-pul 258 / 544
 Jwi-kkae-pul-sok 258 / 544
 Jwi-kko-ri-mang-cho 258 / 505
 Jwi-kko-ri-mang-cho-gwa 258 / 333
 Jwi-kko-ri-mang-cho-sok 259 / 505
 Jwi-kko-ri-pul 259 / 346
 Jwi-kko-ri-pul-sok 259 / 346
 Jwi-kko-ri-sae 259 / 545
 Jwi-kko-ri-sae-pul 259 / 645
 Jwi-kko-ri-sae-pul-sok 259 / 644
 Jwi-kko-ri-sae-sok 259 / 545
 Jwi-o-jum-pul 260 / 668
 Jwi-o-jum-pul-sok 260 / 668
 Jwi-son-i-pul 259 / 479
 Jwi-son-i-pul-gwa 259 / 478
 Jwi-son-i-pul-sok 259 / 478
 Jwi-teol-i-seul 260 / 410
 Jwi-ttong-na-mu 259 / 519
 Jwi-ttong-na-mu-sok 259 / 518

K

Kal-song-i-pul 278 / 563
 Keun-ae-gi-na-ri 284 / 444
 Keun-aeng-cho 284 / 589
 Keun-baem-mu 282 / 479
 Keun-ba-neul-kkot 282 / 456
 Keun-bang-ul-sae-ran 282 / 580
 Keun-ban-jjok-go-sa-ri 282 / 595
 Keun-bi-bi-chu 283 / 491
 Keun-bi-dan-bun-chwi 282 / 623
 Keun-bi-no-ri 282 / 459
 Keun-bi-ssuk 283 / 360
 Keun-bong-ui-kko-ri 282 / 594
 Keun-bo-ri-jang-na-mu 282 / 451
 Keun-byeo-kkot 282 / 646
 Keun-byeo-ruk-a-jae-bi 282 / 542
 Keun-cham-na-mul 285 / 428
 Keun-cham-na-mul-sok 285 / 428
 Keun-cheon-il-sa-cho 286 / 397
 Keun-cheon-nam-seong 286 / 358
 Keun-cheo-nyeo-go-sa-ri 286 / 510
 Keun-cheo-nyeo-go-sa-ri-sok 286 / 510
 Keun-dak-ui-jang-pul 281 / 418

Keun-dal-ppu-ri-pul 281 / 570
 Keun-deum-seong-i-sak-sae 281 / 540
 Keun-deung-gal-kwi 281 / 674
 Keun-do-duk-nom-ui-gal-go-ri 281 / 438
 Keun-dol-dan-pung 281 / 545
 Keun-du-ru-mi-kkot 281 / 533
 Keun-eong-geong-kwi 284 / 411
 Keun-gae-bi-ja-na-mu 279 / 404
 Keun-gae-byeol-kkot 279 / 594
 Keun-gae-go-sa-ri 279 / 443
 Keun-gae-gwan-jung 279 / 584
 Keun-gae-hyeon-sam 279 / 630
 Keun-gae-mi-ja-ri 279 / 615
 Keun-gae-su-yeom 279 / 460
 Keun-gak-si-chwi 279 / 623
 Keun-ga-rae 279 / 586
 Keun-geum-mae-hwa 280 / 664
 Keun-gi-reum-sae 280 / 644
 Keun-gi-rin-cho 280 / 632
 Keun-go-chu-na-mul 279 / 495
 Keun-go-chu-pul 279 / 482
 Keun-go-chu-pul-sok 280 / 482
 Keun-goe-bul-ju-meo-ni 280 / 422
 Keun-go-raeng-i 279 / 628
 Keun-go-raeng-i-sok 279 / 628
 Keun-go-ran-cho 279 / 426
 Keun-go-yang-i-su-yeom 279 / 607
 Keun-gu-seul-bung-i 280 / 477
 Keun-gu-wa-kko-ri-pul 280 / 671
 Keun-gwaeng-i-bap 280 / 557
 Keun-ha-neul-ji-gi 286 / 471
 Keun-ha-neul-na-ri 286 / 519
 Keun-hong-ji-ne-go-sa-ri 286 / 447
 Keun-hwang-sae-naeng-i 286 / 388
 Keun-hwang-sae-pul 286 / 461
 Keun-ip-bu-deul 284 / 665
 Keun-ip-gal-kwi 284 / 474
 Keun-ip-sseun-pul 285 / 649
 Keun-jang-dae 285 / 413
 Keun-jang-dae-sok 285 / 412
 Keun-je-bi-go-kkal 285 / 435
 Keun-je-bi-ran 285 / 577
 Keun-jeol-gut-dae 285 / 450
 Keun-jeom-na-do-na-mul 285 / 404
 Keun-ji-ne-go-sa-ri 285 / 447
 Keun-jin-go-sa-ri 285 / 437
 Keun-jo-baeng-i 285 / 378
 Keun-jok-je-bi-go-sa-ri 285 / 448
 Keun-jol-bang-je-bi-kkot 285 / 677
 Keun-jo-rong 285 / 430
 Keun-jwi-kko-ri-sae 285 / 545
 Keun-kka-chi-su-yeom 280 / 530
 Keun-kkeop-jil-sae 280 / 536
 Keun-kkeun-kkeun-i-yeo-kkwi 281 / 567
 Keun-kkok-du-seo-ni 280 / 610
 Keun-kko-ri-pul 280 / 671
 Keun-kkot-eu-a-ri 280 / 414
 Keun-kkot-jang-dae 280 / 445
 Keun-kkot-ok-jam-nan-cho 280 / 523
 Keun-kkot-ttang-bissa-ri 280 / 497
 Keun-kku-reo-mi-pul 281 / 579
 Keun-kkwong-ui-bi-reum 281 / 494
 Keun-kkwong-ui-da-ri 281 / 655
 Keun-mae-ja-gi 282 / 628
 Keun-ma-reum 281 / 660
 Keun-me-kkot 282 / 384
 Keun-mul-ching-gae-na-mul 282 / 670
 Keun-mul-gae-gu-ri-bap 282 / 371
 Keun-mul-sa-gat-sa-cho 282 / 397
 Keun-mul-tong-i 282 / 573
 Keun-na-bi-na-mul 281 / 674
 Keun-ne-ip-gal-kwi 281 / 675
 Keun-neun-jaeng-i-naeng-i 281 / 387
 Keun-o-i-pul 284 / 621
 Keun-ok-mae-deup-pul 284 / 583
 Keun-pi-mak-i 286 / 493
 Keun-pi-mak-i-pul 286 / 493
 Keun-sae-po-a-pul 283 / 580
 Keun-san-beo-deul 283 / 618
 Keun-san-jop-ssal-pul 283 / 466
 Keun-san-kko-ri-pul 283 / 670
 Keun-san-kkwong-ui-da-ri 283 / 655
 Keun-san-sa-cho 283 / 394
 Keun-san-song-i-pul 283 / 562
 Keun-se-ip-jwi-son-i 283 / 478
 Keun-seom-jan-go-sa-ri 283 / 443
 Keun-sip-ja-go-sa-ri 284 / 585
 Keun-soe-go-sa-ri 284 / 357
 Keun-sok-dan 283 / 570
 Keun-sol-na-ri 283 / 520
 Keun-song-i-pul 283 / 562
 Keun-son-go-bi 283 / 417
 Keun-sswae-gi-pul 284 / 480
 Keun-sswae-gi-pul-sok 284 / 480
 Keun-su-ri-chwi 284 / 651
 Keun-teo-ri-pul 286 / 470
 Keun-top-ji-ne-go-sa-ri 286 / 447
 Keun-top-ni-na-ja-seu-mal 286 / 547
 Keun-top-pul 286 / 335
 Keun-ttuk-sa-cho 281 / 392
 Keun-u-dan-il-yeop 284 / 597
 Keun-won-chu-ri 284 / 487
 Keun-yeon-yeong-cho 284 / 663
 Keun-yeo-u-kong 284 / 606
 Ki-beo-deul 287 / 617
 Ki-da-ri-ba-kkot 287 / 336
 Ki-da-ri-cheo-nyeo-go-sa-ri 287 / 561
 Ki-da-ri-nan-cho 286 / 522
 Ki-keun-kkwong-ui-bi-reum 287 / 494

Ki-keun-san-guk 287 / 517	Kko-ri-go-sa-ri 56 / 364	Kkwong-go-sa-ri-gwa 60 / 576
Ki-keun-san-guk-sok 287 / 517	Kko-ri-go-sa-ri-gwa 56 / 364	Kkwong-go-sa-ri-sok 60 / 576
Kka-chi-bak-dal 55 / 400	Kko-ri-go-sa-ri-sok 56 / 364	Kkwong-ui-bap 60 / 527
Kka-chi-bal 55 / 373	Kko-ri-gyeo-u-sal-i 56 / 527	Kkwong-ui-bap-sok 60 / 527
Kka-chi-bap-na-mu 55 / 608	Kko-ri-gyeo-u-sal-i-sok 56 / 527	Kkwong-ui-ba-ram-kkot 60 / 353
Kka-chi-bap-na-mu-sok 55 / 607	Kko-ri-ho-mo-cho 57 / 420	Kkwong-ui-bi-reum 60 / 493
Kka-chi-go-deul-ppae-gi 55 / 425	Kko-ri-jin-dal-rae 57 / 605	Kkwong-ui-bi-reum-sok 61 / 493
Kka-chi-kkae 55 / 419	Kko-ri-jok-je-be-go-sa-ri 57 / 447	Kkwong-ui-da-ri 60 / 654
Kka-chi-kkae-sok 55 / 419	Kko-ri-jo-pap-na-mu 57 / 644	Kkwong-ui-da-ri-a-jae-bi 60 / 401
Kka-chi-su-yeom 55 / 530	Kko-ri-kka-chi-bap-na-mu 56 / 607	Kkwong-ui-da-ri-a-jae-bi-sok 60 / 401
Kkae-na-mul 55 / 501	Kko-ri-mal-bal-do-ri 56 / 439	Kkwong-ui-da-ri-sok 60 / 654
Kkaeng-kkaeng-i-pul 55 / 503	Kko-ri-ppong-na-mu 56 / 544	Ko-ma-ro-beu-po-a-pul 278 / 579
Kkaeng-kkaeng-i-pul-sok 55 / 502	Kko-ri-pul 57 / 670	Kong-bae-na-mu 278 / 598
Kkae-pul 55 / 333	Kko-ri-sae 56 / 378	Kong-beo-deul 278 / 618
Kkae-pul-sok 55 / 333	Kko-ri-seo-deol-chwi 56 / 624	Kong-gwa 278 / 467
Kkal-kkeum-jop-ssal-pul 55 / 465	Kko-ri-soe-go-sa-ri 56 / 357	Kong-jae-deong-gul 278 / 512
Kka-ma-gwi-bap-na-mu 54 / 607	Kkot-bat-i 58 / 377	Kong-jae-deong-gul-sok 278 / 512
Kka-ma-gwi-be-gae 54 / 603	Kkot-bat-i-sok 58 / 376	Kong-jae-ran 278 / 379
Kka-ma-gwi-be-gae-sok 54 / 603	Kkot-beo-deul 58 / 618	Kong-jae-ran-sok 278 / 379
Kka-ma-gwi-i-jok-na-mu 54 / 524	Kkot-cham-ssa-ri 59 / 516	Kong-pat-no-ru-bal 279 / 597
Kka-ma-gwi-i-jok-na-mu-sok 54 / 524	Kkot-chang-po 59 / 498	Kong-sok 278 / 482
Kka-ma-gwi-meo-ru 54 / 679	Kkot-cheung-cheung-i-kkot 59 / 415	
Kka-mak-ba-neul-kka-chi-bap-na-mu	Kkot-dae 58 / 408	
54 / 607	Kkot-da-ji 58 / 445	
Kka-mak-kka-chi-bap-na-mu 54 / 608	Kkot-da-ji-sok 58 / 445	
Kka-rak-gol 54 / 453	Kkot-gae-hoe-na-mu 57 / 652	
Kka-rak-hyang-gi-pul 54 / 354	Kkot-go-bi 58 / 580	
Kka-sil-ssuk-bu-jaeng-i 55 / 365	Kkot-go-bi-gwa 58 / 580	
Kke-muk 56 / 490	Kkot-go-bi-sok 58 / 580	
Kke-muk-sok 56 / 490	Kkot-ha-neul-ji-gi 59 / 379	
Kkeol-kkeol-i-pul 55 / 489	Kkot-hwang-sae-naeng-i 59 / 387	
Kkeol-kkeum-bang-dong-sa-ni 56 / 430	Kkot-hyang-yu 59 / 455	
Kkeop-jil-yong-su-yeom 56 / 441	Kkot-jan-dae 59 / 340	
Kkeun-jeok-jwi-kko-ri-pul 61 / 346	Kkot-jang-po 59 / 659	
Kkeun-kkeun-i-gwi-gae 61 / 446	Kkot-kkwong-ui-da-ri 58 / 655	
Kkeun-kkeun-i-gwi-gae-gwa 61 / 446	Kkot-ma-ri 58 / 663	
Kkeun-kkeun-i-gwi-gae-sok 61 / 445	Kkot-ma-ri-sok 58 / 662	
Kkeun-kkeun-i-jang-gu-chae 61 / 637	Kkot-myeo-neu-ri-bap-pul 58 / 536	
Kkeun-kkeun-i-jang-gu-chae-sok	Kkot-myeo-neu-ri-bap-pul-sok 58 / 536	
61 / 636	Kkot-na-bi-na-mul 58 / 674	
Kkeun-kkeun-i-ju-geok 61 / 446	Kkot-pa-dae-ga-ri 59 / 507	
Kkeun-kkeun-i-itak-ji 61 / 588	Kkot-pae-raeng-i-kkot 59 / 440	
Kkeun-kkeun-i-yeo-kkwi 61 / 567	Kkot-san-su-guk 58 / 492	
Kko-in-yong-dam 57 / 478	Kkot-ssa-ri 59 / 385	
Kkok-du-seo-ni 57 / 610	Kkot-ssa-ri-sok 59 / 385	
Kkok-du-seo-ni-gwa 57 / 611	Kkot-yeo-kkwi 59 / 565	
Kkok-du-seo-ni-sok 57 / 610	Kku-ji-na-mu 59 / 379	
Kkok-ji-go-gwang-na-mu 57 / 569	Kku-ji-ppong-na-mu 59 / 427	
Kkok-ji-yeon-ip-kkwong-ui-da-ri	Kku-ji-ppong-na-mu-sok 60 / 427	
57 / 655	Kkul-pul 60 / 590	
Kkol-ha-neul-ji-gi 57 / 471	Kkul-pul-gwa 60 / 508	
Kko-ma-bu-deul 57 / 665	Kkul-pul-sok 60 / 590	
Kko-ma-eun-nan-cho 57 / 404	Kkwang-kkwang-na-mu 59 / 496	
Kko-Ma-Naeng-i 57 / 388	Kkwong-go-bi 60 / 555	
Kko-rang-sa-cho 56 / 395	Kkwong-go-sa-ri 60 / 576	

Mae-mi-kkot 109 / 419
 Mae-mi-kkot-sok 109 / 419
 Ma-ga-mok 105 / 641
 Ma-ga-mok-sok 105 / 641
 Ma-gwa 105 / 443
 Ma-jeon-gwa 106 / 524
 Ma-ju-ip-kku-ji-na-mu 106 / 379
 Mal 108 / 587
 Mal-bal-do-ri 108 / 439
 Mal-bal-do-ri-sok 108 / 439
 Mal-chae-na-mu 109 / 421
 Mal-geun-dae-ssuk 109 / 360
 Mal-jeum 109 / 586
 Mal-naeng-i-jang-gu-chae 108 / 637
 Mal-na-ri 108 / 520
 Mal-o-jum-na-mu 109 / 620
 Mal-o-jum-ttae 109 / 466
 Mal-o-jum-ttae-sok 109 / 466
 Mal-teol-i-seul 109 / 411
 Mal-ttong-bi-reum 108 / 633
 Man-byeong-cho 107 / 604
 Man-cheop-san-cheol-jjuk 108 / 606
 Mang-gae-na-mu 109 / 372
 Mang-gae-na-mu-sok 109 / 372
 Mang-jeok-cheon-mun-dong 109 / 363
 Mang-sa-che 109 / 399
 Man-ju-ae-gi-ma-reum 108 / 660
 Man-ju-ba-ram-kkot 107 / 501
 Man-ju-ba-ram-kkot-sok 108 / 501
 Man-ju-but-kkot 108 / 499
 Man-ju-gom-sol 107 / 575
 Man-ju-go-ro-soe 107 / 334
 Man-ju-geo-e-i-sak-yeo-kkwi 107 / 565
 Man-ju-ip-gal-na-mu 108 / 510
 Man-ju-jan-dae 108 / 340
 Man-ju-jok-do-ri-pul 108 / 363
 Man-ju-mi-na-ri-a-jae-bi 107 / 601
 Man-ju-non-naeng-i 107 / 388
 Man-ju-sa-cho 108 / 394
 Man-ju-song-i-pul 108 / 563
 Man-ju-ttak-ji-kkot 107 / 588
 Man-ju-u-deu-pul 108 / 682
 Man-nyeon-kong 107 / 462
 Man-nyeon-kong-sok 107 / 462
 Man-nyeon-seok-song 107 / 529
 Man-ri-hwa 107 / 471
 Man-sam 107 / 417
 Ma-pyeon-cho 107 / 670
 Ma-pyeon-cho-gwa 107 / 670
 Ma-pyeon-cho-sok 107 / 670
 Ma-reum 106 / 660
 Ma-reum-gwa 106 / 661
 Ma-reum-sok 106 / 660
 Ma-sak-jul 106 / 660
 Ma-sak-jul-sok 106 / 660

Ma-sok 106 / 442
 Ma-ta-ri 106 / 562
 Ma-ta-ri-gwa 106 / 669
 Ma-ta-ri-sok 106 / 562
 Me-ga-mul-go-sa-ri 112 / 682
 Me-go-sa-ri-sam 112 / 377
 Me-kkot 112 / 384
 Me-kkot-gwa 112 / 419
 Me-kkot-sok 112 / 384
 Meo-gwi-na-mu 111 / 683
 Meok-neon-chul 111 / 372
 Meol-kkul 111 / 645
 Meol-kkul-sok 111 / 645
 Meong-deok-ttal-gi 111 / 612
 Meong-seok-ttal-gi 111 / 612
 Meong-ul-pul-sok 112 / 452
 Meon-na-mu 111 / 496
 Meo-ru 111 / 679
 Meo-wi 111 / 567
 Meo-wi-sok 111 / 567
 Met-su-yeong 112 / 614
 Met-yong-dam 112 / 477
 Mi-chi-gwang-i-pul 124 / 630
 Mi-chi-gwang-i-pul-sok 124 / 630
 Mi-kku-ri-gwang-i-sok 123 / 481
 Mi-kku-ri-nak-si 123 / 566
 Mil-na-mul 128 / 639
 Mil-sa-cho 128 / 389
 Mi-na-ri 123 / 550
 Mi-na-ri-a-jae-bi 123 / 602
 Mi-na-ri-a-jae-bi-gwa 123 / 601
 Mi-na-ri-a-jae-bi-sok 123 / 601
 Mi-na-ri-naeng-i 123 / 387
 Mi-na-ri-sok 123 / 550
 Min-baek-mi-kkot 126 / 429
 Min-baem-ttal-gi 126 / 449
 Min-bak-jwi-na-mul 126 / 560
 Min-ba-kkot 126 / 336
 Min-ba-raeng-i 126 / 442
 Min-ba-raeng-i-sae 126 / 539
 Min-bo-ri-su-na-mu 126 / 452
 Min-cham-dae-geuk 127 / 465
 Min-cham-jak-yak 127 / 558
 Min-cheong-ga-si-deong-gul 127 / 639
 Min-dae-paet-jip-na-mu 124 / 496
 Min-deul-re 125 / 653
 Min-deul-re-sok 125 / 652
 Min-deung-gol-na-mul 125 / 464
 Min-du-me-go-sa-ri 125 / 443
 Min-dung-che-kkot 125 / 626
 Min-dung-gal-kwi 125 / 474
 Min-dung-je-bi-kkot 125 / 677
 Min-dung-moe-je-bi-kkot 125 / 678
 Min-eun-nan-cho 127 / 404
 Min-gae-gu-ri-mi-na-ri 124 / 602
 Min-geum-gang-je-bi-kkot 124 / 676
 Min-gin-ip-gal-kwi 124 / 474
 Min-guk-hwa-su-ri-chwi 124 / 651
 Min-gu-wa-mal 124 / 520
 Min-hae-dang-hwa 128 / 610
 Min-ha-neul-ji-gi 127 / 471
 Min-huin-ip-eong-geong-kwi 128 / 412
 Min-jak-sal-na-mu 127 / 383
 Min-jam-ja-ri-nan-cho 127 / 484
 Min-ji-ne-go-sa-ri 127 / 560
 Min-jol-bang-je-bi-kkot 127 / 675
 Min-jong-ga-si-na-mu 127 / 600
 Min-ju-reum-jo-gae-pul 127 / 552
 Min-ju-yeop-na-mu 127 / 480
 Min-kkok-du-seo-ni 124 / 611
 Min-kkot-da-ji 124 / 445
 Min-kku-ji-na-mu 124 / 379
 Min-mae-hwa-ma-reum 125 / 602
 Min-mal-ttong-bi-reum 125 / 633
 Min-mang-cho 125 / 459
 Min-me-gi-i-sak 125 / 344
 Min-mi-kku-ri-nak-si 125 / 566
 Min-mul-o-ri-na-mu 125 / 348
 Min-mul-pu-re-na-mu 125 / 472
 Min-na-do-guk-su-na-mu 124 / 547
 Min-na-ja-seu-mal 124 / 547
 Min-nun-yang-ji-kkot 124 / 588
 Min-saeng-yeol-gwi 126 / 610
 Min-san-cho-na-mu 126 / 684
 Min-san-gal-kwi 126 / 475
 Min-san-jak-yak 126 / 558
 Min-seom-mal-na-ri 126 / 520
 Min-som-bang-mang-i 126 / 653
 Min-som-dae 126 / 639
 Min-ssuk-bu-jaeng-i 127 / 365
 Min-sup-gae-mil 126 / 378
 Min-sup-i-sak-sa-cho 126 / 390
 Min-tam-ra-pul 127 / 486
 Min-ttang-bi-ssa-ri 125 / 497
 Min-ya-gwang-na-mu 127 / 533
 Min-yun-no-ri-na-mu 127 / 589
 Mi-saek-bok-ju-meo-ni-ran 123 / 432
 Mi-saek-mul-bong-seon 123 / 497
 Mi-seon-na-mu 123 / 332
 Mi-seon-na-mu-sok 123 / 332
 Mi-yeok-chwi 124 / 640
 Mi-yeok-chwi-sok 124 / 640
 Mi-yeok-go-sa-ri 123 / 583
 Mi-yeok-go-sa-ri-sok 123 / 583
 Mi-yeok-jul-na-mu 123 / 664
 Mi-yeok-jul-na-mu-sok 123 / 663
 Mo-de-mi-pul 113 / 535
 Mo-de-mi-pul-sok 113 / 535
 Moe-je-bi-kkot 115 / 678
 Moe-jok-je-bi-go-sa-ri 115 / 448

Moe-seok-song 115 / 529	Mul-bong-seon-sok 120 / 497	Mul-re-na-mul-gwa 119 / 416
Moet-dae-chu-na-mu 115 / 684	Mul-bu-chu 120 / 501	Mul-re-na-mul-sok 119 / 494
Moet-eok-sae 115 / 541	Mul-bu-chu-gwa 120 / 501	Mul-sa-cho 120 / 397
Moet-hwang-gi 116 / 486	Mul-bu-chu-sok 120 / 501	Mul-sat-gat-sa-cho 120 / 397
Moet-hwang-gi-sok 116 / 486	Mul-byeo 120 / 452	Mul-seok-song 120 / 529
Moet-jang-dae 115 / 356	Mul-byeo-gwa 120 / 452	Mul-soe-tteu-gi 121 / 458
Moet-kkwong-ui-da-ri 115 / 655	Mul-byeo-i-kki 120 / 384	Mul-sok-sae 120 / 458
Moet-mi-na-ri 115 / 556	Mul-byeo-sok 120 / 452	Mul-som-bang-mang-i 121 / 654
Moet-mi-na-ri-sok 115 / 556	Mul-byeo-ruk-i-ja-ri 120 / 452	Mul-ssa-ri 121 / 588
Moet-pul-sa-cho 116 / 390	Mul-cham-dae 122 / 439	Mul-ssa-ri-pul 121 / 587
Mo-gam-ju-na-mu 113 / 507	Mul-cham-na-mu 122 / 600	Mul-ssuk 121 / 361
Mo-gam-ju-na-mu-sok 113 / 507	Mul-ching-gae-na-mul 122 / 671	Mul-su-se-mi 121 / 546
Mo-gi-bang-dong-sa-ni 113 / 431	Mul-dal-gae-bi 119 / 543	Mul-su-se-mi-sok 121 / 546
Mo-gi-gol 113 / 379	Mul-deul-me-na-mu 119 / 472	Mul-tong-i 122 / 573
Mo-gi-gol-sok 113 / 379	Mul-eok-sae 121 / 541	Mul-tong-i-sok 122 / 573
Mok-po-dae-geuk 115 / 465	Mul-eong-geong-kwi 121 / 411	Mul-ituk-sae 119 / 615
Mok-po-sa-cho 115 / 391	Mul-gae-am-na-mu 118 / 423	Mul-ituk-sae-sok 119 / 614
Mok-po-yong-dung-gul-re 115 / 581	Mul-gae-gu-ri-bap 118 / 371	Mul-yang-ji-kkot 121 / 587
Mok-ryeon 114 / 532	Mul-gae-gu-ri-bap-sok 118 / 370	Mul-yeo-kkwi 121 / 564
Mok-ryeon-gwa 114 / 532	Mul-go-chu-na-mul 118 / 661	Mun-bae 117 / 598
Mok-ryeon-sok 114 / 532	Mul-go-chu-na-mul-sok 118 / 661	Mun-ju-ran 117 / 426
Mok-seo-sok 115 / 555	Mul-gol-chwi 118 / 624	Mun-ju-ran-sok 118 / 425
Mo-mil-jat-bam-na-mu 114 / 401	Mul-gol-pul 118 / 504	Mun-mo-cho 117 / 671
Mo-mil-jat-bam-na-mu-sok 114 / 401	Mul-go-raeng-i 118 / 629	Mun-su-jo-rit-dae 117 / 362
Mong-go-ppong-na-mu 115 / 544	Mul-go-sa-ri 118 / 405	Mu-nui-cheon-nam-seong 116 / 359
Mong-ul-pul 115 / 452	Mul-go-sa-ri-gwa 118 / 561	Mu-nui-dung-gul-re 116 / 582
Mong-ul-to-hyeon-sam 115 / 630	Mul-go-sa-ri-sok 118 / 405	Mu-nui-ji-ri-dae-sa-cho 116 / 395
Mo-rae-ji-chi 114 / 358	Mul-hwang-cheol-na-mu 122 / 585	Mu-nui-jok-do-ri-pul 116 / 363
Mo-rae-ji-chi-sok 114 / 358	Mul-ip-pul 122 / 493	Mu-nui-sa-cho 116 / 394
Mo-rae-sa-cho 114 / 391	Mul-ip-pul-sok 122 / 493	Mu-reut 116 / 628
Mo-ram 114 / 469	Mul-jan-di 122 / 593	Mu-reut-sok 116 / 628
Mo-ran-ba-wi-sol 113 / 555	Mul-jan-di-sok 122 / 593	Mu-san-gom-chwi 116 / 518
Mo-sae-dal 114 / 568	Mul-ji-chae 122 / 662	Mu-san-sa-cho 117 / 388
Mo-sae-dal-sok 114 / 568	Mul-jil-gyeong-i 122 / 556	Mu-san-sang-ja 117 / 642
Mo-sae-na-mu 114 / 667	Mul-jil-gyeong-i-sok 122 / 556	Mu-san-sang-ja-sok 117 / 642
Mo-si-dae 114 / 340	Mul-kka-chi-su-yeom 118 / 531	Mu-sok 117 / 602
Mo-si-mul-tong-i 114 / 573	Mul-kko-chaeng-i-gol 118 / 453	Mu-yeop-ran 117 / 511
Mo-si-pul 114 / 375	Mul-kko-ri-pul 118 / 449	Mu-yeop-ran-sok 117 / 511
Mo-si-pul-sok 114 / 375	Mul-kko-ri-pul-sok 118 / 449	Myeok-soe-chae 112 / 630
Mu-deung-chwi 116 / 623	Mul-kkwa-ri-a-jae-bi 119 / 540	Myeol-ga-chi 112 / 339
Mu-deung-pul 116 / 629	Mul-kkwa-ri-a-jae-bi-sok 119 / 540	Myeol-ga-chi-sok 112 / 339
Mu-gung-hwa 116 / 489	Mul-mae-hwa 119 / 561	Myeo-neu-ri-bae-kkot 112 / 566
Mu-gung-hwa-sok 116 / 489	Mul-mae-hwa-sok 119 / 561	Myeo-neu-ri-mit-ssit-gae 112 / 566
Mu-hwa-gwa-na-mu-sok 117 / 469	Mul-ma-reum 119 / 661	Myeong-a-ja-yeo-kkwi 112 / 566
Mu-hwan-ja-na-mu-gwa 117 / 621	Mul-meo-wi 119 / 341	Myeong-a-ji 112 / 407
Mu-hwa-pi-ol-bang-gae-a-jae-bi	Mul-meo-wi-sok 119 / 341	Myeong-a-ju-gwa 113 / 406
117 / 453	Mul-mi-na-ri-a-jae-bi 119 / 601	Myeong-a-ju-sok 113 / 406
Mu-ju-na-mu 117 / 510	Mul-ok-jam 121 / 543	Myeong-cheon-ba-neul-kkot 113 / 456
Mu-ju-na-mu-sok 117 / 510	Mul-ok-jam-gwa 121 / 585	Myeong-cheon-bom-mat-i 113 / 352
Muk-bat-so-ri-jaeng-i 117 / 613	Mul-ok-jam-sok 121 / 543	Myeong-cheon-jang-gu-chae 113 / 637
Mul-aeng-do-na-mu 121 / 526	Mul-o-ri-na-mu 121 / 348	Myeong-cheon-ssuk 113 / 361
Mul-baem-go-sa-ri 120 / 369	Mul-pu-re-na-mu 122 / 472	Myeong-ja-na-mu-sok 113 / 405
Mul-bak-dal-na-mu 119 / 373	Mul-pu-re-na-mu-gwa 122 / 551	Myeong-ja-sun 113 / 608
Mul-bang-dong-sa-ni 120 / 431	Mul-pu-re-na-mu-sok 122 / 472	Myeon-ma-gwa 112 / 446
Mul-bong-seon 120 / 497	Mul-re-na-mul 119 / 494	Myo-hyang-bun-chwi 116 / 623

N

Na-bi-guk-su-na-mu 67 / 646
 Na-bi-na-mul 67 / 674
 Na-bi-na-mul-sok 67 / 673
 Na-bi-nan-cho 67 / 585
 Na-bi-nan-cho-sok 67 / 585
 Na-do-bam-na-mu 63 / 537
 Na-do-bam-na-mu-gwa 63 / 614
 Na-do-bam-na-mu-sok 63 / 537
 Na-do-bo-raeng-i-sae 63 / 540
 Na-do-bo-raeng-i-sok 63 / 539
 Na-do-bo-ram-kkot 63 / 456
 Na-do-bo-ram-kkot-sok 63 / 456
 Na-do-beom-ui-gwi 63 / 542
 Na-do-beom-ui-gwi-sok 63 / 542
 Na-do-byeoil-sa-cho 64 / 391
 Na-do-daepssa-ri 62 / 370
 Na-do-daepssa-ri-sok 63 / 370
 Na-do-eun-jo-rong 65 / 534
 Na-do-eun-jo-rong-sok 65 / 534
 Na-do-gae-gam-chae 61 / 524
 Na-do-gae-gwan-jung 61 / 584
 Na-do-gae-mi-ja-ri 61 / 540
 Na-do-gae-mi-ja-ri-sok 62 / 540
 Na-do-gae-pi 62 / 461
 Na-do-gae-pi-sok 62 / 460
 Na-do-gang-a-ji-pul 61 / 564
 Na-do-geu-neul-sa-cho 62 / 398
 Na-do-gi-reum-sae 62 / 386
 Na-do-gi-reum-sae-sok 62 / 386
 Na-do-go-sa-ri-sam 62 / 552
 Na-do-go-sa-ri-sam-sok 62 / 552
 Na-do-guk-su-na-mu 62 / 547
 Na-do-guk-su-na-mu-sok 62 / 547
 Na-do-gyeo-i-sak 62 / 540
 Na-do-gyeo-i-sak-sok 62 / 540
 Na-do-gyeo-pul 62 / 512
 Na-do-ha-su-o 65 / 467
 Na-do-hi-cho-mi 66 / 584
 Na-do-hi-cho-mi-sok 66 / 583
 Na-do-hwang-gi 66 / 486
 Na-do-dam-ja-ri-ran 65 / 577
 Na-do-dan-di 65 / 645
 Na-do-je-bi-ran 65 / 473
 Na-do-je-bi-ran-sok 65 / 473
 Na-do-jin-peo-ri-go-sa-ri 65 / 427
 Na-do-jin-peo-ri-go-sa-ri-sok 65 / 427
 Na-do-jom-jin-go-sa-ri 65 / 438
 Na-do-ma-reum-a-jae-bi 63 / 602
 Na-do-mi-kku-ri-nak-si 63 / 566
 Na-do-mul-tong-i 63 / 547
 Na-do-mul-tong-i-sok 63 / 547
 Na-do-naeng-i 62 / 371
 Na-do-naeng-i-sok 62 / 371
 Na-do-ok-jam-hwa 65 / 416

Na-do-ok-jam-hwa-sok 65 / 416
 Na-do-pung-ran 65 / 632
 Na-do-pung-ran-sok 65 / 632
 Na-do-saeng-gang 64 / 581
 Na-do-saeng-gang-sok 64 / 581
 Na-do-sae-yang-beo-deul 64 / 408
 Na-do-seung-ma 64 / 506
 Na-do-seung-ma-sok 64 / 506
 Na-do-song-i-pul 64 / 571
 Na-do-song-i-pul-sok 64 / 571
 Na-do-ssi-nun-ran 64 / 489
 Na-do-su-jeong-cho 64 / 543
 Na-do-su-jeong-cho-sok 64 / 543
 Na-do-su-yeong 64 / 557
 Na-do-su-yeong-sok 64 / 557
 Na-do-ttal-gi-gwang-i 63 / 410
 Na-do-ttal-gi-gwang-i-sok 63 / 410
 Na-do-yang-ji-kkot 64 / 680
 Na-do-yang-ji-kkot-sok 64 / 680
 Na-do-yeo-ro 65 / 685
 Na-do-yeo-ro-sok 65 / 685
 Nae-beo-deul 70 / 617
 Nae-jang-geum-ran-cho 70 / 345
 Nae-jang-go-sa-ri 70 / 444
 Naeng-cho 71 / 672
 Naeng-cho-sok 71 / 671
 Naeng-i 70 / 386
 Naeng-i-sok 70 / 386
 Naet-sseum-ba-gwi 70 / 502
 Na-ja-seu-mal 67 / 546
 Na-ja-seu-mal-gwa 67 / 546
 Na-ja-seu-mal-sok 67 / 546
 Nak-dong-na-sa-mal 67 / 669
 Nak-ji-da-ri 67 / 564
 Nak-ji-da-ri-sok 67 / 564
 Nak-si-dol-pul 68 / 486
 Nak-si-go-sa-ri 68 / 584
 Nak-si-je-bi-kkot 68 / 676
 Nak-si-sa-cho 68 / 391
 Nal-gae-gol-pul 69 / 503
 Nal-gae-ha-neul-na-ri 69 / 520
 Nal-gae-hyeon-ho-saek 69 / 421
 Nal-gae-jin-beom 69 / 337
 Nam-bang-gae 69 / 453
 Nam-bang-go-sa-ri 69 / 427
 Nam-bang-go-sa-ri-sok 69 / 426
 Nam-bok-song 69 / 575
 Nam-do-hyeon-ho-saek 69 / 422
 Nam-do-top-ji-ne-go-sa-ri 69 / 448
 Nam-gae-yeon 69 / 549
 Nam-ga-sae 69 / 661
 Nam-ga-sae-gwa 69 / 685
 Nam-ga-sae-sok 69 / 661
 Nam-gu-jeol-cho 69 / 436
 Nam-hae-bae-na-mu 70 / 598
 Nam-hae-jo-pap-na-mu 70 / 643
 Nam-ha-neul-ji-gi 70 / 470
 Nam-heuk-sam-reung 70 / 642
 Nam-o-mi-ja 70 / 505
 Nam-o-mi-ja-sok 70 / 505
 Nam-po-bun-chwi 70 / 622
 Nam-san-je-bi-kkot 69 / 675
 Na-mun-jae 66 / 648
 Na-mun-jae-sok 67 / 648
 Na-mu-itai-gi 66 / 612
 Na-na-beol-i-nan-cho 61 / 523
 Nan-cho-gwa 68 / 553
 Nang-a-cho 70 / 498
 Nang-dok 70 / 465
 Nang-rim-sae-pul 70 / 382
 Nan-jaeng-i-ba-wi-sol 68 / 539
 Nan-jaeng-i-ba-wi-sol-sok 68 / 538
 Nan-jaeng-i-hyeon-ho-saek 68 / 422
 Nan-jaeng-i-pae-raeng-i-kkot 68 / 440
 Nan-jaeng-i-sa-che 68 / 398
 Nan-jang-i-beo-deul 68 / 617
 Nan-jang-i-but-kkot 68 / 499
 Nan-jang-i-go-sa-ri-sam 68 / 377
 Nan-jang-i-i-kki 68 / 508
 Nan-sa-cho 68 / 392
 Nan-ti-na-mu 68 / 666
 Na-rae-bak-jwi-na-mul 66 / 559
 Na-rae-hoe-na-mu 66 / 463
 Na-rae-mi-yeok-chwi 66 / 640
 Na-rae-sae 66 / 647
 Na-rae-sae-sok 66 / 647
 Na-rae-su-song-na-mul 66 / 619
 Na-rae-wan-du 66 / 673
 Na-ri-jan-dae 66 / 340
 Na-ri-nan-cho 66 / 523
 Na-ri-nan-cho-sok 66 / 522
 Na-sa-jul-mal 67 / 614
 Na-sa-mal 67 / 669
 Na-sa-mal-sok 67 / 669
 Na-sa-mi-yeok-go-sa-ri 67 / 583
 Ne-ga-rae 74 / 534
 Ne-ga-rae-gwa 74 / 534
 Ne-ga-rae-sok 74 / 534
 Ne-gwi-sseun-pul 74 / 649
 Ne-ip-gal-kwi 74 / 475
 Ne-ip-gal-kwi-na-mul 74 / 674
 Ne-ip-sat-gat-na-mul 74 / 561
 Ne-ma-reum 74 / 660
 Ne-mo-gol 74 / 453
 Neo-do-bam-na-mu 71 / 467
 Neo-do-bam-na-mu-sok 71 / 467
 Neo-do-bang-dong-sa-ni 71 / 431
 Neo-do-ba-ram-kkot 71 / 459
 Neo-do-ba-ram-kkot-sok 71 / 459
 Neo-do-gae-mi-ja-ri 71 / 540

Neo-do-go-raeng-i 71 / 629	Neu-reup-na-mu 80 / 666	No-rin-jae-na-mu-gwa 77 / 649
Neo-do-go-raeng-i-sok 71 / 629	Neu-reup-na-mu-gwa 80 / 665	No-rin-jae-na-mu-sok 77 / 650
Neo-do-je-bi-ran 71 / 585	Neu-reup-na-mu-sok 81 / 665	No-ru-bal 76 / 597
Neo-do-kkok-du-seo-ni 71 / 611	Neu-ri-mi-go-sa-ri 81 / 448	No-ru-bal-gwa 76 / 597
Neo-do-su-jeong-cho 71 / 543	Neut-dung-gul-re 81 / 582	No-ru-bal-sok 76 / 596
Neo-do-yang-ji-kkot 71 / 636	Neut-go-sa-ri-sam 81 / 377	No-ru-cham-na-mul 77 / 574
Neo-do-yang-ji-kkot-sok 71 / 636	Neut-go-sa-ri-sam-sok 81 / 377	No-ru-gwi 76 / 488
Neok-jul-go-sa-ri 72 / 435	Neu-ti-na-mu 81 / 684	No-ru-gwi-sol 76 / 488
Neok-jul-go-sa-ri-gwa 72 / 435	Neu-ti-na-mu-sok 81 / 684	No-ru-gwi-sok 76 / 501
Neok-jul-go-sa-ri-sok 72 / 435	Neut-ssa-ri 81 / 515	No-ru-o-jum 77 / 367
Neol-beun-gin-ip-gal-kwi 72 / 474	No-bak-deong-gul 77 / 402	No-ru-o-jum-sok 77 / 367
Neol-beun-go-ro-sil-na-mu 72 / 334	No-bak-deong-gul-gwa 77 / 402	No-ru-sam 77 / 338
Neol-beun-ip-ba-neul-kkot 73 / 456	No-bak-deong-gul-sok 77 / 402	No-ru-sam-sok 77 / 338
Neol-beun-ip-cham-ga-si-na-mu 74 / 600	No-bong-baek-san-cha 77 / 511	Not-jeot-ga-rak-na-mul 78 / 336
Neol-beun-ip-cho-o 74 / 337	Noe-seong-mok 78 / 521	Nul-maeck-i-cheon-nam-seong 80 / 358
Neol-beun-ip-daeng-daeng-i 73 / 525	No-gak-na-mu 74 / 647	Nun-beom-kko-ri 79 / 374
Neol-beun-ip-dang-ma-ga-mok 73 / 641	No-gak-na-mu-sok 75 / 647	Nun-bi-nyeo-gol-pul 79 / 504
Neol-beun-ip-gae-gal-kwi 72 / 364	No-gan-ju-na-mu 75 / 505	Nun-bi-reum 79 / 349
Neol-beun-ip-gae-go-sa-ri 72 / 370	Nok-bit-sa-cho 78 / 397	Nun-bit-seung-ma 80 / 409
Neol-beun-ip-gae-su-yeom 72 / 459	Nok-bit-sil-sa-cho 78 / 398	Nun-cheuk-baek 80 / 656
Neol-beun-ip-gak-si-but-kkot 72 / 499	Nok-bo-ri-ttong-na-mu 78 / 451	Nun-cheuk-baek-sok 80 / 656
Neol-beun-ip-gal-kwi 72 / 674	Nok-da-rae 77 / 338	Nun-gae-bi-ja-na-mu 79 / 404
Neol-beun-ip-geu-neul-sa-cho 73 / 396	Nok-hwa-juk-baek-ran 78 / 428	Nun-gae-seung-ma 79 / 362
Neol-beun-ip-jam-ja-ri-ran 73 / 577	No-kkeun-sa-cho 75 / 390	Nun-gae-ssuk-bu-jaeng-i 79 / 366
Neol-beun-ip-je-bi-kkot 73 / 677	Nok-ma-ga-mok 78 / 641	Nun-gaet-beo-deul 79 / 617
Neol-beun-ip-jo-rok-na-mu 74 / 444	Nok-na-mu 77 / 410	Nun-ga-mak-sa-ri 79 / 374
Neol-beun-ip-kka-chi-bap-na-mu 73 / 608	Nok-na-mu-gwa 77 / 511	Nun-goe-bul-ju-meo-ni 79 / 422
Neol-beun-ip-kko-ri-pul 73 / 670	Nok-na-mu-sok 77 / 410	Nun-hae-byeon-ssa-ri 80 / 515
Neol-beun-ip-mal 73 / 587	Non-du-reong-sa-cho 78 / 389	Nun-hyang-na-mu 80 / 505
Neol-beun-ip-mi-kku-ri-nak-si 73 / 566	Non-naeng-i 78 / 387	Nun-jat-na-mu 80 / 575
Neol-beun-ip-mul-eok-sae 73 / 541	Non-pi 78 / 450	Nun-kka-chi-bap-na-mu 79 / 608
Neol-beun-ip-oe-ip-ssuk 73 / 361	Non-ttuk-oe-pul 78 / 522	Nun-po-a-pul 80 / 579
Neol-beun-ip-pi-sa-cho 74 / 399	No-rang-bok-ju-meo-ni-ran 75 / 432	Nun-sa-cho 80 / 397
Neol-beun-ip-san-goe-bul 73 / 525	No-rang-bu-chu 75 / 347	Nun-san-beo-deul 80 / 617
Neol-beun-ip-san-sa 73 / 424	No-rang-but-kkot 76 / 498	Nun-sseop-go-sa-ri 80 / 365
Neol-beun-ip-ssuk 73 / 361	No-rang-eo-ri-yeon-kkot 76 / 550	Nun-yang-ji-kkot 80 / 588
Neol-beun-ip-ttak-chong-na-mu 73 / 620	No-rang-gal-kwi 75 / 673	Nun-yeo-kkwi-ba-neul 80 / 527
Neol-beun-jan-dae 74 / 339	No-rang-hal-mi-kkot 76 / 596	Nu-reun-gwaeng-i-nun 78 / 408
Neol-beun-kkot-ip-gae-su-yeom 72 / 460	No-rang-ha-neul-ta-ri 76 / 662	Nu-ri-jang-na-mu 78 / 415
Neol-beun-moet-hwang-gi 72 / 486	No-rang-je-bi-kkot 76 / 677	Nu-ri-jang-na-mu-sok 78 / 415
Neol-beun-ok-jam-hwa 72 / 490	No-rang-mae-bal-top 75 / 355	Nu-rin-nae-pul 78 / 663
Neol-beun-san-kko-ri-pul 72 / 671	No-rang-man-byeo-cho 75 / 604	Nu-rin-nae-pul-sok 79 / 663
Neol-eun-ip-jwi-o-jum-pul 74 / 668	No-rang-mi-chi-gwang-i-pul 75 / 630	Nu-ruk-chi-sok 78 / 578
Neon-chul-bi-su-ri 72 / 515	No-rang-mul-bong-seon 75 / 497	Nu-un-gi-jang-dae-pul 79 / 500
Neon-chul-wol-gyul 72 / 668	No-rang-mu-nui-but-kkot 75 / 499	Nu-un-goe-bul-i-kki 79 / 508
Neo-ul-chwi 71 / 624	No-rang-paeng-na-mu 76 / 403	Nu-un-goe-bul-i-kki-sok 79 / 508
Neung-su-soe-tteu-gi 81 / 458	No-rang-seon-sseum-ba-gwi 76 / 502	Nu-un-je-bi-kkot 79 / 676
Neun-jaeng-i-naeng-i 81 / 387	No-rang-teol-jung-na-ri 76 / 519	Nu-un-ju-reum-ip 79 / 535
Neup-sa-cho 81 / 389	No-rang-ttang-na-ri 75 / 519	O
Neu-reo-jin-jang-dae 80 / 356	No-rang-tu-gu-kkot 76 / 336	Odae-san-gwaeng-i-nun 215 / 408
	No-rang-won-chu-ri 76 / 488	Odae-san-sae-bap 215 / 528
	No-ran-jang-dae 75 / 638	O-dong-na-mu 215 / 562
	No-ran-jang-dae-sok 75 / 638	O-dong-na-mu-sok 216 / 562
	No-ran-jang-ttal-gi 75 / 612	Oe-dae-ba-ram-kkot 222 / 352
	No-rin-jae-na-mu 77 / 650	

Oe-dae-eu-a-ri 222 / 413
 Oe-dae-jan-dae 223 / 340
 Oe-ip-jin-go-sa-ri 223 / 548
 Oe-ip-jin-go-sa-ri-sok 223 / 548
 Oe-ip-mul-ssuk 223 / 361
 Oe-ip-seung-ma 223 / 367
 Oe-ip-ssuk 223 / 362
 Oe-pul 223 / 522
 O-gal-pi-na-mu 215 / 454
 O-gal-pi-na-mu-sok 215 / 454
 O-i-pul 216 / 620
 O-i-pul-sok 216 / 620
 Ok-jam-nan-cho 217 / 523
 Ok-nyeo-kkot-dae 216 / 408
 Ol-bang-gae 217 / 453
 Ol-bang-gae-a-jae-bi 217 / 453
 Ol-beot-na-mu 217 / 592
 Ol-bo-ri-su-na-mu 217 / 452
 Ol-chaeng-i-go-raeng-i 217 / 628
 Ol-chaeng-i-ja-ri 217 / 375
 Ol-chaeng-i-ja-ri-sok 217 / 375
 Ol-chaeng-i-pul 217 / 375
 Ol-chaeng-i-sol 217 / 375
 Ol-goe-bul-na-mu 217 / 526
 Ol-mi 217 / 615
 O-mi-ja 216 / 627
 O-mi-ja-gwa 216 / 627
 O-mi-ja-sok 216 / 626
 Ong-gut-na-mul 217 / 366
 O-rang-kae-jang-gu-chae 216 / 637
 O-ri-bang-pul 216 / 500
 O-ri-na-mu 216 / 348
 O-ri-na-mu-deo-bu-sal-i 216 / 376
 O-ri-na-mu-deo-bu-sal-i-sok 216 / 376
 O-ri-na-mu-sok 216 / 348
 O-seong-bung-eo-ma-reum 216 / 405
 Ot-na-mu-gwa 217 / 351
 Ot-na-mu-sok 217 / 659
 O-yeop-meong-seok-ttal-gi 216 / 613
 O-yeop-ttal-gi 216 / 612

P

Pa-cho-il-yeop 300 / 364

Pa-dae-ga-ri 300 / 507

Pa-dae-ga-ri-sok 300 / 507

Pa-deu-deuk-na-mul 300 / 426

Pa-deu-deuk-na-mul-sok 300 / 426

Pae-mo 301 / 473

Pae-mo-sok 301 / 473

Paeng-na-mu 301 / 403

Paeng-na-mu-sok 301 / 402

Pae-raeng-i-kkot 301 / 439

Pae-raeng-i-kkot-sok 301 / 439

Pal-son-i 300 / 468

Pal-son-i-sok 300 / 468

Pa-ran-yeo-ro 300 / 669	Pu-jo-na-mu-sok 303 / 354
Pa-ri-pul 300 / 570	Pul-geo-buk-kko-ri 303 / 376
Pa-ri-pul-gwa 300 / 571	Pul-go-sa-ri 304 / 481
Pa-ri-pul-sok 300 / 570	Pul-go-sa-ri-gwa 304 / 481
Pat-bae-na-mu 300 / 641	Pul-go-sa-ri-sok 304 / 481
Pat-kkot-na-mu 300 / 434	Pul-myeong-ja 304 / 405
Pat-kkot-na-mu-gwa 300 / 656	Pul-san-ttal-na-mu 304 / 420
Pat-kkot-na-mu-sok 300 / 434	Pul-som-dae 304 / 533
Pel-ri-on-na-mu 301 / 563	Pul-som-na-mul 304 / 462
Pel-ri-on-na-mu-sok 301 / 563	Pul-som-na-mul-sok 304 / 462
Peo-jin-go-sa-ri 301 / 447	Pul-ssa-ri 304 / 516
Pi 305 / 450	Pul-tto-gi 304 / 592
Pi-mak-i 305 / 493	Pung-do-ba-ram-kkot 304 / 459
Pi-mak-i-sok 305 / 493	Pung-do-dae-geuk 304 / 464
Pi-na-mu 305 / 657	Pung-do-dung-gul-re 304 / 582
Pi-na-mu-gwa 305 / 658	Pung-ge-na-mu 304 / 403
Pi-na-mul 305 / 493	Pung-ran 304 / 547
Pi-na-mul-sok 305 / 493	Pung-ran-sok 304 / 547
Pi-na-mu-sok 305 / 657	Pung-san-ga-mun-bi 305 / 573
Pi-ppu-ri-pul 305 / 646	Pung-seon-nan-cho 305 / 384
Pi-ppu-ri-pul-sok 305 / 646	Pung-seon-nan-cho-sok 305 / 384
Pi-sa-cho 305 / 394	Pun-ji-na-mu 303 / 402
Pi-sok 305 / 450	Pu-reun-baek-mi-kkot 303 / 429
Po-a-pul 302 / 579	Pu-reun-bak-sae 303 / 669
Po-a-pul-sok 302 / 578	Pu-reun-bang-dong-sa-ni 303 / 431
Po-cheon-ba-wi-sol 302 / 554	Pu-reun-cheon-ma 303 / 476
Po-cheon-gu-jeol-cho 302 / 436	Pu-reun-deo-deok 303 / 417
Po-do-gwa 301 / 679	Pu-reun-gae-go-sa-ri 302 / 438
Po-do-sok 301 / 679	Pu-reun-gaet-gol-pul 302 / 504
Po-gi-geo-meo-ri-mal 301 / 685	Pu-reun-gak-si-go-sa-ri 302 / 532
Po-gi-sa-cho 301 / 389	Pu-reun-ga-mak-sal 302 / 672
Pok-i-sa-cho 302 / 398	Pu-reun-gu-sang 302 / 333
Pok-na-mu 302 / 402	Pu-reun-ha-neul-ji-ji 303 / 470
Po-pyeong-ma-reum 302 / 661	Pu-reun-jan-di 303 / 685
Po-tae-hyang-gi-pul 302 / 354	Pu-reun-mal-teor-i-seul 303 / 411
Po-tae-je-bi-nan 302 / 434	Pu-reun-mi-seon-na-mu 303 / 333
Po-tae-sa-cho 302 / 398	Pu-reun-san-cheung-cheung-i 303 / 415
Ppaeng-ssuk 154 / 360	Pu-reun-san-deul-kkae 303 / 544
Ppeo-kkul-chae 154 / 604	Pu-reun-yeo-ro 303 / 670
Ppeo-kkul-chae-sok 154 / 604	Pyeong-an-pi-na-mu 301 / 657
Ppeo-kkul-na-ri 154 / 662	Pyeong-gang-no-gan-ju 301 / 505
Ppeo-kkul-na-ri-sok 154 / 662	Pyeong-yang-dae-geuk 301 / 464
Ppong-ip-pi-na-mu 155 / 658	
Ppong-mo-si-pul 155 / 468	
Ppong-mo-si-pul-sok 155 / 468	
Ppong-na-mu-gwa 155 / 543	
Ppong-na-mu-sok 155 / 543	
Ppo-ri-baeng-i 154 / 683	
Ppo-ri-baeng-i-sok 154 / 683	
Ppul-go-sa-ri 155 / 420	
Ppul-go-sa-ri-sok 155 / 420	
Ppul-mal 155 / 683	
Ppul-mal-sok 155 / 683	
Ppyo-jok-ip-sa-cheol-na-mu 155 / 463	
Pu-jo-na-mu 303 / 355	

R

Ra-peu-raen-deu-sae-pul 105 / 381

Re-bun-bok-ju-meo-ni-ran 105 / 432

Re-man-sa-cho 105 / 393

Rin-ne-pul 105 / 522

Rin-ne-pul-sok 105 / 522

S

Sa-chang-bun-chwi 156 / 622

Sa-cheol-geom-eun-jae-na-mu

156 / 650

Sa-cheol-go-sa-ri 157 / 364
 Sa-cheol-jan-go-sa-ri 157 / 437
 Sa-cheol-na-mu 157 / 463
 Sa-cheol-ran 157 / 482
 Sa-cheol-ran-sok 157 / 482
 Sa-cheol-ssuk 157 / 360
 Sa-cho-gwa 157 / 430
 Sa-cho-sok 157 / 388
 Sa-da-ri-go-sa-ri 155 / 560
 Sa-da-ri-go-sa-ri-sok 155 / 560
 Sa-de-pul 155 / 640
 Sa-dong-mi-na-ri 156 / 416
 Sae 169 / 362
 Sae-bak 170 / 537
 Sae-bak-sok 170 / 537
 Sae-bal-no-rang-mae-mi-kkot 170 / 493
 Sae-bang-ul-sa-cho 170 / 399
 Sae-bap 170 / 528
 Sae-bi-na-mu 170 / 383
 Sae-deok-i 169 / 548
 Sae-dung-ji-ran 170 / 548
 Sae-dung-ji-ran-sok 170 / 548
 Sae-git-a-jae-bi 169 / 682
 Sae-git-a-jae-bi-gwa 169 / 375
 Sae-git-a-jae-bi-sok 169 / 682
 Sae-git-go-sa-ri 169 / 522
 Sae-i-sak-yeo-kkwi 171 / 566
 Sae-ikki-kkwong-ui-bi-reum 169 / 494
 Sae-ikki-no-ru-bal 169 / 597
 Sae-ikki-no-ru-gwi 169 / 488
 Sae-kong 171 / 351
 Sae-kong-sok 171 / 350
 Saek-san-aeng-do-na-mu 172 / 667
 Sae-meo-ru 170 / 679
 Sae-mo-rae-deong-gul 170 / 537
 Sae-mo-rae-deong-gul-gwa 170 / 537
 Sae-mo-rae-deong-gul-sok 170 / 537
 Sae-myeo-neu-ri-bap-pul 170 / 536
 Saeng-dal-na-mu 172 / 410
 Saeng-gang-na-mu 172 / 521
 Saeng-gang-na-mu-sok 172 / 521
 Saeng-i-ga-rae 172 / 619
 Saeng-i-ga-rae-gwa 172 / 619
 Saeng-i-ga-rae-sok 172 / 619
 Saeng-yeol-gwi-na-mu 172 / 609
 Sae-pat 171 / 675
 Sae-po-a-pul 171 / 579
 Sae-sam 170 / 427
 Sae-sam-sok 170 / 427
 Sae-su-yeom-ga-rae-kkot 170 / 524
 Sae-u-ga-rae 171 / 586
 Sae-u-mal 171 / 571
 Sae-u-mal-sok 171 / 571
 Sae-u-na-mu 171 / 556
 Sae-u-na-mu-sok 171 / 556

Sae-u-nan-cho 171 / 382
 Sae-u-nan-cho-sok 171 / 382
 Sae-wan-du 171 / 673
 Sae-yang-beo-deul 171 / 408
 Sae-yang-beo-deul-sok 171 / 408
 Sa-guk-i-jil-pul 155 / 479
 Sa-gwa-na-mu-sok 155 / 533
 Sa-hal-rin-sae-pul 157 / 382
 Sa-hyang-je-bi-kkot 157 / 677
 Sal-gal-kwi 167 / 673
 Sa-ma-gwi-pul 156 / 545
 Sa-ma-gwi-pul-sok 156 / 545
 Sam-baek-cho 167 / 622
 Sam-baek-cho-gwa 167 / 622
 Sam-baek-cho-sok 167 / 622
 Sam-do-ha-su-o 167 / 467
 Sam-gwa 167 / 386
 Sam-ip-bang-mang-i 168 / 635
 Sam-ip-gu-wa-ga-mak-sa-ri 168 / 374
 Sam-ji-gu-yeop-cho 168 / 457
 Sam-ji-gu-yeop-cho-sok 168 / 457
 Sam-jwi-son-i 168 / 479
 Sam-saek-ssa-ri 167 / 516
 Sam-su-gae-mi-ja-ri 168 / 540
 Sam-su-gu-rit-dae 168 / 354
 Sam-su-yeo-ro 168 / 669
 San-aeng-do-na-mu 163 / 667
 San-aeng-do-na-mu-sok 163 / 667
 San-baem-go-sa-ri 161 / 369
 San-bak-ha 161 / 500
 San-bak-ha-sok 161 / 500
 San-bam-na-mu 161 / 401
 San-ba-neul-sa-cho 161 / 396
 San-ba-wi-sing-a 161 / 337
 San-beot-na-mu 161 / 591
 San-bi-jang-i 162 / 635
 San-bi-jang-i-sok 162 / 635
 San-bi-neul-go-sa-ri 162 / 448
 San-bi-neul-sa-cho 162 / 392
 San-bok-na-na-mu 161 / 590
 San-bu-chae 162 / 382
 San-bu-chae-sok 162 / 382
 San-bu-chu 162 / 348
 San-bun-kkot-na-mu 162 / 672
 San-bun-kkot-na-mu-sok 162 / 672
 San-bu-sit-git-go-sa-ri 161 / 406
 San-cheol-jjuk 166 / 606
 San-cheon-gung 166 / 418
 San-cheon-gung-sok 166 / 418
 San-cheung-cheung-i 166 / 415
 San-cho-na-mu 166 / 684
 San-dak-na-mu 159 / 681
 San-dak-na-mu-sok 159 / 681
 San-dal-rae 160 / 347
 San-dan-pung-na-mu 159 / 334

San-deul-jjuk-na-mu 160 / 668
 San-deul-kkae 160 / 544
 San-dol-bae 160 / 598
 San-dong-jwi-ttong-na-mu 160 / 518
 San-dung-gul-re 160 / 582
 San-gae-beot-ji-na-mu 158 / 591
 San-gae-byeol-kkot 158 / 594
 San-gae-gal-kwi 157 / 364
 San-gae-go-sa-ri 157 / 369
 San-gae-na-ri 157 / 472
 San-gae-ssuk 158 / 361
 San-gaet-bo-ri 158 / 455
 San-gak-si-chwi 157 / 625
 San-gal-kwi 157 / 475
 San-ga-mak-sal-na-mu 157 / 672
 Sang-a-mi-seon-na-mu 169 / 332
 Sang-dong-ip-jwi-ttong-na-mu 169 / 519
 Sang-dong-na-mu 168 / 615
 Sang-dong-na-mu-sok 168 / 615
 San-geom-yang-ot-na-mu 158 / 660
 San-gi-jang 159 / 568
 San-gi-reum-na-mul 159 / 568
 San-goe-bul-ju-meo-ni 158 / 423
 San-goe-bul-na-mu 158 / 525
 San-gol-chwi 158 / 623
 San-gol-mu-kkot 158 / 632
 San-go-sa-ri 158 / 368
 San-go-sa-ri-sam 158 / 626
 Sang-sa-hwa-sok 169 / 529
 Sang-san 169 / 553
 Sang-san-sok 169 / 553
 Sang-su-ri-na-mu 169 / 599
 San-gu-jeol-cho 158 / 436
 San-guk 159 / 436
 San-guk-sok 159 / 436
 San-guk-su-na-mu 159 / 572
 San-guk-su-na-mu-sok 159 / 572
 San-gwaeng-i-nun 158 / 409
 San-gwaeng-i-sa-cho 158 / 393
 San-gyeo-i-sak 158 / 344
 San-gyeo-reup-na-mu 158 / 334
 San-hae-bak 166 / 429
 San-hal-mi-kkot 166 / 596
 San-ho-ran 167 / 419
 San-ho-ran-sok 167 / 419
 San-ho-su 167 / 358
 San-huin-ssuk 167 / 361
 San-hwang-na-mu 167 / 603
 San-hyang-mo 167 / 489
 San-hyeong-gwa 167 / 355
 San-hyeong-soe-bang-dong-sa-ni 167 / 431
 San-i-jil-pul 164 / 479
 San-il-yeop-cho 164 / 514

San-i-sak-sa-cho 164 / 394
 San-i-seu-ra-ji 164 / 590
 San-ja-go 164 / 665
 San-ja-go-sok 164 / 665
 San-jak-yak 164 / 558
 San-jam-ja-ri-pi 165 / 664
 San-jang-dae 165 / 356
 San-je-bi-ran 165 / 577
 San-ji-chi 165 / 461
 San-ji-chi-sok 165 / 461
 San-jin-dal-rae 165 / 605
 San-jip-sin-na-mul 165 / 343
 San-jiok-pul 165 / 538
 San-jiok-pul-sok 165 / 538
 San-jo-a-jae-bi 165 / 570
 San-jo-a-jae-bi-sok 165 / 570
 San-jok-je-bi-go-sa-ri 165 / 446
 San-jo-pap-na-mu 165 / 643
 San-jo-pul 165 / 381
 San-jung-gae-go-sa-ri 165 / 369
 San-jwi-son-i 165 / 478
 San-kko-ri-pul 159 / 671
 San-kko-ri-sa-cho 159 / 398
 San-kkot-da-ji 159 / 445
 San-kkot-go-sa-ri-sam 159 / 626
 San-kkwong-ui-bap 159 / 527
 San-kkwong-ui-da-ri 159 / 655
 San-mae-ja-na-mu 160 / 667
 San-ma-ga-mok 160 / 641
 San-ma-neul 160 / 348
 San-mi-na-ri 161 / 343
 San-mi-na-ri-a-jae-bi 161 / 601
 San-mi-na-ri-sok 161 / 343
 San-min-deul-re 161 / 653
 San-min-mang-cho 161 / 459
 San-mi-yeok-chwi 161 / 640
 San-muk-sae 160 / 468
 San-mul-bong-seon 160 / 497
 San-mul-tong-i 161 / 573
 San-naeng-i 159 / 388
 San-oe 164 / 627
 San-oe-sok 164 / 627
 San-o-i-pul 164 / 620
 San-ok-jam-hwa 164 / 490
 San-pa 166 / 347
 San-paeng-na-mu 166 / 402
 San-ppong-na-mu 162 / 544
 San-sa-cho 162 / 389
 San-sae-bap 162 / 528
 San-sae-kong 162 / 511
 San-sae-pul 162 / 381
 San-sae-pul-sok 163 / 381
 San-sa-na-mu 162 / 424
 San-sa-na-mu-sok 162 / 424
 San-seok-song 163 / 529

San-soe-go-bi 163 / 433
 San-sok-dan 163 / 570
 San-som-bang-mang-i 163 / 653
 San-som-da-ri 163 / 513
 San-so-yeong-do-ri-na-mu 163 / 681
 San-sseum-ba-gwi 163 / 508
 San-ssuk 163 / 361
 San-ssuk-bu-jaeng-i 163 / 366
 San-sswae-gi-pul 163 / 509
 San-su-guk 163 / 492
 San-ta-rae-sa-cho 166 / 393
 San-to-kki-go-sa-ri 166 / 483
 San-to-kki-kkot 166 / 444
 San-to-kki-kkot-gwa 166 / 444
 San-to-kki-kkot-sok 166 / 444
 San-top-pul 166 / 335
 San-ttal-gi 160 / 612
 San-ttal-gi-sok 160 / 611
 San-ttal-na-mu 160 / 420
 San-teok-ssuk 160 / 351
 San-ituk-sa-cho 160 / 391
 San-u-deu-pul 164 / 682
 San-yang-ji-sa-cho 163 / 399
 San-yeo-kkwi 163 / 566
 San-yong-dam 164 / 476
 San-yu-ja-na-mu 164 / 683
 San-yu-ja-na-mu-gwa 164 / 471
 San-yu-ja-na-mu-sok 164 / 683
 Sap-ju 168 / 370
 Sap-ju-sok 168 / 370
 Sa-ram-ju-na-mu 156 / 548
 Sa-ram-ju-na-mu-sok 156 / 548
 Sa-sang-ja 156 / 659
 Sa-sang-ja-sok 156 / 659
 Sa-seun-ttal-gi 156 / 612
 Sa-seu-rae-na-mu 156 / 373
 Sa-seu-re-pi-na-mu 156 / 466
 Sa-seu-re-pi-na-mu-sok 156 / 466
 Sa-si-na-mu 156 / 585
 Sa-si-na-mu-sok 156 / 585
 Sat-gat-na-mul 168 / 561
 Sat-gat-na-mul-sok 168 / 561
 Sat-gat-sa-cho 168 / 390
 Sa-wi-jil-ppang 156 / 413
 Se-ba-ram-kkot 182 / 353
 Se-bok-su-cho 182 / 342
 Se-dae-ga-ri 181 / 523
 Se-dae-ga-ri-sok 182 / 523
 Se-ip-cham-kkot 183 / 605
 Se-ip-dol-jjeo-gwi 182 / 337
 Se-ip-gae-bal-na-mul 182 / 638
 Se-ip-jong-deong-gul 183 / 414
 Se-ip-jwi-o-jum-pul 183 / 668
 Se-ip-jwi-son-i 183 / 479
 Se-ip-kkwong-ui-bi-reum 182 / 494
 Se-ip-pul 183 / 335
 Se-ip-pul-sok 183 / 335
 Se-ip-seung-ma 182 / 410
 Se-ip-som-dae 182 / 533
 Se-ip-yang-ji-kkot 182 / 588
 Se-mo-bu-chu 182 / 347
 Se-mo-go-raeng-i 182 / 628
 Se-mo-san-bu-chu 182 / 348
 Sen-dal-na-mu 183 / 532
 Seo-deol-chwi 172 / 623
 Seo-eo-na-mu 172 / 400
 Seo-eo-na-mu-sok 172 / 400
 Seok-chang-po 174 / 338
 Seok-gok 173 / 437
 Seok-gok-sok 173 / 436
 Seok-jam-pul 174 / 645
 Seok-jam-pul-sok 174 / 645
 Seok-jang-po-sok 174 / 658
 Seok-juk-gwa 174 / 401
 Seok-ryu-pul 173 / 542
 Seok-ryu-pul-gwa 173 / 542
 Seok-ryu-pul-sok 173 / 542
 Seok-song 173 / 529
 Seok-song-gwa 173 / 528
 Seok-song-sok 173 / 529
 Seok-wi 173 / 597
 Seok-wi-sok 173 / 597
 Seol-aeng-cho 176 / 589
 Seol-ak-dae-geuk 176 / 464
 Seol-ak-jo-pap-na-mu 176 / 644
 Seol-ak-nun-ju-mok 176 / 653
 Seol-ryeong-gae-hyeon-sam 176 / 630
 Seol-ryeong-gol-pul 176 / 503
 Seol-ryeong-hwang-gi 176 / 368
 Seol-ryeong-hwang-sae-pul 176 / 461
 Seol-ryeong-jwi-o-jum-pul 176 / 668
 Seol-seol-go-sa-ri 176 / 569
 Seol-seol-go-sa-ri-sok 176 / 568
 Seom-ba-di 179 / 450
 Seom-ba-di-sok 179 / 449
 Seom-baek-ri-hyang 179 / 657
 Seom-beo-deul 179 / 617
 Seom-beot-na-mu 179 / 592
 Seom-cham-i-jil-pul 181 / 478
 Seom-cheon-nam-seong 181 / 358
 Seom-cho-rong-kkot 181 / 385
 Seom-dae 178 / 621
 Seom-daeng-gang-na-mu 178 / 332
 Seom-dan-pung-na-mu 178 / 334
 Seom-da-rae 178 / 339
 Seom-gae-beot-na-mu 177 / 590
 Seom-gae-hoe-na-mu 177 / 651
 Seom-gaet-ssuk-bu-jaeng-i 177 / 365
 Seom-gae-ya-gwang-na-mu 177 / 424
 Seom-gae-ya-gwang-na-mu-sok 177 / 424

Seom-geo-buk-kko-ri 177 / 376	Seom-sswae-gi-pul 179 / 666	Seung-ma-sok 195 / 409
Seom-gi-rin-cho 177 / 633	Seom-it-tal-gi 178 / 613	Si-be-ri-a-da-dak-naeng-i 195 / 513
Seom-git-ban-jjok-go-sa-ri 177 / 595	Seom-yang-ji-kkot 180 / 587	Si-be-ri-a-jam-ja-ri-pi 195 / 664
Seom-goe-bul-na-mu 177 / 525	Seon-baek-mi-kkot 175 / 429	Si-be-ri-a-po-a-pul 195 / 579
Seom-go-gwang-na-mu 177 / 569	Seon-ba-wi-go-sa-ri 175 / 551	Si-be-ri-a-sal-gu 195 / 592
Seom-gong-jak-go-sa-ri 177 / 342	Seon-ba-wi-go-sa-ri-sok 175 / 551	Si-be-ri-a-yeo-kkwi 195 / 506
Seom-go-sa-ri 177 / 368	Seon-beo-deul 175 / 618	Si-be-ri-a-yeo-kkwi-sok 195 / 506
Seom-guk-su-na-mu 177 / 572	Seon-bi-neul-i-kki 175 / 634	Si-dak-na-mu 195 / 334
Seom-gwak-hyang 177 / 654	Seon-bu-chu 175 / 347	Si-ho-sok 196 / 379
Seom-gwang-dae-su-yeom 177 / 509	Seon-deung-gal-kwi 174 / 673	Sik-na-mu 196 / 370
Seom-hoe-na-mu 181 / 463	Seon-dung-gul-re 174 / 582	Sik-na-mu-sok 196 / 370
Seom-hoe-yang-mok 181 / 380	Seon-gal-kwi 174 / 364	Sil-bi-nyeo-gol-pul 197 / 504
Seom-hyang-na-mu 181 / 505	Seon-ga-rae 174 / 586	Sil-bu-chu 197 / 347
Seom-hyeon-ho-saek 181 / 421	Seong-ju-pul 181 / 403	Sil-byeol-kkot 197 / 646
Seom-hyeon-sam 181 / 631	Seong-ju-pul-sok 181 / 403	Sil-cheong-sa-cho 198 / 397
Seom-il-yeop-a-jae-bi 180 / 485	Seong-neol-su-guk 181 / 492	Sil-gae-su-yeom 196 / 460
Seom-jan-dae 180 / 341	Seon-goe-bul-ju-meo-ni 174 / 422	Sil-gal-kwi 196 / 475
Seom-jang-dae 180 / 356	Seon-gwaeng-i-bap 174 / 557	Sil-geo-ri-na-mu 196 / 381
Seom-jan-go-sa-ri 180 / 443	Seon-gwaeng-i-nun 174 / 409	Sil-geo-ri-na-mu-sok 197 / 381
Seom-ja-ri-gong 180 / 572	Seon-hyeon-ho-saek 176 / 422	Sil-go-sa-ri 197 / 530
Seom-jat-na-mu 180 / 575	Seon-i-jil-pul 175 / 478	Sil-go-sa-ri-gwa 197 / 627
Seom-je-bi-kkot 180 / 678	Seon-je-bi-kkot 175 / 677	Sil-go-sa-ri-sok 197 / 530
Seom-jill-gyeong-i 181 / 576	Seon-jul-ba-kkot 175 / 337	Sil-i-sak-sa-cho 198 / 393
Seom-jo-rit-dae 180 / 622	Seon-ju-reum-ip 175 / 535	Sil-je-bi-ssuk 198 / 360
Seom-jwi-kkae-pul 180 / 544	Seon-jwi-kko-ri-sae 176 / 545	Sil-kkot-pul 197 / 408
Seom-jwi-son-i 180 / 479	Seon-me-kkot 174 / 384	Sil-kkot-pul-sok 197 / 408
Seom-jwi-ttong-na-mu 180 / 518	Seon-mil-na-mul 175 / 639	Sil-maek-mun-dong 197 / 552
Seom-kka-chi-su-yeom 177 / 530	Seon-mo-si-dae 174 / 339	Sil-mal 197 / 587
Seom-kko-ri-pul 178 / 671	Seon-mul-su-se-mi 175 / 546	Sil-mi-kku-ri-nak-si 197 / 566
Seom-kkot-ma-ri 178 / 430	Seon-nyeo-go-sa-ri 174 / 365	Sil-na-ja-seu-mal 197 / 546
Seom-kkot-ma-ri-sok 178 / 430	Seon-nyeo-ssa-ri 174 / 515	Sil-pi-sa-cho 198 / 394
Seom-kkwong-go-sa-ri 178 / 576	Seon-pi-mak-i 176 / 493	Sil-po-a-pul 198 / 578
Seom-kkwong-ui-bi-reum 178 / 494	Seon-po-a-pul 176 / 579	Sil-sa-cho 197 / 396
Seom-mae-bal-top-na-mu 179 / 372	Seon-sa-cho 175 / 398	Sil-sae-pul 198 / 381
Seom-mal-na-ri 179 / 520	Seon-sseum-ba-gwi 175 / 502	Sil-sae-sam 197 / 427
Seom-meo-ru 179 / 679	Seon-sseum-ba-gwi-sok 175 / 502	Sil-sa-ri 197 / 634
Seom-mo-si-pul 179 / 375	Seon-tu-gu-kkot 176 / 337	Sil-ssuk 198 / 469
Seom-na-do-hi-cho-mi 178 / 584	Seon-yeon-ri-cho 175 / 511	Sil-ssuk-sok 198 / 469
Seom-nam-seong 178 / 359	Seo-su-ra-sa-cho 172 / 393	Sil-tong-bal 198 / 667
Seom-na-mu-it-tal-gi 178 / 613	Seo-ul-gae-bal-na-mul 172 / 595	Si-mu-na-mu 195 / 488
Seom-no-rin-jae-na-mu 178 / 650	Seo-ul-gae-bal-na-mul-sok 172 / 595	Si-mu-na-mu-sok 195 / 488
Seom-no-ru-gwi 178 / 488	Seo-ul-gim-ul-teol 173 / 469	Sin-an-sae-u-nan-cho 196 / 382
Seom-o-gal-pi-na-mu 180 / 454	Seo-ul-go-gwang-na-mu 173 / 569	Sin-bu-chae-but-kkot 196 / 499
Seom-o-ri-na-mu 180 / 349	Seo-ul-gwi-rung-na-mu 173 / 591	Sin-chang-gu-jeol-cho 196 / 436
Seom-pae-raeng-i-kkot 181 / 440	Seo-ul-je-bi-kkot 173 / 678	Sing-a 198 / 337
Seom(pi-na-mu 181 / 657	Seo-ul-jok-do-ri-pul 173 / 363	Sin-gal-jol-cham-na-mu 196 / 600
Seom(po-a-pul 181 / 580	Seo-ul-min-ba-raeng-i 173 / 442	Sin-gal-mae-na-mu 196 / 603
Seom(ppong-na-mu 179 / 544	Seo-yang-gaet-naeng-i 172 / 381	Si-nal-na-mu 196 / 600
Seom(sa-cheol-ran 179 / 482	Seo-yang-gaet-naeng-i-sok 172 / 381	Si-gam-chae 196 / 556
Seom(sae-u-nan-cho 179 / 382	Se-po-keun-jo-rong 183 / 429	Sing-a-sol 198 / 337
Seom(ssa-seu-re-pi-na-mu 179 / 466	Se-pplu-seok-wi 182 / 597	Sin-i-dae 196 / 622
Seom(si-ho 179 / 380	Se-pplu-tu-gu-kkot 182 / 336	Si-na-mu 196 / 334
Seom(ssa-ri-naeng-i 179 / 387	Se-pplu-yeo-kkwi 182 / 565	Si-ui-ju-byeol-kkot 196 / 646
Seom(ssuk 180 / 360	Se-su-yeom-ma-reum 182 / 661	Sip-ja-go-sa-ri 198 / 584
Seom(ssuk-bu-jaeng-i 180 / 366	Seung-ma 195 / 410	Sip-ja-hwa-gwa 198 / 378

Si-ro-mi 195 / 456
 Si-ro-mi-gwa 195 / 455
 Si-ro-mi-sok 195 / 456
 Si-ru-san-dom-bu 195 / 557
 Soe-bang-dong-sa-ni 189 / 431
 Soe-bi-reum 189 / 586
 Soe-bi-reum-gwa 189 / 586
 Soe-bi-reum-sok 189 / 586
 Soe-bo-ri 189 / 500
 Soe-bo-ri-sok 189 / 500
 Soe-byeol-kkot 189 / 646
 Soe-chae 189 / 630
 Soe-chae-sok 189 / 630
 Soe-chi-gi-pul 189 / 487
 Soe-chi-gi-pul-sok 189 / 487
 Soe-dol-pi 188 / 583
 Soe-dol-pi-sok 188 / 583
 Soe-go-bi 188 / 433
 Soe-go-bi-sok 188 / 433
 Soe-go-sa-ri 188 / 357
 Soe-go-sa-ri-sok 188 / 356
 Soe-ha-neul-ji-gi 190 / 471
 Soe-mul-pu-re-na-mu 189 / 472
 Soe-mu-reup 188 / 335
 Soe-mu-reup-sok 189 / 335
 Soe-nak-si-sa-cho 188 / 391
 Soe-na-mu 188 / 473
 Soe-ppul-hyeon-ho-saek 189 / 421
 Soe-pul 190 / 627
 Soe-pul-sok 190 / 627
 Soe-seo-na-mul 189 / 573
 Soe-seo-na-mul-sok 189 / 573
 Soe-teol-gol 190 / 453
 Soe-teol-i-seul 190 / 410
 Soe-tteu-gi 188 / 458
 Soe-tteu-gi-mal-pul 188 / 489
 Soe-tteu-gi-mal-pul-gwa 188 / 489
 Soe-tteu-gi-mal-pul-sok 188 / 489
 So-gwi-na-mu 183 / 546
 So-gwi-na-mu-gwa 183 / 546
 So-gwi-na-mu-sok 183 / 545
 So-gyeong-bul-al 183 / 417
 Sok-dan 184 / 570
 Sok-dan-sok 184 / 570
 Sok-ri-cham-na-mul 184 / 658
 Sok-ri-gi-rin-cho 184 / 633
 Sok-ri-ssa-ri 184 / 516
 Sok-sae 184 / 458
 Sok-sae-gwa 185 / 457
 Sok-sae-sok 185 / 458
 Sok-sok-i-pul 185 / 608
 Sok-teol-gae-mil 185 / 455
 Sol-bang-ul-gol 185 / 629
 Sol-bang-ul-go-raeng-i 185 / 629
 Sol-bi-na-mu 185 / 531

Sol-bi-nyeo-gol-pul 185 / 504
 Sol-but-kkot 185 / 499
 Sol-che-kkot 186 / 626
 Sol-jin-jin 186 / 345
 Sol-in-jin-sok 186 / 344
 Sol-ip-ga-rae 186 / 587
 Sol-ip-jan-dae 186 / 339
 Sol-ip-ran 186 / 594
 Sol-ip-ran-gwa 186 / 594
 Sol-ip-ran-sok 186 / 594
 Sol-ip-sa-cho 186 / 389
 Sol-jang-da-ri 186 / 619
 Sol-na-mul 185 / 475
 Sol-na-ri 185 / 519
 Sol-sae 186 / 656
 Sol-sae-sok 186 / 656
 Sol-song-na-mu 186 / 664
 Sol-song-na-mu-sok 186 / 664
 Som-a-ma-jon 187 / 429
 Som-bang-mang-i 187 / 653
 Som-bang-mang-i-sok 187 / 653
 Som-bun-chwi 187 / 622
 Som-dae-sok 187 / 638
 Som-da-ri 187 / 513
 Som-da-ri-sok 187 / 512
 Som-huin-yeo-kkwi 187 / 565
 Som-na-mul 186 / 512
 Som-na-mul-sok 186 / 512
 Som-ssuk-bang-mang-i 187 / 635
 Som-yang-ji-kkot 187 / 587
 So-na-mu 183 / 575
 So-na-mu-gwa 183 / 574
 So-na-mu-sok 183 / 574
 Son-ba-dak-na-bi-nam-cho 185 / 434
 Son-ba-dak-nan-cho 185 / 483
 Son-ba-dak-nan-cho-sok 185 / 483
 Song-ak 187 / 486
 Song-ak-sok 187 / 486
 Song-geum-na-mu 187 / 383
 Song-i-go-raeng-i 187 / 628
 Song-i-pul 188 / 563
 Song-i-pul-sok 188 / 562
 Song-jang-pul 188 / 513
 Son-go-bi 185 / 417
 Son-go-bi-sok 185 / 417
 Song-yang-na-mu 187 / 451
 Song-yang-na-mu-sok 187 / 451
 So-rae-pul 184 / 555
 So-rae-pul-sok 184 / 555
 So-ran 183 / 428
 So-ri-jaeng-i-sok 184 / 613
 So-sa-na-mu 184 / 400
 So-tae-na-mu 184 / 573
 So-tae-na-mu-gwa 184 / 637
 So-tae-na-mu-sok 184 / 573

So-yeong-do-ri-na-mu 184 / 681
 So-yeop-maek-mun-dong 184 / 552
 So-yeop-pul 184 / 520
 Ssal-pa-do-pul 199 / 551
 Ssal-pa-do-pul-sok 199 / 551
 Ssal-sa-cho 199 / 391
 Ssal-sae 199 / 536
 Ssal-sae-sok 199 / 536
 Ssang-dong-ba-ram-kkot 199 / 353
 Ssang-ip-nan-cho 199 / 549
 Ssang-sil-beo-deul 199 / 616
 Ssa-ra-gi-sa-cho 198 / 399
 Ssa-ri 198 / 514
 Ssa-ri-naeng-i 199 / 387
 Ssa-ri-sok 199 / 514
 Sseum-ba-gwi 200 / 502
 Sseum-ba-gwi-sok 200 / 502
 Sseun-pul 200 / 649
 Sseun-pul-sok 200 / 649
 Ssi-beom-kko-ri 200 / 374
 Ssi-nun-ba-wi-chwi 200 / 625
 Ssi-nun-nan-cho 200 / 489
 Ssi-nun-nan-cho-sok 200 / 488
 Ssuk 199 / 361
 Ssuk-bang-mang-i 200 / 634
 Ssuk-bu-jaeng-i 200 / 367
 Ssuk-bu-ji-kkaeng-i 200 / 462
 Ssuk-bu-ji-kkaeng-i-sok 200 / 461
 Ssuk-guk-hwa 199 / 652
 Ssuk-guk-hwa-sok 199 / 652
 Ssuk-sok 200 / 359
 Sswae-gi-pul 199 / 666
 Sswae-gi-pul-gwa 199 / 666
 Sswae-gi-pul-sok 199 / 666
 Su-gae-mi-ja-ri 190 / 615
 Su-gang-a-ji-pul 190 / 635
 Su-geo-meo-ri-mal 190 / 685
 Su-gol-mu-kkot 190 / 631
 Su-guk-sok 190 / 492
 Su-gung-cho 190 / 355
 Su-gung-cho-sok 190 / 355
 Su-jeong-mok 193 / 434
 Su-jeong-nan-pul 193 / 543
 Su-jeong-nan-pul-gwa 193 / 543
 Su-jeong-nan-pul-sok 193 / 543
 Suk-eun-cheo-nyeo-chi-ma 193 / 487
 Suk-eun-kkot-jang-po 193 / 658
 Suk-eun-no-ru-o-jum 193 / 367
 Su-keu-ryeong 193 / 564
 Su-keu-ryeong-sok 193 / 563
 Su-kka-chi-kkae 190 / 419
 Sul-pae-raeng-i-kkot 194 / 440
 Sun-an-eok-sae 193 / 541
 Sun-bi-gi-na-mu 193 / 679
 Sun-bi-gi-na-mu-sok 193 / 679

Sun-chae 193 / 378
 Sun-chae-sok 194 / 378
 Sup-ba-ram-kkot 194 / 353
 Sup-gae-byeo-l-kkot 194 / 594
 Sup-gae-mil 194 / 378
 Sup-gae-mil-sok 194 / 378
 Sup-gal-kwi-na-mul 194 / 673
 Sup-i-sak-sa-cho 194 / 390
 Su-ri-chwi 191 / 651
 Su-ri-chwi-sok 191 / 650
 Su-ri-ttal-gi 191 / 611
 Su-ryeon 190 / 550
 Su-ryeon-gwa 190 / 550
 Su-ryeon-sok 191 / 550
 Su-seon-hwa-gwa 191 / 349
 Su-song-na-mul 191 / 619
 Su-song-na-mul-sok 191 / 619
 Su-su-go-sa-ri 191 / 365
 Su-su-kkot-da-ri 191 / 651
 Su-su-kkot-da-ri-sok 191 / 651
 Su-su-sae 191 / 642
 Su-su-sae-sok 191 / 642
 Sut-dol-dam-go-sa-ri 194 / 364
 Sut-gal-il-yeop 194 / 527
 Sut-jan-dae 194 / 524
 Sut-jan-dae-sok 194 / 524
 Sut-myéong-da-rae-na-mu 194 / 525
 Su-won-go-raeng-i 192 / 629
 Su-won-jan-dae 193 / 340
 Su-won-sa-cho 193 / 396
 Su-won-sa-si-na-mu 193 / 585
 Su-yeom-chi-ja-pul 192 / 486
 Su-yeom-chi-ja-pul-sok 192 / 486
 Su-yeom-dae-sae-pul 192 / 413
 Su-yeom-gae-mil 191 / 496
 Su-yeom-gae-mil-sok 191 / 495
 Su-yeom-ga-rae-kkot 191 / 524
 Su-yeom-gim-ui-teol 191 / 468
 Su-yeom-hyeon-ho-saek 192 / 421
 Su-yeom-i-kki 192 / 494
 Su-yeom-i-kki-sok 192 / 494
 Su-yeom-ma-reum 192 / 661
 Su-yeom-ma-reum-sok 192 / 661
 Su-yeom-myeo-neu-ri-bap-pul
 192 / 536
 Su-yeom-pae-raeng-i-kkot 192 / 439
 Su-yeom-pul 192 / 595
 Su-yeom-pul-sok 192 / 595
 Su-yeom-yong-dam 192 / 478
 Su-yeom-yong-dam-sok 192 / 478
 Su-yeong 192 / 613
 Swip-ssa-ri 194 / 529
 Swip-ssa-ri-sok 195 / 529
 Swi-ttang-na-mu 194 / 640
 Swi-ttang-na-mu-sok 194 / 640

T
 Tae-an-won-chu-ri 288 / 487
 Tae-baek-chwi 288 / 623
 Tae-baek-gi-rin-cho 288 / 633
 Tae-baek-i-jil-pul 288 / 479
 Tae-baek-je-bi-kkot 288 / 675
 Taek-sa 288 / 346
 Taek-sa-gwa 288 / 346
 Taek-sa-sok 288 / 346
 Tam-na-san-su-guk 287 / 492
 Tam-ra-ban-jiok-go-sa-ri 287 / 595
 Tam-ra-byeol-go-sa-ri 288 / 428
 Tam-ra-hyeon-ho-saek 288 / 422
 Tam-ra-jin-go-sa-ri 287 / 438
 Tam-ra-min-ba-raeng-i 287 / 442
 Tam-ra-nan 288 / 476
 Tam-ra-pul 287 / 486
 Tam-ra-sa-da-ri-go-sa-ri 288 / 560
 Tap-kkot 288 / 416
 Ta-rae-but-kkot 287 / 498
 Ta-rae-nan-cho 287 / 644
 Ta-rae-nan-cho-sok 287 / 644
 Ta-rae-sa-cho 287 / 394
 Teol-baek-dang-na-mu 292 / 672
 Teol-baek-jak-yak 292 / 558
 Teol-baek-seon 292 / 442
 Teol-bak-ha 292 / 537
 Teol-bak-jwi-na-mul 292 / 560
 Teol-ba-wi-tteok-pul 292 / 625
 Teol-bi-neul-go-sa-ri 293 / 357
 Teol-bi-ssuk 293 / 361
 Teol-bok-ju-meo-ni-ran 293 / 432
 Teol-bu-cheo-kkot 293 / 531
 Teol-bun-chwi 293 / 624
 Teol-byeol-go-sa-ri 293 / 428
 Teol-cham-beom-kko-ri 297 / 374
 Teol-cho-pi-na-mu 297 / 684
 Teol-daeng-gang-na-mu 291 / 332
 Teol-dae-sa-cho 291 / 390
 Teol-dar-ae 291 / 338
 Teol-do-kkae-bi-ba-neul 291 / 373
 Teol-dong-ja-kkot 291 / 528
 Teol-du-me-ja-un 291 / 557
 Teol-dung-geun-gal-kwi 291 / 474
 Teol-dung-geun-i-jil-pul 291 / 478
 Teol-eum-na-mu 295 / 506
 Teol-ga-chim-bak-dal 289 / 467
 Teol-gae-beot-na-mu 289 / 591
 Teol-gae-eok-sae 289 / 462
 Teol-gae-gu-ri-mi-na-ri 289 / 601
 Teol-gae-gwan-jung 289 / 584
 Teol-gae-hoe-na-mu 289 / 651
 Teol-gae-meo-ru 289 / 350
 Teol-gae-mil 289 / 455
 Teol-gae-sal-gu 289 / 591
 Teol-gaet-wan-du 289 / 511
 Teol-gal-mae-na-mu 289 / 603
 Teol-ga-mun-bi-na-mu 288 / 573
 Teol-gin-ip-gal-kwi 290 / 474
 Teol-gin-ip-je-bi-kkot 290 / 677
 Teol-gin-ip-jo-pap-na-mu 290 / 643
 Teol-gin-ip-mo-si-pul 290 / 375
 Teol-gi-reum-na-mul 290 / 517
 Teol-gi-rin-che 290 / 633
 Teol-goe-bul-na-mu 290 / 526
 Teol-go-gwang-na-mu 289 / 569
 Teol-go-ro-soe-na-mu 289 / 334
 Teol-go-sa-ri 289 / 438
 Teol-gul-pi-na-mu 290 / 577
 Teol-gwaeng-i-nun 289 / 409
 Teol-gye-yeo-deung 289 / 558
 Teol-ha-neul-ji-gi 298 / 470
 Teol-hwang-byeok 298 / 569
 Teol-hwang-cheol-na-mu 298 / 585
 Teol-hwa-sal-na-mu 298 / 463
 Teol-hyang-yu 298 / 474
 Teol-hyang-yu-sok 298 / 474
 Teol-hyeon-ho-saek 298 / 422
 Teol-in-dong 295 / 525
 Teol-in-ga-mok-jo-pap-na-mu
 295 / 643
 Teol-ip-ha-neul-ji-ji 296 / 471
 Teol-ip-sa-cho 295 / 393
 Teol-ip-sol-na-mul 296 / 476
 Teol-i-seul 295 / 411
 Teol-i-seul-sol 295 / 410
 Teol-i-seu-ra-ji 295 / 591
 Teol-jan-dae 296 / 341
 Teol-jang-dae 296 / 356
 Teol-jang-gu-chae 296 / 636
 Teol-jap-i-je-bi-kkot 296 / 574
 Teol-je-bi-go-kkal 296 / 435
 Teol-je-bi-kkot 296 / 677
 Teol-jeom-na-do-na-mul 296 / 404
 Teol-jeon-ho 296 / 354
 Teol-jil-gyeong-i 297 / 576
 Teol-jin-dal-rae 297 / 605
 Teol-jin-deuk-chal 297 / 636
 Teol-jin-go-sa-ri 297 / 437
 Teol-ji-reong-ku-na-mu 297 / 620
 Teol-jiil-re 297 / 609
 Teol-jo-jang-na-mu 296 / 521
 Teol-jong-bi-na-mu 296 / 572
 Teol-jop-ssal-pul 296 / 466
 Teol-jo-rit-dae-pul 296 / 526
 Teol-jo-rok-ssa-ri 296 / 516
 Teol-jung-na-ri 296 / 519
 Teol-jwi-kkae 297 / 544
 Teol-jwi-ttong-na-mu 297 / 519

Teol-keun-aeng-cho 297 / 589
 Teol-keun-san-beo-deul 297 / 618
 Teol-kko-ri-pul 290 / 671
 Teol-kkot-da-ji 290 / 445
 Teol-kkot-gae-hoe-na-mu 290 / 652
 Teol-mae-ja 292 / 667
 Teol-mal-bal-do-ri 292 / 439
 Teol-man-ju-go-ro-soe 292 / 335
 Teol-man-ju-o-ri-na-mu 292 / 349
 Teol-man-ju-song-i-pul 292 / 563
 Teol-ma-sak-jul 291 / 660
 Teol-meo-wi 292 / 468
 Teol-meo-wi-sok 292 / 468
 Teol-mi-kku-ri-nak-si 292 / 566
 Teol-min-deul-re 292 / 652
 Teol-myeo-neu-ri-bap-pul 292 / 536
 Teol-na-do-daep-ssa-ri 290 / 370
 Teol-na-do-hwang-gi 290 / 486
 Teol-nak-si-je-bi-kkot 290 / 676
 Teol-ne-ip-gal-kwi 291 / 475
 Teol-neol-beun-ip-kko-ri-pul 291 / 670
 Teol-no-bak-deong-gul 291 / 402
 Teol-no-rang-je-bi-kkot 291 / 676
 Teol-nu-ri-jang-na-mu 291 / 415
 Teol-o-gal-pi-na-mu 295 / 454
 Teol-o-ri-na-mu 295 / 348
 Teol-pa-ri-chae 297 / 515
 Teol-pat-bae-na-mu 297 / 641
 Teol(pi-na-mu 297 / 658
 Teol-sa-cheol-ran 293 / 482
 Teol-sa-cho 293 / 396
 Teol-sae 294 / 362
 Teol-sae-mo-rae-deong-gul 294 / 537
 Teol-sae-sok 294 / 362
 Teol-san-bak-ha 293 / 501
 Teol-san-dol-bae 293 / 598
 Teol-san-gae-na-ri 293 / 472
 Teol-sang-dong-na-mu 294 / 615
 Teol-san-goe-bul-na-mu 293 / 525
 Teol-san-go-sa-ri 293 / 561
 Teol-san-sa 293 / 424
 Teol-san-ssuk 293 / 360
 Teol-sa-si-na-mu 293 / 585
 Teol-seok-jam-pul 294 / 645
 Teol-seon-i-jil-pul 294 / 478
 Teol-si-be-ri-a-sal-gu 294 / 592
 Teol-sil-bu-chu 294 / 347
 Teol-sing-a 294 / 337
 Teol-soe-mu-reup 294 / 335
 Teol-sol-na-mul 294 / 475
 Teol-ssang-ip-nan-cho 295 / 548
 Teol-ssa-ri 294 / 514
 Teol-ssa-ri-naeng-i 294 / 387
 Teol-ssi-beom-kko-ri 295 / 375
 Teol-sup-go-sa-ri 294 / 420

Teol-swip-ssa-ri 294 / 529
 Teol-top-pul 297 / 335
 Teol-ttak-chong-na-mu 291 / 620
 Teol-ttak-ji-kkot 291 / 587
 Teol-wang-beo-deul 295 / 616
 Teol-ya-gwang-na-mu 295 / 533
 Teol-yeon-ri-cho 295 / 511
 Teol-yong-ga-si 295 / 609
 Teol-yun-no-ri-na-mu 295 / 589
 Teo-ri-pul 288 / 470
 Teo-ri-pul-sok 288 / 469
 To-dae-hwang 298 / 613
 To-hyeon-sam 298 / 631
 To-cki-go-sa-ri 298 / 483
 To-cki-go-sa-ri-sok 298 / 483
 To-cki-pul-sok 298 / 662
 Tong-bal 299 / 667
 Tong-bal-gwa 299 / 512
 Tong-bal-sok 299 / 666
 Tong-bo-ri-sa-cho 299 / 393
 Tong-yeong-mi-na-ri-naeng-i 299 / 387
 Top-ba-wi-chwi 298 / 625
 Top-jan-dae 298 / 339
 Top-ji-ne-go-sa-ri 299 / 447
 Top-ni-na-ja-seu-mal 298 / 547
 Top-pul 299 / 335
 Top-pul-sok 299 / 335
 Ttae-juk-na-mu 103 / 648
 Ttae-juk-na-mu-gwa 103 / 648
 Ttae-juk-na-mu-sok 103 / 648
 Ttak-chong-na-mu 102 / 620
 Ttak-chong-na-mu-sok 102 / 620
 Ttak-ji-kkot 102 / 587
 Ttal-gi-sok 102 / 472
 Ttang-bin-dae 103 / 465
 Ttang-bi-ssa-ri 103 / 497
 Ttang-bi-ssa-ri-sok 103 / 497
 Ttang-bi-su-ri 102 / 515
 Ttang-chae-song-hwa 103 / 633
 Ttang-gwaeng-i-ssa-ri 102 / 516
 Ttang-gwi-gae 102 / 667
 Ttang-na-ri 102 / 519
 Ttat-du-reup-na-mu 102 / 553
 Ttat-du-reup-na-mu-sok 102 / 553
 Ttat-itl-gi 102 / 472
 Tteok-beo-deul 103 / 617
 Tteok-gal-cham-na-mu 103 / 600
 Tteok-gal-jol-cham-na-mu 103 / 600
 Tteok-gal-na-mu 103 / 599
 Tteok-ip-gol-mu-kkot 104 / 631
 Tteok-ip-san-su-guk 104 / 492
 Tteok-jo-pap-na-mu 104 / 643
 Tteok-o-ri-na-mu 104 / 348
 Tteok-sa-seu-re-pi-na-mu 103 / 466
 Tteok-sin-gal-cham-na-mu 103 / 600
 Tteok-sin-gal-na-mu 103 / 600
 Tteok-sin-jol-cham-na-mu 103 / 600
 Tteok-sok-so-ri-na-mu 103 / 599
 Tteok-ssuk 104 / 593
 Tteok-ssuk-sok 104 / 593
 Tteok-yun-no-ri-na-mu 104 / 589
 Tti 105 / 497
 Tti-sok 105 / 497
 Ttuk-gal 104 / 562
 Ttuk-hyang-na-mu 105 / 505
 Ttuk-ji-chi 104 / 484
 Ttuk-ji-chi-sok 105 / 484
 Ttu-kkeong-byeol-kkot 104 / 351
 Ttu-kkeong-byeol-kkot-sok 104 / 351
 Ttu-kkeong-deong-gul 104 / 339
 Ttu-kkeong-deong-gul-sok 104 / 339
 Ttuk-sa-cho 104 / 399
 Ttuk-sae-pul 104 / 349
 Ttuk-sae-pul-sok 104 / 349
 Tu-gu-kkot 299 / 336
 Tu-gu-kkot-sok 299 / 336
 Tung-dung-gul-re 299 / 582
 Tung-tung-ma-di 299 / 616
 Tung-tung-ma-di-sok 299 / 616

U

U-dan-il-yeop 224 / 597
 U-dan-jwi-son-i 224 / 479
 U-dan-kkot-du-seo-ni 224 / 611
 U-dan-seok-jam-pul 224 / 645
 U-deu-pul 224 / 682
 U-deu-pul-sok 224 / 682
 Ul-reung-guk-hwa 225 / 436
 Ul-reung-jang-gu-chae 225 / 637
 Ul-reung-mi-yeok-chwi 225 / 640
 Ul-reung-po-a-pul 225 / 580
 Ul-reung-san-ma-neul 225 / 347
 Ul-reung-yeon-hwa-ba-wi-sol 225 / 554
 U-muk-sa-seu-re-pi 224 / 466
 Ung-gi-o-ri-na-mu 225 / 348
 Ung-gi-pi-na-mu 225 / 658
 Ung-gi-som-na-mul 225 / 635
 Un-hyang-gwa 225 / 614
 U-san-bang-dong-sa-ni 224 / 432
 U-san-jan-di 224 / 430
 U-san-jan-di-sok 224 / 430
 U-san-je-bi-kkot 224 / 678
 U-san-mul-tong-i 224 / 452
 U-san-na-mul 224 / 650
 U-san-na-mul-sok 224 / 650
 U-san-soe-bang-dong-sa-ni 224 / 431

W

Wae-bak-ju-ga-ri 222 / 665
 Wae-bak-ju-ga-ri-sok 222 / 665
 Wae-bang-pung 222 / 343
 Wae-cheon-gung 222 / 353
 Wae-gae-sing-a 221 / 337
 Wae-gae-yeon-kkot 221 / 549
 Wae-gat-naeng-i 221 / 388
 Wae-gol-mu-kkot 221 / 632
 Wae-gu-sil-sa-ri 221 / 634
 Wae-gwang-dae-su-yeom 221 / 509
 Wae-hyeon-ho-saek 222 / 421
 Wae-je-bi-kkot 222 / 676
 Wae-jeot-ga-rak-na-mul 222 / 602
 Wae-ji-chi 222 / 545
 Wae-jol-bang-je-bi-kkot 222 / 677
 Wae-mi-na-ri-a-jae-bi 222 / 601
 Wae-mo-si-pul 222 / 375
 Wae-seung-ma 222 / 410
 Wae-som-da-ri 222 / 513
 Wae-teok-ssuk 221 / 482
 Wae-teok-ssuk-sok 221 / 482
 Wae-u-san-pul 222 / 578
 Wak-sal-go-sa-ri 218 / 514
 Wak-sal-go-sa-ri-sok 218 / 514
 Wan-do-hyeon-ho-saek 218 / 423
 Wang-baek-san-cha 219 / 511
 Wang-bae-pung-deung 219 / 640
 Wang-ba-raeng-i 219 / 454
 Wang-ba-raeng-i-sok 219 / 454
 Wang-beo-deul 219 / 616
 Wang-beot-na-mu 220 / 592
 Wang-bi-neul-sa-cho 220 / 394
 Wang-bok-ju-meo-ni-ran 220 / 432
 Wang-bo-ri-su-na-mu 220 / 451
 Wang-byeol-kkot 220 / 646
 Wang-cho-pi-na-mu 221 / 683
 Wang-dae-sok 219 / 572
 Wang-da-ram-jwi-kko-ri 219 / 491
 Wang-dung-gul-re 219 / 582
 Wang-gaet-ssuk-bu-jaeng-i 218 / 366
 Wang-ga-rae-na-mu 218 / 503
 Wang-geo-meo-ri-mal 218 / 684
 Wang-geu-neul-sa-cho 218 / 396
 Wang-gim-ui-teol 218 / 469
 Wang-gim-ui-teol-a-jae-bi 218 / 468
 Wang-go-deul-ppae-gi 218 / 508
 Wang-go-deul-ppae-gi-sok 218 / 508
 Wang-goe-bul-na-mu 218 / 526
 Wang-go-gwang-na-mu 218 / 569
 Wang-gol 218 / 431
 Wang-go-ro-soe-na-mu 218 / 334
 Wang-go-sa-ri 218 / 438
 Wang-ho-jang-geun 221 / 468
 Wang-ja-gwi-na-mu 220 / 346

Wang-jak-sal-na-mu 220 / 383
 Wang-jan-dae 220 / 341
 Wang-jan-di 220 / 685
 Wang-je-bi-kkot 220 / 678
 Wang-jil-gyeong-i 221 / 576
 Wang-ji-ne-go-sa-ri 221 / 448
 Wang-juk-dae-a-jae-bi 221 / 648
 Wang-jwi-ttong-na-mu 221 / 519
 Wang-kkot-ma-ri 219 / 430
 Wang-mae-bal-top-na-mu 219 / 371
 Wang-meo-ru 219 / 679
 Wang-mi-kku-ri-gwang-i 219 / 481
 Wang-mil-sa-cho 219 / 394
 Wang-mo-ram 219 / 469
 Wang-mo-si-pul 219 / 376
 Wang-neu-reup-na-mu 219 / 666
 Wang-paeng-na-mu 221 / 403
 Wang-sat-gat-sa-cho 220 / 397
 Wang-som-dae 220 / 639
 Wang-ssal-sae 220 / 536
 Wang-sseum-bae 220 / 589
 Wang-sseum-bae-sok 220 / 589
 Wang-teol-ma-ga-mok 221 / 641
 Wang-yong-ga-si 220 / 609
 Wi-bong-bae 226 / 598
 Wi-do-sang-sa-hwa 226 / 530
 Wol-gyul 226 / 668
 Won-chu-ri-sok 226 / 487
 Won-ji 225 / 581
 Won-ji-gwa 225 / 581
 Won-ji-sok 143 / 581
 Won-ji-sok 225 / 581
 Won-san-ba-neul-gol 225 / 453
 Won-san-soe-teol-gol 225 / 452
 Won-san-ttak-ji-kkot 225 / 588

Y

Ya-go 209 / 343
 Ya-go-sok 209 / 343
 Ya-gwang-na-mu 209 / 533
 Ya-ji-pi 210 / 382
 Yak-bam-na-mu 210 / 401
 Yak-nan-cho 210 / 424
 Yak-nan-cho-sok 210 / 424
 Yal-beun-gae-sing-a 210 / 338
 Yal-beun-ip-go-gwang-na-mu 210 / 570
 Yang-ban-pul 210 / 429
 Yang-deok-go-gwang-na-mu 210 / 569
 Yang-deok-sa-cho 210 / 398
 Yang-gwi-bi-gwa 210 / 559
 Yang-gwi-bi-sok 210 / 559
 Yang-ji-kkot 210 / 588
 Yang-ji-kkot-sok 210 / 587
 Yang-ji-sa-cho 210 / 395
 Yang-ppul-sa-cho 210 / 390

Ya-san-go-bi 209 / 551
 Ya-san-go-bi-sok 209 / 551
 Ye-deok-na-mu 215 / 533
 Ye-deok-na-mu-sok 215 / 533
 Yeo-bok-song 212 / 575
 Yeo-deol-ip-eu-reum 212 / 345
 Yeo-kkwi 212 / 565
 Yeo-kkwi-ba-neul 212 / 527
 Yeo-kkwi-ba-neul-sok 212 / 527
 Yeo-kkwi-ip-je-bi-kkot 212 / 678
 Yeo-kkwi-sok 212 / 564
 Yeol-beun-gal-mi-sa-cho 214 / 391
 Yeol-beun-ip-je-bi-kkot 214 / 675
 Yeol-dang-gwa 214 / 553
 Yeol-eun-ip-ji-ne-go-sa-ri 214 / 448
 Yeom-ju-goe-bul-ju-meo-ni 214 / 422
 Yeom-ju-naeng-i 214 / 659
 Yeom-ju-naeng-i-sok 214 / 659
 Yeom-ju-na-mu 214 / 657
 Yeom-ju-sa-cho 215 / 392
 Yeom-nang-sa-cho 214 / 395
 Yeon-bap-gal-mae-na-mu 213 / 603
 Yeon-bap-mae-ja-na-mu 213 / 372
 Yeon-bap-pi-na-mu 213 / 657
 Yeon-bok-cho 213 / 342
 Yeon-bok-cho-gwa 214 / 342
 Yeon-bok-cho-sok 214 / 342
 Yeon-bo-ra-gwa-nam-pul 213 / 477
 Yeon-du-som-dae 213 / 639
 Yeong-a-ja 215 / 368
 Yeong-a-ja-sok 215 / 368
 Yeong-a-ri-nan-cho 215 / 549
 Yeong-a-ri-nan-cho-sok 215 / 549
 Yeong-do-min-deul-re 215 / 652
 Yeong-do-san-bak-ha 215 / 501
 Yeong-ju-chi-ja 215 / 476
 Yeong-ju-chi-ja-sok 215 / 476
 Yeon-hwa-ba-wi-sol 214 / 554
 Yeon-ip-kkwong-ui-da-ri 214 / 655
 Yeon-ji-gol-mu-kkot 214 / 631
 Yeon-ri-cho 213 / 511
 Yeon-ri-cho-sok 213 / 510
 Yeon-ri-gal-kwi 213 / 675
 Yeon-yeong-cho 214 / 663
 Yeon-yeong-cho-sok 214 / 663
 Yeo-reum-sae-u-nan-cho 212 / 382
 Yeo-ro 212 / 669
 Yeo-ro-sok 212 / 669
 Yeo-u-beo-deul 212 / 618
 Yeo-u-gu-seul 212 / 571
 Yeo-u-ju-meo-ni 213 / 571
 Yeo-u-ju-meo-ni-sok 213 / 571
 Yeo-u-kko-ri-pul 212 / 346
 Yeo-u-kko-ri-sa-cho 212 / 389
 Yeo-u-kong 213 / 606

Yeo-u-kong-sok 213 / 606
Yeo-u-o-jum 213 / 400
Yeo-u-pat 213 / 449
Yeo-u-pat-sok 213 / 449
Yo-gang-na-mul 223 / 414
Yong-dam 223 / 477
Yong-dam-gwa 223 / 477
Yong-dam-sok 223 / 476
Yong-dung-gul-re 223 / 582
Yong-ga-si-na-mu 223 / 609

Yong-meo-ri 223 / 445
Yong-meo-ri-sok 223 / 445
Yong-su-yeom 223 / 440
Yong-su-yeom-sok 224 / 440
Yu-ga-rae-na-mu 226 / 619
Yu-jeon-ma-reum 226 / 660
Yuk-bak-na-mu 226 / 524
Yuk-jeol-bo-ri-pul 226 / 481
Yuk-ji-kkot-beo-deul 226 / 618
Yul-mu-ssuk 227 / 360

Yun-gae-gwan-jung 226 / 584
Yun-no-ri-na-mu 226 / 589
Yun-no-ri-na-mu-sok 226 / 589
Yun-pan-na-mul 226 / 444
Yun-pan-na-mul-a-jae-bi 227 / 444
Yu-ryeong-ran 226 / 457
Yu-ryeong-ran-sok 226 / 457
Yu-seong-sa-cho 226 / 393

참고문헌 Reference

- Brickell, C. and H.M. Cathey. 2004. *The American Horticultural Society A-Z Encyclopedia of Garden Plants*. DK Publishing, Inc., New York.
- Encyclopedia of Life. 2014. EOL. <http://www.eol.org/> (Assecced in 2015.07.03.)
- Gardner, Z. and M. McGuffin. 2013. *American Herbal Products Association's Botanical Safety Handbook*, Second Edition. CRC Press, New York.
- Hu, S.-Y. 2005. *Food Plants of China*. Chinese University Press, Hong Kong.
- Huxley, A. 1992. *The New Royal Horticultural Society Dictionary of Gardening*. MacMillan Press, London.
- IUCN. 2015. *The IUCN Red List of Threatened Species*. Version 2015.1. <http://www.iucnredlist.org/> (Assecced in 2015.07.03.)
- Lee, W.T. 1996. *Coloured Standard Illustrations of Korean Plants*. Academy Publishing Co., Seoul. (in Korean)
- Lee, Y.N. 2006. *New Flora of Korea*. Gyohaksa Publishing Co., Seoul. (in Korean)
- New England Wild Flower Society. 2011. Go Botany. <https://gobotany.newenglandwild.org/> (Assecced in 2015.07.03.)
- Ng, P.K., R. Corlett and H.T. Tan. 2011. *Singapore Biodiversity: An Encyclopedia of the Natural Environment and Sustainable Development*. Tien Wah Press, Singapore.
- Nowick, E. 2015. *Historical Common Names of Great Plains Plants, with Scientific Names Index. Volume II: Scientific Names Index*. Zea Books, Nebraska.
- Park, C.W. 2007. *The Genera of Vascular Plants of Korea*. Park, C.W.(eds.), Academy Publishing Co., Seoul.
- She, K.C. 1989. *Dictionary of Seed Plants Names: Latin-Chinese-English. French & European Publications, Inc.*, New York.
- The Hardy Fern Foundation. 2014. The Hardy Fern Foundation. <http://www.hardyferns.org/> (Assecced in 2015.07.03)
- The Global Biodiversity Information Facility. 2015. GBIF. www.gbif.org/ (Assecced in 2015.07.03)

United States Department of Agriculture. 2014. USDA. <http://www.usda.gov/> (Assecced in 2015.07.03.)

Wiersema, J.H. and B. Leon. 2013. World Economic Plants: A Standard Reference, Second Edition. CRC Press, New York.

Wikimedia Foundation. 2004. Wikipedia: The free encyclopedia. <http://www.wikipedia.org> (Assecced in 2015.07.03)

강병화. 2014. 한국자원식물총람. 리치바닐라.

국립수목원. 2008. 한국식물도해도감 2 양치식물. 국립수목원, 포천.

국립수목원. 2009. 국가생물종지식정보시스템. <http://www.nature.go.kr> (Assecced in 2015.07.03.)

국립수목원. 2011. 한국식물도해도감 1 벼과. 국립수목원, 포천.

이남숙. 2011. 한국의 난과 식물 도감. 이화여자대학교출판부, 서울시.

Copyright © 2015 Korea National Arboretum

Published by

Korea National Arboretum

415 Gwangneungsumokwon-ro, Soheul-eup, Pocheon-si, Gyeonggi-do 487-829,
Republic of Korea

Edited by (in alphabetical order)

Kae Sun Chang, Kyung Choi, Dong-Hyuk Lee, Changho Shin, Jong Cheol Yang (KNA)

Hyeok-Jae Choi (Changwon National University), Kyong-Sook Chung (Jungwon University), Gyu Young Chung (Andong National University), Sangtae Kim (Sungshin Women's University), Seung-Chul Kim (Sungkyunkwan University), Chang Shook Lee (Ewha Womans University), Sangtae Lee (Sungkyunkwan University), Byoung-Un Oh (Chungbuk National University), Weon-Ki Paik (Daejin University), Chong-Wook Park (Seoul National University)

Supervised by

Korea National Plant List Committee

All rights reserved. No part of this book may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the copyright owners.

Suggested citation:

Korea National Arboretum. 2015. English Names for Korean Vascular Plants. Korea National Arboretum. Pocheon. 778pp.

Designed and printed by Samsungadcom (T. +82-2-2266-8368)

Government Publications 11-1400119-000237-01

ISBN 978-89-97450-98-5-93480

Printed in Korea

Nor for sale



비매품

93480

A standard linear barcode.

9 788997 450985

ISBN 978-89-97450-98-5